



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **ADS-MCLEAN COUNTY LF #2**

Project/Facility Number: 1130200042 Date Received : 10/17/16

Funding Code: LP43 Visit Number:

Trip ID: Temperature C: 15.00

Client Sample ID: **G222T** Lab Sample ID: **16J0616-01**

Matrix: Water Collected By: JT Date/Time Collected: 10/17/16 12:17

Sample Type: Sample Depth: Total Depth:

Volatiles Organic Compounds by Purge and Trap GC/MS

Method: 8260 Prepared: 10/18/16 08:00

Units: ug/L Analyzed: 10/18/16 16:01

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Chloromethane	ND		2.0	
Vinyl chloride	ND		2.0	
Bromomethane	ND		2.0	
Chloroethane	ND		2.0	
Trichlorofluoromethane	ND		2.0	
Acetone	ND		10	
1,1-Dichloroethene	ND		2.0	
Methylene chloride	ND		5.0	
Carbon disulfide	ND		2.0	
trans-1,2-Dichloroethene	ND		2.0	
Methyl tert-butyl ether	ND		2.0	
1,1-Dichloroethane	ND		2.0	
2-Butanone (MEK)	ND		10	
cis-1,2-Dichloroethene	ND		2.0	
Bromochloromethane	ND		2.0	
Chloroform	ND		2.0	
2,2-Dichloropropane	ND		2.0	
1,2-Dichloroethane	ND		2.0	
1,1,1-Trichloroethane	ND		2.0	
1,1-Dichloropropene	ND		2.0	
Carbon tetrachloride	ND		2.0	
Benzene	ND		2.0	
Dibromomethane	ND		2.0	
1,2-Dichloropropane	ND		2.0	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
11/07/16 13:49
Page 1 of 67



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **ADS-MCLEAN COUNTY LF #2**

Project/Facility Number: 1130200042 Date Received : 10/17/16

Funding Code: LP43 Visit Number:

Trip ID: Temperature C: 15.00

Client Sample ID: **G222T** Lab Sample ID: **16J0616-01**

Matrix: Water Collected By: JT Date/Time Collected: 10/17/16 12:17

Sample Type: Sample Depth: Total Depth:

Volatiles Organic Compounds by Purge and Trap GC/MS

Method: 8260 Prepared: 10/18/16 08:00

Units: ug/L Analyzed: 10/18/16 16:01

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Trichloroethene	ND		2.0	
Bromodichloromethane	ND		2.0	
cis-1,3-Dichloropropene	ND		2.0	
4-Methyl-2-pentanone (MIBK)	ND		2.0	
trans-1,3-Dichloropropene	ND		2.0	
1,1,2-Trichloroethane	ND		2.0	
Toluene	ND		2.0	
1,3-Dichloropropane	ND		2.0	
2-Hexanone (MBK)	ND		2.0	
Dibromochloromethane	ND		2.0	
1,2-Dibromoethane	ND		2.0	
Tetrachloroethene	ND		2.0	
1,1,1,2-Tetrachloroethane	ND		2.0	
Chlorobenzene	ND		2.0	
Ethylbenzene	ND		2.0	
Bromoform	ND		2.0	
Styrene	ND		2.0	
1,1,2,2-Tetrachloroethane	ND		2.0	
Xylenes, total	ND		2.0	
1,2,3-Trichloropropane	ND		2.0	
Isopropylbenzene	ND		2.0	
Bromobenzene	ND		2.0	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
11/07/16 13:49
Page 2 of 67



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **ADS-MCLEAN COUNTY LF #2**

Project/Facility Number: 1130200042 Date Received : 10/17/16

Funding Code: LP43 Visit Number:

Trip ID: Temperature C: 15.00

Client Sample ID: **G222T** Lab Sample ID: **16J0616-01**

Matrix: Water Collected By: JT Date/Time Collected: 10/17/16 12:17

Sample Type: Sample Depth: Total Depth:

Semivolatiles by GC/MS

Method: 8270 Prepared: 10/19/16 12:00

Units: ug/L Analyzed: 10/21/16 12:26

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Pyridine	ND		1.5	
2-Picoline	ND		1.5	
Methyl methanesulfonate	ND		1.5	
Ethyl methanesulfonate	ND		1.5	
Phenol	ND		1.5	
Bis(2-chloroethyl)ether	ND		1.5	
2-Chlorophenol	ND		1.5	
1,3-Dichlorobenzene	ND		1.5	
1,4-Dichlorobenzene	ND		1.5	
1,2-Dichlorobenzene	ND		1.5	
2-Methylphenol	ND		1.5	
2,2-Oxybis(1-chloropropane)	ND		1.5	
Acetophenone	ND		1.5	
4-Methylphenol	ND		1.5	
N-Nitrosodi-n-propylamine	ND		1.5	
Hexachloroethane	ND		1.5	
Nitrobenzene	ND		1.5	
N-Nitrosopiperidine	ND		1.5	
Isophorone	ND		1.5	
2-Nitrophenol	ND		1.5	
2,4-Dimethylphenol	ND		1.5	
Bis(2-chloroethoxy)methane	ND		1.5	
2,4-Dichlorophenol	ND		1.5	
1,2,4-Trichlorobenzene	ND		1.5	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
11/07/16 13:49
Page 3 of 67



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **ADS-MCLEAN COUNTY LF #2**

Project/Facility Number: 1130200042 Date Received : 10/17/16

Funding Code: LP43 Visit Number:

Trip ID: Temperature C: 15.00

Client Sample ID: **G222T** Lab Sample ID: **16J0616-01**

Matrix: Water Collected By: JT Date/Time Collected: 10/17/16 12:17

Sample Type: Sample Depth: Total Depth:

Semivolatiles by GC/MS

Method: 8270 Prepared: 10/19/16 12:00

Units: ug/L Analyzed: 10/21/16 12:26

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Naphthalene	ND		1.5	
4-Chloroaniline	ND		1.5	
2,6-Dichlorophenol	ND		1.5	
Hexachloropropene	ND		1.5	
Hexachlorobutadiene	ND		1.5	
N-Nitrosodi-n-butylamine	ND		1.5	
4-Chloro-3-methylphenol	ND		1.5	
Isosafrole	ND		1.5	
2-Methylnaphthalene	ND		1.5	
1,2,4,5-Tetrachlorobenzene	ND		1.5	
Hexachlorocyclopentadiene	ND		1.5	
2,4,6-Trichlorophenol	ND		1.5	
2,4,5-Trichlorophenol	ND		1.5	
Safrole	ND		1.5	
2-Chloronaphthalene	ND		1.5	
1-Chloronaphthalene	ND		1.5	
2-Nitroaniline	ND		1.5	
1,4-Dinitrobenzene	ND		1.5	
Dimethylphthalate	ND		1.5	
1,3-Dinitrobenzene	ND		1.5	
2,6-Dinitrotoluene	ND		1.5	
Acenaphthylene	ND		1.5	
1,2-Dinitrobenzene	ND		1.5	
3-Nitroaniline	ND		1.5	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
11/07/16 13:49
Page 4 of 67



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **ADS-MCLEAN COUNTY LF #2**

Project/Facility Number: 1130200042 Date Received : 10/17/16

Funding Code: LP43 Visit Number:

Trip ID: Temperature C: 15.00

Client Sample ID: **G222T** Lab Sample ID: **16J0616-01**

Matrix: Water Collected By: JT Date/Time Collected: 10/17/16 12:17

Sample Type: Sample Depth: Total Depth:

Semivolatiles by GC/MS

Method: 8270 Prepared: 10/19/16 12:00

Units: ug/L Analyzed: 10/21/16 12:26

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Acenaphthene	ND		1.5	
2,4-Dinitrophenol	ND		5.0	
4-Nitrophenol	ND		1.5	
Dibenzofuran	ND		1.5	
2,4-Dinitrotoluene	ND		1.5	
Pentachlorobenzene	ND		1.5	
1-Naphthylamine	ND		1.5	
2-Naphthylamine	ND		1.5	
2,3,4,6-Tetrachlorophenol	ND		1.5	
Diethylphthalate	ND		1.5	
4-Chlorophenyl phenyl ether	ND		1.5	
Fluorene	ND		1.5	
4-Nitroaniline	ND		1.5	
4,6-Dinitro-2-methylphenol	ND		1.5	
Diphenylamine	ND		1.5	
Azobenzene	ND		1.5	
Phenacetin	ND		1.5	
4-Bromophenyl phenyl ether	ND		1.5	
Hexachlorobenzene	ND		1.5	
Pentachlorophenol	ND		1.5	
Pronamide	ND		1.5	
Pentachloronitrobenzene	ND		1.5	
Phenanthrene	ND		1.5	
Anthracene	ND		1.5	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
11/07/16 13:49
Page 5 of 67



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **ADS-MCLEAN COUNTY LF #2**

Project/Facility Number: 1130200042 Date Received : 10/17/16

Funding Code: LP43 Visit Number:

Trip ID: Temperature C: 15.00

Client Sample ID: **G222T** Lab Sample ID: **16J0616-01**

Matrix: Water Collected By: JT Date/Time Collected: 10/17/16 12:17

Sample Type: Sample Depth: Total Depth:

Semivolatiles by GC/MS

Method: 8270 Prepared: 10/19/16 12:00

Units: ug/L Analyzed: 10/21/16 12:26

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Carbazole	ND		1.5	
4-Nitrobiphenyl	ND		1.5	
Di-n-butylphthalate	ND		1.5	
5-Nitroacenaphthene	ND		1.5	
Isodrin	ND		1.5	
Fluoranthene	ND		1.5	
Pyrene	ND		1.5	
p-Dimethylaminoazobenzene	ND		1.5	
Butyl benzyl phthalate	ND		1.5	
3,3-Dichlorobenzidine	ND		1.5	
Benzo(a)anthracene	ND		1.5	
Chrysene	ND		1.5	
Bis(2-ethylhexyl)phthalate	ND		1.5	
Mestranol	ND		1.5	
Di-n-octylphthalate	ND		1.5	
Benzo(b)fluoranthene	ND		1.5	
7,12-Dimethylbenzo(a)anthracene	ND		1.5	
Benzo(k)fluoranthene	ND		1.5	
Benzo(a)pyrene	ND		1.5	
Indeno(1,2,3-cd)pyrene	ND		1.5	
Dibenzo(a,h)anthracene	ND		1.5	
Benzo(ghi)perylene	ND		1.5	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
11/07/16 13:49
Page 6 of 67



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **ADS-MCLEAN COUNTY LF #2**

Project/Facility Number: 1130200042 Date Received : 10/17/16

Funding Code: LP43 Visit Number:

Trip ID: Temperature C: 15.00

Client Sample ID: **G222T** Lab Sample ID: **16J0616-01**

Matrix: Water Collected By: JT Date/Time Collected: 10/17/16 12:17

Sample Type: Sample Depth: Total Depth:

Cyanide by EPA Method 335.4

Method: 335.4 Prepared: 10/19/16 08:58

Units: mg/L Analyzed: 10/19/16 14:14

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Cyanide	ND		0.005	

pH

Method: SM 4500H+B Prepared: 10/19/16 13:59

Units: PH Analyzed: 10/19/16 14:02

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Laboratory pH	7.7	Q	0.1	

Phenols by EPA Method 420.4

Method: EPA 420.4 Prepared: 10/18/16 11:23

Units: ug/L Analyzed: 10/18/16 11:23

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Phenol	ND		10.0	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
11/07/16 13:49
Page 7 of 67



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **ADS-MCLEAN COUNTY LF #2**

Project/Facility Number: 1130200042 Date Received : 10/17/16

Funding Code: LP43 Visit Number:

Trip ID: Temperature C: 15.00

Client Sample ID: **G222T** Lab Sample ID: **16J0616-01**

Matrix: Water Collected By: JT Date/Time Collected: 10/17/16 12:17

Sample Type: Sample Depth: Total Depth:

Specific Conductance by Standard Method 2510B

Method: 2510B Prepared: 10/19/16 11:47

Units: umho/cm Analyzed: 10/19/16 11:50

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Specific Conductance	794.0		10.00	

Total Dissolved Solids, Gravimetric, Dried at 180oC by Std. Method 2540C

Method: SM 2540C Prepared: 10/19/16 14:00

Units: mg/L Analyzed: 10/19/16 14:00

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Total Dissolved Solids	416		10	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
11/07/16 13:49
Page 8 of 67



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **ADS-MCLEAN COUNTY LF #2**

Project/Facility Number: 1130200042 Date Received : 10/17/16

Funding Code: LP43 Visit Number:

Trip ID: Temperature C: 15.00

Client Sample ID: **G222D** Lab Sample ID: **16J0616-02**

Matrix: Water Collected By: JT Date/Time Collected: 10/17/16 12:17

Sample Type: Sample Depth: Total Depth:

Chloride by Ion Chromatography 300.0

Method: EPA 300.0 Prepared: 10/19/16 13:47

Units: mg/L Analyzed: 10/20/16 09:32

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Chloride	1.43		1.00	

Mercury by EPA Method 7470

Method: 7470 Prepared: 10/26/16 13:00

Units: ug/L Analyzed: 11/01/16 09:48

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Mercury	ND		0.06	

Metals by EPA 6000/7000 Series Methods

Method: 6020 Prepared: 10/19/16 09:52

Units: ug/L Analyzed: 10/24/16 10:24

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Antimony	ND		2.00	
Arsenic	60.4		0.50	
Lead	ND		5.00	
Selenium	ND		2.00	
Thallium	ND		2.00	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
11/07/16 13:49
Page 9 of 67



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **ADS-MCLEAN COUNTY LF #2**

Project/Facility Number: 1130200042 Date Received : 10/17/16

Funding Code: LP43 Visit Number:

Trip ID: Temperature C: 15.00

Client Sample ID: **G222D** Lab Sample ID: **16J0616-02**

Matrix: Water Collected By: JT Date/Time Collected: 10/17/16 12:17

Sample Type: Sample Depth: Total Depth:

Metals (Minerals) by EPA Method 6010 - ICP

Method: SW-846 6010 Prepared: 10/19/16 09:51

Units: mg/L Analyzed: 10/27/16 10:14

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Calcium	65.0		0.30	100000
Magnesium	42.1		0.30	100000
Potassium	1.85		1.40	100000
Sodium	39.9		0.30	
Hardness	336		1.98	

Metals by EPA Method 6010 - ICP

Method: SW-846 6010 Prepared: 10/19/16 09:51

Units: ug/L Analyzed: 10/27/16 10:14

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Aluminum	ND		60.0	40000
Barium	139		5.00	
Beryllium	ND		1.00	
Boron	498		10.0	
Cadmium	ND		3.00	
Chromium	ND		5.00	
Cobalt	ND		10.0	
Copper	ND		10.0	
Iron	2140		50.0	40000
Manganese	ND		15.0	
Nickel	ND		5.00	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
11/07/16 13:49
Page 10 of 67



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **ADS-MCLEAN COUNTY LF #2**

Project/Facility Number: 1130200042 Date Received: 10/17/16

Funding Code: LP43 Visit Number:

Trip ID: Temperature C: 15.00

Client Sample ID: **G222D** Lab Sample ID: **16J0616-02**

Matrix: Water Collected By: JT Date/Time Collected: 10/17/16 12:17

Sample Type: Sample Depth: Total Depth:

Metals by EPA Method 6010 - ICP

Method: SW-846 6010 Prepared: 10/19/16 09:51

Units: ug/L Analyzed: 10/27/16 10:14

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Silver	ND		3.00	
Strontium	1900		5.00	
Vanadium	ND		5.00	
Zinc	ND		25.0	

Nitrate-Nitrite, Colorimetric, Automated Cadmium by EPA Method 353.2

Method: 353.2 Prepared: 10/24/16 14:46

Units: mg/L Analyzed: 10/24/16 16:17

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Nitrogen, Nitrite (NO ₂) + Nitrate (NO ₃)	ND		0.100	

Nitrogen, Ammonia, Colorimetric, Automated Phenate by EPA Method 350.1

Method: EPA 350.1 Prepared: 10/18/16 10:23

Units: mg/L Analyzed: 10/18/16 10:23

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Ammonia as N	4.07		0.10	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
11/07/16 13:49
Page 11 of 67



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **ADS-MCLEAN COUNTY LF #2**

Project/Facility Number: 1130200042 Date Received : 10/17/16

Funding Code: LP43 Visit Number:

Trip ID: Temperature C: 15.00

Client Sample ID: **G222D** Lab Sample ID: **16J0616-02**

Matrix: Water Collected By: JT Date/Time Collected: 10/17/16 12:17

Sample Type: Sample Depth: Total Depth:

Phosphorus, All Forms, Colorimetric, Automated, by EPA Method 365.1

Method: EPA 365.1 Prepared: 10/19/16 10:44

Units: mg/L Analyzed: 10/24/16 14:00

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Phosphorus as P	0.0160		0.0050	

Sulfate by Ion Chromatography 300.0

Method: 300.0 Prepared: 10/19/16 13:47

Units: mg/L Analyzed: 10/20/16 09:32

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Sulfate	ND		10.0	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
11/07/16 13:49
Page 12 of 67



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **ADS-MCLEAN COUNTY LF #2**

Project/Facility Number: 1130200042 Date Received : 10/17/16

Funding Code: LP43 Visit Number:

Trip ID: Temperature C: 15.00

Client Sample ID: **G210T** Lab Sample ID: **16J0616-03**

Matrix: Water Collected By: JT Date/Time Collected: 10/17/16 11:25

Sample Type: Sample Depth: Total Depth:

Volatiles Organic Compounds by Purge and Trap GC/MS

Method: 8260 Prepared: 10/18/16 08:00

Units: ug/L Analyzed: 10/18/16 16:32

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Chloromethane	ND		2.0	
Vinyl chloride	ND		2.0	
Bromomethane	ND		2.0	
Chloroethane	ND		2.0	
Trichlorofluoromethane	ND		2.0	
Acetone	ND		10	
1,1-Dichloroethene	ND		2.0	
Methylene chloride	ND		5.0	
Carbon disulfide	ND		2.0	
trans-1,2-Dichloroethene	ND		2.0	
Methyl tert-butyl ether	ND		2.0	
1,1-Dichloroethane	ND		2.0	
2-Butanone (MEK)	ND		10	
cis-1,2-Dichloroethene	ND		2.0	
Bromochloromethane	ND		2.0	
Chloroform	ND		2.0	
2,2-Dichloropropane	ND		2.0	
1,2-Dichloroethane	ND		2.0	
1,1,1-Trichloroethane	ND		2.0	
1,1-Dichloropropene	ND		2.0	
Carbon tetrachloride	ND		2.0	
Benzene	ND		2.0	
Dibromomethane	ND		2.0	
1,2-Dichloropropane	ND		2.0	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
11/07/16 13:49
Page 13 of 67



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **ADS-MCLEAN COUNTY LF #2**

Project/Facility Number: 1130200042 Date Received : 10/17/16

Funding Code: LP43 Visit Number:

Trip ID: Temperature C: 15.00

Client Sample ID: **G210T** Lab Sample ID: **16J0616-03**

Matrix: Water Collected By: JT Date/Time Collected: 10/17/16 11:25

Sample Type: Sample Depth: Total Depth:

Volatiles Organic Compounds by Purge and Trap GC/MS

Method: 8260 Prepared: 10/18/16 08:00

Units: ug/L Analyzed: 10/18/16 16:32

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Trichloroethene	ND		2.0	
Bromodichloromethane	ND		2.0	
cis-1,3-Dichloropropene	ND		2.0	
4-Methyl-2-pentanone (MIBK)	ND		2.0	
trans-1,3-Dichloropropene	ND		2.0	
1,1,2-Trichloroethane	ND		2.0	
Toluene	ND		2.0	
1,3-Dichloropropane	ND		2.0	
2-Hexanone (MBK)	ND		2.0	
Dibromochloromethane	ND		2.0	
1,2-Dibromoethane	ND		2.0	
Tetrachloroethene	ND		2.0	
1,1,1,2-Tetrachloroethane	ND		2.0	
Chlorobenzene	ND		2.0	
Ethylbenzene	ND		2.0	
Bromoform	ND		2.0	
Styrene	ND		2.0	
1,1,2,2-Tetrachloroethane	ND		2.0	
Xylenes, total	ND		2.0	
1,2,3-Trichloropropane	ND		2.0	
Isopropylbenzene	ND		2.0	
Bromobenzene	ND		2.0	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
11/07/16 13:49
Page 14 of 67



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **ADS-MCLEAN COUNTY LF #2**

Project/Facility Number: 1130200042 Date Received : 10/17/16

Funding Code: LP43 Visit Number:

Trip ID: Temperature C: 15.00

Client Sample ID: **G210T** Lab Sample ID: **16J0616-03**

Matrix: Water Collected By: JT Date/Time Collected: 10/17/16 11:25

Sample Type: Sample Depth: Total Depth:

Semivolatiles by GC/MS

Method: 8270 Prepared: 10/19/16 12:00

Units: ug/L Analyzed: 10/21/16 12:53

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Pyridine	ND		1.5	
2-Picoline	ND		1.5	
Methyl methanesulfonate	ND		1.5	
Ethyl methanesulfonate	ND		1.5	
Phenol	ND		1.5	
Bis(2-chloroethyl)ether	ND		1.5	
2-Chlorophenol	ND		1.5	
1,3-Dichlorobenzene	ND		1.5	
1,4-Dichlorobenzene	ND		1.5	
1,2-Dichlorobenzene	ND		1.5	
2-Methylphenol	ND		1.5	
2,2-Oxybis(1-chloropropane)	ND		1.5	
Acetophenone	ND		1.5	
4-Methylphenol	ND		1.5	
N-Nitrosodi-n-propylamine	ND		1.5	
Hexachloroethane	ND		1.5	
Nitrobenzene	ND		1.5	
N-Nitrosopiperidine	ND		1.5	
Isophorone	ND		1.5	
2-Nitrophenol	ND		1.5	
2,4-Dimethylphenol	ND		1.5	
Bis(2-chloroethoxy)methane	ND		1.5	
2,4-Dichlorophenol	ND		1.5	
1,2,4-Trichlorobenzene	ND		1.5	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
11/07/16 13:49
Page 15 of 67



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **ADS-MCLEAN COUNTY LF #2**

Project/Facility Number: 1130200042 Date Received : 10/17/16

Funding Code: LP43 Visit Number:

Trip ID: Temperature C: 15.00

Client Sample ID: **G210T** Lab Sample ID: **16J0616-03**

Matrix: Water Collected By: JT Date/Time Collected: 10/17/16 11:25

Sample Type: Sample Depth: Total Depth:

Semivolatiles by GC/MS

Method: 8270 Prepared: 10/19/16 12:00

Units: ug/L Analyzed: 10/21/16 12:53

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Naphthalene	ND		1.5	
4-Chloroaniline	ND		1.5	
2,6-Dichlorophenol	ND		1.5	
Hexachloropropene	ND		1.5	
Hexachlorobutadiene	ND		1.5	
N-Nitrosodi-n-butylamine	ND		1.5	
4-Chloro-3-methylphenol	ND		1.5	
Isosafrole	ND		1.5	
2-Methylnaphthalene	ND		1.5	
1,2,4,5-Tetrachlorobenzene	ND		1.5	
Hexachlorocyclopentadiene	ND		1.5	
2,4,6-Trichlorophenol	ND		1.5	
2,4,5-Trichlorophenol	ND		1.5	
Safrole	ND		1.5	
2-Chloronaphthalene	ND		1.5	
1-Chloronaphthalene	ND		1.5	
2-Nitroaniline	ND		1.5	
1,4-Dinitrobenzene	ND		1.5	
Dimethylphthalate	ND		1.5	
1,3-Dinitrobenzene	ND		1.5	
2,6-Dinitrotoluene	ND		1.5	
Acenaphthylene	ND		1.5	
1,2-Dinitrobenzene	ND		1.5	
3-Nitroaniline	ND		1.5	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
11/07/16 13:49
Page 16 of 67



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **ADS-MCLEAN COUNTY LF #2**

Project/Facility Number: 1130200042 Date Received : 10/17/16

Funding Code: LP43 Visit Number:

Trip ID: Temperature C: 15.00

Client Sample ID: **G210T** Lab Sample ID: **16J0616-03**

Matrix: Water Collected By: JT Date/Time Collected: 10/17/16 11:25

Sample Type: Sample Depth: Total Depth:

Semivolatiles by GC/MS

Method: 8270 Prepared: 10/19/16 12:00

Units: ug/L Analyzed: 10/21/16 12:53

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Acenaphthene	ND		1.5	
2,4-Dinitrophenol	ND		5.0	
4-Nitrophenol	ND		1.5	
Dibenzofuran	ND		1.5	
2,4-Dinitrotoluene	ND		1.5	
Pentachlorobenzene	ND		1.5	
1-Naphthylamine	ND		1.5	
2-Naphthylamine	ND		1.5	
2,3,4,6-Tetrachlorophenol	ND		1.5	
Diethylphthalate	ND		1.5	
4-Chlorophenyl phenyl ether	ND		1.5	
Fluorene	ND		1.5	
4-Nitroaniline	ND		1.5	
4,6-Dinitro-2-methylphenol	ND		1.5	
Diphenylamine	ND		1.5	
Azobenzene	ND		1.5	
Phenacetin	ND		1.5	
4-Bromophenyl phenyl ether	ND		1.5	
Hexachlorobenzene	ND		1.5	
Pentachlorophenol	ND		1.5	
Pronamide	ND		1.5	
Pentachloronitrobenzene	ND		1.5	
Phenanthrene	ND		1.5	
Anthracene	ND		1.5	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
11/07/16 13:49
Page 17 of 67



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **ADS-MCLEAN COUNTY LF #2**

Project/Facility Number: 1130200042 Date Received : 10/17/16

Funding Code: LP43 Visit Number:

Trip ID: Temperature C: 15.00

Client Sample ID: **G210T** Lab Sample ID: **16J0616-03**

Matrix: Water Collected By: JT Date/Time Collected: 10/17/16 11:25

Sample Type: Sample Depth: Total Depth:

Semivolatiles by GC/MS

Method: 8270 Prepared: 10/19/16 12:00

Units: ug/L Analyzed: 10/21/16 12:53

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Carbazole	ND		1.5	
4-Nitrobiphenyl	ND		1.5	
Di-n-butylphthalate	ND		1.5	
5-Nitroacenaphthene	ND		1.5	
Isodrin	ND		1.5	
Fluoranthene	ND		1.5	
Pyrene	ND		1.5	
p-Dimethylaminoazobenzene	ND		1.5	
Butyl benzyl phthalate	ND		1.5	
3,3-Dichlorobenzidine	ND		1.5	
Benzo(a)anthracene	ND		1.5	
Chrysene	ND		1.5	
Bis(2-ethylhexyl)phthalate	ND		1.5	
Mestranol	ND		1.5	
Di-n-octylphthalate	ND		1.5	
Benzo(b)fluoranthene	ND		1.5	
7,12-Dimethylbenzo(a)anthracene	ND		1.5	
Benzo(k)fluoranthene	ND		1.5	
Benzo(a)pyrene	ND		1.5	
Indeno(1,2,3-cd)pyrene	ND		1.5	
Dibenzo(a,h)anthracene	ND		1.5	
Benzo(ghi)perylene	ND		1.5	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
11/07/16 13:49
Page 18 of 67



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **ADS-MCLEAN COUNTY LF #2**

Project/Facility Number: 1130200042 Date Received : 10/17/16

Funding Code: LP43 Visit Number:

Trip ID: Temperature C: 15.00

Client Sample ID: **G210T** Lab Sample ID: **16J0616-03**

Matrix: Water Collected By: JT Date/Time Collected: 10/17/16 11:25

Sample Type: Sample Depth: Total Depth:

Cyanide by EPA Method 335.4

Method: 335.4 Prepared: 10/19/16 08:58

Units: mg/L Analyzed: 10/19/16 14:17

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Cyanide	ND		0.005	

pH

Method: SM 4500H+B Prepared: 10/19/16 13:59

Units: PH Analyzed: 10/19/16 14:02

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Laboratory pH	7.1	Q	0.1	

Phenols by EPA Method 420.4

Method: EPA 420.4 Prepared: 10/18/16 11:23

Units: ug/L Analyzed: 10/18/16 11:23

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Phenol	ND		10.0	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
11/07/16 13:49
Page 19 of 67



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **ADS-MCLEAN COUNTY LF #2**

Project/Facility Number: 1130200042 Date Received : 10/17/16

Funding Code: LP43 Visit Number:

Trip ID: Temperature C: 15.00

Client Sample ID: **G210T** Lab Sample ID: **16J0616-03**

Matrix: Water Collected By: JT Date/Time Collected: 10/17/16 11:25

Sample Type: Sample Depth: Total Depth:

Specific Conductance by Standard Method 2510B

Method: 2510B Prepared: 10/19/16 11:47

Units: umho/cm Analyzed: 10/19/16 11:50

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Specific Conductance	1353		10.00	

Total Dissolved Solids, Gravimetric, Dried at 180oC by Std. Method 2540C

Method: SM 2540C Prepared: 10/19/16 14:00

Units: mg/L Analyzed: 10/19/16 14:00

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Total Dissolved Solids	788		10	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
11/07/16 13:49
Page 20 of 67



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **ADS-MCLEAN COUNTY LF #2**

Project/Facility Number: 1130200042 Date Received : 10/17/16

Funding Code: LP43 Visit Number:

Trip ID: Temperature C: 15.00

Client Sample ID: **G210D** Lab Sample ID: **16J0616-04**

Matrix: Water Collected By: JT Date/Time Collected: 10/17/16 11:25

Sample Type: Sample Depth: Total Depth:

Chloride by Ion Chromatography 300.0

Method: EPA 300.0 Prepared: 10/19/16 13:47

Units: mg/L Analyzed: 10/20/16 09:42

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Chloride	151		1.00	

Mercury by EPA Method 7470

Method: 7470 Prepared: 10/26/16 13:00

Units: ug/L Analyzed: 11/01/16 09:48

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Mercury	ND		0.06	

Metals by EPA 6000/7000 Series Methods

Method: 6020 Prepared: 10/19/16 09:52

Units: ug/L Analyzed: 10/24/16 10:28

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Antimony	ND		2.00	
Arsenic	0.64		0.50	
Lead	ND		5.00	
Selenium	ND		2.00	
Thallium	ND		2.00	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
11/07/16 13:49
Page 21 of 67



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **ADS-MCLEAN COUNTY LF #2**

Project/Facility Number: 1130200042 Date Received : 10/17/16

Funding Code: LP43 Visit Number:

Trip ID: Temperature C: 15.00

Client Sample ID: **G210D** Lab Sample ID: **16J0616-04**

Matrix: Water Collected By: JT Date/Time Collected: 10/17/16 11:25

Sample Type: Sample Depth: Total Depth:

Metals (Minerals) by EPA Method 6010 - ICP

Method: SW-846 6010 Prepared: 10/19/16 09:51

Units: mg/L Analyzed: 10/27/16 10:17

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Calcium	120		0.30	100000
Magnesium	49.8		0.30	100000
Potassium	2.34		1.40	100000
Sodium	80.2		0.30	
Hardness	505		1.98	

Metals by EPA Method 6010 - ICP

Method: SW-846 6010 Prepared: 10/19/16 09:51

Units: ug/L Analyzed: 10/27/16 10:17

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Aluminum	ND		60.0	40000
Barium	224		5.00	
Beryllium	ND		1.00	
Boron	135	v	10.0	
Cadmium	ND		3.00	
Chromium	ND		5.00	
Cobalt	ND		10.0	
Copper	ND		10.0	
Iron	1870		50.0	40000
Manganese	245		15.0	
Nickel	ND		5.00	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
11/07/16 13:49
Page 22 of 67



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **ADS-MCLEAN COUNTY LF #2**

Project/Facility Number: 1130200042 Date Received: 10/17/16

Funding Code: LP43 Visit Number:

Trip ID: Temperature C: 15.00

Client Sample ID: **G210D** Lab Sample ID: **16J0616-04**

Matrix: Water Collected By: JT Date/Time Collected: 10/17/16 11:25

Sample Type: Sample Depth: Total Depth:

Metals by EPA Method 6010 - ICP

Method: SW-846 6010 Prepared: 10/19/16 09:51

Units: ug/L Analyzed: 10/27/16 10:17

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Silver	ND		3.00	
Strontium	205		5.00	
Vanadium	ND		5.00	
Zinc	ND		25.0	

Nitrate-Nitrite, Colorimetric, Automated Cadmium by EPA Method 353.2

Method: 353.2 Prepared: 10/24/16 14:46

Units: mg/L Analyzed: 10/24/16 16:19

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Nitrogen, Nitrite (NO ₂) + Nitrate (NO ₃)	ND		0.100	

Nitrogen, Ammonia, Colorimetric, Automated Phenate by EPA Method 350.1

Method: EPA 350.1 Prepared: 10/18/16 10:26

Units: mg/L Analyzed: 10/18/16 10:26

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Ammonia as N	0.20		0.10	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
11/07/16 13:49
Page 23 of 67



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **ADS-MCLEAN COUNTY LF #2**

Project/Facility Number: 1130200042 Date Received : 10/17/16

Funding Code: LP43 Visit Number:

Trip ID: Temperature C: 15.00

Client Sample ID: **G210D** Lab Sample ID: **16J0616-04**

Matrix: Water Collected By: JT Date/Time Collected: 10/17/16 11:25

Sample Type: Sample Depth: Total Depth:

Phosphorus, All Forms, Colorimetric, Automated, by EPA Method 365.1

Method: EPA 365.1 Prepared: 10/19/16 10:44

Units: mg/L Analyzed: 10/24/16 14:00

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Phosphorus as P	0.0230		0.0050	

Sulfate by Ion Chromatography 300.0

Method: 300.0 Prepared: 10/19/16 13:47

Units: mg/L Analyzed: 10/20/16 09:42

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Sulfate	116		10.0	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
11/07/16 13:49
Page 24 of 67



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **ADS-MCLEAN COUNTY LF #2**

Project/Facility Number: 1130200042 Date Received : 10/17/16

Funding Code: LP43 Visit Number:

Trip ID: Temperature C: 15.00

Client Sample ID: **G211T** Lab Sample ID: **16J0616-05**

Matrix: Water Collected By: JT Date/Time Collected: 10/17/16 10:30

Sample Type: Sample Depth: Total Depth:

Volatiles Organic Compounds by Purge and Trap GC/MS

Method: 8260 Prepared: 10/18/16 08:00

Units: ug/L Analyzed: 10/18/16 17:04

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Chloromethane	ND		2.0	
Vinyl chloride	ND		2.0	
Bromomethane	ND		2.0	
Chloroethane	ND		2.0	
Trichlorofluoromethane	ND		2.0	
Acetone	ND		10	
1,1-Dichloroethene	ND		2.0	
Methylene chloride	ND		5.0	
Carbon disulfide	ND		2.0	
trans-1,2-Dichloroethene	ND		2.0	
Methyl tert-butyl ether	ND		2.0	
1,1-Dichloroethane	ND		2.0	
2-Butanone (MEK)	ND		10	
cis-1,2-Dichloroethene	ND		2.0	
Bromochloromethane	ND		2.0	
Chloroform	ND		2.0	
2,2-Dichloropropane	ND		2.0	
1,2-Dichloroethane	ND		2.0	
1,1,1-Trichloroethane	ND		2.0	
1,1-Dichloropropene	ND		2.0	
Carbon tetrachloride	ND		2.0	
Benzene	ND		2.0	
Dibromomethane	ND		2.0	
1,2-Dichloropropane	ND		2.0	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
11/07/16 13:49
Page 25 of 67



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **ADS-MCLEAN COUNTY LF #2**

Project/Facility Number: 1130200042 Date Received : 10/17/16

Funding Code: LP43 Visit Number:

Trip ID: Temperature C: 15.00

Client Sample ID: **G211T** Lab Sample ID: **16J0616-05**

Matrix: Water Collected By: JT Date/Time Collected: 10/17/16 10:30

Sample Type: Sample Depth: Total Depth:

Volatiles Organic Compounds by Purge and Trap GC/MS

Method: 8260 Prepared: 10/18/16 08:00

Units: ug/L Analyzed: 10/18/16 17:04

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Trichloroethene	ND		2.0	
Bromodichloromethane	ND		2.0	
cis-1,3-Dichloropropene	ND		2.0	
4-Methyl-2-pentanone (MIBK)	ND		2.0	
trans-1,3-Dichloropropene	ND		2.0	
1,1,2-Trichloroethane	ND		2.0	
Toluene	ND		2.0	
1,3-Dichloropropane	ND		2.0	
2-Hexanone (MBK)	ND		2.0	
Dibromochloromethane	ND		2.0	
1,2-Dibromoethane	ND		2.0	
Tetrachloroethene	ND		2.0	
1,1,1,2-Tetrachloroethane	ND		2.0	
Chlorobenzene	ND		2.0	
Ethylbenzene	ND		2.0	
Bromoform	ND		2.0	
Styrene	ND		2.0	
1,1,2,2-Tetrachloroethane	ND		2.0	
Xylenes, total	ND		2.0	
1,2,3-Trichloropropane	ND		2.0	
Isopropylbenzene	ND		2.0	
Bromobenzene	ND		2.0	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
11/07/16 13:49
Page 26 of 67



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **ADS-MCLEAN COUNTY LF #2**

Project/Facility Number: 1130200042 Date Received : 10/17/16

Funding Code: LP43 Visit Number:

Trip ID: Temperature C: 15.00

Client Sample ID: **G211T** Lab Sample ID: **16J0616-05**

Matrix: Water Collected By: JT Date/Time Collected: 10/17/16 10:30

Sample Type: Sample Depth: Total Depth:

Semivolatiles by GC/MS

Method: 8270 Prepared: 10/19/16 12:00

Units: ug/L Analyzed: 10/21/16 13:20

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Pyridine	ND		1.5	
2-Picoline	ND		1.5	
Methyl methanesulfonate	ND		1.5	
Ethyl methanesulfonate	ND		1.5	
Phenol	ND		1.5	
Bis(2-chloroethyl)ether	ND		1.5	
2-Chlorophenol	ND		1.5	
1,3-Dichlorobenzene	ND		1.5	
1,4-Dichlorobenzene	ND		1.5	
1,2-Dichlorobenzene	ND		1.5	
2-Methylphenol	ND		1.5	
2,2-Oxybis(1-chloropropane)	ND		1.5	
Acetophenone	ND		1.5	
4-Methylphenol	ND		1.5	
N-Nitrosodi-n-propylamine	ND		1.5	
Hexachloroethane	ND		1.5	
Nitrobenzene	ND		1.5	
N-Nitrosopiperidine	ND		1.5	
Isophorone	ND		1.5	
2-Nitrophenol	ND		1.5	
2,4-Dimethylphenol	ND		1.5	
Bis(2-chloroethoxy)methane	ND		1.5	
2,4-Dichlorophenol	ND		1.5	
1,2,4-Trichlorobenzene	ND		1.5	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
11/07/16 13:49
Page 27 of 67



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **ADS-MCLEAN COUNTY LF #2**

Project/Facility Number: 1130200042 Date Received : 10/17/16

Funding Code: LP43 Visit Number:

Trip ID: Temperature C: 15.00

Client Sample ID: **G211T** Lab Sample ID: **16J0616-05**

Matrix: Water Collected By: JT Date/Time Collected: 10/17/16 10:30

Sample Type: Sample Depth: Total Depth:

Semivolatiles by GC/MS

Method: 8270 Prepared: 10/19/16 12:00

Units: ug/L Analyzed: 10/21/16 13:20

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Naphthalene	ND		1.5	
4-Chloroaniline	ND		1.5	
2,6-Dichlorophenol	ND		1.5	
Hexachloropropene	ND		1.5	
Hexachlorobutadiene	ND		1.5	
N-Nitrosodi-n-butylamine	ND		1.5	
4-Chloro-3-methylphenol	ND		1.5	
Isosafrole	ND		1.5	
2-Methylnaphthalene	ND		1.5	
1,2,4,5-Tetrachlorobenzene	ND		1.5	
Hexachlorocyclopentadiene	ND		1.5	
2,4,6-Trichlorophenol	ND		1.5	
2,4,5-Trichlorophenol	ND		1.5	
Safrole	ND		1.5	
2-Chloronaphthalene	ND		1.5	
1-Chloronaphthalene	ND		1.5	
2-Nitroaniline	ND		1.5	
1,4-Dinitrobenzene	ND		1.5	
Dimethylphthalate	ND		1.5	
1,3-Dinitrobenzene	ND		1.5	
2,6-Dinitrotoluene	ND		1.5	
Acenaphthylene	ND		1.5	
1,2-Dinitrobenzene	ND		1.5	
3-Nitroaniline	ND		1.5	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
11/07/16 13:49
Page 28 of 67



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **ADS-MCLEAN COUNTY LF #2**

Project/Facility Number: 1130200042 Date Received : 10/17/16

Funding Code: LP43 Visit Number:

Trip ID: Temperature C: 15.00

Client Sample ID: **G211T** Lab Sample ID: **16J0616-05**

Matrix: Water Collected By: JT Date/Time Collected: 10/17/16 10:30

Sample Type: Sample Depth: Total Depth:

Semivolatiles by GC/MS

Method: 8270 Prepared: 10/19/16 12:00

Units: ug/L Analyzed: 10/21/16 13:20

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Acenaphthene	ND		1.5	
2,4-Dinitrophenol	ND		5.0	
4-Nitrophenol	ND		1.5	
Dibenzofuran	ND		1.5	
2,4-Dinitrotoluene	ND		1.5	
Pentachlorobenzene	ND		1.5	
1-Naphthylamine	ND		1.5	
2-Naphthylamine	ND		1.5	
2,3,4,6-Tetrachlorophenol	ND		1.5	
Diethylphthalate	ND		1.5	
4-Chlorophenyl phenyl ether	ND		1.5	
Fluorene	ND		1.5	
4-Nitroaniline	ND		1.5	
4,6-Dinitro-2-methylphenol	ND		1.5	
Diphenylamine	ND		1.5	
Azobenzene	ND		1.5	
Phenacetin	ND		1.5	
4-Bromophenyl phenyl ether	ND		1.5	
Hexachlorobenzene	ND		1.5	
Pentachlorophenol	ND		1.5	
Pronamide	ND		1.5	
Pentachloronitrobenzene	ND		1.5	
Phenanthrene	ND		1.5	
Anthracene	ND		1.5	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
11/07/16 13:49
Page 29 of 67



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **ADS-MCLEAN COUNTY LF #2**

Project/Facility Number: 1130200042 Date Received : 10/17/16

Funding Code: LP43 Visit Number:

Trip ID: Temperature C: 15.00

Client Sample ID: **G211T** Lab Sample ID: **16J0616-05**

Matrix: Water Collected By: JT Date/Time Collected: 10/17/16 10:30

Sample Type: Sample Depth: Total Depth:

Semivolatiles by GC/MS

Method: 8270 Prepared: 10/19/16 12:00

Units: ug/L Analyzed: 10/21/16 13:20

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Carbazole	ND		1.5	
4-Nitrobiphenyl	ND		1.5	
Di-n-butylphthalate	ND		1.5	
5-Nitroacenaphthene	ND		1.5	
Isodrin	ND		1.5	
Fluoranthene	ND		1.5	
Pyrene	ND		1.5	
p-Dimethylaminoazobenzene	ND		1.5	
Butyl benzyl phthalate	ND		1.5	
3,3-Dichlorobenzidine	ND		1.5	
Benzo(a)anthracene	ND		1.5	
Chrysene	ND		1.5	
Bis(2-ethylhexyl)phthalate	ND		1.5	
Mestranol	ND		1.5	
Di-n-octylphthalate	ND		1.5	
Benzo(b)fluoranthene	ND		1.5	
7,12-Dimethylbenzo(a)anthracene	ND		1.5	
Benzo(k)fluoranthene	ND		1.5	
Benzo(a)pyrene	ND		1.5	
Indeno(1,2,3-cd)pyrene	ND		1.5	
Dibenzo(a,h)anthracene	ND		1.5	
Benzo(ghi)perylene	ND		1.5	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
11/07/16 13:49
Page 30 of 67



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **ADS-MCLEAN COUNTY LF #2**

Project/Facility Number: 1130200042 Date Received : 10/17/16

Funding Code: LP43 Visit Number:

Trip ID: Temperature C: 15.00

Client Sample ID: **G211T** Lab Sample ID: **16J0616-05**

Matrix: Water Collected By: JT Date/Time Collected: 10/17/16 10:30

Sample Type: Sample Depth: Total Depth:

Cyanide by EPA Method 335.4

Method: 335.4 Prepared: 10/19/16 08:58

Units: mg/L Analyzed: 10/19/16 14:18

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Cyanide	ND		0.005	

pH

Method: SM 4500H+B Prepared: 10/19/16 13:59

Units: PH Analyzed: 10/19/16 14:02

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Laboratory pH	7.2	Q	0.1	

Phenols by EPA Method 420.4

Method: EPA 420.4 Prepared: 10/18/16 11:23

Units: ug/L Analyzed: 10/18/16 11:23

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Phenol	ND		10.0	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
11/07/16 13:49
Page 31 of 67



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **ADS-MCLEAN COUNTY LF #2**

Project/Facility Number: 1130200042 Date Received : 10/17/16

Funding Code: LP43 Visit Number:

Trip ID: Temperature C: 15.00

Client Sample ID: **G211T** Lab Sample ID: **16J0616-05**

Matrix: Water Collected By: JT Date/Time Collected: 10/17/16 10:30

Sample Type: Sample Depth: Total Depth:

Specific Conductance by Standard Method 2510B

Method: 2510B Prepared: 10/19/16 11:47

Units: umho/cm Analyzed: 10/19/16 11:50

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Specific Conductance	1553		10.00	

Total Dissolved Solids, Gravimetric, Dried at 180oC by Std. Method 2540C

Method: SM 2540C Prepared: 10/19/16 14:00

Units: mg/L Analyzed: 10/19/16 14:00

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Total Dissolved Solids	950		10	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
11/07/16 13:49
Page 32 of 67



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **ADS-MCLEAN COUNTY LF #2**

Project/Facility Number: 1130200042 Date Received : 10/17/16

Funding Code: LP43 Visit Number:

Trip ID: Temperature C: 15.00

Client Sample ID: **G211D** Lab Sample ID: **16J0616-06**

Matrix: Water Collected By: JT Date/Time Collected: 10/17/16 10:30

Sample Type: Sample Depth: Total Depth:

Chloride by Ion Chromatography 300.0

Method: EPA 300.0 Prepared: 10/19/16 13:47

Units: mg/L Analyzed: 10/20/16 09:51

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Chloride	196		1.00	

Mercury by EPA Method 7470

Method: 7470 Prepared: 10/26/16 13:00

Units: ug/L Analyzed: 11/01/16 09:48

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Mercury	ND		0.06	

Metals by EPA 6000/7000 Series Methods

Method: 6020 Prepared: 10/19/16 09:52

Units: ug/L Analyzed: 10/24/16 10:31

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Antimony	ND		2.00	
Arsenic	ND		0.50	
Lead	ND		5.00	
Selenium	ND		2.00	
Thallium	ND		2.00	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
11/07/16 13:49
Page 33 of 67



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **ADS-MCLEAN COUNTY LF #2**

Project/Facility Number: 1130200042 Date Received : 10/17/16

Funding Code: LP43 Visit Number:

Trip ID: Temperature C: 15.00

Client Sample ID: **G211D** Lab Sample ID: **16J0616-06**

Matrix: Water Collected By: JT Date/Time Collected: 10/17/16 10:30

Sample Type: Sample Depth: Total Depth:

Metals (Minerals) by EPA Method 6010 - ICP

Method: SW-846 6010 Prepared: 10/19/16 09:51

Units: mg/L Analyzed: 10/27/16 10:20

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Calcium	134		0.30	100000
Magnesium	53.5		0.30	100000
Potassium	3.21		1.40	100000
Sodium	94.2		0.30	
Hardness	556		1.98	

Metals by EPA Method 6010 - ICP

Method: SW-846 6010 Prepared: 10/19/16 09:51

Units: ug/L Analyzed: 10/27/16 10:20

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Aluminum	ND		60.0	40000
Barium	269		5.00	
Beryllium	ND		1.00	
Boron	205		10.0	
Cadmium	ND		3.00	
Chromium	ND		5.00	
Cobalt	ND		10.0	
Copper	ND		10.0	
Iron	1910		50.0	40000
Manganese	312		15.0	
Nickel	ND		5.00	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
11/07/16 13:49
Page 34 of 67



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **ADS-MCLEAN COUNTY LF #2**

Project/Facility Number: 1130200042 Date Received : 10/17/16

Funding Code: LP43 Visit Number:

Trip ID: Temperature C: 15.00

Client Sample ID: **G211D** Lab Sample ID: **16J0616-06**

Matrix: Water Collected By: JT Date/Time Collected: 10/17/16 10:30

Sample Type: Sample Depth: Total Depth:

Metals by EPA Method 6010 - ICP

Method: SW-846 6010 Prepared: 10/19/16 09:51

Units: ug/L Analyzed: 10/27/16 10:20

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Silver	ND		3.00	
Strontium	238		5.00	
Vanadium	ND		5.00	
Zinc	ND		25.0	

Nitrate-Nitrite, Colorimetric, Automated Cadmium by EPA Method 353.2

Method: 353.2 Prepared: 10/24/16 14:46

Units: mg/L Analyzed: 10/24/16 16:20

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Nitrogen, Nitrite (NO2) + Nitrate (NC)	0.102		0.100	

Nitrogen, Ammonia, Colorimetric, Automated Phenate by EPA Method 350.1

Method: EPA 350.1 Prepared: 10/18/16 10:29

Units: mg/L Analyzed: 10/18/16 10:29

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Ammonia as N	0.31		0.10	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
11/07/16 13:49
Page 35 of 67



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **ADS-MCLEAN COUNTY LF #2**

Project/Facility Number: 1130200042 Date Received : 10/17/16

Funding Code: LP43 Visit Number:

Trip ID: Temperature C: 15.00

Client Sample ID: **G211D** Lab Sample ID: **16J0616-06**

Matrix: Water Collected By: JT Date/Time Collected: 10/17/16 10:30

Sample Type: Sample Depth: Total Depth:

Phosphorus, All Forms, Colorimetric, Automated, by EPA Method 365.1

Method: EPA 365.1 Prepared: 10/19/16 10:44

Units: mg/L Analyzed: 10/24/16 14:01

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Phosphorus as P	0.0180		0.0050	

Sulfate by Ion Chromatography 300.0

Method: 300.0 Prepared: 10/19/16 13:47

Units: mg/L Analyzed: 10/20/16 10:40

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Sulfate	161		20.0	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
11/07/16 13:49
Page 36 of 67



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **ADS-MCLEAN COUNTY LF #2**

Project/Facility Number: 1130200042 Date Received : 10/17/16

Funding Code: LP43 Visit Number:

Trip ID: Temperature C: 15.00

Client Sample ID: **G214T** Lab Sample ID: **16J0616-07**

Matrix: Water Collected By: JT Date/Time Collected: 10/17/16 9:30

Sample Type: Sample Depth: Total Depth:

Volatiles Organic Compounds by Purge and Trap GC/MS

Method: 8260 Prepared: 10/18/16 08:00

Units: ug/L Analyzed: 10/18/16 17:35

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Chloromethane	ND		2.0	
Vinyl chloride	ND		2.0	
Bromomethane	ND		2.0	
Chloroethane	ND		2.0	
Trichlorofluoromethane	ND		2.0	
Acetone	ND		10	
1,1-Dichloroethene	ND		2.0	
Methylene chloride	ND		5.0	
Carbon disulfide	ND		2.0	
trans-1,2-Dichloroethene	ND		2.0	
Methyl tert-butyl ether	ND		2.0	
1,1-Dichloroethane	ND		2.0	
2-Butanone (MEK)	ND		10	
cis-1,2-Dichloroethene	ND		2.0	
Bromochloromethane	ND		2.0	
Chloroform	ND		2.0	
2,2-Dichloropropane	ND		2.0	
1,2-Dichloroethane	ND		2.0	
1,1,1-Trichloroethane	ND		2.0	
1,1-Dichloropropene	ND		2.0	
Carbon tetrachloride	ND		2.0	
Benzene	ND		2.0	
Dibromomethane	ND		2.0	
1,2-Dichloropropane	ND		2.0	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
11/07/16 13:49
Page 37 of 67



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **ADS-MCLEAN COUNTY LF #2**

Project/Facility Number: 1130200042 Date Received : 10/17/16

Funding Code: LP43 Visit Number:

Trip ID: Temperature C: 15.00

Client Sample ID: **G214T** Lab Sample ID: **16J0616-07**

Matrix: Water Collected By: JT Date/Time Collected: 10/17/16 9:30

Sample Type: Sample Depth: Total Depth:

Volatiles Organic Compounds by Purge and Trap GC/MS

Method: 8260 Prepared: 10/18/16 08:00

Units: ug/L Analyzed: 10/18/16 17:35

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Trichloroethene	ND		2.0	
Bromodichloromethane	ND		2.0	
cis-1,3-Dichloropropene	ND		2.0	
4-Methyl-2-pentanone (MIBK)	ND		2.0	
trans-1,3-Dichloropropene	ND		2.0	
1,1,2-Trichloroethane	ND		2.0	
Toluene	ND		2.0	
1,3-Dichloropropane	ND		2.0	
2-Hexanone (MBK)	ND		2.0	
Dibromochloromethane	ND		2.0	
1,2-Dibromoethane	ND		2.0	
Tetrachloroethene	ND		2.0	
1,1,1,2-Tetrachloroethane	ND		2.0	
Chlorobenzene	ND		2.0	
Ethylbenzene	ND		2.0	
Bromoform	ND		2.0	
Styrene	ND		2.0	
1,1,2,2-Tetrachloroethane	ND		2.0	
Xylenes, total	ND		2.0	
1,2,3-Trichloropropane	ND		2.0	
Isopropylbenzene	ND		2.0	
Bromobenzene	ND		2.0	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
11/07/16 13:49
Page 38 of 67



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **ADS-MCLEAN COUNTY LF #2**

Project/Facility Number: 1130200042 Date Received : 10/17/16

Funding Code: LP43 Visit Number:

Trip ID: Temperature C: 15.00

Client Sample ID: **G214T** Lab Sample ID: **16J0616-07**

Matrix: Water Collected By: JT Date/Time Collected: 10/17/16 9:30

Sample Type: Sample Depth: Total Depth:

Semivolatiles by GC/MS

Method: 8270 Prepared: 10/19/16 12:00

Units: ug/L Analyzed: 10/21/16 13:46

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Pyridine	ND		1.5	
2-Picoline	ND		1.5	
Methyl methanesulfonate	ND		1.5	
Ethyl methanesulfonate	ND		1.5	
Phenol	ND		1.5	
Bis(2-chloroethyl)ether	ND		1.5	
2-Chlorophenol	ND		1.5	
1,3-Dichlorobenzene	ND		1.5	
1,4-Dichlorobenzene	ND		1.5	
1,2-Dichlorobenzene	ND		1.5	
2-Methylphenol	ND		1.5	
2,2-Oxybis(1-chloropropane)	ND		1.5	
Acetophenone	ND		1.5	
4-Methylphenol	ND		1.5	
N-Nitrosodi-n-propylamine	ND		1.5	
Hexachloroethane	ND		1.5	
Nitrobenzene	ND		1.5	
N-Nitrosopiperidine	ND		1.5	
Isophorone	ND		1.5	
2-Nitrophenol	ND		1.5	
2,4-Dimethylphenol	ND		1.5	
Bis(2-chloroethoxy)methane	ND		1.5	
2,4-Dichlorophenol	ND		1.5	
1,2,4-Trichlorobenzene	ND		1.5	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
11/07/16 13:49
Page 39 of 67



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **ADS-MCLEAN COUNTY LF #2**

Project/Facility Number: 1130200042 Date Received : 10/17/16

Funding Code: LP43 Visit Number:

Trip ID: Temperature C: 15.00

Client Sample ID: **G214T** Lab Sample ID: **16J0616-07**

Matrix: Water Collected By: JT Date/Time Collected: 10/17/16 9:30

Sample Type: Sample Depth: Total Depth:

Semivolatiles by GC/MS

Method: 8270 Prepared: 10/19/16 12:00

Units: ug/L Analyzed: 10/21/16 13:46

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Naphthalene	ND		1.5	
4-Chloroaniline	ND		1.5	
2,6-Dichlorophenol	ND		1.5	
Hexachloropropene	ND		1.5	
Hexachlorobutadiene	ND		1.5	
N-Nitrosodi-n-butylamine	ND		1.5	
4-Chloro-3-methylphenol	ND		1.5	
Isosafrole	ND		1.5	
2-Methylnaphthalene	ND		1.5	
1,2,4,5-Tetrachlorobenzene	ND		1.5	
Hexachlorocyclopentadiene	ND		1.5	
2,4,6-Trichlorophenol	ND		1.5	
2,4,5-Trichlorophenol	ND		1.5	
Safrole	ND		1.5	
2-Chloronaphthalene	ND		1.5	
1-Chloronaphthalene	ND		1.5	
2-Nitroaniline	ND		1.5	
1,4-Dinitrobenzene	ND		1.5	
Dimethylphthalate	ND		1.5	
1,3-Dinitrobenzene	ND		1.5	
2,6-Dinitrotoluene	ND		1.5	
Acenaphthylene	ND		1.5	
1,2-Dinitrobenzene	ND		1.5	
3-Nitroaniline	ND		1.5	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
11/07/16 13:49
Page 40 of 67



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **ADS-MCLEAN COUNTY LF #2**

Project/Facility Number: 1130200042 Date Received : 10/17/16

Funding Code: LP43 Visit Number:

Trip ID: Temperature C: 15.00

Client Sample ID: **G214T** Lab Sample ID: **16J0616-07**

Matrix: Water Collected By: JT Date/Time Collected: 10/17/16 9:30

Sample Type: Sample Depth: Total Depth:

Semivolatiles by GC/MS

Method: 8270 Prepared: 10/19/16 12:00

Units: ug/L Analyzed: 10/21/16 13:46

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Acenaphthene	ND		1.5	
2,4-Dinitrophenol	ND		5.0	
4-Nitrophenol	ND		1.5	
Dibenzofuran	ND		1.5	
2,4-Dinitrotoluene	ND		1.5	
Pentachlorobenzene	ND		1.5	
1-Naphthylamine	ND		1.5	
2-Naphthylamine	ND		1.5	
2,3,4,6-Tetrachlorophenol	ND		1.5	
Diethylphthalate	ND		1.5	
4-Chlorophenyl phenyl ether	ND		1.5	
Fluorene	ND		1.5	
4-Nitroaniline	ND		1.5	
4,6-Dinitro-2-methylphenol	ND		1.5	
Diphenylamine	ND		1.5	
Azobenzene	ND		1.5	
Phenacetin	ND		1.5	
4-Bromophenyl phenyl ether	ND		1.5	
Hexachlorobenzene	ND		1.5	
Pentachlorophenol	ND		1.5	
Pronamide	ND		1.5	
Pentachloronitrobenzene	ND		1.5	
Phenanthrene	ND		1.5	
Anthracene	ND		1.5	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
11/07/16 13:49
Page 41 of 67



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **ADS-MCLEAN COUNTY LF #2**

Project/Facility Number: 1130200042 Date Received : 10/17/16

Funding Code: LP43 Visit Number:

Trip ID: Temperature C: 15.00

Client Sample ID: **G214T** Lab Sample ID: **16J0616-07**

Matrix: Water Collected By: JT Date/Time Collected: 10/17/16 9:30

Sample Type: Sample Depth: Total Depth:

Semivolatiles by GC/MS

Method: 8270 Prepared: 10/19/16 12:00

Units: ug/L Analyzed: 10/21/16 13:46

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Carbazole	ND		1.5	
4-Nitrobiphenyl	ND		1.5	
Di-n-butylphthalate	ND		1.5	
5-Nitroacenaphthene	ND		1.5	
Isodrin	ND		1.5	
Fluoranthene	ND		1.5	
Pyrene	ND		1.5	
p-Dimethylaminoazobenzene	ND		1.5	
Butyl benzyl phthalate	ND		1.5	
3,3-Dichlorobenzidine	ND		1.5	
Benzo(a)anthracene	ND		1.5	
Chrysene	ND		1.5	
Bis(2-ethylhexyl)phthalate	ND		1.5	
Mestranol	ND		1.5	
Di-n-octylphthalate	ND		1.5	
Benzo(b)fluoranthene	ND		1.5	
7,12-Dimethylbenzo(a)anthracene	ND		1.5	
Benzo(k)fluoranthene	ND		1.5	
Benzo(a)pyrene	ND		1.5	
Indeno(1,2,3-cd)pyrene	ND		1.5	
Dibenzo(a,h)anthracene	ND		1.5	
Benzo(ghi)perylene	ND		1.5	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
11/07/16 13:49
Page 42 of 67



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **ADS-MCLEAN COUNTY LF #2**

Project/Facility Number: 1130200042 Date Received : 10/17/16

Funding Code: LP43 Visit Number:

Trip ID: Temperature C: 15.00

Client Sample ID: **G214T** Lab Sample ID: **16J0616-07**

Matrix: Water Collected By: JT Date/Time Collected: 10/17/16 9:30

Sample Type: Sample Depth: Total Depth:

Cyanide by EPA Method 335.4

Method: 335.4 Prepared: 10/19/16 08:58

Units: mg/L Analyzed: 10/19/16 14:18

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Cyanide	ND		0.005	

pH

Method: SM 4500H+B Prepared: 10/19/16 13:59

Units: PH Analyzed: 10/19/16 14:02

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Laboratory pH	7.0	Q	0.1	

Phenols by EPA Method 420.4

Method: EPA 420.4 Prepared: 10/18/16 11:23

Units: ug/L Analyzed: 10/18/16 11:23

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Phenol	ND		10.0	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
11/07/16 13:49
Page 43 of 67



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **ADS-MCLEAN COUNTY LF #2**

Project/Facility Number: 1130200042 Date Received : 10/17/16

Funding Code: LP43 Visit Number:

Trip ID: Temperature C: 15.00

Client Sample ID: **G214T** Lab Sample ID: **16J0616-07**

Matrix: Water Collected By: JT Date/Time Collected: 10/17/16 9:30

Sample Type: Sample Depth: Total Depth:

Specific Conductance by Standard Method 2510B

Method: 2510B Prepared: 10/19/16 11:47

Units: umho/cm Analyzed: 10/19/16 11:50

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Specific Conductance	1468		10.00	

Total Dissolved Solids, Gravimetric, Dried at 180oC by Std. Method 2540C

Method: SM 2540C Prepared: 10/19/16 14:00

Units: mg/L Analyzed: 10/19/16 14:00

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Total Dissolved Solids	1020		10	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
11/07/16 13:49
Page 44 of 67



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **ADS-MCLEAN COUNTY LF #2**

Project/Facility Number: 1130200042 Date Received : 10/17/16

Funding Code: LP43 Visit Number:

Trip ID: Temperature C: 15.00

Client Sample ID: **G214D** Lab Sample ID: **16J0616-08**

Matrix: Water Collected By: JT Date/Time Collected: 10/17/16 9:30

Sample Type: Sample Depth: Total Depth:

Chloride by Ion Chromatography 300.0

Method: EPA 300.0 Prepared: 10/19/16 13:47

Units: mg/L Analyzed: 10/20/16 10:01

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Chloride	123		1.00	

Mercury by EPA Method 7470

Method: 7470 Prepared: 10/26/16 13:00

Units: ug/L Analyzed: 11/01/16 09:48

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Mercury	ND		0.06	

Metals by EPA 6000/7000 Series Methods

Method: 6020 Prepared: 10/19/16 09:52

Units: ug/L Analyzed: 10/24/16 10:34

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Antimony	ND		2.00	
Arsenic	ND		0.50	
Lead	ND		5.00	
Selenium	ND		2.00	
Thallium	ND		2.00	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
11/07/16 13:49
Page 45 of 67



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **ADS-MCLEAN COUNTY LF #2**

Project/Facility Number: 1130200042 Date Received : 10/17/16

Funding Code: LP43 Visit Number:

Trip ID: Temperature C: 15.00

Client Sample ID: **G214D** Lab Sample ID: **16J0616-08**

Matrix: Water Collected By: JT Date/Time Collected: 10/17/16 9:30

Sample Type: Sample Depth: Total Depth:

Metals (Minerals) by EPA Method 6010 - ICP

Method: SW-846 6010 Prepared: 10/19/16 09:51

Units: mg/L Analyzed: 10/27/16 10:23

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Calcium	168		0.30	100000
Magnesium	61.2		0.30	100000
Potassium	2.15		1.40	100000
Sodium	47.5		0.30	
Hardness	671		1.98	

Metals by EPA Method 6010 - ICP

Method: SW-846 6010 Prepared: 10/19/16 09:51

Units: ug/L Analyzed: 10/27/16 10:23

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Aluminum	ND		60.0	40000
Barium	47.2		5.00	
Beryllium	ND		1.00	
Boron	122	V	10.0	
Cadmium	ND		3.00	
Chromium	ND		5.00	
Cobalt	ND		10.0	
Copper	ND		10.0	
Iron	ND		50.0	40000
Manganese	450		15.0	
Nickel	5.34		5.00	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
11/07/16 13:49
Page 46 of 67



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **ADS-MCLEAN COUNTY LF #2**

Project/Facility Number: 1130200042 Date Received: 10/17/16

Funding Code: LP43 Visit Number:

Trip ID: Temperature C: 15.00

Client Sample ID: **G214D** Lab Sample ID: **16J0616-08**

Matrix: Water Collected By: JT Date/Time Collected: 10/17/16 9:30

Sample Type: Sample Depth: Total Depth:

Metals by EPA Method 6010 - ICP

Method: SW-846 6010 Prepared: 10/19/16 09:51

Units: ug/L Analyzed: 10/27/16 10:23

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Silver	ND		3.00	
Strontium	417		5.00	
Vanadium	ND		5.00	
Zinc	77.1		25.0	

Nitrate-Nitrite, Colorimetric, Automated Cadmium by EPA Method 353.2

Method: 353.2 Prepared: 10/24/16 14:46

Units: mg/L Analyzed: 10/24/16 16:21

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Nitrogen, Nitrite (NO ₂) + Nitrate (NO ₃)	ND		0.100	

Nitrogen, Ammonia, Colorimetric, Automated Phenate by EPA Method 350.1

Method: EPA 350.1 Prepared: 10/18/16 10:40

Units: mg/L Analyzed: 10/18/16 10:40

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Ammonia as N	ND		0.10	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
11/07/16 13:49
Page 47 of 67



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **ADS-MCLEAN COUNTY LF #2**

Project/Facility Number: 1130200042 Date Received : 10/17/16

Funding Code: LP43 Visit Number:

Trip ID: Temperature C: 15.00

Client Sample ID: **G214D** Lab Sample ID: **16J0616-08**

Matrix: Water Collected By: JT Date/Time Collected: 10/17/16 9:30

Sample Type: Sample Depth: Total Depth:

Phosphorus, All Forms, Colorimetric, Automated, by EPA Method 365.1

Method: EPA 365.1 Prepared: 10/19/16 10:44

Units: mg/L Analyzed: 10/24/16 14:02

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Phosphorus as P	ND		0.0050	

Sulfate by Ion Chromatography 300.0

Method: 300.0 Prepared: 10/19/16 13:47

Units: mg/L Analyzed: 10/20/16 10:50

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Sulfate	233		20.0	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
11/07/16 13:49
Page 48 of 67



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **ADS-MCLEAN COUNTY LF #2**

Project/Facility Number: 1130200042 Date Received : 10/17/16

Funding Code: LP43 Visit Number:

Trip ID: Temperature C: 15.00

Client Sample ID: **G250T** Lab Sample ID: **16J0616-09**

Matrix: Water Collected By: JT Date/Time Collected: 10/17/16 10:30

Sample Type: Sample Depth: Total Depth:

Volatiles Organic Compounds by Purge and Trap GC/MS

Method: 8260 Prepared: 10/18/16 08:00

Units: ug/L Analyzed: 10/18/16 18:07

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Chloromethane	ND		2.0	
Vinyl chloride	ND		2.0	
Bromomethane	ND		2.0	
Chloroethane	ND		2.0	
Trichlorofluoromethane	ND		2.0	
Acetone	ND		10	
1,1-Dichloroethene	ND		2.0	
Methylene chloride	ND		5.0	
Carbon disulfide	ND		2.0	
trans-1,2-Dichloroethene	ND		2.0	
Methyl tert-butyl ether	ND		2.0	
1,1-Dichloroethane	ND		2.0	
2-Butanone (MEK)	ND		10	
cis-1,2-Dichloroethene	ND		2.0	
Bromochloromethane	ND		2.0	
Chloroform	ND		2.0	
2,2-Dichloropropane	ND		2.0	
1,2-Dichloroethane	ND		2.0	
1,1,1-Trichloroethane	ND		2.0	
1,1-Dichloropropene	ND		2.0	
Carbon tetrachloride	ND		2.0	
Benzene	ND		2.0	
Dibromomethane	ND		2.0	
1,2-Dichloropropane	ND		2.0	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
11/07/16 13:49
Page 49 of 67



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **ADS-MCLEAN COUNTY LF #2**

Project/Facility Number: 1130200042 Date Received : 10/17/16

Funding Code: LP43 Visit Number:

Trip ID: Temperature C: 15.00

Client Sample ID: **G250T** Lab Sample ID: **16J0616-09**

Matrix: Water Collected By: JT Date/Time Collected: 10/17/16 10:30

Sample Type: Sample Depth: Total Depth:

Volatiles Organic Compounds by Purge and Trap GC/MS

Method: 8260 Prepared: 10/18/16 08:00

Units: ug/L Analyzed: 10/18/16 18:07

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Trichloroethene	ND		2.0	
Bromodichloromethane	ND		2.0	
cis-1,3-Dichloropropene	ND		2.0	
4-Methyl-2-pentanone (MIBK)	ND		2.0	
trans-1,3-Dichloropropene	ND		2.0	
1,1,2-Trichloroethane	ND		2.0	
Toluene	ND		2.0	
1,3-Dichloropropane	ND		2.0	
2-Hexanone (MBK)	ND		2.0	
Dibromochloromethane	ND		2.0	
1,2-Dibromoethane	ND		2.0	
Tetrachloroethene	ND		2.0	
1,1,1,2-Tetrachloroethane	ND		2.0	
Chlorobenzene	ND		2.0	
Ethylbenzene	ND		2.0	
Bromoform	ND		2.0	
Styrene	ND		2.0	
1,1,2,2-Tetrachloroethane	ND		2.0	
Xylenes, total	ND		2.0	
1,2,3-Trichloropropane	ND		2.0	
Isopropylbenzene	ND		2.0	
Bromobenzene	ND		2.0	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
11/07/16 13:49
Page 50 of 67



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **ADS-MCLEAN COUNTY LF #2**

Project/Facility Number: 1130200042 Date Received : 10/17/16

Funding Code: LP43 Visit Number:

Trip ID: Temperature C: 15.00

Client Sample ID: **G250T** Lab Sample ID: **16J0616-09**

Matrix: Water Collected By: JT Date/Time Collected: 10/17/16 10:30

Sample Type: Sample Depth: Total Depth:

Semivolatiles by GC/MS

Method: 8270 Prepared: 10/19/16 12:00

Units: ug/L Analyzed: 10/21/16 14:13

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Pyridine	ND		1.5	
2-Picoline	ND		1.5	
Methyl methanesulfonate	ND		1.5	
Ethyl methanesulfonate	ND		1.5	
Phenol	ND		1.5	
Bis(2-chloroethyl)ether	ND		1.5	
2-Chlorophenol	ND		1.5	
1,3-Dichlorobenzene	ND		1.5	
1,4-Dichlorobenzene	ND		1.5	
1,2-Dichlorobenzene	ND		1.5	
2-Methylphenol	ND		1.5	
2,2-Oxybis(1-chloropropane)	ND		1.5	
Acetophenone	ND		1.5	
4-Methylphenol	ND		1.5	
N-Nitrosodi-n-propylamine	ND		1.5	
Hexachloroethane	ND		1.5	
Nitrobenzene	ND		1.5	
N-Nitrosopiperidine	ND		1.5	
Isophorone	ND		1.5	
2-Nitrophenol	ND		1.5	
2,4-Dimethylphenol	ND		1.5	
Bis(2-chloroethoxy)methane	ND		1.5	
2,4-Dichlorophenol	ND		1.5	
1,2,4-Trichlorobenzene	ND		1.5	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
11/07/16 13:49
Page 51 of 67



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **ADS-MCLEAN COUNTY LF #2**

Project/Facility Number: 1130200042 Date Received : 10/17/16

Funding Code: LP43 Visit Number:

Trip ID: Temperature C: 15.00

Client Sample ID: **G250T** Lab Sample ID: **16J0616-09**

Matrix: Water Collected By: JT Date/Time Collected: 10/17/16 10:30

Sample Type: Sample Depth: Total Depth:

Semivolatiles by GC/MS

Method: 8270 Prepared: 10/19/16 12:00

Units: ug/L Analyzed: 10/21/16 14:13

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Naphthalene	ND		1.5	
4-Chloroaniline	ND		1.5	
2,6-Dichlorophenol	ND		1.5	
Hexachloropropene	ND		1.5	
Hexachlorobutadiene	ND		1.5	
N-Nitrosodi-n-butylamine	ND		1.5	
4-Chloro-3-methylphenol	ND		1.5	
Isosafrole	ND		1.5	
2-Methylnaphthalene	ND		1.5	
1,2,4,5-Tetrachlorobenzene	ND		1.5	
Hexachlorocyclopentadiene	ND		1.5	
2,4,6-Trichlorophenol	ND		1.5	
2,4,5-Trichlorophenol	ND		1.5	
Safrole	ND		1.5	
2-Chloronaphthalene	ND		1.5	
1-Chloronaphthalene	ND		1.5	
2-Nitroaniline	ND		1.5	
1,4-Dinitrobenzene	ND		1.5	
Dimethylphthalate	ND		1.5	
1,3-Dinitrobenzene	ND		1.5	
2,6-Dinitrotoluene	ND		1.5	
Acenaphthylene	ND		1.5	
1,2-Dinitrobenzene	ND		1.5	
3-Nitroaniline	ND		1.5	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
11/07/16 13:49
Page 52 of 67



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **ADS-MCLEAN COUNTY LF #2**

Project/Facility Number: 1130200042 Date Received : 10/17/16

Funding Code: LP43 Visit Number:

Trip ID: Temperature C: 15.00

Client Sample ID: **G250T** Lab Sample ID: **16J0616-09**

Matrix: Water Collected By: JT Date/Time Collected: 10/17/16 10:30

Sample Type: Sample Depth: Total Depth:

Semivolatiles by GC/MS

Method: 8270 Prepared: 10/19/16 12:00

Units: ug/L Analyzed: 10/21/16 14:13

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Acenaphthene	ND		1.5	
2,4-Dinitrophenol	ND		5.0	
4-Nitrophenol	ND		1.5	
Dibenzofuran	ND		1.5	
2,4-Dinitrotoluene	ND		1.5	
Pentachlorobenzene	ND		1.5	
1-Naphthylamine	ND		1.5	
2-Naphthylamine	ND		1.5	
2,3,4,6-Tetrachlorophenol	ND		1.5	
Diethylphthalate	ND		1.5	
4-Chlorophenyl phenyl ether	ND		1.5	
Fluorene	ND		1.5	
4-Nitroaniline	ND		1.5	
4,6-Dinitro-2-methylphenol	ND		1.5	
Diphenylamine	ND		1.5	
Azobenzene	ND		1.5	
Phenacetin	ND		1.5	
4-Bromophenyl phenyl ether	ND		1.5	
Hexachlorobenzene	ND		1.5	
Pentachlorophenol	ND		1.5	
Pronamide	ND		1.5	
Pentachloronitrobenzene	ND		1.5	
Phenanthrene	ND		1.5	
Anthracene	ND		1.5	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
11/07/16 13:49
Page 53 of 67



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **ADS-MCLEAN COUNTY LF #2**

Project/Facility Number: 1130200042 Date Received : 10/17/16

Funding Code: LP43 Visit Number:

Trip ID: Temperature C: 15.00

Client Sample ID: **G250T** Lab Sample ID: **16J0616-09**

Matrix: Water Collected By: JT Date/Time Collected: 10/17/16 10:30

Sample Type: Sample Depth: Total Depth:

Semivolatiles by GC/MS

Method: 8270 Prepared: 10/19/16 12:00

Units: ug/L Analyzed: 10/21/16 14:13

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Carbazole	ND		1.5	
4-Nitrobiphenyl	ND		1.5	
Di-n-butylphthalate	ND		1.5	
5-Nitroacenaphthene	ND		1.5	
Isodrin	ND		1.5	
Fluoranthene	ND		1.5	
Pyrene	ND		1.5	
p-Dimethylaminoazobenzene	ND		1.5	
Butyl benzyl phthalate	ND		1.5	
3,3-Dichlorobenzidine	ND		1.5	
Benzo(a)anthracene	ND		1.5	
Chrysene	ND		1.5	
Bis(2-ethylhexyl)phthalate	ND		1.5	
Mestranol	ND		1.5	
Di-n-octylphthalate	ND		1.5	
Benzo(b)fluoranthene	ND		1.5	
7,12-Dimethylbenzo(a)anthracene	ND		1.5	
Benzo(k)fluoranthene	ND		1.5	
Benzo(a)pyrene	ND		1.5	
Indeno(1,2,3-cd)pyrene	ND		1.5	
Dibenzo(a,h)anthracene	ND		1.5	
Benzo(ghi)perylene	ND		1.5	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
11/07/16 13:49
Page 54 of 67



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **ADS-MCLEAN COUNTY LF #2**

Project/Facility Number: 1130200042 Date Received : 10/17/16

Funding Code: LP43 Visit Number:

Trip ID: Temperature C: 15.00

Client Sample ID: **G250T** Lab Sample ID: **16J0616-09**

Matrix: Water Collected By: JT Date/Time Collected: 10/17/16 10:30

Sample Type: Sample Depth: Total Depth:

Cyanide by EPA Method 335.4

Method: 335.4 Prepared: 10/19/16 08:58

Units: mg/L Analyzed: 10/19/16 14:21

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Cyanide	ND		0.005	

pH

Method: SM 4500H+B Prepared: 10/19/16 13:59

Units: PH Analyzed: 10/19/16 14:02

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Laboratory pH	7.1	Q	0.1	

Phenols by EPA Method 420.4

Method: EPA 420.4 Prepared: 10/18/16 11:23

Units: ug/L Analyzed: 10/18/16 11:23

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Phenol	ND		10.0	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
11/07/16 13:49
Page 55 of 67



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **ADS-MCLEAN COUNTY LF #2**

Project/Facility Number: 1130200042 Date Received : 10/17/16

Funding Code: LP43 Visit Number:

Trip ID: Temperature C: 15.00

Client Sample ID: **G250T** Lab Sample ID: **16J0616-09**

Matrix: Water Collected By: JT Date/Time Collected: 10/17/16 10:30

Sample Type: Sample Depth: Total Depth:

Specific Conductance by Standard Method 2510B

Method: 2510B Prepared: 10/19/16 11:47

Units: umho/cm Analyzed: 10/19/16 11:50

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Specific Conductance	1540		10.00	

Total Dissolved Solids, Gravimetric, Dried at 180oC by Std. Method 2540C

Method: SM 2540C Prepared: 10/19/16 14:00

Units: mg/L Analyzed: 10/19/16 14:00

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Total Dissolved Solids	958		10	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
11/07/16 13:49
Page 56 of 67



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **ADS-MCLEAN COUNTY LF #2**

Project/Facility Number: 1130200042 Date Received : 10/17/16

Funding Code: LP43 Visit Number:

Trip ID: Temperature C: 15.00

Client Sample ID: **G250D** Lab Sample ID: **16J0616-10**

Matrix: Water Collected By: JT Date/Time Collected: 10/17/16 10:30

Sample Type: Sample Depth: Total Depth:

Chloride by Ion Chromatography 300.0

Method: EPA 300.0 Prepared: 10/19/16 13:47

Units: mg/L Analyzed: 10/20/16 10:11

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Chloride	196		1.00	

Mercury by EPA Method 7470

Method: 7470 Prepared: 10/26/16 13:00

Units: ug/L Analyzed: 11/01/16 09:48

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Mercury	ND		0.06	

Metals by EPA 6000/7000 Series Methods

Method: 6020 Prepared: 10/19/16 09:52

Units: ug/L Analyzed: 10/24/16 10:37

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Antimony	ND		2.00	
Arsenic	ND		0.50	
Lead	ND		5.00	
Selenium	ND		2.00	
Thallium	ND		2.00	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
11/07/16 13:49
Page 57 of 67



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **ADS-MCLEAN COUNTY LF #2**

Project/Facility Number: 1130200042 Date Received : 10/17/16

Funding Code: LP43 Visit Number:

Trip ID: Temperature C: 15.00

Client Sample ID: **G250D** Lab Sample ID: **16J0616-10**

Matrix: Water Collected By: JT Date/Time Collected: 10/17/16 10:30

Sample Type: Sample Depth: Total Depth:

Metals (Minerals) by EPA Method 6010 - ICP

Method: SW-846 6010 Prepared: 10/19/16 09:51

Units: mg/L Analyzed: 10/27/16 10:27

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Calcium	138		0.30	100000
Magnesium	54.7		0.30	100000
Potassium	3.21		1.40	100000
Sodium	96.0		0.30	
Hardness	571		1.98	

Metals by EPA Method 6010 - ICP

Method: SW-846 6010 Prepared: 10/19/16 09:51

Units: ug/L Analyzed: 10/27/16 10:27

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Aluminum	ND		60.0	40000
Barium	278		5.00	
Beryllium	ND		1.00	
Boron	205		10.0	
Cadmium	ND		3.00	
Chromium	ND		5.00	
Cobalt	ND		10.0	
Copper	ND		10.0	
Iron	1960		50.0	40000
Manganese	320		15.0	
Nickel	ND		5.00	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
11/07/16 13:49
Page 58 of 67



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **ADS-MCLEAN COUNTY LF #2**

Project/Facility Number: 1130200042 Date Received : 10/17/16

Funding Code: LP43 Visit Number:

Trip ID: Temperature C: 15.00

Client Sample ID: **G250D** Lab Sample ID: **16J0616-10**

Matrix: Water Collected By: JT Date/Time Collected: 10/17/16 10:30

Sample Type: Sample Depth: Total Depth:

Metals by EPA Method 6010 - ICP

Method: SW-846 6010 Prepared: 10/19/16 09:51

Units: ug/L Analyzed: 10/27/16 10:27

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Silver	ND		3.00	
Strontium	245		5.00	
Vanadium	ND		5.00	
Zinc	ND		25.0	

Nitrate-Nitrite, Colorimetric, Automated Cadmium by EPA Method 353.2

Method: 353.2 Prepared: 10/24/16 14:46

Units: mg/L Analyzed: 10/24/16 16:25

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Nitrogen, Nitrite (NO ₂) + Nitrate (NO ₃)	ND		0.100	

Nitrogen, Ammonia, Colorimetric, Automated Phenate by EPA Method 350.1

Method: EPA 350.1 Prepared: 10/18/16 10:43

Units: mg/L Analyzed: 10/18/16 10:43

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Ammonia as N	0.32		0.10	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
11/07/16 13:49
Page 59 of 67



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **ADS-MCLEAN COUNTY LF #2**

Project/Facility Number: 1130200042 Date Received : 10/17/16

Funding Code: LP43 Visit Number:

Trip ID: Temperature C: 15.00

Client Sample ID: **G250D** Lab Sample ID: **16J0616-10**

Matrix: Water Collected By: JT Date/Time Collected: 10/17/16 10:30

Sample Type: Sample Depth: Total Depth:

Phosphorus, All Forms, Colorimetric, Automated, by EPA Method 365.1

Method: EPA 365.1 Prepared: 10/19/16 10:44

Units: mg/L Analyzed: 10/24/16 14:02

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Phosphorus as P	0.0200		0.0050	

Sulfate by Ion Chromatography 300.0

Method: 300.0 Prepared: 10/19/16 13:47

Units: mg/L Analyzed: 10/20/16 10:59

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Sulfate	163		20.0	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
11/07/16 13:49
Page 60 of 67



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **ADS-MCLEAN COUNTY LF #2**

Project/Facility Number: 1130200042 Date Received : 10/17/16

Funding Code: LP43 Visit Number:

Trip ID: Temperature C: 15.00

Client Sample ID: **TRIP BLANK 1** Lab Sample ID: **16J0616-11**

Matrix: Water Collected By: JT Date/Time Collected: 10/17/16 12:17

Sample Type: Sample Depth: Total Depth:

Volatiles Organic Compounds by Purge and Trap GC/MS

Method: 8260 Prepared: 10/18/16 08:00

Units: ug/L Analyzed: 10/18/16 18:38

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Chloromethane	ND		2.0	
Vinyl chloride	ND		2.0	
Bromomethane	ND		2.0	
Chloroethane	ND		2.0	
Trichlorofluoromethane	ND		2.0	
Acetone	ND		10	
1,1-Dichloroethene	ND		2.0	
Methylene chloride	ND		5.0	
Carbon disulfide	ND		2.0	
trans-1,2-Dichloroethene	ND		2.0	
Methyl tert-butyl ether	ND		2.0	
1,1-Dichloroethane	ND		2.0	
2-Butanone (MEK)	ND		10	
cis-1,2-Dichloroethene	ND		2.0	
Bromochloromethane	ND		2.0	
Chloroform	ND		2.0	
2,2-Dichloropropane	ND		2.0	
1,2-Dichloroethane	ND		2.0	
1,1,1-Trichloroethane	ND		2.0	
1,1-Dichloropropene	ND		2.0	
Carbon tetrachloride	ND		2.0	
Benzene	ND		2.0	
Dibromomethane	ND		2.0	
1,2-Dichloropropane	ND		2.0	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
11/07/16 13:49
Page 61 of 67



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **ADS-MCLEAN COUNTY LF #2**

Project/Facility Number: 1130200042 Date Received : 10/17/16

Funding Code: LP43 Visit Number:

Trip ID: Temperature C: 15.00

Client Sample ID: **TRIP BLANK 1** Lab Sample ID: **16J0616-11**

Matrix: Water Collected By: JT Date/Time Collected: 10/17/16 12:17

Sample Type: Sample Depth: Total Depth:

Volatiles Organic Compounds by Purge and Trap GC/MS

Method: 8260 Prepared: 10/18/16 08:00

Units: ug/L Analyzed: 10/18/16 18:38

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Trichloroethene	ND		2.0	
Bromodichloromethane	ND		2.0	
cis-1,3-Dichloropropene	ND		2.0	
4-Methyl-2-pentanone (MIBK)	ND		2.0	
trans-1,3-Dichloropropene	ND		2.0	
1,1,2-Trichloroethane	ND		2.0	
Toluene	ND		2.0	
1,3-Dichloropropane	ND		2.0	
2-Hexanone (MBK)	ND		2.0	
Dibromochloromethane	ND		2.0	
1,2-Dibromoethane	ND		2.0	
Tetrachloroethene	ND		2.0	
1,1,1,2-Tetrachloroethane	ND		2.0	
Chlorobenzene	ND		2.0	
Ethylbenzene	ND		2.0	
Bromoform	ND		2.0	
Styrene	ND		2.0	
1,1,2,2-Tetrachloroethane	ND		2.0	
Xylenes, total	ND		2.0	
1,2,3-Trichloropropane	ND		2.0	
Isopropylbenzene	ND		2.0	
Bromobenzene	ND		2.0	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
11/07/16 13:49
Page 62 of 67



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **ADS-MCLEAN COUNTY LF #2**

Project/Facility Number: 1130200042 Date Received : 10/17/16

Funding Code: LP43 Visit Number:

Trip ID: Temperature C: 15.00

Client Sample ID: **TRIP BLANK 2** Lab Sample ID: **16J0616-12**

Matrix: Water Collected By: JT Date/Time Collected: 10/17/16 10:30

Sample Type: Sample Depth: Total Depth:

Volatiles Organic Compounds by Purge and Trap GC/MS

Method: 8260 Prepared: 10/18/16 08:00

Units: ug/L Analyzed: 10/18/16 19:09

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Chloromethane	ND		2.0	
Vinyl chloride	ND		2.0	
Bromomethane	ND		2.0	
Chloroethane	ND		2.0	
Trichlorofluoromethane	ND		2.0	
Acetone	ND		10	
1,1-Dichloroethene	ND		2.0	
Methylene chloride	ND		5.0	
Carbon disulfide	ND		2.0	
trans-1,2-Dichloroethene	ND		2.0	
Methyl tert-butyl ether	ND		2.0	
1,1-Dichloroethane	ND		2.0	
2-Butanone (MEK)	ND		10	
cis-1,2-Dichloroethene	ND		2.0	
Bromochloromethane	ND		2.0	
Chloroform	ND		2.0	
2,2-Dichloropropane	ND		2.0	
1,2-Dichloroethane	ND		2.0	
1,1,1-Trichloroethane	ND		2.0	
1,1-Dichloropropene	ND		2.0	
Carbon tetrachloride	ND		2.0	
Benzene	ND		2.0	
Dibromomethane	ND		2.0	
1,2-Dichloropropane	ND		2.0	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
11/07/16 13:49
Page 63 of 67



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **ADS-MCLEAN COUNTY LF #2**

Project/Facility Number: 1130200042 Date Received : 10/17/16

Funding Code: LP43 Visit Number:

Trip ID: Temperature C: 15.00

Client Sample ID: **TRIP BLANK 2** Lab Sample ID: **16J0616-12**

Matrix: Water Collected By: JT Date/Time Collected: 10/17/16 10:30

Sample Type: Sample Depth: Total Depth:

Volatiles Organic Compounds by Purge and Trap GC/MS

Method: 8260 Prepared: 10/18/16 08:00

Units: ug/L Analyzed: 10/18/16 19:09

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Trichloroethene	ND		2.0	
Bromodichloromethane	ND		2.0	
cis-1,3-Dichloropropene	ND		2.0	
4-Methyl-2-pentanone (MIBK)	ND		2.0	
trans-1,3-Dichloropropene	ND		2.0	
1,1,2-Trichloroethane	ND		2.0	
Toluene	ND		2.0	
1,3-Dichloropropane	ND		2.0	
2-Hexanone (MBK)	ND		2.0	
Dibromochloromethane	ND		2.0	
1,2-Dibromoethane	ND		2.0	
Tetrachloroethene	ND		2.0	
1,1,1,2-Tetrachloroethane	ND		2.0	
Chlorobenzene	ND		2.0	
Ethylbenzene	ND		2.0	
Bromoform	ND		2.0	
Styrene	ND		2.0	
1,1,2,2-Tetrachloroethane	ND		2.0	
Xylenes, total	ND		2.0	
1,2,3-Trichloropropane	ND		2.0	
Isopropylbenzene	ND		2.0	
Bromobenzene	ND		2.0	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
11/07/16 13:49
Page 64 of 67



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **ADS-MCLEAN COUNTY LF #2**

Project/Facility Number: 1130200042 Date Received : 10/17/16

Funding Code: LP43 Visit Number:

Trip ID: Temperature C: 15.00

Client Sample ID: **TRIP BLANK 3** Lab Sample ID: **16J0616-13**

Matrix: Water Collected By: JT Date/Time Collected: 10/17/16 11:25

Sample Type: Sample Depth: Total Depth:

Volatiles Organic Compounds by Purge and Trap GC/MS

Method: 8260 Prepared: 10/18/16 08:00

Units: ug/L Analyzed: 10/18/16 19:41

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Chloromethane	ND		2.0	
Vinyl chloride	ND		2.0	
Bromomethane	ND		2.0	
Chloroethane	ND		2.0	
Trichlorofluoromethane	ND		2.0	
Acetone	ND		10	
1,1-Dichloroethene	ND		2.0	
Methylene chloride	ND		5.0	
Carbon disulfide	ND		2.0	
trans-1,2-Dichloroethene	ND		2.0	
Methyl tert-butyl ether	ND		2.0	
1,1-Dichloroethane	ND		2.0	
2-Butanone (MEK)	ND		10	
cis-1,2-Dichloroethene	ND		2.0	
Bromochloromethane	ND		2.0	
Chloroform	ND		2.0	
2,2-Dichloropropane	ND		2.0	
1,2-Dichloroethane	ND		2.0	
1,1,1-Trichloroethane	ND		2.0	
1,1-Dichloropropene	ND		2.0	
Carbon tetrachloride	ND		2.0	
Benzene	ND		2.0	
Dibromomethane	ND		2.0	
1,2-Dichloropropane	ND		2.0	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
11/07/16 13:49
Page 65 of 67



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **ADS-MCLEAN COUNTY LF #2**

Project/Facility Number: 1130200042 Date Received : 10/17/16

Funding Code: LP43 Visit Number:

Trip ID: Temperature C: 15.00

Client Sample ID: **TRIP BLANK 3** Lab Sample ID: **16J0616-13**

Matrix: Water Collected By: JT Date/Time Collected: 10/17/16 11:25

Sample Type: Sample Depth: Total Depth:

Volatiles Organic Compounds by Purge and Trap GC/MS

Method: 8260 Prepared: 10/18/16 08:00

Units: ug/L Analyzed: 10/18/16 19:41

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>	<u>Regulatory Level</u>
Trichloroethene	ND		2.0	
Bromodichloromethane	ND		2.0	
cis-1,3-Dichloropropene	ND		2.0	
4-Methyl-2-pentanone (MIBK)	ND		2.0	
trans-1,3-Dichloropropene	ND		2.0	
1,1,2-Trichloroethane	ND		2.0	
Toluene	ND		2.0	
1,3-Dichloropropane	ND		2.0	
2-Hexanone (MBK)	ND		2.0	
Dibromochloromethane	ND		2.0	
1,2-Dibromoethane	ND		2.0	
Tetrachloroethene	ND		2.0	
1,1,1,2-Tetrachloroethane	ND		2.0	
Chlorobenzene	ND		2.0	
Ethylbenzene	ND		2.0	
Bromoform	ND		2.0	
Styrene	ND		2.0	
1,1,2,2-Tetrachloroethane	ND		2.0	
Xylenes, total	ND		2.0	
1,2,3-Trichloropropane	ND		2.0	
Isopropylbenzene	ND		2.0	
Bromobenzene	ND		2.0	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:
11/07/16 13:49
Page 66 of 67



Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

LABORATORY RESULTS

Name: **ADS-MCLEAN COUNTY LF #2**

Project/Facility Number: 1130200042 Date Received : 10/17/16

Funding Code: LP43 Visit Number:

Trip ID: Temperature C: 15.00

Notes and Definitions

- V Indicates the analyte was detected in both the sample and the associated method blank and was outside method blank acceptance criteria.
- Q Maximum holding time exceeded.
- ND Analyte NOT DETECTED at or above the reporting limit
- * Non-NELAP accredited

Method 8270: Tentatively Identified Compounds (TICs) were detected in the semi-volatile analysis of the samples 16J0616-03, -05, -07, and -09. Please contact the laboratory if additional information about the TICs is needed.

Report Authorized by:

Tom Weiss
Laboratory Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.

Reported:

11/07/16 13:49

Page 67 of 67