



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292

1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

November 10, 2016

Ms. Colleen Grey

REPUBLIC SERVICES (McLean)

ANDREWS ENGINEERING, INC.

3300 Ginger Creek Drive

Springfield, IL 62711

Project ID: ADS/McLean Co. LF #2 - GW

First Environmental File ID: 16-5962

Date Received: October 20, 2016

Dear Ms. Colleen Grey:

The above referenced project was analyzed as directed on the enclosed chain of custody record.

All Quality Control criteria as outlined in the methods and current IL ELAP/NELAP have been met unless otherwise noted. QA/QC documentation and raw data will remain on file for future reference. Our accreditation number is 100292 and our current certificate is number 003811: effective 02/17/2016 through 02/28/2017.

I thank you for the opportunity to be of service to you and look forward to working with you again in the future. Should you have any questions regarding any of the enclosed analytical data or need additional information, please contact me at (630) 778-1200.

Sincerely,

Bill Mottashed
Project Manager



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292

1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Case Narrative

REPUBLIC SERVICES (McLean)

Lab File ID: **16-5962**


Project ID: **ADS/McLean Co. LF #2 - GW**

Date Received: **October 20, 2016**

All quality control criteria, as outlined in the methods, have been met except as noted below or on the following analytical report.

The results in this report apply to the samples in the following table:

Laboratory Sample ID	Client Sample Identifier	Date/Time Collected
16-5962-001	G218	10/19/2016 9:55
16-5962-002	G222	10/17/2016 11:57
16-5962-003	G110	10/19/2016 10:34
16-5962-004	G113	10/18/2016 11:24
16-5962-005	G114	10/18/2016 10:12
16-5962-006	G115	10/17/2016 14:40
16-5962-007	G116	10/17/2016 8:31
16-5962-008	G209	10/18/2016 10:45
16-5962-009	G210	10/17/2016 11:14
16-5962-010	G211	10/17/2016 10:04
16-5962-011	G212	10/17/2016 14:06
16-5962-012	G213	10/17/2016 13:28
16-5962-013	G214	10/17/2016 9:11
16-5962-014	G215	10/18/2016 9:42
16-5962-015	G216	10/18/2016 8:59
16-5962-016	G217	10/19/2016 9:16
16-5962-017	G219	10/18/2016 13:57
16-5962-018	G220	10/18/2016 13:18
16-5962-019	G221	10/18/2016 12:02
16-5962-020	R223	10/18/2016 12:35
16-5962-021	DUP	10/17/2016 13:28
16-5962-022	Trip Blank #1	
16-5962-023	Trip Blank #2	
16-5962-024	Trip Blank #3	



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292

1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Case Narrative

REPUBLIC SERVICES (McLean)

Lab File ID: **16-5962**

Project ID: **ADS/McLean Co. LF #2 - GW**

Date Received: **October 20, 2016**

All quality control criteria, as outlined in the methods, have been met except as noted below or on the following analytical report.

Sample Batch Comments:

Sample acceptance criteria were met.

Method Comments

Lab Number	Sample ID	Comments:
16-5962-001	G218	<i>Volatile Organic Compounds (8011)</i> LCSDUP recovery outside control limits; high bias.

The following is a definition of flags that may be used in this report:

Flag	Description	Flag	Description
<	Analyte not detected at or above the reporting limit.	L	LCS recovery outside control limits.
C	Sample received in an improper container for this test.	M	MS recovery outside control limits; LCS acceptable.
D	Surrogates diluted out; recovery not available.	P	Chemical preservation pH adjusted in lab.
E	Estimated result; concentration exceeds calibration range.	Q	Result was determined by a GC/MS database search.
G	Surrogate recovery outside control limits.	S	Analysis was subcontracted to another laboratory.
H	Analysis or extraction holding time exceeded.	W	Reporting limit elevated due to sample matrix.
J	Estimated result; concentration is less than routine RL but greater than MDL.	N	Analyte is not part of our NELAC accreditation or accreditation may not be available for this parameter.
RL	Routine Reporting Limit (Lowest amount that can be detected when routine weights/volumes are used without dilution.)	ND	Analyte was not detected using a library search routine; No calibration standard was analyzed.



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292

1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: REPUBLIC SERVICES (McLean)

Date Collected: 10/19/16

Project ID: ADS/McLean Co. LF #2 - GW

Time Collected: 9:55


Sample ID: G218

Date Received: 10/20/16

Sample No: 16-5962-001

Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Date Analyzed	Method	Flag
Ammonia (as N), Dissolved	2.86	0.10	mg/L	10/21/16	350.1R2.0	
Chloride, Dissolved	6	5	mg/L	10/24/16	4500Cl, E 1997	
Cyanide, Total	< 0.005	0.005	mg/L	10/25/16	335.4R1.0	
Nitrate (as N), Dissolved	< 0.10	0.10	mg/L	10/24/16	353.2R2.0	
Oil (Hexane soluble)	< 5	5	mg/L	10/27/16	1664B 2010	
Phenols	< 10	10	ug/L	10/27/16	420.4R1.0	
Sulfate, Dissolved	< 10	15	mg/L	10/21/16	375.2R2.0	J
Total Dissolved Solids	483	10	mg/L	10/21/16	2540C 1997	



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292

1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: REPUBLIC SERVICES (McLean)
Project ID: ADS/McLean Co. LF #2 - GW
Sample ID: G218
Sample No: 16-5962-001

Date Collected: 10/19/16
Time Collected: 9:55
Date Received: 10/20/16
Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Flags
Dissolved Metals				
Method: 6010C		Preparation Method 3010A		
Analysis Date: 11/03/16		Preparation Date: 10/27/16		
Arsenic, diss.	< 5	10	ug/L	J
Boron, diss.	230	50	ug/L	
Cadmium, diss.	< 1	5	ug/L	J
Chromium, diss.	< 1	5	ug/L	J
Lead, diss.	< 2	5	ug/L	J
Zinc, diss.	< 5	10	ug/L	J
Magnesium, diss.	43.1	0.5	mg/L	
Dissolved Mercury				
Method: 7470A				
Analysis Date: 10/27/16				
Mercury, diss.	< 0.5	0.5	ug/L	
Volatile Organic Compounds				
Method: 5030B/8260B				
Analysis Date: 10/24/16				
Acetone	< 10.0	10.0	ug/L	
Acrylonitrile	< 100	100	ug/L	
Benzene	< 1.0	1.0	ug/L	
Bromobenzene	< 1.0	1.0	ug/L	
Bromochloromethane	< 1.0	1.0	ug/L	
Bromodichloromethane	< 1.0	1.0	ug/L	
Bromoform	< 1.0	1.0	ug/L	
Bromomethane	< 2.0	2.0	ug/L	
2-Butanone (MEK)	< 10.0	10.0	ug/L	
n-Butylbenzene	< 1.0	1.0	ug/L	
sec-Butylbenzene	< 1.0	1.0	ug/L	
tert-Butylbenzene	< 1.0	1.0	ug/L	
Carbon disulfide	< 1.0	1.0	ug/L	
Carbon tetrachloride	< 1.0	1.0	ug/L	
Chlorobenzene	< 1.0	1.0	ug/L	
Chlorodibromomethane	< 1.0	1.0	ug/L	
Chloroethane	< 2.0	2.0	ug/L	
Chloroform	< 1.0	1.0	ug/L	
Chloromethane	< 2.0	2.0	ug/L	
2-Chlorotoluene	< 1.0	1.0	ug/L	
4-Chlorotoluene	< 1.0	1.0	ug/L	
Dibromomethane	< 1.0	1.0	ug/L	
1,2-Dichlorobenzene	< 1.0	1.0	ug/L	



**First
Environmental
Laboratories, Inc.**

1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

IL ELAP / NELAC Accreditation # 100292

Analytical Report

Client: REPUBLIC SERVICES (McLean)
Project ID: ADS/McLean Co. LF #2 - GW
Sample ID: G218
Sample No: 16-5962-001

Date Collected: 10/19/16
Time Collected: 9:55
Date Received: 10/20/16
Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Flags
Volatile Organic Compounds		Method: 5030B/8260B		
Analysis Date: 10/24/16				
1,3-Dichlorobenzene	< 1.0	1.0	ug/L	
1,4-Dichlorobenzene	< 1.0	1.0	ug/L	
trans-1,4-Dichloro-2-butene	< 1.0	1.0	ug/L	
Dichlorodifluoromethane	< 1.0	1.0	ug/L	
1,1-Dichloroethane	< 1.0	1.0	ug/L	
1,2-Dichloroethane	< 1.0	1.0	ug/L	
1,1-Dichloroethene	< 1.0	1.0	ug/L	
cis-1,2-Dichloroethene	< 1.0	1.0	ug/L	
trans-1,2-Dichloroethene	< 1.0	1.0	ug/L	
1,2-Dichloropropane	< 1.0	1.0	ug/L	
1,3-Dichloropropane	< 1.0	1.0	ug/L	
2,2-Dichloropropane	< 1.0	1.0	ug/L	
1,1-Dichloropropene	< 1.0	1.0	ug/L	
1,3-Dichloropropene (total)	< 1.0	1.0	ug/L	
cis-1,3-Dichloropropene	< 1.0	1.0	ug/L	
trans-1,3-Dichloropropene	< 1.0	1.0	ug/L	
Ethylbenzene	< 1.0	1.0	ug/L	
Hexachlorobutadiene	< 5.0	5.0	ug/L	
2-Hexanone	< 1.0	10	ug/L	J
Iodomethane	< 1.0	1.0	ug/L	
Isopropylbenzene	< 1.0	1.0	ug/L	
p-Isopropyltoluene	< 1.0	1.0	ug/L	
4-Methyl-2-pentanone (MIBK)	< 10.0	10.0	ug/L	
Methylene chloride	< 5.0	5.0	ug/L	
Naphthalene	< 5.0	5.0	ug/L	
n-Propylbenzene	< 1.0	1.0	ug/L	
Styrene	< 1.0	1.0	ug/L	
1,1,1,2-Tetrachloroethane	< 1.0	1.0	ug/L	
1,1,2,2-Tetrachloroethane	< 1.0	1.0	ug/L	
Tetrachloroethene	< 1.0	1.0	ug/L	
Tetrahydrofuran	< 1.0	1.0	ug/L	
Toluene	< 1.0	1.0	ug/L	
1,1,1-Trichloroethane	< 1.0	1.0	ug/L	
1,1,2-Trichloroethane	< 1.0	1.0	ug/L	
1,2,3-Trichlorobenzene	< 1.0	1.0	ug/L	
1,2,4-Trichlorobenzene	< 1.0	1.0	ug/L	



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292
1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: REPUBLIC SERVICES (McLean)
Project ID: ADS/McLean Co. LF #2 - GW
Sample ID: G218
Sample No: 16-5962-001

Date Collected: 10/19/16
Time Collected: 9:55
Date Received: 10/20/16
Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Flags
Volatile Organic Compounds		Method: 5030B/8260B		
Analysis Date: 10/24/16				
Trichloroethene	< 1.0	1.0	ug/L	
Trichlorofluoromethane	< 1.0	1.0	ug/L	
1,2,3-Trichloropropane	< 1.0	1.0	ug/L	
1,2,4-Trimethylbenzene	< 1.0	1.0	ug/L	
1,3,5-Trimethylbenzene	< 1.0	1.0	ug/L	
Vinyl acetate	< 5.0	5.0	ug/L	
Vinyl chloride	< 2.0	2.0	ug/L	
Xylene, Total	< 1.0	1.0	ug/L	
Volatile Organic Compounds (8011)		Method: 8011		
Analysis Date: 11/09/16				
1,2-Dibromo-3-chloropropane	< 0.02	0.02	ug/L	
1,2-Dibromoethane (EDB)	< 0.05	0.05	ug/L	



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292

1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: REPUBLIC SERVICES (McLean)

Date Collected: 10/17/16

Project ID: ADS/McLean Co. LF #2 - GW

Time Collected: 11:57


Sample ID: G222

Date Received: 10/20/16

Sample No: 16-5962-002

Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Date Analyzed	Method	Flag
Ammonia (as N), Dissolved	5.71	0.10	mg/L	10/21/16	350.1R2.0	
Chloride, Dissolved	5	5	mg/L	10/24/16	4500Cl, E 1997	
Cyanide, Total	< 0.005	0.005	mg/L	10/25/16	335.4R1.0	
Nitrate (as N), Dissolved	< 0.10	0.10	mg/L	10/24/16	353.2R2.0	
Oil (Hexane soluble)	< 5	5	mg/L	10/27/16	1664B 2010	
Phenols	< 10	10	ug/L	10/27/16	420.4R1.0	
Sulfate, Dissolved	11	15	mg/L	10/21/16	375.2R2.0	J
Total Dissolved Solids	548	10	mg/L	10/21/16	2540C 1997	



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292

1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: REPUBLIC SERVICES (McLean)
Project ID: ADS/McLean Co. LF #2 - GW
Sample ID: G222
Sample No: 16-5962-002

Date Collected: 10/17/16
Time Collected: 11:57
Date Received: 10/20/16
Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Flags
Dissolved Metals				
Method: 6010C		Preparation Method 3010A		
Analysis Date: 11/03/16		Preparation Date: 10/27/16		
Arsenic, diss.	22	10	ug/L	
Boron, diss.	369	50	ug/L	
Cadmium, diss.	< 1	5	ug/L	J
Chromium, diss.	< 1	5	ug/L	J
Lead, diss.	< 2	5	ug/L	J
Zinc, diss.	< 5	10	ug/L	J
Magnesium, diss.	46.5	0.5	mg/L	
Dissolved Mercury				
Method: 7470A				
Analysis Date: 10/27/16				
Mercury, diss.	< 0.5	0.5	ug/L	
Volatile Organic Compounds				
Method: 5030B/8260B				
Analysis Date: 10/24/16				
Acetone	< 10.0	10.0	ug/L	
Acrylonitrile	< 100	100	ug/L	
Benzene	< 1.0	1.0	ug/L	
Bromobenzene	< 1.0	1.0	ug/L	
Bromochloromethane	< 1.0	1.0	ug/L	
Bromodichloromethane	< 1.0	1.0	ug/L	
Bromoform	< 1.0	1.0	ug/L	
Bromomethane	< 2.0	2.0	ug/L	
2-Butanone (MEK)	< 10.0	10.0	ug/L	
n-Butylbenzene	< 1.0	1.0	ug/L	
sec-Butylbenzene	< 1.0	1.0	ug/L	
tert-Butylbenzene	< 1.0	1.0	ug/L	
Carbon disulfide	< 1.0	1.0	ug/L	
Carbon tetrachloride	< 1.0	1.0	ug/L	
Chlorobenzene	< 1.0	1.0	ug/L	
Chlorodibromomethane	< 1.0	1.0	ug/L	
Chloroethane	< 2.0	2.0	ug/L	
Chloroform	< 1.0	1.0	ug/L	
Chloromethane	< 2.0	2.0	ug/L	
2-Chlorotoluene	< 1.0	1.0	ug/L	
4-Chlorotoluene	< 1.0	1.0	ug/L	
Dibromomethane	< 1.0	1.0	ug/L	
1,2-Dichlorobenzene	< 1.0	1.0	ug/L	



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292

1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: REPUBLIC SERVICES (McLean)
Project ID: ADS/McLean Co. LF #2 - GW
Sample ID: G222
Sample No: 16-5962-002

Date Collected: 10/17/16
Time Collected: 11:57
Date Received: 10/20/16
Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Flags
Volatile Organic Compounds		Method: 5030B/8260B		
Analysis Date: 10/24/16				
1,3-Dichlorobenzene	< 1.0	1.0	ug/L	
1,4-Dichlorobenzene	< 1.0	1.0	ug/L	
trans-1,4-Dichloro-2-butene	< 1.0	1.0	ug/L	
Dichlorodifluoromethane	< 1.0	1.0	ug/L	
1,1-Dichloroethane	< 1.0	1.0	ug/L	
1,2-Dichloroethane	< 1.0	1.0	ug/L	
1,1-Dichloroethene	< 1.0	1.0	ug/L	
cis-1,2-Dichloroethene	< 1.0	1.0	ug/L	
trans-1,2-Dichloroethene	< 1.0	1.0	ug/L	
1,2-Dichloropropane	< 1.0	1.0	ug/L	
1,3-Dichloropropane	< 1.0	1.0	ug/L	
2,2-Dichloropropane	< 1.0	1.0	ug/L	
1,1-Dichloropropene	< 1.0	1.0	ug/L	
1,3-Dichloropropene (total)	< 1.0	1.0	ug/L	
cis-1,3-Dichloropropene	< 1.0	1.0	ug/L	
trans-1,3-Dichloropropene	< 1.0	1.0	ug/L	
Ethylbenzene	< 1.0	1.0	ug/L	
Hexachlorobutadiene	< 5.0	5.0	ug/L	
2-Hexanone	< 1.0	10	ug/L	J
Iodomethane	< 1.0	1.0	ug/L	
Isopropylbenzene	< 1.0	1.0	ug/L	
p-Isopropyltoluene	< 1.0	1.0	ug/L	
4-Methyl-2-pentanone (MIBK)	< 10.0	10.0	ug/L	
Methylene chloride	< 5.0	5.0	ug/L	
Naphthalene	< 5.0	5.0	ug/L	
n-Propylbenzene	< 1.0	1.0	ug/L	
Styrene	< 1.0	1.0	ug/L	
1,1,1,2-Tetrachloroethane	< 1.0	1.0	ug/L	
1,1,2,2-Tetrachloroethane	< 1.0	1.0	ug/L	
Tetrachloroethene	< 1.0	1.0	ug/L	
Tetrahydrofuran	< 1.0	1.0	ug/L	
Toluene	< 1.0	1.0	ug/L	
1,1,1-Trichloroethane	< 1.0	1.0	ug/L	
1,1,2-Trichloroethane	< 1.0	1.0	ug/L	
1,2,3-Trichlorobenzene	< 1.0	1.0	ug/L	
1,2,4-Trichlorobenzene	< 1.0	1.0	ug/L	



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292


1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: REPUBLIC SERVICES (McLean)
Project ID: ADS/McLean Co. LF #2 - GW
Sample ID: G222
Sample No: 16-5962-002

Date Collected: 10/17/16
Time Collected: 11:57
Date Received: 10/20/16
Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Flags
Volatile Organic Compounds		Method: 5030B/8260B		
Analysis Date: 10/24/16				
Trichloroethene	< 1.0	1.0	ug/L	
Trichlorofluoromethane	< 1.0	1.0	ug/L	
1,2,3-Trichloropropane	< 1.0	1.0	ug/L	
1,2,4-Trimethylbenzene	< 1.0	1.0	ug/L	
1,3,5-Trimethylbenzene	< 1.0	1.0	ug/L	
Vinyl acetate	< 5.0	5.0	ug/L	
Vinyl chloride	< 2.0	2.0	ug/L	
Xylene, Total	< 1.0	1.0	ug/L	
Volatile Organic Compounds (8011)		Method: 8011		
Analysis Date: 11/09/16				
1,2-Dibromo-3-chloropropane	< 0.02	0.02	ug/L	
1,2-Dibromoethane (EDB)	< 0.05	0.05	ug/L	



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292

1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: REPUBLIC SERVICES (McLean)

Date Collected: 10/19/16

Project ID: ADS/McLean Co. LF #2 - GW

Time Collected: 10:34


Sample ID: G110

Date Received: 10/20/16

Sample No: 16-5962-003

Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Date Analyzed	Method	Flag
Ammonia (as N), Dissolved	2.87	0.10	mg/L	10/21/16	350.1R2.0	
Chloride, Dissolved	5	5	mg/L	10/24/16	4500Cl, E 1997	
Cyanide, Total	< 0.005	0.005	mg/L	10/25/16	335.4R1.0	
Nitrate (as N), Dissolved	< 0.10	0.10	mg/L	10/24/16	353.2R2.0	
Oil (Hexane soluble)	< 5	5	mg/L	10/27/16	1664B 2010	
Phenols	< 10	10	ug/L	10/27/16	420.4R1.0	
Sulfate, Dissolved	< 10	15	mg/L	10/21/16	375.2R2.0	J
Total Dissolved Solids	428	10	mg/L	10/21/16	2540C 1997	



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292

1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: REPUBLIC SERVICES (McLean)
Project ID: ADS/McLean Co. LF #2 - GW
Sample ID: G110
Sample No: 16-5962-003

Date Collected: 10/19/16
Time Collected: 10:34
Date Received: 10/20/16
Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Flags
Dissolved Metals				
Method: 6010C		Preparation Method 3010A		
Analysis Date: 11/03/16		Preparation Date: 10/27/16		
Arsenic, diss.	< 5	10	ug/L	J
Boron, diss.	230	50	ug/L	
Cadmium, diss.	< 1	5	ug/L	J
Chromium, diss.	< 1	5	ug/L	J
Lead, diss.	< 2	5	ug/L	J
Zinc, diss.	< 5	10	ug/L	J
Magnesium, diss.	42.5	0.5	mg/L	
Dissolved Mercury				
Method: 7470A				
Analysis Date: 10/27/16				
Mercury, diss.	< 0.5	0.5	ug/L	
Volatile Organic Compounds				
Method: 5030B/8260B				
Analysis Date: 10/24/16				
Acetone	< 10.0	10.0	ug/L	
Acrylonitrile	< 100	100	ug/L	
Benzene	< 1.0	1.0	ug/L	
Bromobenzene	< 1.0	1.0	ug/L	
Bromochloromethane	< 1.0	1.0	ug/L	
Bromodichloromethane	< 1.0	1.0	ug/L	
Bromoform	< 1.0	1.0	ug/L	
Bromomethane	< 2.0	2.0	ug/L	
2-Butanone (MEK)	< 10.0	10.0	ug/L	
n-Butylbenzene	< 1.0	1.0	ug/L	
sec-Butylbenzene	< 1.0	1.0	ug/L	
tert-Butylbenzene	< 1.0	1.0	ug/L	
Carbon disulfide	< 1.0	1.0	ug/L	
Carbon tetrachloride	< 1.0	1.0	ug/L	
Chlorobenzene	< 1.0	1.0	ug/L	
Chlorodibromomethane	< 1.0	1.0	ug/L	
Chloroethane	< 2.0	2.0	ug/L	
Chloroform	< 1.0	1.0	ug/L	
Chloromethane	< 2.0	2.0	ug/L	
2-Chlorotoluene	< 1.0	1.0	ug/L	
4-Chlorotoluene	< 1.0	1.0	ug/L	
Dibromomethane	< 1.0	1.0	ug/L	
1,2-Dichlorobenzene	< 1.0	1.0	ug/L	



**First
Environmental
Laboratories, Inc.**

1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

IL ELAP / NELAC Accreditation # 100292

Analytical Report

Client: REPUBLIC SERVICES (McLean)
Project ID: ADS/McLean Co. LF #2 - GW
Sample ID: G110
Sample No: 16-5962-003

Date Collected: 10/19/16
Time Collected: 10:34
Date Received: 10/20/16
Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Flags
Volatile Organic Compounds		Method: 5030B/8260B		
Analysis Date: 10/24/16				
1,3-Dichlorobenzene	< 1.0	1.0	ug/L	
1,4-Dichlorobenzene	< 1.0	1.0	ug/L	
trans-1,4-Dichloro-2-butene	< 1.0	1.0	ug/L	
Dichlorodifluoromethane	< 1.0	1.0	ug/L	
1,1-Dichloroethane	< 1.0	1.0	ug/L	
1,2-Dichloroethane	< 1.0	1.0	ug/L	
1,1-Dichloroethene	< 1.0	1.0	ug/L	
cis-1,2-Dichloroethene	< 1.0	1.0	ug/L	
trans-1,2-Dichloroethene	< 1.0	1.0	ug/L	
1,2-Dichloropropane	< 1.0	1.0	ug/L	
1,3-Dichloropropane	< 1.0	1.0	ug/L	
2,2-Dichloropropane	< 1.0	1.0	ug/L	
1,1-Dichloropropene	< 1.0	1.0	ug/L	
1,3-Dichloropropene (total)	< 1.0	1.0	ug/L	
cis-1,3-Dichloropropene	< 1.0	1.0	ug/L	
trans-1,3-Dichloropropene	< 1.0	1.0	ug/L	
Ethylbenzene	< 1.0	1.0	ug/L	
Hexachlorobutadiene	< 5.0	5.0	ug/L	
2-Hexanone	< 1.0	10	ug/L	J
Iodomethane	< 1.0	1.0	ug/L	
Isopropylbenzene	< 1.0	1.0	ug/L	
p-Isopropyltoluene	< 1.0	1.0	ug/L	
4-Methyl-2-pentanone (MIBK)	< 10.0	10.0	ug/L	
Methylene chloride	< 5.0	5.0	ug/L	
Naphthalene	< 5.0	5.0	ug/L	
n-Propylbenzene	< 1.0	1.0	ug/L	
Styrene	< 1.0	1.0	ug/L	
1,1,1,2-Tetrachloroethane	< 1.0	1.0	ug/L	
1,1,2,2-Tetrachloroethane	< 1.0	1.0	ug/L	
Tetrachloroethene	< 1.0	1.0	ug/L	
Tetrahydrofuran	< 1.0	1.0	ug/L	
Toluene	< 1.0	1.0	ug/L	
1,1,1-Trichloroethane	< 1.0	1.0	ug/L	
1,1,2-Trichloroethane	< 1.0	1.0	ug/L	
1,2,3-Trichlorobenzene	< 1.0	1.0	ug/L	
1,2,4-Trichlorobenzene	< 1.0	1.0	ug/L	



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292


1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: REPUBLIC SERVICES (McLean)
Project ID: ADS/McLean Co. LF #2 - GW
Sample ID: G110
Sample No: 16-5962-003

Date Collected: 10/19/16
Time Collected: 10:34
Date Received: 10/20/16
Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Flags
Volatile Organic Compounds		Method: 5030B/8260B		
Analysis Date: 10/24/16				
Trichloroethene	< 1.0	1.0	ug/L	
Trichlorofluoromethane	< 1.0	1.0	ug/L	
1,2,3-Trichloropropane	< 1.0	1.0	ug/L	
1,2,4-Trimethylbenzene	< 1.0	1.0	ug/L	
1,3,5-Trimethylbenzene	< 1.0	1.0	ug/L	
Vinyl acetate	< 5.0	5.0	ug/L	
Vinyl chloride	< 2.0	2.0	ug/L	
Xylene, Total	< 1.0	1.0	ug/L	
Volatile Organic Compounds (8011)		Method: 8011		
Analysis Date: 11/09/16				
1,2-Dibromo-3-chloropropane	< 0.02	0.02	ug/L	
1,2-Dibromoethane (EDB)	< 0.05	0.05	ug/L	



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292

1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: REPUBLIC SERVICES (McLean)

Date Collected: 10/18/16

Project ID: ADS/McLean Co. LF #2 - GW

Time Collected: 11:24


Sample ID: G113

Date Received: 10/20/16

Sample No: 16-5962-004

Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Date Analyzed	Method	Flag
Ammonia (as N), Dissolved	0.21	0.10	mg/L	10/21/16	350.1R2.0	
Chloride, Dissolved	17	5	mg/L	10/24/16	4500Cl, E 1997	
Cyanide, Total	< 0.005	0.005	mg/L	10/25/16	335.4R1.0	
Nitrate (as N), Dissolved	< 0.10	0.10	mg/L	10/24/16	353.2R2.0	
Oil (Hexane soluble)	< 5	5	mg/L	10/27/16	1664B 2010	
Phenols	< 10	10	ug/L	10/27/16	420.4R1.0	
Sulfate, Dissolved	275	15	mg/L	10/26/16	375.2R2.0	
Total Dissolved Solids	731	10	mg/L	10/21/16	2540C 1997	



**First
Environmental
Laboratories, Inc.**

1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233


IL ELAP / NELAC Accreditation # 100292

Analytical Report

Client: REPUBLIC SERVICES (McLean)
Project ID: ADS/McLean Co. LF #2 - GW
Sample ID: G113
Sample No: 16-5962-004

Date Collected: 10/18/16
Time Collected: 11:24
Date Received: 10/20/16
Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Flags
Dissolved Metals				
Method: 6010C		Preparation Method 3010A		
Analysis Date: 11/03/16		Preparation Date: 10/27/16		
Arsenic, diss.	< 5	10	ug/L	J
Boron, diss.	< 50	50	ug/L	
Cadmium, diss.	< 1	5	ug/L	J
Chromium, diss.	< 1	5	ug/L	J
Lead, diss.	< 2	5	ug/L	J
Zinc, diss.	< 5	10	ug/L	J
Magnesium, diss.	55.3	0.5	mg/L	
Dissolved Mercury				
Method: 7470A				
Analysis Date: 10/27/16				
Mercury, diss.	< 0.5	0.5	ug/L	
Volatile Organic Compounds				
Method: 5030B/8260B				
Analysis Date: 10/24/16				
Acetone	< 10.0	10.0	ug/L	
Acrylonitrile	< 100	100	ug/L	
Benzene	< 1.0	1.0	ug/L	
Bromobenzene	< 1.0	1.0	ug/L	
Bromochloromethane	< 1.0	1.0	ug/L	
Bromodichloromethane	< 1.0	1.0	ug/L	
Bromoform	< 1.0	1.0	ug/L	
Bromomethane	< 2.0	2.0	ug/L	
2-Butanone (MEK)	< 10.0	10.0	ug/L	
n-Butylbenzene	< 1.0	1.0	ug/L	
sec-Butylbenzene	< 1.0	1.0	ug/L	
tert-Butylbenzene	< 1.0	1.0	ug/L	
Carbon disulfide	< 1.0	1.0	ug/L	
Carbon tetrachloride	< 1.0	1.0	ug/L	
Chlorobenzene	< 1.0	1.0	ug/L	
Chlorodibromomethane	< 1.0	1.0	ug/L	
Chloroethane	< 2.0	2.0	ug/L	
Chloroform	< 1.0	1.0	ug/L	
Chloromethane	< 2.0	2.0	ug/L	
2-Chlorotoluene	< 1.0	1.0	ug/L	
4-Chlorotoluene	< 1.0	1.0	ug/L	
Dibromomethane	< 1.0	1.0	ug/L	
1,2-Dichlorobenzene	< 1.0	1.0	ug/L	



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292


1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: REPUBLIC SERVICES (McLean)
Project ID: ADS/McLean Co. LF #2 - GW
Sample ID: G113
Sample No: 16-5962-004

Date Collected: 10/18/16
Time Collected: 11:24
Date Received: 10/20/16
Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Flags
Volatile Organic Compounds		Method: 5030B/8260B		
Analysis Date: 10/24/16				
1,3-Dichlorobenzene	< 1.0	1.0	ug/L	
1,4-Dichlorobenzene	< 1.0	1.0	ug/L	
trans-1,4-Dichloro-2-butene	< 1.0	1.0	ug/L	
Dichlorodifluoromethane	< 1.0	1.0	ug/L	
1,1-Dichloroethane	< 1.0	1.0	ug/L	
1,2-Dichloroethane	< 1.0	1.0	ug/L	
1,1-Dichloroethene	< 1.0	1.0	ug/L	
cis-1,2-Dichloroethene	< 1.0	1.0	ug/L	
trans-1,2-Dichloroethene	< 1.0	1.0	ug/L	
1,2-Dichloropropane	< 1.0	1.0	ug/L	
1,3-Dichloropropane	< 1.0	1.0	ug/L	
2,2-Dichloropropane	< 1.0	1.0	ug/L	
1,1-Dichloropropene	< 1.0	1.0	ug/L	
1,3-Dichloropropene (total)	< 1.0	1.0	ug/L	
cis-1,3-Dichloropropene	< 1.0	1.0	ug/L	
trans-1,3-Dichloropropene	< 1.0	1.0	ug/L	
Ethylbenzene	< 1.0	1.0	ug/L	
Hexachlorobutadiene	< 5.0	5.0	ug/L	
2-Hexanone	< 1.0	10	ug/L	J
Iodomethane	< 1.0	1.0	ug/L	
Isopropylbenzene	< 1.0	1.0	ug/L	
p-Isopropyltoluene	< 1.0	1.0	ug/L	
4-Methyl-2-pentanone (MIBK)	< 10.0	10.0	ug/L	
Methylene chloride	< 5.0	5.0	ug/L	
Naphthalene	< 5.0	5.0	ug/L	
n-Propylbenzene	< 1.0	1.0	ug/L	
Styrene	< 1.0	1.0	ug/L	
1,1,1,2-Tetrachloroethane	< 1.0	1.0	ug/L	
1,1,2,2-Tetrachloroethane	< 1.0	1.0	ug/L	
Tetrachloroethene	< 1.0	1.0	ug/L	
Tetrahydrofuran	< 1.0	1.0	ug/L	
Toluene	< 1.0	1.0	ug/L	
1,1,1-Trichloroethane	< 1.0	1.0	ug/L	
1,1,2-Trichloroethane	< 1.0	1.0	ug/L	
1,2,3-Trichlorobenzene	< 1.0	1.0	ug/L	
1,2,4-Trichlorobenzene	< 1.0	1.0	ug/L	



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292


1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: REPUBLIC SERVICES (McLean)
Project ID: ADS/McLean Co. LF #2 - GW
Sample ID: G113
Sample No: 16-5962-004

Date Collected: 10/18/16
Time Collected: 11:24
Date Received: 10/20/16
Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Flags
Volatile Organic Compounds		Method: 5030B/8260B		
Analysis Date: 10/24/16				
Trichloroethene	< 1.0	1.0	ug/L	
Trichlorofluoromethane	< 1.0	1.0	ug/L	
1,2,3-Trichloropropane	< 1.0	1.0	ug/L	
1,2,4-Trimethylbenzene	< 1.0	1.0	ug/L	
1,3,5-Trimethylbenzene	< 1.0	1.0	ug/L	
Vinyl acetate	< 5.0	5.0	ug/L	
Vinyl chloride	< 2.0	2.0	ug/L	
Xylene, Total	< 1.0	1.0	ug/L	
Volatile Organic Compounds (8011)		Method: 8011		
Analysis Date: 11/09/16				
1,2-Dibromo-3-chloropropane	< 0.02	0.02	ug/L	
1,2-Dibromoethane (EDB)	< 0.05	0.05	ug/L	



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292

1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: REPUBLIC SERVICES (McLean)

Date Collected: 10/18/16

Project ID: ADS/McLean Co. LF #2 - GW

Time Collected: 10:12

Sample ID: G114

Date Received: 10/20/16

Sample No: 16-5962-005

Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Date Analyzed	Method	Flag
Ammonia (as N), Dissolved	0.39	0.10	mg/L	10/21/16	350.1R2.0	
Chloride, Dissolved	183	5	mg/L	10/24/16	4500Cl, E 1997	
Cyanide, Total	< 0.005	0.005	mg/L	10/25/16	335.4R1.0	
Nitrate (as N), Dissolved	< 0.10	0.10	mg/L	10/24/16	353.2R2.0	
Oil (Hexane soluble)	< 5	5	mg/L	10/27/16	1664B 2010	
Phenols	< 10	10	ug/L	10/27/16	420.4R1.0	
Sulfate, Dissolved	200	15	mg/L	10/21/16	375.2R2.0	
Total Dissolved Solids	956	10	mg/L	10/21/16	2540C 1997	



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292


1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: REPUBLIC SERVICES (McLean)
Project ID: ADS/McLean Co. LF #2 - GW
Sample ID: G114
Sample No: 16-5962-005

Date Collected: 10/18/16
Time Collected: 10:12
Date Received: 10/20/16
Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Flags
Dissolved Metals				
Method: 6010C		Preparation Method 3010A		
Analysis Date: 11/03/16		Preparation Date: 10/27/16		
Arsenic, diss.	< 5	10	ug/L	J
Boron, diss.	235	50	ug/L	
Cadmium, diss.	< 1	5	ug/L	J
Chromium, diss.	< 1	5	ug/L	J
Lead, diss.	< 2	5	ug/L	J
Zinc, diss.	< 5	10	ug/L	J
Magnesium, diss.	56.8	0.5	mg/L	
Dissolved Mercury				
Method: 7470A				
Analysis Date: 10/27/16				
Mercury, diss.	< 0.5	0.5	ug/L	
Volatile Organic Compounds				
Method: 5030B/8260B				
Analysis Date: 10/24/16				
Acetone	< 10.0	10.0	ug/L	
Acrylonitrile	< 100	100	ug/L	
Benzene	< 1.0	1.0	ug/L	
Bromobenzene	< 1.0	1.0	ug/L	
Bromochloromethane	< 1.0	1.0	ug/L	
Bromodichloromethane	< 1.0	1.0	ug/L	
Bromoform	< 1.0	1.0	ug/L	
Bromomethane	< 2.0	2.0	ug/L	
2-Butanone (MEK)	< 10.0	10.0	ug/L	
n-Butylbenzene	< 1.0	1.0	ug/L	
sec-Butylbenzene	< 1.0	1.0	ug/L	
tert-Butylbenzene	< 1.0	1.0	ug/L	
Carbon disulfide	< 1.0	1.0	ug/L	
Carbon tetrachloride	< 1.0	1.0	ug/L	
Chlorobenzene	< 1.0	1.0	ug/L	
Chlorodibromomethane	< 1.0	1.0	ug/L	
Chloroethane	< 2.0	2.0	ug/L	
Chloroform	< 1.0	1.0	ug/L	
Chloromethane	< 2.0	2.0	ug/L	
2-Chlorotoluene	< 1.0	1.0	ug/L	
4-Chlorotoluene	< 1.0	1.0	ug/L	
Dibromomethane	< 1.0	1.0	ug/L	
1,2-Dichlorobenzene	< 1.0	1.0	ug/L	



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292


1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: REPUBLIC SERVICES (McLean)
Project ID: ADS/McLean Co. LF #2 - GW
Sample ID: G114
Sample No: 16-5962-005

Date Collected: 10/18/16
Time Collected: 10:12
Date Received: 10/20/16
Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Flags
Volatile Organic Compounds		Method: 5030B/8260B		
Analysis Date: 10/24/16				
1,3-Dichlorobenzene	< 1.0	1.0	ug/L	J
1,4-Dichlorobenzene	< 1.0	1.0	ug/L	
trans-1,4-Dichloro-2-butene	< 1.0	1.0	ug/L	
Dichlorodifluoromethane	< 1.0	1.0	ug/L	
1,1-Dichloroethane	< 1.0	1.0	ug/L	
1,2-Dichloroethane	< 1.0	1.0	ug/L	
1,1-Dichloroethene	< 1.0	1.0	ug/L	
cis-1,2-Dichloroethene	< 1.0	1.0	ug/L	
trans-1,2-Dichloroethene	< 1.0	1.0	ug/L	
1,2-Dichloropropane	< 1.0	1.0	ug/L	
1,3-Dichloropropane	< 1.0	1.0	ug/L	
2,2-Dichloropropane	< 1.0	1.0	ug/L	
1,1-Dichloropropene	< 1.0	1.0	ug/L	
1,3-Dichloropropene (total)	< 1.0	1.0	ug/L	
cis-1,3-Dichloropropene	< 1.0	1.0	ug/L	
trans-1,3-Dichloropropene	< 1.0	1.0	ug/L	
Ethylbenzene	< 1.0	1.0	ug/L	
Hexachlorobutadiene	< 5.0	5.0	ug/L	
2-Hexanone	< 1.0	10	ug/L	
Iodomethane	< 1.0	1.0	ug/L	
Isopropylbenzene	< 1.0	1.0	ug/L	
p-Isopropyltoluene	< 1.0	1.0	ug/L	
4-Methyl-2-pentanone (MIBK)	< 10.0	10.0	ug/L	
Methylene chloride	< 5.0	5.0	ug/L	
Naphthalene	< 5.0	5.0	ug/L	
n-Propylbenzene	< 1.0	1.0	ug/L	
Styrene	< 1.0	1.0	ug/L	
1,1,1,2-Tetrachloroethane	< 1.0	1.0	ug/L	
1,1,2,2-Tetrachloroethane	< 1.0	1.0	ug/L	
Tetrachloroethene	< 1.0	1.0	ug/L	
Tetrahydrofuran	< 1.0	1.0	ug/L	
Toluene	< 1.0	1.0	ug/L	
1,1,1-Trichloroethane	< 1.0	1.0	ug/L	
1,1,2-Trichloroethane	< 1.0	1.0	ug/L	
1,2,3-Trichlorobenzene	< 1.0	1.0	ug/L	
1,2,4-Trichlorobenzene	< 1.0	1.0	ug/L	



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292

1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: REPUBLIC SERVICES (McLean)
Project ID: ADS/McLean Co. LF #2 - GW
Sample ID: G114
Sample No: 16-5962-005

Date Collected: 10/18/16
Time Collected: 10:12
Date Received: 10/20/16
Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Flags
Volatile Organic Compounds		Method: 5030B/8260B		
Analysis Date: 10/24/16				
Trichloroethene	< 1.0	1.0	ug/L	
Trichlorofluoromethane	< 1.0	1.0	ug/L	
1,2,3-Trichloropropane	< 1.0	1.0	ug/L	
1,2,4-Trimethylbenzene	< 1.0	1.0	ug/L	
1,3,5-Trimethylbenzene	< 1.0	1.0	ug/L	
Vinyl acetate	< 5.0	5.0	ug/L	
Vinyl chloride	< 2.0	2.0	ug/L	
Xylene, Total	< 1.0	1.0	ug/L	
Volatile Organic Compounds (8011)		Method: 8011		
Analysis Date: 11/09/16				
1,2-Dibromo-3-chloropropane	< 0.02	0.02	ug/L	
1,2-Dibromoethane (EDB)	< 0.05	0.05	ug/L	



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292

1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: REPUBLIC SERVICES (McLean)

Date Collected: 10/17/16

Project ID: ADS/McLean Co. LF #2 - GW

Time Collected: 14:40

Sample ID: G115

Date Received: 10/20/16

Sample No: 16-5962-006

Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Date Analyzed	Method	Flag
Ammonia (as N), Dissolved	0.20	0.10	mg/L	10/21/16	350.1R2.0	
Chloride, Dissolved	146	5	mg/L	10/24/16	4500Cl, E 1997	
Cyanide, Total	< 0.005	0.005	mg/L	10/25/16	335.4R1.0	
Nitrate (as N), Dissolved	< 0.10	0.10	mg/L	10/24/16	353.2R2.0	
Oil (Hexane soluble)	< 5	5	mg/L	10/27/16	1664B 2010	
Phenols	< 10	10	ug/L	10/27/16	420.4R1.0	
Sulfate, Dissolved	197	15	mg/L	10/21/16	375.2R2.0	
Total Dissolved Solids	913	10	mg/L	10/21/16	2540C 1997	



**First
Environmental
Laboratories, Inc.**

1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233


IL ELAP / NELAC Accreditation # 100292

Analytical Report

Client: REPUBLIC SERVICES (McLean)
Project ID: ADS/McLean Co. LF #2 - GW
Sample ID: G115
Sample No: 16-5962-006

Date Collected: 10/17/16
Time Collected: 14:40
Date Received: 10/20/16
Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Flags
Dissolved Metals				
Method: 6010C		Preparation Method 3010A		
Analysis Date: 11/03/16		Preparation Date: 10/27/16		
Arsenic, diss.	< 5	10	ug/L	J
Boron, diss.	195	50	ug/L	
Cadmium, diss.	< 1	5	ug/L	J
Chromium, diss.	< 1	5	ug/L	J
Lead, diss.	< 2	5	ug/L	J
Zinc, diss.	< 5	10	ug/L	J
Magnesium, diss.	52.2	0.5	mg/L	
Dissolved Mercury				
Method: 7470A				
Analysis Date: 10/27/16				
Mercury, diss.	< 0.5	0.5	ug/L	
Volatile Organic Compounds				
Method: 5030B/8260B				
Analysis Date: 10/24/16				
Acetone	< 10.0	10.0	ug/L	
Acrylonitrile	< 100	100	ug/L	
Benzene	< 1.0	1.0	ug/L	
Bromobenzene	< 1.0	1.0	ug/L	
Bromochloromethane	< 1.0	1.0	ug/L	
Bromodichloromethane	< 1.0	1.0	ug/L	
Bromoform	< 1.0	1.0	ug/L	
Bromomethane	< 2.0	2.0	ug/L	
2-Butanone (MEK)	< 10.0	10.0	ug/L	
n-Butylbenzene	< 1.0	1.0	ug/L	
sec-Butylbenzene	< 1.0	1.0	ug/L	
tert-Butylbenzene	< 1.0	1.0	ug/L	
Carbon disulfide	< 1.0	1.0	ug/L	
Carbon tetrachloride	< 1.0	1.0	ug/L	
Chlorobenzene	< 1.0	1.0	ug/L	
Chlorodibromomethane	< 1.0	1.0	ug/L	
Chloroethane	< 2.0	2.0	ug/L	
Chloroform	< 1.0	1.0	ug/L	
Chloromethane	< 2.0	2.0	ug/L	
2-Chlorotoluene	< 1.0	1.0	ug/L	
4-Chlorotoluene	< 1.0	1.0	ug/L	
Dibromomethane	< 1.0	1.0	ug/L	
1,2-Dichlorobenzene	< 1.0	1.0	ug/L	



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292


1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: REPUBLIC SERVICES (McLean)
Project ID: ADS/McLean Co. LF #2 - GW
Sample ID: G115
Sample No: 16-5962-006

Date Collected: 10/17/16
Time Collected: 14:40
Date Received: 10/20/16
Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Flags
Volatile Organic Compounds		Method: 5030B/8260B		
Analysis Date: 10/24/16				
1,3-Dichlorobenzene	< 1.0	1.0	ug/L	
1,4-Dichlorobenzene	< 1.0	1.0	ug/L	
trans-1,4-Dichloro-2-butene	< 1.0	1.0	ug/L	
Dichlorodifluoromethane	< 1.0	1.0	ug/L	
1,1-Dichloroethane	< 1.0	1.0	ug/L	
1,2-Dichloroethane	< 1.0	1.0	ug/L	
1,1-Dichloroethene	< 1.0	1.0	ug/L	
cis-1,2-Dichloroethene	< 1.0	1.0	ug/L	
trans-1,2-Dichloroethene	< 1.0	1.0	ug/L	
1,2-Dichloropropane	< 1.0	1.0	ug/L	
1,3-Dichloropropane	< 1.0	1.0	ug/L	
2,2-Dichloropropane	< 1.0	1.0	ug/L	
1,1-Dichloropropene	< 1.0	1.0	ug/L	
1,3-Dichloropropene (total)	< 1.0	1.0	ug/L	
cis-1,3-Dichloropropene	< 1.0	1.0	ug/L	
trans-1,3-Dichloropropene	< 1.0	1.0	ug/L	
Ethylbenzene	< 1.0	1.0	ug/L	
Hexachlorobutadiene	< 5.0	5.0	ug/L	
2-Hexanone	< 1.0	10	ug/L	J
Iodomethane	< 1.0	1.0	ug/L	
Isopropylbenzene	< 1.0	1.0	ug/L	
p-Isopropyltoluene	< 1.0	1.0	ug/L	
4-Methyl-2-pentanone (MIBK)	< 10.0	10.0	ug/L	
Methylene chloride	< 5.0	5.0	ug/L	
Naphthalene	< 5.0	5.0	ug/L	
n-Propylbenzene	< 1.0	1.0	ug/L	
Styrene	< 1.0	1.0	ug/L	
1,1,1,2-Tetrachloroethane	< 1.0	1.0	ug/L	
1,1,2,2-Tetrachloroethane	< 1.0	1.0	ug/L	
Tetrachloroethene	< 1.0	1.0	ug/L	
Tetrahydrofuran	< 1.0	1.0	ug/L	
Toluene	< 1.0	1.0	ug/L	
1,1,1-Trichloroethane	< 1.0	1.0	ug/L	
1,1,2-Trichloroethane	< 1.0	1.0	ug/L	
1,2,3-Trichlorobenzene	< 1.0	1.0	ug/L	
1,2,4-Trichlorobenzene	< 1.0	1.0	ug/L	



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292

1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: REPUBLIC SERVICES (McLean)
Project ID: ADS/McLean Co. LF #2 - GW
Sample ID: G115
Sample No: 16-5962-006

Date Collected: 10/17/16
Time Collected: 14:40
Date Received: 10/20/16
Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Flags
Volatile Organic Compounds		Method: 5030B/8260B		
Analysis Date: 10/24/16				
Trichloroethene	< 1.0	1.0	ug/L	
Trichlorofluoromethane	< 1.0	1.0	ug/L	
1,2,3-Trichloropropane	< 1.0	1.0	ug/L	
1,2,4-Trimethylbenzene	< 1.0	1.0	ug/L	
1,3,5-Trimethylbenzene	< 1.0	1.0	ug/L	
Vinyl acetate	< 5.0	5.0	ug/L	
Vinyl chloride	< 2.0	2.0	ug/L	
Xylene, Total	< 1.0	1.0	ug/L	
Volatile Organic Compounds (8011)		Method: 8011		
Analysis Date: 11/09/16				
1,2-Dibromo-3-chloropropane	< 0.02	0.02	ug/L	
1,2-Dibromoethane (EDB)	< 0.05	0.05	ug/L	



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292

1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: REPUBLIC SERVICES (McLean)

Date Collected: 10/17/16

Project ID: ADS/McLean Co. LF #2 - GW

Time Collected: 8:31


Sample ID: G116

Date Received: 10/20/16

Sample No: 16-5962-007

Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Date Analyzed	Method	Flag
Ammonia (as N), Dissolved	0.61	0.10	mg/L	10/21/16	350.1R2.0	
Chloride, Dissolved	197	5	mg/L	10/24/16	4500Cl, E 1997	
Cyanide, Total	< 0.005	0.005	mg/L	10/25/16	335.4R1.0	
Nitrate (as N), Dissolved	< 0.10	0.10	mg/L	10/24/16	353.2R2.0	
Oil (Hexane soluble)	< 5	5	mg/L	10/27/16	1664B 2010	
Phenols	< 10	10	ug/L	10/27/16	420.4R1.0	
Sulfate, Dissolved	157	15	mg/L	10/21/16	375.2R2.0	
Total Dissolved Solids	933	10	mg/L	10/21/16	2540C 1997	



**First
Environmental
Laboratories, Inc.**


IL ELAP / NELAC Accreditation # 100292
1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: REPUBLIC SERVICES (McLean)
Project ID: ADS/McLean Co. LF #2 - GW
Sample ID: G116
Sample No: 16-5962-007

Date Collected: 10/17/16
Time Collected: 8:31
Date Received: 10/20/16
Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Flags
Dissolved Metals				
Method: 6010C		Preparation Method 3010A		
Analysis Date: 11/03/16		Preparation Date: 10/27/16		
Arsenic, diss.	< 5	10	ug/L	J
Boron, diss.	157	50	ug/L	
Cadmium, diss.	< 1	5	ug/L	J
Chromium, diss.	< 1	5	ug/L	J
Lead, diss.	< 2	5	ug/L	J
Zinc, diss.	< 5	10	ug/L	J
Magnesium, diss.	59.7	0.5	mg/L	
Dissolved Mercury				
Method: 7470A				
Analysis Date: 10/27/16				
Mercury, diss.	< 0.5	0.5	ug/L	
Volatile Organic Compounds				
Method: 5030B/8260B				
Analysis Date: 10/24/16				
Acetone	< 10.0	10.0	ug/L	
Acrylonitrile	< 100	100	ug/L	
Benzene	< 1.0	1.0	ug/L	
Bromobenzene	< 1.0	1.0	ug/L	
Bromochloromethane	< 1.0	1.0	ug/L	
Bromodichloromethane	< 1.0	1.0	ug/L	
Bromoform	< 1.0	1.0	ug/L	
Bromomethane	< 2.0	2.0	ug/L	
2-Butanone (MEK)	< 10.0	10.0	ug/L	
n-Butylbenzene	< 1.0	1.0	ug/L	
sec-Butylbenzene	< 1.0	1.0	ug/L	
tert-Butylbenzene	< 1.0	1.0	ug/L	
Carbon disulfide	< 1.0	1.0	ug/L	
Carbon tetrachloride	< 1.0	1.0	ug/L	
Chlorobenzene	< 1.0	1.0	ug/L	
Chlorodibromomethane	< 1.0	1.0	ug/L	
Chloroethane	< 2.0	2.0	ug/L	
Chloroform	< 1.0	1.0	ug/L	
Chloromethane	< 2.0	2.0	ug/L	
2-Chlorotoluene	< 1.0	1.0	ug/L	
4-Chlorotoluene	< 1.0	1.0	ug/L	
Dibromomethane	< 1.0	1.0	ug/L	
1,2-Dichlorobenzene	< 1.0	1.0	ug/L	



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292


1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: REPUBLIC SERVICES (McLean)
Project ID: ADS/McLean Co. LF #2 - GW
Sample ID: G116
Sample No: 16-5962-007

Date Collected: 10/17/16
Time Collected: 8:31
Date Received: 10/20/16
Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Flags
Volatile Organic Compounds		Method: 5030B/8260B		
Analysis Date: 10/24/16				
1,3-Dichlorobenzene	< 1.0	1.0	ug/L	
1,4-Dichlorobenzene	< 1.0	1.0	ug/L	
trans-1,4-Dichloro-2-butene	< 1.0	1.0	ug/L	
Dichlorodifluoromethane	< 1.0	1.0	ug/L	
1,1-Dichloroethane	< 1.0	1.0	ug/L	
1,2-Dichloroethane	< 1.0	1.0	ug/L	
1,1-Dichloroethene	< 1.0	1.0	ug/L	
cis-1,2-Dichloroethene	< 1.0	1.0	ug/L	
trans-1,2-Dichloroethene	< 1.0	1.0	ug/L	
1,2-Dichloropropane	< 1.0	1.0	ug/L	
1,3-Dichloropropane	< 1.0	1.0	ug/L	
2,2-Dichloropropane	< 1.0	1.0	ug/L	
1,1-Dichloropropene	< 1.0	1.0	ug/L	
1,3-Dichloropropene (total)	< 1.0	1.0	ug/L	
cis-1,3-Dichloropropene	< 1.0	1.0	ug/L	
trans-1,3-Dichloropropene	< 1.0	1.0	ug/L	
Ethylbenzene	< 1.0	1.0	ug/L	
Hexachlorobutadiene	< 5.0	5.0	ug/L	
2-Hexanone	< 1.0	10	ug/L	J
Iodomethane	< 1.0	1.0	ug/L	
Isopropylbenzene	< 1.0	1.0	ug/L	
p-Isopropyltoluene	< 1.0	1.0	ug/L	
4-Methyl-2-pentanone (MIBK)	< 10.0	10.0	ug/L	
Methylene chloride	< 5.0	5.0	ug/L	
Naphthalene	< 5.0	5.0	ug/L	
n-Propylbenzene	< 1.0	1.0	ug/L	
Styrene	< 1.0	1.0	ug/L	
1,1,1,2-Tetrachloroethane	< 1.0	1.0	ug/L	
1,1,2,2-Tetrachloroethane	< 1.0	1.0	ug/L	
Tetrachloroethene	< 1.0	1.0	ug/L	
Tetrahydrofuran	< 1.0	1.0	ug/L	
Toluene	< 1.0	1.0	ug/L	
1,1,1-Trichloroethane	< 1.0	1.0	ug/L	
1,1,2-Trichloroethane	< 1.0	1.0	ug/L	
1,2,3-Trichlorobenzene	< 1.0	1.0	ug/L	
1,2,4-Trichlorobenzene	< 1.0	1.0	ug/L	



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292

1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: REPUBLIC SERVICES (McLean)
Project ID: ADS/McLean Co. LF #2 - GW
Sample ID: G116
Sample No: 16-5962-007

Date Collected: 10/17/16
Time Collected: 8:31
Date Received: 10/20/16
Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Flags
Volatile Organic Compounds		Method: 5030B/8260B		
Analysis Date: 10/24/16				
Trichloroethene	< 1.0	1.0	ug/L	
Trichlorofluoromethane	< 1.0	1.0	ug/L	
1,2,3-Trichloropropane	< 1.0	1.0	ug/L	
1,2,4-Trimethylbenzene	< 1.0	1.0	ug/L	
1,3,5-Trimethylbenzene	< 1.0	1.0	ug/L	
Vinyl acetate	< 5.0	5.0	ug/L	
Vinyl chloride	< 2.0	2.0	ug/L	
Xylene, Total	< 1.0	1.0	ug/L	
Volatile Organic Compounds (8011)		Method: 8011		
Analysis Date: 11/09/16				
1,2-Dibromo-3-chloropropane	< 0.02	0.02	ug/L	
1,2-Dibromoethane (EDB)	< 0.05	0.05	ug/L	



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292

1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: REPUBLIC SERVICES (McLean)

Date Collected: 10/18/16

Project ID: ADS/McLean Co. LF #2 - GW

Time Collected: 10:45

Sample ID: G209

Date Received: 10/20/16

Sample No: 16-5962-008

Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Date Analyzed	Method	Flag
Ammonia (as N), Dissolved	0.11	0.10	mg/L	10/21/16	350.1R2.0	
Chloride, Dissolved	60	5	mg/L	10/24/16	4500Cl, E 1997	
Cyanide, Total	< 0.005	0.005	mg/L	10/25/16	335.4R1.0	
Nitrate (as N), Dissolved	< 0.10	0.10	mg/L	10/24/16	353.2R2.0	
Oil (Hexane soluble)	< 5	5	mg/L	10/27/16	1664B 2010	
Phenols	< 10	10	ug/L	10/27/16	420.4R1.0	
Sulfate, Dissolved	112	15	mg/L	10/21/16	375.2R2.0	
Total Dissolved Solids	592	10	mg/L	10/21/16	2540C 1997	



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292


1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: REPUBLIC SERVICES (McLean)
Project ID: ADS/McLean Co. LF #2 - GW
Sample ID: G209
Sample No: 16-5962-008

Date Collected: 10/18/16
Time Collected: 10:45
Date Received: 10/20/16
Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Flags
Dissolved Metals				
Method: 6010C		Preparation Method 3010A		
Analysis Date: 11/03/16		Preparation Date: 10/27/16		
Arsenic, diss.	< 5	10	ug/L	J
Boron, diss.	70	50	ug/L	
Cadmium, diss.	< 1	5	ug/L	J
Chromium, diss.	< 1	5	ug/L	J
Lead, diss.	< 2	5	ug/L	J
Zinc, diss.	< 5	10	ug/L	J
Magnesium, diss.	46.9	0.5	mg/L	
Dissolved Mercury				
Method: 7470A				
Analysis Date: 10/27/16				
Mercury, diss.	< 0.5	0.5	ug/L	
Volatile Organic Compounds				
Method: 5030B/8260B				
Analysis Date: 10/24/16				
Acetone	< 10.0	10.0	ug/L	
Acrylonitrile	< 100	100	ug/L	
Benzene	< 1.0	1.0	ug/L	
Bromobenzene	< 1.0	1.0	ug/L	
Bromochloromethane	< 1.0	1.0	ug/L	
Bromodichloromethane	< 1.0	1.0	ug/L	
Bromoform	< 1.0	1.0	ug/L	
Bromomethane	< 2.0	2.0	ug/L	
2-Butanone (MEK)	< 10.0	10.0	ug/L	
n-Butylbenzene	< 1.0	1.0	ug/L	
sec-Butylbenzene	< 1.0	1.0	ug/L	
tert-Butylbenzene	< 1.0	1.0	ug/L	
Carbon disulfide	< 1.0	1.0	ug/L	
Carbon tetrachloride	< 1.0	1.0	ug/L	
Chlorobenzene	< 1.0	1.0	ug/L	
Chlorodibromomethane	< 1.0	1.0	ug/L	
Chloroethane	< 2.0	2.0	ug/L	
Chloroform	< 1.0	1.0	ug/L	
Chloromethane	< 2.0	2.0	ug/L	
2-Chlorotoluene	< 1.0	1.0	ug/L	
4-Chlorotoluene	< 1.0	1.0	ug/L	
Dibromomethane	< 1.0	1.0	ug/L	
1,2-Dichlorobenzene	< 1.0	1.0	ug/L	



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292


1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: REPUBLIC SERVICES (McLean)
Project ID: ADS/McLean Co. LF #2 - GW
Sample ID: G209
Sample No: 16-5962-008

Date Collected: 10/18/16
Time Collected: 10:45
Date Received: 10/20/16
Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Flags
Volatile Organic Compounds		Method: 5030B/8260B		
Analysis Date: 10/24/16				
1,3-Dichlorobenzene	< 1.0	1.0	ug/L	
1,4-Dichlorobenzene	< 1.0	1.0	ug/L	
trans-1,4-Dichloro-2-butene	< 1.0	1.0	ug/L	
Dichlorodifluoromethane	< 1.0	1.0	ug/L	
1,1-Dichloroethane	< 1.0	1.0	ug/L	
1,2-Dichloroethane	< 1.0	1.0	ug/L	
1,1-Dichloroethene	< 1.0	1.0	ug/L	
cis-1,2-Dichloroethene	< 1.0	1.0	ug/L	
trans-1,2-Dichloroethene	< 1.0	1.0	ug/L	
1,2-Dichloropropane	< 1.0	1.0	ug/L	
1,3-Dichloropropane	< 1.0	1.0	ug/L	
2,2-Dichloropropane	< 1.0	1.0	ug/L	
1,1-Dichloropropene	< 1.0	1.0	ug/L	
1,3-Dichloropropene (total)	< 1.0	1.0	ug/L	
cis-1,3-Dichloropropene	< 1.0	1.0	ug/L	
trans-1,3-Dichloropropene	< 1.0	1.0	ug/L	
Ethylbenzene	< 1.0	1.0	ug/L	
Hexachlorobutadiene	< 5.0	5.0	ug/L	
2-Hexanone	< 1.0	10	ug/L	J
Iodomethane	< 1.0	1.0	ug/L	
Isopropylbenzene	< 1.0	1.0	ug/L	
p-Isopropyltoluene	< 1.0	1.0	ug/L	
4-Methyl-2-pentanone (MIBK)	< 10.0	10.0	ug/L	
Methylene chloride	< 5.0	5.0	ug/L	
Naphthalene	< 5.0	5.0	ug/L	
n-Propylbenzene	< 1.0	1.0	ug/L	
Styrene	< 1.0	1.0	ug/L	
1,1,1,2-Tetrachloroethane	< 1.0	1.0	ug/L	
1,1,2,2-Tetrachloroethane	< 1.0	1.0	ug/L	
Tetrachloroethene	< 1.0	1.0	ug/L	
Tetrahydrofuran	< 1.0	1.0	ug/L	
Toluene	< 1.0	1.0	ug/L	
1,1,1-Trichloroethane	< 1.0	1.0	ug/L	
1,1,2-Trichloroethane	< 1.0	1.0	ug/L	
1,2,3-Trichlorobenzene	< 1.0	1.0	ug/L	
1,2,4-Trichlorobenzene	< 1.0	1.0	ug/L	



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292


1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: REPUBLIC SERVICES (McLean)
Project ID: ADS/McLean Co. LF #2 - GW
Sample ID: G209
Sample No: 16-5962-008

Date Collected: 10/18/16
Time Collected: 10:45
Date Received: 10/20/16
Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Flags
Volatile Organic Compounds		Method: 5030B/8260B		
Analysis Date: 10/24/16				
Trichloroethene	< 1.0	1.0	ug/L	
Trichlorofluoromethane	< 1.0	1.0	ug/L	
1,2,3-Trichloropropane	< 1.0	1.0	ug/L	
1,2,4-Trimethylbenzene	< 1.0	1.0	ug/L	
1,3,5-Trimethylbenzene	< 1.0	1.0	ug/L	
Vinyl acetate	< 5.0	5.0	ug/L	
Vinyl chloride	< 2.0	2.0	ug/L	
Xylene, Total	< 1.0	1.0	ug/L	
Volatile Organic Compounds (8011)		Method: 8011		
Analysis Date: 11/09/16				
1,2-Dibromo-3-chloropropane	< 0.02	0.02	ug/L	
1,2-Dibromoethane (EDB)	< 0.05	0.05	ug/L	



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292

1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: REPUBLIC SERVICES (McLean)

Date Collected: 10/17/16

Project ID: ADS/McLean Co. LF #2 - GW

Time Collected: 11:14


Sample ID: G210

Date Received: 10/20/16

Sample No: 16-5962-009

Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Date Analyzed	Method	Flag
Ammonia (as N), Dissolved	0.21	0.10	mg/L	10/21/16	350.1R2.0	
Chloride, Dissolved	149	5	mg/L	10/24/16	4500Cl, E 1997	
Cyanide, Total	< 0.005	0.005	mg/L	10/25/16	335.4R1.0	
Nitrate (as N), Dissolved	< 0.10	0.10	mg/L	10/24/16	353.2R2.0	
Oil (Hexane soluble)	< 5	5	mg/L	10/27/16	1664B 2010	
Phenols	< 10	10	ug/L	10/27/16	420.4R1.0	
Sulfate, Dissolved	117	15	mg/L	10/21/16	375.2R2.0	
Total Dissolved Solids	837	10	mg/L	10/21/16	2540C 1997	



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292

1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: REPUBLIC SERVICES (McLean)
Project ID: ADS/McLean Co. LF #2 - GW
Sample ID: G210
Sample No: 16-5962-009

Date Collected: 10/17/16
Time Collected: 11:14
Date Received: 10/20/16
Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Flags
Dissolved Metals				
Method: 6010C		Preparation Method 3010A		
Analysis Date: 11/03/16		Preparation Date: 10/27/16		
Arsenic, diss.	< 5	10	ug/L	J
Boron, diss.	129	50	ug/L	
Cadmium, diss.	< 1	5	ug/L	J
Chromium, diss.	< 1	5	ug/L	J
Lead, diss.	< 2	5	ug/L	J
Zinc, diss.	< 5	10	ug/L	J
Magnesium, diss.	49.3	0.5	mg/L	
Dissolved Mercury				
Method: 7470A				
Analysis Date: 10/27/16				
Mercury, diss.	< 0.5	0.5	ug/L	
Volatile Organic Compounds				
Method: 5030B/8260B				
Analysis Date: 10/24/16				
Acetone	< 10.0	10.0	ug/L	
Acrylonitrile	< 100	100	ug/L	
Benzene	< 1.0	1.0	ug/L	
Bromobenzene	< 1.0	1.0	ug/L	
Bromochloromethane	< 1.0	1.0	ug/L	
Bromodichloromethane	< 1.0	1.0	ug/L	
Bromoform	< 1.0	1.0	ug/L	
Bromomethane	< 2.0	2.0	ug/L	
2-Butanone (MEK)	< 10.0	10.0	ug/L	
n-Butylbenzene	< 1.0	1.0	ug/L	
sec-Butylbenzene	< 1.0	1.0	ug/L	
tert-Butylbenzene	< 1.0	1.0	ug/L	
Carbon disulfide	< 1.0	1.0	ug/L	
Carbon tetrachloride	< 1.0	1.0	ug/L	
Chlorobenzene	< 1.0	1.0	ug/L	
Chlorodibromomethane	< 1.0	1.0	ug/L	
Chloroethane	< 2.0	2.0	ug/L	
Chloroform	< 1.0	1.0	ug/L	
Chloromethane	< 2.0	2.0	ug/L	
2-Chlorotoluene	< 1.0	1.0	ug/L	
4-Chlorotoluene	< 1.0	1.0	ug/L	
Dibromomethane	< 1.0	1.0	ug/L	
1,2-Dichlorobenzene	< 1.0	1.0	ug/L	



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292

1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: REPUBLIC SERVICES (McLean)
Project ID: ADS/McLean Co. LF #2 - GW
Sample ID: G210
Sample No: 16-5962-009

Date Collected: 10/17/16
Time Collected: 11:14
Date Received: 10/20/16
Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Flags
Volatile Organic Compounds		Method: 5030B/8260B		
Analysis Date: 10/24/16				
1,3-Dichlorobenzene	< 1.0	1.0	ug/L	
1,4-Dichlorobenzene	< 1.0	1.0	ug/L	
trans-1,4-Dichloro-2-butene	< 1.0	1.0	ug/L	
Dichlorodifluoromethane	< 1.0	1.0	ug/L	
1,1-Dichloroethane	< 1.0	1.0	ug/L	
1,2-Dichloroethane	< 1.0	1.0	ug/L	
1,1-Dichloroethene	< 1.0	1.0	ug/L	
cis-1,2-Dichloroethene	< 1.0	1.0	ug/L	
trans-1,2-Dichloroethene	< 1.0	1.0	ug/L	
1,2-Dichloropropane	< 1.0	1.0	ug/L	
1,3-Dichloropropane	< 1.0	1.0	ug/L	
2,2-Dichloropropane	< 1.0	1.0	ug/L	
1,1-Dichloropropene	< 1.0	1.0	ug/L	
1,3-Dichloropropene (total)	< 1.0	1.0	ug/L	
cis-1,3-Dichloropropene	< 1.0	1.0	ug/L	
trans-1,3-Dichloropropene	< 1.0	1.0	ug/L	
Ethylbenzene	< 1.0	1.0	ug/L	
Hexachlorobutadiene	< 5.0	5.0	ug/L	
2-Hexanone	< 1.0	10	ug/L	J
Iodomethane	< 1.0	1.0	ug/L	
Isopropylbenzene	< 1.0	1.0	ug/L	
p-Isopropyltoluene	< 1.0	1.0	ug/L	
4-Methyl-2-pentanone (MIBK)	< 10.0	10.0	ug/L	
Methylene chloride	< 5.0	5.0	ug/L	
Naphthalene	< 5.0	5.0	ug/L	
n-Propylbenzene	< 1.0	1.0	ug/L	
Styrene	< 1.0	1.0	ug/L	
1,1,1,2-Tetrachloroethane	< 1.0	1.0	ug/L	
1,1,2,2-Tetrachloroethane	< 1.0	1.0	ug/L	
Tetrachloroethene	< 1.0	1.0	ug/L	
Tetrahydrofuran	< 1.0	1.0	ug/L	
Toluene	< 1.0	1.0	ug/L	
1,1,1-Trichloroethane	< 1.0	1.0	ug/L	
1,1,2-Trichloroethane	< 1.0	1.0	ug/L	
1,2,3-Trichlorobenzene	< 1.0	1.0	ug/L	
1,2,4-Trichlorobenzene	< 1.0	1.0	ug/L	



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292


1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: REPUBLIC SERVICES (McLean)
Project ID: ADS/McLean Co. LF #2 - GW
Sample ID: G210
Sample No: 16-5962-009

Date Collected: 10/17/16
Time Collected: 11:14
Date Received: 10/20/16
Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Flags
Volatile Organic Compounds		Method: 5030B/8260B		
Analysis Date: 10/24/16				
Trichloroethene	< 1.0	1.0	ug/L	
Trichlorofluoromethane	< 1.0	1.0	ug/L	
1,2,3-Trichloropropane	< 1.0	1.0	ug/L	
1,2,4-Trimethylbenzene	< 1.0	1.0	ug/L	
1,3,5-Trimethylbenzene	< 1.0	1.0	ug/L	
Vinyl acetate	< 5.0	5.0	ug/L	
Vinyl chloride	< 2.0	2.0	ug/L	
Xylene, Total	< 1.0	1.0	ug/L	
Volatile Organic Compounds (8011)		Method: 8011		
Analysis Date: 11/09/16				
1,2-Dibromo-3-chloropropane	< 0.02	0.02	ug/L	
1,2-Dibromoethane (EDB)	< 0.05	0.05	ug/L	



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292

1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: REPUBLIC SERVICES (McLean)

Date Collected: 10/17/16

Project ID: ADS/McLean Co. LF #2 - GW

Time Collected: 10:04


Sample ID: G211

Date Received: 10/20/16

Sample No: 16-5962-010

Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Date Analyzed	Method	Flag
Ammonia (as N), Dissolved	0.29	0.10	mg/L	10/21/16	350.1R2.0	
Chloride, Dissolved	197	5	mg/L	10/24/16	4500Cl, E 1997	
Cyanide, Total	< 0.005	0.005	mg/L	10/25/16	335.4R1.0	
Nitrate (as N), Dissolved	< 0.10	0.10	mg/L	10/24/16	353.2R2.0	
Oil (Hexane soluble)	< 5	5	mg/L	10/27/16	1664B 2010	
Phenols	< 10	10	ug/L	10/31/16	420.4R1.0	
Sulfate, Dissolved	161	15	mg/L	10/21/16	375.2R2.0	
Total Dissolved Solids	891	10	mg/L	10/21/16	2540C 1997	



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292


1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: REPUBLIC SERVICES (McLean)
Project ID: ADS/McLean Co. LF #2 - GW
Sample ID: G211
Sample No: 16-5962-010

Date Collected: 10/17/16
Time Collected: 10:04
Date Received: 10/20/16
Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Flags
Dissolved Metals				
Method: 6010C		Preparation Method 3010A		
Analysis Date: 11/03/16		Preparation Date: 10/27/16		
Arsenic, diss.	< 5	10	ug/L	J
Boron, diss.	203	50	ug/L	
Cadmium, diss.	< 1	5	ug/L	J
Chromium, diss.	< 1	5	ug/L	J
Lead, diss.	< 2	5	ug/L	J
Zinc, diss.	< 5	10	ug/L	J
Magnesium, diss.	52.9	0.5	mg/L	
Dissolved Mercury				
Method: 7470A				
Analysis Date: 10/27/16				
Mercury, diss.	< 0.5	0.5	ug/L	
Volatile Organic Compounds				
Method: 5030B/8260B				
Analysis Date: 10/24/16				
Acetone	< 10.0	10.0	ug/L	
Acrylonitrile	< 100	100	ug/L	
Benzene	< 1.0	1.0	ug/L	
Bromobenzene	< 1.0	1.0	ug/L	
Bromochloromethane	< 1.0	1.0	ug/L	
Bromodichloromethane	< 1.0	1.0	ug/L	
Bromoform	< 1.0	1.0	ug/L	
Bromomethane	< 2.0	2.0	ug/L	
2-Butanone (MEK)	< 10.0	10.0	ug/L	
n-Butylbenzene	< 1.0	1.0	ug/L	
sec-Butylbenzene	< 1.0	1.0	ug/L	
tert-Butylbenzene	< 1.0	1.0	ug/L	
Carbon disulfide	< 1.0	1.0	ug/L	
Carbon tetrachloride	< 1.0	1.0	ug/L	
Chlorobenzene	< 1.0	1.0	ug/L	
Chlorodibromomethane	< 1.0	1.0	ug/L	
Chloroethane	< 2.0	2.0	ug/L	
Chloroform	< 1.0	1.0	ug/L	
Chloromethane	< 2.0	2.0	ug/L	
2-Chlorotoluene	< 1.0	1.0	ug/L	
4-Chlorotoluene	< 1.0	1.0	ug/L	
Dibromomethane	< 1.0	1.0	ug/L	
1,2-Dichlorobenzene	< 1.0	1.0	ug/L	



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292

1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: REPUBLIC SERVICES (McLean)
Project ID: ADS/McLean Co. LF #2 - GW
Sample ID: G211
Sample No: 16-5962-010

Date Collected: 10/17/16
Time Collected: 10:04
Date Received: 10/20/16
Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Flags
Volatile Organic Compounds		Method: 5030B/8260B		
Analysis Date: 10/24/16				
1,3-Dichlorobenzene	< 1.0	1.0	ug/L	
1,4-Dichlorobenzene	< 1.0	1.0	ug/L	
trans-1,4-Dichloro-2-butene	< 1.0	1.0	ug/L	
Dichlorodifluoromethane	< 1.0	1.0	ug/L	
1,1-Dichloroethane	< 1.0	1.0	ug/L	
1,2-Dichloroethane	< 1.0	1.0	ug/L	
1,1-Dichloroethene	< 1.0	1.0	ug/L	
cis-1,2-Dichloroethene	< 1.0	1.0	ug/L	
trans-1,2-Dichloroethene	< 1.0	1.0	ug/L	
1,2-Dichloropropane	< 1.0	1.0	ug/L	
1,3-Dichloropropane	< 1.0	1.0	ug/L	
2,2-Dichloropropane	< 1.0	1.0	ug/L	
1,1-Dichloropropene	< 1.0	1.0	ug/L	
1,3-Dichloropropene (total)	< 1.0	1.0	ug/L	
cis-1,3-Dichloropropene	< 1.0	1.0	ug/L	
trans-1,3-Dichloropropene	< 1.0	1.0	ug/L	
Ethylbenzene	< 1.0	1.0	ug/L	
Hexachlorobutadiene	< 5.0	5.0	ug/L	
2-Hexanone	< 1.0	10	ug/L	J
Iodomethane	< 1.0	1.0	ug/L	
Isopropylbenzene	< 1.0	1.0	ug/L	
p-Isopropyltoluene	< 1.0	1.0	ug/L	
4-Methyl-2-pentanone (MIBK)	< 10.0	10.0	ug/L	
Methylene chloride	< 5.0	5.0	ug/L	
Naphthalene	< 5.0	5.0	ug/L	
n-Propylbenzene	< 1.0	1.0	ug/L	
Styrene	< 1.0	1.0	ug/L	
1,1,1,2-Tetrachloroethane	< 1.0	1.0	ug/L	
1,1,2,2-Tetrachloroethane	< 1.0	1.0	ug/L	
Tetrachloroethene	< 1.0	1.0	ug/L	
Tetrahydrofuran	< 1.0	1.0	ug/L	
Toluene	< 1.0	1.0	ug/L	
1,1,1-Trichloroethane	< 1.0	1.0	ug/L	
1,1,2-Trichloroethane	< 1.0	1.0	ug/L	
1,2,3-Trichlorobenzene	< 1.0	1.0	ug/L	
1,2,4-Trichlorobenzene	< 1.0	1.0	ug/L	



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292


1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: REPUBLIC SERVICES (McLean)
Project ID: ADS/McLean Co. LF #2 - GW
Sample ID: G211
Sample No: 16-5962-010

Date Collected: 10/17/16
Time Collected: 10:04
Date Received: 10/20/16
Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Flags
Volatile Organic Compounds		Method: 5030B/8260B		
Analysis Date: 10/24/16				
Trichloroethene	< 1.0	1.0	ug/L	
Trichlorofluoromethane	< 1.0	1.0	ug/L	
1,2,3-Trichloropropane	< 1.0	1.0	ug/L	
1,2,4-Trimethylbenzene	< 1.0	1.0	ug/L	
1,3,5-Trimethylbenzene	< 1.0	1.0	ug/L	
Vinyl acetate	< 5.0	5.0	ug/L	
Vinyl chloride	< 2.0	2.0	ug/L	
Xylene, Total	< 1.0	1.0	ug/L	
Volatile Organic Compounds (8011)		Method: 8011		
Analysis Date: 11/09/16				
1,2-Dibromo-3-chloropropane	< 0.02	0.02	ug/L	
1,2-Dibromoethane (EDB)	< 0.05	0.05	ug/L	



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292

1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: REPUBLIC SERVICES (McLean)

Date Collected: 10/17/16

Project ID: ADS/McLean Co. LF #2 - GW

Time Collected: 14:06


Sample ID: G212

Date Received: 10/20/16

Sample No: 16-5962-011

Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Date Analyzed	Method	Flag
Ammonia (as N), Dissolved	0.33	0.10	mg/L	10/21/16	350.1R2.0	
Chloride, Dissolved	193	5	mg/L	10/24/16	4500Cl, E 1997	
Cyanide, Total	< 0.005	0.005	mg/L	10/25/16	335.4R1.0	
Nitrate (as N), Dissolved	< 0.10	0.10	mg/L	10/24/16	353.2R2.0	
Oil (Hexane soluble)	< 5	5	mg/L	10/27/16	1664B 2010	
Phenols	< 10	10	ug/L	10/31/16	420.4R1.0	
Sulfate, Dissolved	145	15	mg/L	10/21/16	375.2R2.0	
Total Dissolved Solids	904	10	mg/L	10/24/16	2540C 1997	



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292

1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: REPUBLIC SERVICES (McLean)
Project ID: ADS/McLean Co. LF #2 - GW
Sample ID: G212
Sample No: 16-5962-011

Date Collected: 10/17/16
Time Collected: 14:06
Date Received: 10/20/16
Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Flags
Dissolved Metals				
Method: 6010C		Preparation Method 3010A		
Analysis Date: 11/03/16		Preparation Date: 10/27/16		
Arsenic, diss.	< 5	10	ug/L	J
Boron, diss.	165	50	ug/L	
Cadmium, diss.	< 1	5	ug/L	J
Chromium, diss.	< 1	5	ug/L	J
Lead, diss.	< 2	5	ug/L	J
Zinc, diss.	< 5	10	ug/L	J
Magnesium, diss.	51.7	0.5	mg/L	
Dissolved Mercury				
Method: 7470A				
Analysis Date: 10/27/16				
Mercury, diss.	< 0.5	0.5	ug/L	
Volatile Organic Compounds				
Method: 5030B/8260B				
Analysis Date: 10/24/16				
Acetone	< 10.0	10.0	ug/L	
Acrylonitrile	< 100	100	ug/L	
Benzene	< 1.0	1.0	ug/L	
Bromobenzene	< 1.0	1.0	ug/L	
Bromochloromethane	< 1.0	1.0	ug/L	
Bromodichloromethane	< 1.0	1.0	ug/L	
Bromoform	< 1.0	1.0	ug/L	
Bromomethane	< 2.0	2.0	ug/L	
2-Butanone (MEK)	< 10.0	10.0	ug/L	
n-Butylbenzene	< 1.0	1.0	ug/L	
sec-Butylbenzene	< 1.0	1.0	ug/L	
tert-Butylbenzene	< 1.0	1.0	ug/L	
Carbon disulfide	< 1.0	1.0	ug/L	
Carbon tetrachloride	< 1.0	1.0	ug/L	
Chlorobenzene	< 1.0	1.0	ug/L	
Chlorodibromomethane	< 1.0	1.0	ug/L	
Chloroethane	< 2.0	2.0	ug/L	
Chloroform	< 1.0	1.0	ug/L	
Chloromethane	< 2.0	2.0	ug/L	
2-Chlorotoluene	< 1.0	1.0	ug/L	
4-Chlorotoluene	< 1.0	1.0	ug/L	
Dibromomethane	< 1.0	1.0	ug/L	
1,2-Dichlorobenzene	< 1.0	1.0	ug/L	



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292


1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: REPUBLIC SERVICES (McLean)
Project ID: ADS/McLean Co. LF #2 - GW
Sample ID: G212
Sample No: 16-5962-011

Date Collected: 10/17/16
Time Collected: 14:06
Date Received: 10/20/16
Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Flags
Volatile Organic Compounds		Method: 5030B/8260B		
Analysis Date: 10/24/16				
1,3-Dichlorobenzene	< 1.0	1.0	ug/L	
1,4-Dichlorobenzene	< 1.0	1.0	ug/L	
trans-1,4-Dichloro-2-butene	< 1.0	1.0	ug/L	
Dichlorodifluoromethane	< 1.0	1.0	ug/L	
1,1-Dichloroethane	< 1.0	1.0	ug/L	
1,2-Dichloroethane	< 1.0	1.0	ug/L	
1,1-Dichloroethene	< 1.0	1.0	ug/L	
cis-1,2-Dichloroethene	< 1.0	1.0	ug/L	
trans-1,2-Dichloroethene	< 1.0	1.0	ug/L	
1,2-Dichloropropane	< 1.0	1.0	ug/L	
1,3-Dichloropropane	< 1.0	1.0	ug/L	
2,2-Dichloropropane	< 1.0	1.0	ug/L	
1,1-Dichloropropene	< 1.0	1.0	ug/L	
1,3-Dichloropropene (total)	< 1.0	1.0	ug/L	
cis-1,3-Dichloropropene	< 1.0	1.0	ug/L	
trans-1,3-Dichloropropene	< 1.0	1.0	ug/L	
Ethylbenzene	< 1.0	1.0	ug/L	
Hexachlorobutadiene	< 5.0	5.0	ug/L	
2-Hexanone	< 1.0	1.0	ug/L	J
Iodomethane	< 1.0	1.0	ug/L	
Isopropylbenzene	< 1.0	1.0	ug/L	
p-Isopropyltoluene	< 1.0	1.0	ug/L	
4-Methyl-2-pentanone (MIBK)	< 10.0	10.0	ug/L	
Methylene chloride	< 5.0	5.0	ug/L	
Naphthalene	< 5.0	5.0	ug/L	
n-Propylbenzene	< 1.0	1.0	ug/L	
Styrene	< 1.0	1.0	ug/L	
1,1,1,2-Tetrachloroethane	< 1.0	1.0	ug/L	
1,1,2,2-Tetrachloroethane	< 1.0	1.0	ug/L	
Tetrachloroethene	< 1.0	1.0	ug/L	
Tetrahydrofuran	< 1.0	1.0	ug/L	
Toluene	< 1.0	1.0	ug/L	
1,1,1-Trichloroethane	< 1.0	1.0	ug/L	
1,1,2-Trichloroethane	< 1.0	1.0	ug/L	
1,2,3-Trichlorobenzene	< 1.0	1.0	ug/L	
1,2,4-Trichlorobenzene	< 1.0	1.0	ug/L	



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292

1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: REPUBLIC SERVICES (McLean)
Project ID: ADS/McLean Co. LF #2 - GW
Sample ID: G212
Sample No: 16-5962-011

Date Collected: 10/17/16
Time Collected: 14:06
Date Received: 10/20/16
Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Flags
Volatile Organic Compounds		Method: 5030B/8260B		
Analysis Date: 10/24/16				
Trichloroethene	< 1.0	1.0	ug/L	
Trichlorofluoromethane	< 1.0	1.0	ug/L	
1,2,3-Trichloropropane	< 1.0	1.0	ug/L	
1,2,4-Trimethylbenzene	< 1.0	1.0	ug/L	
1,3,5-Trimethylbenzene	< 1.0	1.0	ug/L	
Vinyl acetate	< 5.0	5.0	ug/L	
Vinyl chloride	< 2.0	2.0	ug/L	
Xylene, Total	< 1.0	1.0	ug/L	
Volatile Organic Compounds (8011)		Method: 8011		
Analysis Date: 11/10/16				
1,2-Dibromo-3-chloropropane	< 0.02	0.02	ug/L	
1,2-Dibromoethane (EDB)	< 0.05	0.05	ug/L	



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292

1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: REPUBLIC SERVICES (McLean)

Date Collected: 10/17/16

Project ID: ADS/McLean Co. LF #2 - GW

Time Collected: 13:28


Sample ID: G213

Date Received: 10/20/16

Sample No: 16-5962-012

Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Date Analyzed	Method	Flag
Ammonia (as N), Dissolved	0.38	0.10	mg/L	10/21/16	350.1R2.0	
Chloride, Dissolved	182	5	mg/L	10/24/16	4500Cl, E 1997	
Cyanide, Total	< 0.005	0.005	mg/L	10/25/16	335.4R1.0	
Nitrate (as N), Dissolved	< 0.10	0.10	mg/L	10/24/16	353.2R2.0	
Oil (Hexane soluble)	< 5	5	mg/L	10/27/16	1664B 2010	
Phenols	< 10	10	ug/L	10/31/16	420.4R1.0	
Sulfate, Dissolved	172	15	mg/L	10/21/16	375.2R2.0	
Total Dissolved Solids	917	10	mg/L	10/24/16	2540C 1997	



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292


1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: REPUBLIC SERVICES (McLean)
Project ID: ADS/McLean Co. LF #2 - GW
Sample ID: G213
Sample No: 16-5962-012

Date Collected: 10/17/16
Time Collected: 13:28
Date Received: 10/20/16
Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Flags
Dissolved Metals				
Method: 6010C		Preparation Method 3010A		
Analysis Date: 11/03/16		Preparation Date: 10/27/16		
Arsenic, diss.	< 5	10	ug/L	J
Boron, diss.	153	50	ug/L	
Cadmium, diss.	< 1	5	ug/L	J
Chromium, diss.	< 1	5	ug/L	J
Lead, diss.	< 2	5	ug/L	J
Zinc, diss.	< 5	10	ug/L	J
Magnesium, diss.	54.5	0.5	mg/L	
Dissolved Mercury				
Method: 7470A				
Analysis Date: 10/27/16				
Mercury, diss.	< 0.5	0.5	ug/L	
Volatile Organic Compounds				
Method: 5030B/8260B				
Analysis Date: 10/24/16				
Acetone	< 10.0	10.0	ug/L	
Acrylonitrile	< 100	100	ug/L	
Benzene	< 1.0	1.0	ug/L	
Bromobenzene	< 1.0	1.0	ug/L	
Bromochloromethane	< 1.0	1.0	ug/L	
Bromodichloromethane	< 1.0	1.0	ug/L	
Bromoform	< 1.0	1.0	ug/L	
Bromomethane	< 2.0	2.0	ug/L	
2-Butanone (MEK)	< 10.0	10.0	ug/L	
n-Butylbenzene	< 1.0	1.0	ug/L	
sec-Butylbenzene	< 1.0	1.0	ug/L	
tert-Butylbenzene	< 1.0	1.0	ug/L	
Carbon disulfide	< 1.0	1.0	ug/L	
Carbon tetrachloride	< 1.0	1.0	ug/L	
Chlorobenzene	< 1.0	1.0	ug/L	
Chlorodibromomethane	< 1.0	1.0	ug/L	
Chloroethane	< 2.0	2.0	ug/L	
Chloroform	< 1.0	1.0	ug/L	
Chloromethane	< 2.0	2.0	ug/L	
2-Chlorotoluene	< 1.0	1.0	ug/L	
4-Chlorotoluene	< 1.0	1.0	ug/L	
Dibromomethane	< 1.0	1.0	ug/L	
1,2-Dichlorobenzene	< 1.0	1.0	ug/L	



**First
Environmental
Laboratories, Inc.**

1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233


IL ELAP / NELAC Accreditation # 100292

Analytical Report

Client: REPUBLIC SERVICES (McLean)
Project ID: ADS/McLean Co. LF #2 - GW
Sample ID: G213
Sample No: 16-5962-012

Date Collected: 10/17/16
Time Collected: 13:28
Date Received: 10/20/16
Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Flags
Volatile Organic Compounds		Method: 5030B/8260B		
Analysis Date: 10/24/16				
1,3-Dichlorobenzene	< 1.0	1.0	ug/L	
1,4-Dichlorobenzene	< 1.0	1.0	ug/L	
trans-1,4-Dichloro-2-butene	< 1.0	1.0	ug/L	
Dichlorodifluoromethane	< 1.0	1.0	ug/L	
1,1-Dichloroethane	< 1.0	1.0	ug/L	
1,2-Dichloroethane	< 1.0	1.0	ug/L	
1,1-Dichloroethene	< 1.0	1.0	ug/L	
cis-1,2-Dichloroethene	< 1.0	1.0	ug/L	
trans-1,2-Dichloroethene	< 1.0	1.0	ug/L	
1,2-Dichloropropane	< 1.0	1.0	ug/L	
1,3-Dichloropropane	< 1.0	1.0	ug/L	
2,2-Dichloropropane	< 1.0	1.0	ug/L	
1,1-Dichloropropene	< 1.0	1.0	ug/L	
1,3-Dichloropropene (total)	< 1.0	1.0	ug/L	
cis-1,3-Dichloropropene	< 1.0	1.0	ug/L	
trans-1,3-Dichloropropene	< 1.0	1.0	ug/L	
Ethylbenzene	< 1.0	1.0	ug/L	
Hexachlorobutadiene	< 5.0	5.0	ug/L	
2-Hexanone	< 1.0	1.0	ug/L	J
Iodomethane	< 1.0	1.0	ug/L	
Isopropylbenzene	< 1.0	1.0	ug/L	
p-Isopropyltoluene	< 1.0	1.0	ug/L	
4-Methyl-2-pentanone (MIBK)	< 10.0	10.0	ug/L	
Methylene chloride	< 5.0	5.0	ug/L	
Naphthalene	< 5.0	5.0	ug/L	
n-Propylbenzene	< 1.0	1.0	ug/L	
Styrene	< 1.0	1.0	ug/L	
1,1,1,2-Tetrachloroethane	< 1.0	1.0	ug/L	
1,1,2,2-Tetrachloroethane	< 1.0	1.0	ug/L	
Tetrachloroethene	< 1.0	1.0	ug/L	
Tetrahydrofuran	< 1.0	1.0	ug/L	
Toluene	< 1.0	1.0	ug/L	
1,1,1-Trichloroethane	< 1.0	1.0	ug/L	
1,1,2-Trichloroethane	< 1.0	1.0	ug/L	
1,2,3-Trichlorobenzene	< 1.0	1.0	ug/L	
1,2,4-Trichlorobenzene	< 1.0	1.0	ug/L	



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292


1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: REPUBLIC SERVICES (McLean)
Project ID: ADS/McLean Co. LF #2 - GW
Sample ID: G213
Sample No: 16-5962-012

Date Collected: 10/17/16
Time Collected: 13:28
Date Received: 10/20/16
Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Flags
Volatile Organic Compounds		Method: 5030B/8260B		
Analysis Date: 10/24/16				
Trichloroethene	< 1.0	1.0	ug/L	
Trichlorofluoromethane	< 1.0	1.0	ug/L	
1,2,3-Trichloropropane	< 1.0	1.0	ug/L	
1,2,4-Trimethylbenzene	< 1.0	1.0	ug/L	
1,3,5-Trimethylbenzene	< 1.0	1.0	ug/L	
Vinyl acetate	< 5.0	5.0	ug/L	
Vinyl chloride	< 2.0	2.0	ug/L	
Xylene, Total	< 1.0	1.0	ug/L	
Volatile Organic Compounds (8011)		Method: 8011		
Analysis Date: 11/10/16				
1,2-Dibromo-3-chloropropane	< 0.02	0.02	ug/L	
1,2-Dibromoethane (EDB)	< 0.05	0.05	ug/L	



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292

1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: REPUBLIC SERVICES (McLean)

Date Collected: 10/17/16

Project ID: ADS/McLean Co. LF #2 - GW

Time Collected: 9:11

Sample ID: G214

Date Received: 10/20/16

Sample No: 16-5962-013

Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Date Analyzed	Method	Flag
Ammonia (as N), Dissolved	< 0.10	0.10	mg/L	10/21/16	350.1R2.0	
Chloride, Dissolved	120	5	mg/L	10/28/16	4500Cl, E 1997	
Cyanide, Total	< 0.005	0.005	mg/L	10/25/16	335.4R1.0	
Nitrate (as N), Dissolved	< 0.10	0.10	mg/L	10/24/16	353.2R2.0	
Oil (Hexane soluble)	< 5	5	mg/L	10/27/16	1664B 2010	
Phenols	< 10	10	ug/L	10/31/16	420.4R1.0	
Sulfate, Dissolved	260	15	mg/L	10/26/16	375.2R2.0	
Total Dissolved Solids	946	10	mg/L	10/24/16	2540C 1997	



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292


1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: REPUBLIC SERVICES (McLean)
Project ID: ADS/McLean Co. LF #2 - GW
Sample ID: G214
Sample No: 16-5962-013

Date Collected: 10/17/16
Time Collected: 9:11
Date Received: 10/20/16
Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Flags
Dissolved Metals				
Method: 6010C		Preparation Method 3010A		
Analysis Date: 11/03/16		Preparation Date: 10/27/16		
Arsenic, diss.	< 5	10	ug/L	J
Boron, diss.	116	50	ug/L	
Cadmium, diss.	< 1	5	ug/L	J
Chromium, diss.	< 1	5	ug/L	J
Lead, diss.	< 2	5	ug/L	J
Zinc, diss.	68	10	ug/L	
Magnesium, diss.	58.8	0.5	mg/L	
Dissolved Mercury				
Method: 7470A				
Analysis Date: 10/27/16				
Mercury, diss.	< 0.5	0.5	ug/L	
Volatile Organic Compounds				
Method: 5030B/8260B				
Analysis Date: 10/24/16				
Acetone	< 10.0	10.0	ug/L	
Acrylonitrile	< 100	100	ug/L	
Benzene	< 1.0	1.0	ug/L	
Bromobenzene	< 1.0	1.0	ug/L	
Bromochloromethane	< 1.0	1.0	ug/L	
Bromodichloromethane	< 1.0	1.0	ug/L	
Bromoform	< 1.0	1.0	ug/L	
Bromomethane	< 2.0	2.0	ug/L	
2-Butanone (MEK)	< 10.0	10.0	ug/L	
n-Butylbenzene	< 1.0	1.0	ug/L	
sec-Butylbenzene	< 1.0	1.0	ug/L	
tert-Butylbenzene	< 1.0	1.0	ug/L	
Carbon disulfide	< 1.0	1.0	ug/L	
Carbon tetrachloride	< 1.0	1.0	ug/L	
Chlorobenzene	< 1.0	1.0	ug/L	
Chlorodibromomethane	< 1.0	1.0	ug/L	
Chloroethane	< 2.0	2.0	ug/L	
Chloroform	< 1.0	1.0	ug/L	
Chloromethane	< 2.0	2.0	ug/L	
2-Chlorotoluene	< 1.0	1.0	ug/L	
4-Chlorotoluene	< 1.0	1.0	ug/L	
Dibromomethane	< 1.0	1.0	ug/L	
1,2-Dichlorobenzene	< 1.0	1.0	ug/L	



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292


1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: REPUBLIC SERVICES (McLean)
Project ID: ADS/McLean Co. LF #2 - GW
Sample ID: G214
Sample No: 16-5962-013

Date Collected: 10/17/16
Time Collected: 9:11
Date Received: 10/20/16
Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Flags
Volatile Organic Compounds		Method: 5030B/8260B		
Analysis Date: 10/24/16				
1,3-Dichlorobenzene	< 1.0	1.0	ug/L	
1,4-Dichlorobenzene	< 1.0	1.0	ug/L	
trans-1,4-Dichloro-2-butene	< 1.0	1.0	ug/L	
Dichlorodifluoromethane	< 1.0	1.0	ug/L	
1,1-Dichloroethane	< 1.0	1.0	ug/L	
1,2-Dichloroethane	< 1.0	1.0	ug/L	
1,1-Dichloroethene	< 1.0	1.0	ug/L	
cis-1,2-Dichloroethene	< 1.0	1.0	ug/L	
trans-1,2-Dichloroethene	< 1.0	1.0	ug/L	
1,2-Dichloropropane	< 1.0	1.0	ug/L	
1,3-Dichloropropane	< 1.0	1.0	ug/L	
2,2-Dichloropropane	< 1.0	1.0	ug/L	
1,1-Dichloropropene	< 1.0	1.0	ug/L	
1,3-Dichloropropene (total)	< 1.0	1.0	ug/L	
cis-1,3-Dichloropropene	< 1.0	1.0	ug/L	
trans-1,3-Dichloropropene	< 1.0	1.0	ug/L	
Ethylbenzene	< 1.0	1.0	ug/L	
Hexachlorobutadiene	< 5.0	5.0	ug/L	
2-Hexanone	< 1.0	1.0	ug/L	J
Iodomethane	< 1.0	1.0	ug/L	
Isopropylbenzene	< 1.0	1.0	ug/L	
p-Isopropyltoluene	< 1.0	1.0	ug/L	
4-Methyl-2-pentanone (MIBK)	< 10.0	10.0	ug/L	
Methylene chloride	< 5.0	5.0	ug/L	
Naphthalene	< 5.0	5.0	ug/L	
n-Propylbenzene	< 1.0	1.0	ug/L	
Styrene	< 1.0	1.0	ug/L	
1,1,1,2-Tetrachloroethane	< 1.0	1.0	ug/L	
1,1,2,2-Tetrachloroethane	< 1.0	1.0	ug/L	
Tetrachloroethene	< 1.0	1.0	ug/L	
Tetrahydrofuran	< 1.0	1.0	ug/L	
Toluene	< 1.0	1.0	ug/L	
1,1,1-Trichloroethane	< 1.0	1.0	ug/L	
1,1,2-Trichloroethane	< 1.0	1.0	ug/L	
1,2,3-Trichlorobenzene	< 1.0	1.0	ug/L	
1,2,4-Trichlorobenzene	< 1.0	1.0	ug/L	



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292

1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: REPUBLIC SERVICES (McLean)
Project ID: ADS/McLean Co. LF #2 - GW
Sample ID: G214
Sample No: 16-5962-013

Date Collected: 10/17/16
Time Collected: 9:11
Date Received: 10/20/16
Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Flags
Volatile Organic Compounds		Method: 5030B/8260B		
Analysis Date: 10/24/16				
Trichloroethene	< 1.0	1.0	ug/L	
Trichlorofluoromethane	< 1.0	1.0	ug/L	
1,2,3-Trichloropropane	< 1.0	1.0	ug/L	
1,2,4-Trimethylbenzene	< 1.0	1.0	ug/L	
1,3,5-Trimethylbenzene	< 1.0	1.0	ug/L	
Vinyl acetate	< 5.0	5.0	ug/L	
Vinyl chloride	< 2.0	2.0	ug/L	
Xylene, Total	< 1.0	1.0	ug/L	
Volatile Organic Compounds (8011)		Method: 8011		
Analysis Date: 11/10/16				
1,2-Dibromo-3-chloropropane	< 0.02	0.02	ug/L	
1,2-Dibromoethane (EDB)	< 0.05	0.05	ug/L	



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292

1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: REPUBLIC SERVICES (McLean)

Date Collected: 10/18/16

Project ID: ADS/McLean Co. LF #2 - GW

Time Collected: 9:42

Sample ID: G215

Date Received: 10/20/16

Sample No: 16-5962-014

Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Date Analyzed	Method	Flag
Ammonia (as N), Dissolved	0.38	0.10	mg/L	10/26/16	350.1R2.0	
Chloride, Dissolved	188	5	mg/L	10/24/16	4500Cl, E 1997	
Cyanide, Total	< 0.005	0.005	mg/L	10/25/16	335.4R1.0	
Nitrate (as N), Dissolved	< 0.10	0.10	mg/L	10/24/16	353.2R2.0	
Oil (Hexane soluble)	< 5	5	mg/L	10/27/16	1664B 2010	
Phenols	< 10	10	ug/L	10/31/16	420.4R1.0	
Sulfate, Dissolved	117	15	mg/L	10/26/16	375.2R2.0	
Total Dissolved Solids	833	10	mg/L	10/24/16	2540C 1997	



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292

1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: REPUBLIC SERVICES (McLean)
Project ID: ADS/McLean Co. LF #2 - GW
Sample ID: G215
Sample No: 16-5962-014

Date Collected: 10/18/16
Time Collected: 9:42
Date Received: 10/20/16
Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Flags
Dissolved Metals				
Method: 6010C		Preparation Method 3010A		
Analysis Date: 11/03/16		Preparation Date: 10/27/16		
Arsenic, diss.	< 5	10	ug/L	J
Boron, diss.	82	50	ug/L	
Cadmium, diss.	< 1	5	ug/L	J
Chromium, diss.	< 1	5	ug/L	J
Lead, diss.	< 2	5	ug/L	J
Zinc, diss.	< 5	10	ug/L	J
Magnesium, diss.	55.4	0.5	mg/L	
Dissolved Mercury				
Method: 7470A				
Analysis Date: 10/27/16				
Mercury, diss.	< 0.5	0.5	ug/L	
Volatile Organic Compounds				
Method: 5030B/8260B				
Analysis Date: 10/24/16				
Acetone	< 10.0	10.0	ug/L	
Acrylonitrile	< 100	100	ug/L	
Benzene	< 1.0	1.0	ug/L	
Bromobenzene	< 1.0	1.0	ug/L	
Bromochloromethane	< 1.0	1.0	ug/L	
Bromodichloromethane	< 1.0	1.0	ug/L	
Bromoform	< 1.0	1.0	ug/L	
Bromomethane	< 2.0	2.0	ug/L	
2-Butanone (MEK)	< 10.0	10.0	ug/L	
n-Butylbenzene	< 1.0	1.0	ug/L	
sec-Butylbenzene	< 1.0	1.0	ug/L	
tert-Butylbenzene	< 1.0	1.0	ug/L	
Carbon disulfide	< 1.0	1.0	ug/L	
Carbon tetrachloride	< 1.0	1.0	ug/L	
Chlorobenzene	< 1.0	1.0	ug/L	
Chlorodibromomethane	< 1.0	1.0	ug/L	
Chloroethane	< 2.0	2.0	ug/L	
Chloroform	< 1.0	1.0	ug/L	
Chloromethane	< 2.0	2.0	ug/L	
2-Chlorotoluene	< 1.0	1.0	ug/L	
4-Chlorotoluene	< 1.0	1.0	ug/L	
Dibromomethane	< 1.0	1.0	ug/L	
1,2-Dichlorobenzene	< 1.0	1.0	ug/L	



**First
Environmental
Laboratories, Inc.**

1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233


IL ELAP / NELAC Accreditation # 100292

Analytical Report

Client: REPUBLIC SERVICES (McLean)
Project ID: ADS/McLean Co. LF #2 - GW
Sample ID: G215
Sample No: 16-5962-014

Date Collected: 10/18/16
Time Collected: 9:42
Date Received: 10/20/16
Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Flags
Volatile Organic Compounds		Method: 5030B/8260B		
Analysis Date: 10/24/16				
1,3-Dichlorobenzene	< 1.0	1.0	ug/L	
1,4-Dichlorobenzene	< 1.0	1.0	ug/L	
trans-1,4-Dichloro-2-butene	< 1.0	1.0	ug/L	
Dichlorodifluoromethane	< 1.0	1.0	ug/L	
1,1-Dichloroethane	< 1.0	1.0	ug/L	
1,2-Dichloroethane	< 1.0	1.0	ug/L	
1,1-Dichloroethene	< 1.0	1.0	ug/L	
cis-1,2-Dichloroethene	< 1.0	1.0	ug/L	
trans-1,2-Dichloroethene	< 1.0	1.0	ug/L	
1,2-Dichloropropane	< 1.0	1.0	ug/L	
1,3-Dichloropropane	< 1.0	1.0	ug/L	
2,2-Dichloropropane	< 1.0	1.0	ug/L	
1,1-Dichloropropene	< 1.0	1.0	ug/L	
1,3-Dichloropropene (total)	< 1.0	1.0	ug/L	
cis-1,3-Dichloropropene	< 1.0	1.0	ug/L	
trans-1,3-Dichloropropene	< 1.0	1.0	ug/L	
Ethylbenzene	< 1.0	1.0	ug/L	
Hexachlorobutadiene	< 5.0	5.0	ug/L	
2-Hexanone	< 1.0	10	ug/L	J
Iodomethane	< 1.0	1.0	ug/L	
Isopropylbenzene	< 1.0	1.0	ug/L	
p-Isopropyltoluene	< 1.0	1.0	ug/L	
4-Methyl-2-pentanone (MIBK)	< 10.0	10.0	ug/L	
Methylene chloride	< 5.0	5.0	ug/L	
Naphthalene	< 5.0	5.0	ug/L	
n-Propylbenzene	< 1.0	1.0	ug/L	
Styrene	< 1.0	1.0	ug/L	
1,1,1,2-Tetrachloroethane	< 1.0	1.0	ug/L	
1,1,2,2-Tetrachloroethane	< 1.0	1.0	ug/L	
Tetrachloroethene	< 1.0	1.0	ug/L	
Tetrahydrofuran	< 1.0	1.0	ug/L	
Toluene	< 1.0	1.0	ug/L	
1,1,1-Trichloroethane	< 1.0	1.0	ug/L	
1,1,2-Trichloroethane	< 1.0	1.0	ug/L	
1,2,3-Trichlorobenzene	< 1.0	1.0	ug/L	
1,2,4-Trichlorobenzene	< 1.0	1.0	ug/L	



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292

1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: REPUBLIC SERVICES (McLean)
Project ID: ADS/McLean Co. LF #2 - GW
Sample ID: G215
Sample No: 16-5962-014

Date Collected: 10/18/16
Time Collected: 9:42
Date Received: 10/20/16
Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Flags
Volatile Organic Compounds		Method: 5030B/8260B		
Analysis Date: 10/24/16				
Trichloroethene	< 1.0	1.0	ug/L	
Trichlorofluoromethane	< 1.0	1.0	ug/L	
1,2,3-Trichloropropane	< 1.0	1.0	ug/L	
1,2,4-Trimethylbenzene	< 1.0	1.0	ug/L	
1,3,5-Trimethylbenzene	< 1.0	1.0	ug/L	
Vinyl acetate	< 5.0	5.0	ug/L	
Vinyl chloride	< 2.0	2.0	ug/L	
Xylene, Total	< 1.0	1.0	ug/L	
Volatile Organic Compounds (8011)		Method: 8011		
Analysis Date: 11/10/16				
1,2-Dibromo-3-chloropropane	< 0.02	0.02	ug/L	
1,2-Dibromoethane (EDB)	< 0.05	0.05	ug/L	



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292

1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: REPUBLIC SERVICES (McLean)

Date Collected: 10/18/16

Project ID: ADS/McLean Co. LF #2 - GW

Time Collected: 8:59


Sample ID: G216

Date Received: 10/20/16

Sample No: 16-5962-015

Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Date Analyzed	Method	Flag
Ammonia (as N), Dissolved	2.32	0.10	mg/L	10/26/16	350.1R2.0	
Chloride, Dissolved	33	5	mg/L	10/24/16	4500Cl, E 1997	
Cyanide, Total	< 0.005	0.005	mg/L	10/25/16	335.4R1.0	
Nitrate (as N), Dissolved	< 0.10	0.10	mg/L	10/24/16	353.2R2.0	
Oil (Hexane soluble)	< 5	5	mg/L	10/27/16	1664B 2010	
Phenols	< 10	10	ug/L	10/31/16	420.4R1.0	
Sulfate, Dissolved	< 10	15	mg/L	10/26/16	375.2R2.0	J
Total Dissolved Solids	454	10	mg/L	10/24/16	2540C 1997	
pH @ 25°C	7.30		Units	10/21/16 13:00	4500H+,B 2000	



**First
Environmental
Laboratories, Inc.**

1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

IL ELAP / NELAC Accreditation # 100292

Analytical Report

Client: REPUBLIC SERVICES (McLean)
Project ID: ADS/McLean Co. LF #2 - GW
Sample ID: G216
Sample No: 16-5962-015

Date Collected: 10/18/16
Time Collected: 8:59
Date Received: 10/20/16
Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Flags
Dissolved Metals				
Method: 6010C		Preparation Method 3010A		
Analysis Date: 11/03/16		Preparation Date: 10/27/16		
Arsenic, diss.	< 5	10	ug/L	J
Boron, diss.	194	50	ug/L	
Cadmium, diss.	< 1	5	ug/L	J
Chromium, diss.	< 1	5	ug/L	J
Lead, diss.	< 2	5	ug/L	J
Zinc, diss.	< 5	10	ug/L	J
Magnesium, diss.	47.1	0.5	mg/L	
Dissolved Mercury				
Method: 7470A				
Analysis Date: 10/27/16				
Mercury, diss.	< 0.5	0.5	ug/L	
Volatile Organic Compounds				
Method: 5030B/8260B				
Analysis Date: 10/24/16				
Acetone	< 10.0	10.0	ug/L	
Acrylonitrile	< 100	100	ug/L	
Benzene	< 1.0	1.0	ug/L	
Bromobenzene	< 1.0	1.0	ug/L	
Bromochloromethane	< 1.0	1.0	ug/L	
Bromodichloromethane	< 1.0	1.0	ug/L	
Bromoform	< 1.0	1.0	ug/L	
Bromomethane	< 2.0	2.0	ug/L	
2-Butanone (MEK)	< 10.0	10.0	ug/L	
n-Butylbenzene	< 1.0	1.0	ug/L	
sec-Butylbenzene	< 1.0	1.0	ug/L	
tert-Butylbenzene	< 1.0	1.0	ug/L	
Carbon disulfide	< 1.0	1.0	ug/L	
Carbon tetrachloride	< 1.0	1.0	ug/L	
Chlorobenzene	< 1.0	1.0	ug/L	
Chlorodibromomethane	< 1.0	1.0	ug/L	
Chloroethane	< 2.0	2.0	ug/L	
Chloroform	< 1.0	1.0	ug/L	
Chloromethane	< 2.0	2.0	ug/L	
2-Chlorotoluene	< 1.0	1.0	ug/L	
4-Chlorotoluene	< 1.0	1.0	ug/L	
Dibromomethane	< 1.0	1.0	ug/L	
1,2-Dichlorobenzene	< 1.0	1.0	ug/L	



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292

1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: REPUBLIC SERVICES (McLean)
Project ID: ADS/McLean Co. LF #2 - GW
Sample ID: G216
Sample No: 16-5962-015

Date Collected: 10/18/16
Time Collected: 8:59
Date Received: 10/20/16
Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Flags
Volatile Organic Compounds		Method: 5030B/8260B		
Analysis Date: 10/24/16				
1,3-Dichlorobenzene	< 1.0	1.0	ug/L	
1,4-Dichlorobenzene	< 1.0	1.0	ug/L	
trans-1,4-Dichloro-2-butene	< 1.0	1.0	ug/L	
Dichlorodifluoromethane	< 1.0	1.0	ug/L	
1,1-Dichloroethane	< 1.0	1.0	ug/L	
1,2-Dichloroethane	< 1.0	1.0	ug/L	
1,1-Dichloroethene	< 1.0	1.0	ug/L	
cis-1,2-Dichloroethene	< 1.0	1.0	ug/L	
trans-1,2-Dichloroethene	< 1.0	1.0	ug/L	
1,2-Dichloropropane	< 1.0	1.0	ug/L	
1,3-Dichloropropane	< 1.0	1.0	ug/L	
2,2-Dichloropropane	< 1.0	1.0	ug/L	
1,1-Dichloropropene	< 1.0	1.0	ug/L	
1,3-Dichloropropene (total)	< 1.0	1.0	ug/L	
cis-1,3-Dichloropropene	< 1.0	1.0	ug/L	
trans-1,3-Dichloropropene	< 1.0	1.0	ug/L	
Ethylbenzene	< 1.0	1.0	ug/L	
Hexachlorobutadiene	< 5.0	5.0	ug/L	
2-Hexanone	< 1.0	10	ug/L	J
Iodomethane	< 1.0	1.0	ug/L	
Isopropylbenzene	< 1.0	1.0	ug/L	
p-Isopropyltoluene	< 1.0	1.0	ug/L	
4-Methyl-2-pentanone (MIBK)	< 10.0	10.0	ug/L	
Methylene chloride	< 5.0	5.0	ug/L	
Naphthalene	< 5.0	5.0	ug/L	
n-Propylbenzene	< 1.0	1.0	ug/L	
Styrene	< 1.0	1.0	ug/L	
1,1,1,2-Tetrachloroethane	< 1.0	1.0	ug/L	
1,1,2,2-Tetrachloroethane	< 1.0	1.0	ug/L	
Tetrachloroethene	< 1.0	1.0	ug/L	
Tetrahydrofuran	< 1.0	1.0	ug/L	
Toluene	< 1.0	1.0	ug/L	
1,1,1-Trichloroethane	< 1.0	1.0	ug/L	
1,1,2-Trichloroethane	< 1.0	1.0	ug/L	
1,2,3-Trichlorobenzene	< 1.0	1.0	ug/L	
1,2,4-Trichlorobenzene	< 1.0	1.0	ug/L	



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292


1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: REPUBLIC SERVICES (McLean)
Project ID: ADS/McLean Co. LF #2 - GW
Sample ID: G216
Sample No: 16-5962-015

Date Collected: 10/18/16
Time Collected: 8:59
Date Received: 10/20/16
Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Flags
Volatile Organic Compounds		Method: 5030B/8260B		
Analysis Date: 10/24/16				
Trichloroethene	< 1.0	1.0	ug/L	
Trichlorofluoromethane	< 1.0	1.0	ug/L	
1,2,3-Trichloropropane	< 1.0	1.0	ug/L	
1,2,4-Trimethylbenzene	< 1.0	1.0	ug/L	
1,3,5-Trimethylbenzene	< 1.0	1.0	ug/L	
Vinyl acetate	< 5.0	5.0	ug/L	
Vinyl chloride	< 2.0	2.0	ug/L	
Xylene, Total	< 1.0	1.0	ug/L	
Volatile Organic Compounds (8011)		Method: 8011		
Analysis Date: 11/10/16				
1,2-Dibromo-3-chloropropane	< 0.02	0.02	ug/L	
1,2-Dibromoethane (EDB)	< 0.05	0.05	ug/L	



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292

1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: REPUBLIC SERVICES (McLean)

Date Collected: 10/19/16

Project ID: ADS/McLean Co. LF #2 - GW

Time Collected: 9:16


Sample ID: G217

Date Received: 10/20/16

Sample No: 16-5962-016

Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Date Analyzed	Method	Flag
Ammonia (as N), Dissolved	2.58	0.10	mg/L	10/26/16	350.1R2.0	
Chloride, Dissolved	10	5	mg/L	10/24/16	4500Cl, E 1997	
Cyanide, Total	< 0.005	0.005	mg/L	10/25/16	335.4R1.0	
Nitrate (as N), Dissolved	< 0.10	0.10	mg/L	10/24/16	353.2R2.0	
Oil (Hexane soluble)	< 5	5	mg/L	10/27/16	1664B 2010	
Phenols	< 10	10	ug/L	10/31/16	420.4R1.0	
Sulfate, Dissolved	< 10	15	mg/L	10/26/16	375.2R2.0	J
Total Dissolved Solids	415	10	mg/L	10/24/16	2540C 1997	



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292

1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: REPUBLIC SERVICES (McLean)
Project ID: ADS/McLean Co. LF #2 - GW
Sample ID: G217
Sample No: 16-5962-016

Date Collected: 10/19/16
Time Collected: 9:16
Date Received: 10/20/16
Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Flags
Dissolved Metals				
Method: 6010C		Preparation Method 3010A		
Analysis Date: 11/03/16		Preparation Date: 10/27/16		
Arsenic, diss.	< 5	10	ug/L	J
Boron, diss.	114	50	ug/L	
Cadmium, diss.	< 1	5	ug/L	J
Chromium, diss.	< 1	5	ug/L	J
Lead, diss.	< 2	5	ug/L	J
Zinc, diss.	< 5	10	ug/L	J
Magnesium, diss.	36.2	0.5	mg/L	
Dissolved Mercury				
Method: 7470A				
Analysis Date: 10/27/16				
Mercury, diss.	< 0.5	0.5	ug/L	
Volatile Organic Compounds				
Method: 5030B/8260B				
Analysis Date: 10/24/16				
Acetone	< 10.0	10.0	ug/L	
Acrylonitrile	< 100	100	ug/L	
Benzene	< 1.0	1.0	ug/L	
Bromobenzene	< 1.0	1.0	ug/L	
Bromochloromethane	< 1.0	1.0	ug/L	
Bromodichloromethane	< 1.0	1.0	ug/L	
Bromoform	< 1.0	1.0	ug/L	
Bromomethane	< 2.0	2.0	ug/L	
2-Butanone (MEK)	< 10.0	10.0	ug/L	
n-Butylbenzene	< 1.0	1.0	ug/L	
sec-Butylbenzene	< 1.0	1.0	ug/L	
tert-Butylbenzene	< 1.0	1.0	ug/L	
Carbon disulfide	< 1.0	1.0	ug/L	
Carbon tetrachloride	< 1.0	1.0	ug/L	
Chlorobenzene	< 1.0	1.0	ug/L	
Chlorodibromomethane	< 1.0	1.0	ug/L	
Chloroethane	< 2.0	2.0	ug/L	
Chloroform	< 1.0	1.0	ug/L	
Chloromethane	< 2.0	2.0	ug/L	
2-Chlorotoluene	< 1.0	1.0	ug/L	
4-Chlorotoluene	< 1.0	1.0	ug/L	
Dibromomethane	< 1.0	1.0	ug/L	
1,2-Dichlorobenzene	< 1.0	1.0	ug/L	



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292


1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: REPUBLIC SERVICES (McLean)
Project ID: ADS/McLean Co. LF #2 - GW
Sample ID: G217
Sample No: 16-5962-016

Date Collected: 10/19/16
Time Collected: 9:16
Date Received: 10/20/16
Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Flags
Volatile Organic Compounds		Method: 5030B/8260B		
Analysis Date: 10/24/16				
1,3-Dichlorobenzene	< 1.0	1.0	ug/L	
1,4-Dichlorobenzene	< 1.0	1.0	ug/L	
trans-1,4-Dichloro-2-butene	< 1.0	1.0	ug/L	
Dichlorodifluoromethane	< 1.0	1.0	ug/L	
1,1-Dichloroethane	< 1.0	1.0	ug/L	
1,2-Dichloroethane	< 1.0	1.0	ug/L	
1,1-Dichloroethene	< 1.0	1.0	ug/L	
cis-1,2-Dichloroethene	< 1.0	1.0	ug/L	
trans-1,2-Dichloroethene	< 1.0	1.0	ug/L	
1,2-Dichloropropane	< 1.0	1.0	ug/L	
1,3-Dichloropropane	< 1.0	1.0	ug/L	
2,2-Dichloropropane	< 1.0	1.0	ug/L	
1,1-Dichloropropene	< 1.0	1.0	ug/L	
1,3-Dichloropropene (total)	< 1.0	1.0	ug/L	
cis-1,3-Dichloropropene	< 1.0	1.0	ug/L	
trans-1,3-Dichloropropene	< 1.0	1.0	ug/L	
Ethylbenzene	< 1.0	1.0	ug/L	
Hexachlorobutadiene	< 5.0	5.0	ug/L	
2-Hexanone	< 1.0	10	ug/L	J
Iodomethane	< 1.0	1.0	ug/L	
Isopropylbenzene	< 1.0	1.0	ug/L	
p-Isopropyltoluene	< 1.0	1.0	ug/L	
4-Methyl-2-pentanone (MIBK)	< 10.0	10.0	ug/L	
Methylene chloride	< 5.0	5.0	ug/L	
Naphthalene	< 5.0	5.0	ug/L	
n-Propylbenzene	< 1.0	1.0	ug/L	
Styrene	< 1.0	1.0	ug/L	
1,1,1,2-Tetrachloroethane	< 1.0	1.0	ug/L	
1,1,2,2-Tetrachloroethane	< 1.0	1.0	ug/L	
Tetrachloroethene	< 1.0	1.0	ug/L	
Tetrahydrofuran	< 1.0	1.0	ug/L	
Toluene	< 1.0	1.0	ug/L	
1,1,1-Trichloroethane	< 1.0	1.0	ug/L	
1,1,2-Trichloroethane	< 1.0	1.0	ug/L	
1,2,3-Trichlorobenzene	< 1.0	1.0	ug/L	
1,2,4-Trichlorobenzene	< 1.0	1.0	ug/L	



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292

1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: REPUBLIC SERVICES (McLean)
Project ID: ADS/McLean Co. LF #2 - GW
Sample ID: G217
Sample No: 16-5962-016

Date Collected: 10/19/16
Time Collected: 9:16
Date Received: 10/20/16
Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Flags
Volatile Organic Compounds		Method: 5030B/8260B		
Analysis Date: 10/24/16				
Trichloroethene	< 1.0	1.0	ug/L	
Trichlorofluoromethane	< 1.0	1.0	ug/L	
1,2,3-Trichloropropane	< 1.0	1.0	ug/L	
1,2,4-Trimethylbenzene	< 1.0	1.0	ug/L	
1,3,5-Trimethylbenzene	< 1.0	1.0	ug/L	
Vinyl acetate	< 5.0	5.0	ug/L	
Vinyl chloride	< 2.0	2.0	ug/L	
Xylene, Total	< 1.0	1.0	ug/L	
Volatile Organic Compounds (8011)		Method: 8011		
Analysis Date: 11/10/16				
1,2-Dibromo-3-chloropropane	< 0.02	0.02	ug/L	
1,2-Dibromoethane (EDB)	< 0.05	0.05	ug/L	



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292

1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: REPUBLIC SERVICES (McLean)

Date Collected: 10/18/16

Project ID: ADS/McLean Co. LF #2 - GW

Time Collected: 13:57


Sample ID: G219

Date Received: 10/20/16

Sample No: 16-5962-017

Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Date Analyzed	Method	Flag
Ammonia (as N), Dissolved	2.78	0.10	mg/L	10/26/16	350.1R2.0	
Chloride, Dissolved	88	5	mg/L	10/24/16	4500Cl, E 1997	
Cyanide, Total	< 0.005	0.005	mg/L	10/25/16	335.4R1.0	
Nitrate (as N), Dissolved	< 0.10	0.10	mg/L	10/24/16	353.2R2.0	
Oil & Grease	< 5	5	mg/L	10/27/16	1664B 2010	
Phenols	< 0.010	0.010	mg/L	11/01/16	9066	
Sulfate, Dissolved	97	15	mg/L	10/26/16	375.2R2.0	
Total Dissolved Solids	936	10	mg/L	10/24/16	2540C 1997	



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292

1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: REPUBLIC SERVICES (McLean)
Project ID: ADS/McLean Co. LF #2 - GW
Sample ID: G219
Sample No: 16-5962-017

Date Collected: 10/18/16
Time Collected: 13:57
Date Received: 10/20/16
Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Flags
Dissolved Metals				
Method: 6010C		Preparation Method 3010A		
Analysis Date: 11/03/16		Preparation Date: 10/27/16		
Arsenic, diss.	14	10	ug/L	
Boron, diss.	247	50	ug/L	
Cadmium, diss.	< 1	5	ug/L	J
Chromium, diss.	< 1	5	ug/L	J
Lead, diss.	< 2	5	ug/L	J
Zinc, diss.	< 5	10	ug/L	J
Magnesium, diss.	96.3	0.5	mg/L	
Dissolved Mercury				
Method: 7470A				
Analysis Date: 10/27/16				
Mercury, diss.	< 0.5	0.5	ug/L	
Volatile Organic Compounds (8011)				
Method: 8011				
Analysis Date: 11/10/16				
1,2-Dibromo-3-chloropropane	< 0.2	0.2	ug/L	
1,2-Dibromoethane (EDB)	< 0.05	0.05	ug/L	
Volatile Organic Compounds				
Method: 5030B/8260B				
Analysis Date: 10/28/16				
Acetone	< 10.0	10.0	ug/L	
Acrylonitrile	< 100	100	ug/L	
Benzene	1.2	1.0	ug/L	
Bromobenzene	< 1.0	1.0	ug/L	
Bromochloromethane	< 1.0	1.0	ug/L	
Bromodichloromethane	< 1.0	1.0	ug/L	
Bromoform	< 1.0	1.0	ug/L	
Bromomethane	< 2.0	2.0	ug/L	
2-Butanone (MEK)	< 10.0	10.0	ug/L	
n-Butylbenzene	< 1.0	1.0	ug/L	
sec-Butylbenzene	< 1.0	1.0	ug/L	
tert-Butylbenzene	< 1.0	1.0	ug/L	
Carbon disulfide	< 1.0	1.0	ug/L	
Carbon tetrachloride	< 1.0	1.0	ug/L	
Chlorobenzene	< 1.0	1.0	ug/L	
Chlorodibromomethane	< 1.0	1.0	ug/L	
Chloroethane	2.3	2.0	ug/L	
Chloroform	< 1.0	1.0	ug/L	
Chloromethane	< 2.0	2.0	ug/L	



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292

1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: REPUBLIC SERVICES (McLean)
Project ID: ADS/McLean Co. LF #2 - GW
Sample ID: G219
Sample No: 16-5962-017

Date Collected: 10/18/16
Time Collected: 13:57
Date Received: 10/20/16
Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Flags
Volatile Organic Compounds		Method: 5030B/8260B		
Analysis Date: 10/28/16				
2-Chlorotoluene	< 1.0	1.0	ug/L	
4-Chlorotoluene	< 1.0	1.0	ug/L	
Dibromomethane	< 1.0	1.0	ug/L	
1,2-Dichlorobenzene	< 1.0	1.0	ug/L	
1,3-Dichlorobenzene	< 1.0	1.0	ug/L	
1,4-Dichlorobenzene	< 1.0	1.0	ug/L	
trans-1,4-Dichloro-2-butene	< 1.0	1.0	ug/L	
Dichlorodifluoromethane	< 1.0	1.0	ug/L	
1,1-Dichloroethane	1.1	1.0	ug/L	
1,2-Dichloroethane	2.9	1.0	ug/L	
1,1-Dichloroethene	< 1.0	1.0	ug/L	
cis-1,2-Dichloroethene	< 1.0	1.0	ug/L	
trans-1,2-Dichloroethene	< 1.0	1.0	ug/L	
1,2-Dichloropropane	< 1.0	1.0	ug/L	
1,3-Dichloropropane	< 1.0	1.0	ug/L	
2,2-Dichloropropane	< 1.0	1.0	ug/L	
1,1-Dichloropropene	< 1.0	1.0	ug/L	
1,3-Dichloropropene (total)	< 1.0	1.0	ug/L	
cis-1,3-Dichloropropene	< 1.0	1.0	ug/L	
trans-1,3-Dichloropropene	< 1.0	1.0	ug/L	
Ethylbenzene	< 1.0	1.0	ug/L	
Hexachlorobutadiene	< 5.0	5.0	ug/L	
2-Hexanone	< 1.0	10	ug/L	J
Iodomethane	< 1.0	1.0	ug/L	
Isopropylbenzene	< 1.0	1.0	ug/L	
p-Isopropyltoluene	< 1.0	1.0	ug/L	
4-Methyl-2-pentanone (MIBK)	< 10.0	10.0	ug/L	
Methylene chloride	< 5.0	5.0	ug/L	
Naphthalene	< 5.0	5.0	ug/L	
n-Propylbenzene	< 1.0	1.0	ug/L	
Styrene	< 1.0	1.0	ug/L	
1,1,1,2-Tetrachloroethane	< 1.0	1.0	ug/L	
1,1,2,2-Tetrachloroethane	< 1.0	1.0	ug/L	
Tetrachloroethene	< 1.0	1.0	ug/L	
Tetrahydrofuran	2.2	1.0	ug/L	
Toluene	< 1.0	1.0	ug/L	



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292


1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: REPUBLIC SERVICES (McLean)
Project ID: ADS/McLean Co. LF #2 - GW
Sample ID: G219
Sample No: 16-5962-017

Date Collected: 10/18/16
Time Collected: 13:57
Date Received: 10/20/16
Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Flags
Volatile Organic Compounds		Method: 5030B/8260B		
Analysis Date: 10/28/16				
1,1,1-Trichloroethane	< 1.0	1.0	ug/L	
1,1,2-Trichloroethane	< 1.0	1.0	ug/L	
1,2,3-Trichlorobenzene	< 1.0	1.0	ug/L	
1,2,4-Trichlorobenzene	< 1.0	1.0	ug/L	
Trichloroethene	< 1.0	1.0	ug/L	
Trichlorofluoromethane	< 1.0	1.0	ug/L	
1,2,3-Trichloropropane	< 1.0	1.0	ug/L	
1,2,4-Trimethylbenzene	< 1.0	1.0	ug/L	
1,3,5-Trimethylbenzene	< 1.0	1.0	ug/L	
Vinyl acetate	< 5.0	5.0	ug/L	
Vinyl chloride	13.5	2.0	ug/L	
Xylene, Total	< 1.0	1.0	ug/L	



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292

1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: REPUBLIC SERVICES (McLean)

Date Collected: 10/18/16

Project ID: ADS/McLean Co. LF #2 - GW

Time Collected: 13:18


Sample ID: G220

Date Received: 10/20/16

Sample No: 16-5962-018

Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Date Analyzed	Method	Flag
Ammonia (as N), Dissolved	3.35	0.10	mg/L	10/26/16	350.1R2.0	
Chloride, Dissolved	5	5	mg/L	10/24/16	4500Cl, E 1997	
Cyanide, Total	< 0.005	0.005	mg/L	10/25/16	335.4R1.0	
Nitrate (as N), Dissolved	< 0.10	0.10	mg/L	10/24/16	353.2R2.0	
Oil (Hexane soluble)	< 5	5	mg/L	10/27/16	1664B 2010	
Phenols	< 10	10	ug/L	10/31/16	420.4R1.0	
Sulfate, Dissolved	< 10	15	mg/L	10/26/16	375.2R2.0	J
Total Dissolved Solids	451	10	mg/L	10/24/16	2540C 1997	



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292

1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: REPUBLIC SERVICES (McLean)
Project ID: ADS/McLean Co. LF #2 - GW
Sample ID: G220
Sample No: 16-5962-018

Date Collected: 10/18/16
Time Collected: 13:18
Date Received: 10/20/16
Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Flags
Dissolved Metals				
Method: 6010C		Preparation Method 3010A		
Analysis Date: 11/03/16		Preparation Date: 10/27/16		
Arsenic, diss.	26	10	ug/L	
Boron, diss.	369	50	ug/L	
Cadmium, diss.	< 1	5	ug/L	J
Chromium, diss.	< 1	5	ug/L	J
Lead, diss.	< 2	5	ug/L	J
Zinc, diss.	< 5	10	ug/L	J
Magnesium, diss.	38.3	0.5	mg/L	
Dissolved Mercury				
Method: 7470A				
Analysis Date: 10/27/16				
Mercury, diss.	< 0.5	0.5	ug/L	
Volatile Organic Compounds				
Method: 5030B/8260B				
Analysis Date: 10/24/16				
Acetone	< 10.0	10.0	ug/L	
Acrylonitrile	< 100	100	ug/L	
Benzene	< 1.0	1.0	ug/L	
Bromobenzene	< 1.0	1.0	ug/L	
Bromochloromethane	< 1.0	1.0	ug/L	
Bromodichloromethane	< 1.0	1.0	ug/L	
Bromoform	< 1.0	1.0	ug/L	
Bromomethane	< 2.0	2.0	ug/L	
2-Butanone (MEK)	< 10.0	10.0	ug/L	
n-Butylbenzene	< 1.0	1.0	ug/L	
sec-Butylbenzene	< 1.0	1.0	ug/L	
tert-Butylbenzene	< 1.0	1.0	ug/L	
Carbon disulfide	< 1.0	1.0	ug/L	
Carbon tetrachloride	< 1.0	1.0	ug/L	
Chlorobenzene	< 1.0	1.0	ug/L	
Chlorodibromomethane	< 1.0	1.0	ug/L	
Chloroethane	< 2.0	2.0	ug/L	
Chloroform	< 1.0	1.0	ug/L	
Chloromethane	< 2.0	2.0	ug/L	
2-Chlorotoluene	< 1.0	1.0	ug/L	
4-Chlorotoluene	< 1.0	1.0	ug/L	
Dibromomethane	< 1.0	1.0	ug/L	
1,2-Dichlorobenzene	< 1.0	1.0	ug/L	



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292

1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: REPUBLIC SERVICES (McLean)
Project ID: ADS/McLean Co. LF #2 - GW
Sample ID: G220
Sample No: 16-5962-018

Date Collected: 10/18/16
Time Collected: 13:18
Date Received: 10/20/16
Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Flags
Volatile Organic Compounds		Method: 5030B/8260B		
Analysis Date: 10/24/16				
1,3-Dichlorobenzene	< 1.0	1.0	ug/L	
1,4-Dichlorobenzene	< 1.0	1.0	ug/L	
trans-1,4-Dichloro-2-butene	< 1.0	1.0	ug/L	
Dichlorodifluoromethane	< 1.0	1.0	ug/L	
1,1-Dichloroethane	< 1.0	1.0	ug/L	
1,2-Dichloroethane	< 1.0	1.0	ug/L	
1,1-Dichloroethene	< 1.0	1.0	ug/L	
cis-1,2-Dichloroethene	< 1.0	1.0	ug/L	
trans-1,2-Dichloroethene	< 1.0	1.0	ug/L	
1,2-Dichloropropane	< 1.0	1.0	ug/L	
1,3-Dichloropropane	< 1.0	1.0	ug/L	
2,2-Dichloropropane	< 1.0	1.0	ug/L	
1,1-Dichloropropene	< 1.0	1.0	ug/L	
1,3-Dichloropropene (total)	< 1.0	1.0	ug/L	
cis-1,3-Dichloropropene	< 1.0	1.0	ug/L	
trans-1,3-Dichloropropene	< 1.0	1.0	ug/L	
Ethylbenzene	< 1.0	1.0	ug/L	
Hexachlorobutadiene	< 5.0	5.0	ug/L	
2-Hexanone	< 1.0	10	ug/L	J
Iodomethane	< 1.0	1.0	ug/L	
Isopropylbenzene	< 1.0	1.0	ug/L	
p-Isopropyltoluene	< 1.0	1.0	ug/L	
4-Methyl-2-pentanone (MIBK)	< 10.0	10.0	ug/L	
Methylene chloride	< 5.0	5.0	ug/L	
Naphthalene	< 5.0	5.0	ug/L	
n-Propylbenzene	< 1.0	1.0	ug/L	
Styrene	< 1.0	1.0	ug/L	
1,1,1,2-Tetrachloroethane	< 1.0	1.0	ug/L	
1,1,2,2-Tetrachloroethane	< 1.0	1.0	ug/L	
Tetrachloroethene	< 1.0	1.0	ug/L	
Tetrahydrofuran	< 1.0	1.0	ug/L	
Toluene	< 1.0	1.0	ug/L	
1,1,1-Trichloroethane	< 1.0	1.0	ug/L	
1,1,2-Trichloroethane	< 1.0	1.0	ug/L	
1,2,3-Trichlorobenzene	< 1.0	1.0	ug/L	
1,2,4-Trichlorobenzene	< 1.0	1.0	ug/L	



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292

1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: REPUBLIC SERVICES (McLean)
Project ID: ADS/McLean Co. LF #2 - GW
Sample ID: G220
Sample No: 16-5962-018

Date Collected: 10/18/16
Time Collected: 13:18
Date Received: 10/20/16
Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Flags
Volatile Organic Compounds		Method: 5030B/8260B		
Analysis Date: 10/24/16				
Trichloroethene	< 1.0	1.0	ug/L	
Trichlorofluoromethane	< 1.0	1.0	ug/L	
1,2,3-Trichloropropane	< 1.0	1.0	ug/L	
1,2,4-Trimethylbenzene	< 1.0	1.0	ug/L	
1,3,5-Trimethylbenzene	< 1.0	1.0	ug/L	
Vinyl acetate	< 5.0	5.0	ug/L	
Vinyl chloride	< 2.0	2.0	ug/L	
Xylene, Total	< 1.0	1.0	ug/L	
Volatile Organic Compounds (8011)		Method: 8011		
Analysis Date: 11/10/16				
1,2-Dibromo-3-chloropropane	< 0.02	0.02	ug/L	
1,2-Dibromoethane (EDB)	< 0.05	0.05	ug/L	



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292

1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: REPUBLIC SERVICES (McLean)

Date Collected: 10/18/16

Project ID: ADS/McLean Co. LF #2 - GW

Time Collected: 12:02

Sample ID: G221

Date Received: 10/20/16

Sample No: 16-5962-019

Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Date Analyzed	Method	Flag
Ammonia (as N), Dissolved	4.46	0.10	mg/L	10/26/16	350.1R2.0	
Chloride, Dissolved	< 5	5	mg/L	10/24/16	4500Cl, E 1997	
Cyanide, Total	< 0.005	0.005	mg/L	10/25/16	335.4R1.0	
Nitrate (as N), Dissolved	< 0.10	0.10	mg/L	10/24/16	353.2R2.0	
Oil (Hexane soluble)	< 5	5	mg/L	10/27/16	1664B 2010	
Phenols	< 10	10	ug/L	10/31/16	420.4R1.0	
Sulfate, Dissolved	< 10	15	mg/L	10/26/16	375.2R2.0	J
Total Dissolved Solids	391	10	mg/L	10/24/16	2540C 1997	



**First
Environmental
Laboratories, Inc.**

1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

IL ELAP / NELAC Accreditation # 100292

Analytical Report

Client: REPUBLIC SERVICES (McLean)
Project ID: ADS/McLean Co. LF #2 - GW
Sample ID: G221
Sample No: 16-5962-019

Date Collected: 10/18/16
Time Collected: 12:02
Date Received: 10/20/16
Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Flags
Dissolved Metals				
Method: 6010C		Preparation Method 3010A		
Analysis Date: 11/03/16		Preparation Date: 10/27/16		
Arsenic, diss.	56	10	ug/L	
Boron, diss.	340	50	ug/L	
Cadmium, diss.	< 1	5	ug/L	J
Chromium, diss.	< 1	5	ug/L	J
Lead, diss.	< 2	5	ug/L	J
Zinc, diss.	< 5	10	ug/L	J
Magnesium, diss.	33.0	0.5	mg/L	
Dissolved Mercury				
Method: 7470A				
Analysis Date: 10/27/16				
Mercury, diss.	< 0.5	0.5	ug/L	
Volatile Organic Compounds				
Method: 5030B/8260B				
Analysis Date: 10/24/16				
Acetone	< 10.0	10.0	ug/L	
Acrylonitrile	< 100	100	ug/L	
Benzene	< 1.0	1.0	ug/L	
Bromobenzene	< 1.0	1.0	ug/L	
Bromochloromethane	< 1.0	1.0	ug/L	
Bromodichloromethane	< 1.0	1.0	ug/L	
Bromoform	< 1.0	1.0	ug/L	
Bromomethane	< 2.0	2.0	ug/L	
2-Butanone (MEK)	< 10.0	10.0	ug/L	
n-Butylbenzene	< 1.0	1.0	ug/L	
sec-Butylbenzene	< 1.0	1.0	ug/L	
tert-Butylbenzene	< 1.0	1.0	ug/L	
Carbon disulfide	< 1.0	1.0	ug/L	
Carbon tetrachloride	< 1.0	1.0	ug/L	
Chlorobenzene	< 1.0	1.0	ug/L	
Chlorodibromomethane	< 1.0	1.0	ug/L	
Chloroethane	< 2.0	2.0	ug/L	
Chloroform	< 1.0	1.0	ug/L	
Chloromethane	< 2.0	2.0	ug/L	
2-Chlorotoluene	< 1.0	1.0	ug/L	
4-Chlorotoluene	< 1.0	1.0	ug/L	
Dibromomethane	< 1.0	1.0	ug/L	
1,2-Dichlorobenzene	< 1.0	1.0	ug/L	



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292

1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: REPUBLIC SERVICES (McLean)
Project ID: ADS/McLean Co. LF #2 - GW
Sample ID: G221
Sample No: 16-5962-019

Date Collected: 10/18/16
Time Collected: 12:02
Date Received: 10/20/16
Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Flags
Volatile Organic Compounds		Method: 5030B/8260B		
Analysis Date: 10/24/16				
1,3-Dichlorobenzene	< 1.0	1.0	ug/L	J
1,4-Dichlorobenzene	< 1.0	1.0	ug/L	
trans-1,4-Dichloro-2-butene	< 1.0	1.0	ug/L	
Dichlorodifluoromethane	< 1.0	1.0	ug/L	
1,1-Dichloroethane	< 1.0	1.0	ug/L	
1,2-Dichloroethane	< 1.0	1.0	ug/L	
1,1-Dichloroethene	< 1.0	1.0	ug/L	
cis-1,2-Dichloroethene	< 1.0	1.0	ug/L	
trans-1,2-Dichloroethene	< 1.0	1.0	ug/L	
1,2-Dichloropropane	< 1.0	1.0	ug/L	
1,3-Dichloropropane	< 1.0	1.0	ug/L	
2,2-Dichloropropane	< 1.0	1.0	ug/L	
1,1-Dichloropropene	< 1.0	1.0	ug/L	
1,3-Dichloropropene (total)	< 1.0	1.0	ug/L	
cis-1,3-Dichloropropene	< 1.0	1.0	ug/L	
trans-1,3-Dichloropropene	< 1.0	1.0	ug/L	
Ethylbenzene	< 1.0	1.0	ug/L	
Hexachlorobutadiene	< 5.0	5.0	ug/L	
2-Hexanone	< 1.0	10	ug/L	
Iodomethane	< 1.0	1.0	ug/L	
Isopropylbenzene	< 1.0	1.0	ug/L	
p-Isopropyltoluene	< 1.0	1.0	ug/L	
4-Methyl-2-pentanone (MIBK)	< 10.0	10.0	ug/L	
Methylene chloride	< 5.0	5.0	ug/L	
Naphthalene	< 5.0	5.0	ug/L	
n-Propylbenzene	< 1.0	1.0	ug/L	
Styrene	< 1.0	1.0	ug/L	
1,1,1,2-Tetrachloroethane	< 1.0	1.0	ug/L	
1,1,2,2-Tetrachloroethane	< 1.0	1.0	ug/L	
Tetrachloroethene	< 1.0	1.0	ug/L	
Tetrahydrofuran	< 1.0	1.0	ug/L	
Toluene	< 1.0	1.0	ug/L	
1,1,1-Trichloroethane	< 1.0	1.0	ug/L	
1,1,2-Trichloroethane	< 1.0	1.0	ug/L	
1,2,3-Trichlorobenzene	< 1.0	1.0	ug/L	
1,2,4-Trichlorobenzene	< 1.0	1.0	ug/L	



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292


1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: REPUBLIC SERVICES (McLean)
Project ID: ADS/McLean Co. LF #2 - GW
Sample ID: G221
Sample No: 16-5962-019

Date Collected: 10/18/16
Time Collected: 12:02
Date Received: 10/20/16
Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Flags
Volatile Organic Compounds		Method: 5030B/8260B		
Analysis Date: 10/24/16				
Trichloroethene	< 1.0	1.0	ug/L	
Trichlorofluoromethane	< 1.0	1.0	ug/L	
1,2,3-Trichloropropane	< 1.0	1.0	ug/L	
1,2,4-Trimethylbenzene	< 1.0	1.0	ug/L	
1,3,5-Trimethylbenzene	< 1.0	1.0	ug/L	
Vinyl acetate	< 5.0	5.0	ug/L	
Vinyl chloride	< 2.0	2.0	ug/L	
Xylene, Total	< 1.0	1.0	ug/L	
Volatile Organic Compounds (8011)		Method: 8011		
Analysis Date: 11/10/16				
1,2-Dibromo-3-chloropropane	< 0.02	0.02	ug/L	
1,2-Dibromoethane (EDB)	< 0.05	0.05	ug/L	



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292

1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: REPUBLIC SERVICES (McLean)

Date Collected: 10/18/16

Project ID: ADS/McLean Co. LF #2 - GW

Time Collected: 12:35

Sample ID: R223

Date Received: 10/20/16

Sample No: 16-5962-020

Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Date Analyzed	Method	Flag
Ammonia (as N), Dissolved	3.63	0.10	mg/L	10/26/16	350.1R2.0	
Chloride, Dissolved	< 5	5	mg/L	10/24/16	4500Cl, E 1997	
Cyanide, Total	< 0.005	0.005	mg/L	10/25/16	335.4R1.0	
Nitrate (as N), Dissolved	< 0.10	0.10	mg/L	10/24/16	353.2R2.0	
Oil (Hexane soluble)	< 5	5	mg/L	10/27/16	1664B 2010	
Phenols	< 10	10	ug/L	10/31/16	420.4R1.0	
Sulfate, Dissolved	< 10	15	mg/L	10/26/16	375.2R2.0	J
Total Dissolved Solids	431	10	mg/L	10/24/16	2540C 1997	



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292

1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: REPUBLIC SERVICES (McLean)
Project ID: ADS/McLean Co. LF #2 - GW
Sample ID: R223
Sample No: 16-5962-020

Date Collected: 10/18/16
Time Collected: 12:35
Date Received: 10/20/16
Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Flags
Dissolved Metals				
Method: 6010C		Preparation Method 3010A		
Analysis Date: 11/03/16		Preparation Date: 10/27/16		
Arsenic, diss.	61	10	ug/L	
Boron, diss.	488	50	ug/L	
Cadmium, diss.	< 1	5	ug/L	J
Chromium, diss.	< 1	5	ug/L	J
Lead, diss.	< 2	5	ug/L	J
Zinc, diss.	< 5	10	ug/L	J
Magnesium, diss.	40.4	0.5	mg/L	
Dissolved Mercury				
Method: 7470A				
Analysis Date: 10/27/16				
Mercury, diss.	< 0.5	0.5	ug/L	
Volatile Organic Compounds				
Method: 5030B/8260B				
Analysis Date: 10/24/16				
Acetone	< 10.0	10.0	ug/L	
Acrylonitrile	< 100	100	ug/L	
Benzene	< 1.0	1.0	ug/L	
Bromobenzene	< 1.0	1.0	ug/L	
Bromochloromethane	< 1.0	1.0	ug/L	
Bromodichloromethane	< 1.0	1.0	ug/L	
Bromoform	< 1.0	1.0	ug/L	
Bromomethane	< 2.0	2.0	ug/L	
2-Butanone (MEK)	< 10.0	10.0	ug/L	
n-Butylbenzene	< 1.0	1.0	ug/L	
sec-Butylbenzene	< 1.0	1.0	ug/L	
tert-Butylbenzene	< 1.0	1.0	ug/L	
Carbon disulfide	< 1.0	1.0	ug/L	
Carbon tetrachloride	< 1.0	1.0	ug/L	
Chlorobenzene	< 1.0	1.0	ug/L	
Chlorodibromomethane	< 1.0	1.0	ug/L	
Chloroethane	< 2.0	2.0	ug/L	
Chloroform	< 1.0	1.0	ug/L	
Chloromethane	< 2.0	2.0	ug/L	
2-Chlorotoluene	< 1.0	1.0	ug/L	
4-Chlorotoluene	< 1.0	1.0	ug/L	
Dibromomethane	< 1.0	1.0	ug/L	
1,2-Dichlorobenzene	< 1.0	1.0	ug/L	



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292

1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: REPUBLIC SERVICES (McLean)
Project ID: ADS/McLean Co. LF #2 - GW
Sample ID: R223
Sample No: 16-5962-020

Date Collected: 10/18/16
Time Collected: 12:35
Date Received: 10/20/16
Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Flags
Volatile Organic Compounds		Method: 5030B/8260B		
Analysis Date: 10/24/16				
1,3-Dichlorobenzene	< 1.0	1.0	ug/L	
1,4-Dichlorobenzene	< 1.0	1.0	ug/L	
trans-1,4-Dichloro-2-butene	< 1.0	1.0	ug/L	
Dichlorodifluoromethane	< 1.0	1.0	ug/L	
1,1-Dichloroethane	< 1.0	1.0	ug/L	
1,2-Dichloroethane	< 1.0	1.0	ug/L	
1,1-Dichloroethene	< 1.0	1.0	ug/L	
cis-1,2-Dichloroethene	< 1.0	1.0	ug/L	
trans-1,2-Dichloroethene	< 1.0	1.0	ug/L	
1,2-Dichloropropane	< 1.0	1.0	ug/L	
1,3-Dichloropropane	< 1.0	1.0	ug/L	
2,2-Dichloropropane	< 1.0	1.0	ug/L	
1,1-Dichloropropene	< 1.0	1.0	ug/L	
1,3-Dichloropropene (total)	< 1.0	1.0	ug/L	
cis-1,3-Dichloropropene	< 1.0	1.0	ug/L	
trans-1,3-Dichloropropene	< 1.0	1.0	ug/L	
Ethylbenzene	< 1.0	1.0	ug/L	
Hexachlorobutadiene	< 5.0	5.0	ug/L	
2-Hexanone	< 1.0	10	ug/L	J
Iodomethane	< 1.0	1.0	ug/L	
Isopropylbenzene	< 1.0	1.0	ug/L	
p-Isopropyltoluene	< 1.0	1.0	ug/L	
4-Methyl-2-pentanone (MIBK)	< 10.0	10.0	ug/L	
Methylene chloride	< 5.0	5.0	ug/L	
Naphthalene	< 5.0	5.0	ug/L	
n-Propylbenzene	< 1.0	1.0	ug/L	
Styrene	< 1.0	1.0	ug/L	
1,1,1,2-Tetrachloroethane	< 1.0	1.0	ug/L	
1,1,2,2-Tetrachloroethane	< 1.0	1.0	ug/L	
Tetrachloroethene	< 1.0	1.0	ug/L	
Tetrahydrofuran	< 1.0	1.0	ug/L	
Toluene	< 1.0	1.0	ug/L	
1,1,1-Trichloroethane	< 1.0	1.0	ug/L	
1,1,2-Trichloroethane	< 1.0	1.0	ug/L	
1,2,3-Trichlorobenzene	< 1.0	1.0	ug/L	
1,2,4-Trichlorobenzene	< 1.0	1.0	ug/L	



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292

1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: REPUBLIC SERVICES (McLean)
Project ID: ADS/McLean Co. LF #2 - GW
Sample ID: R223
Sample No: 16-5962-020

Date Collected: 10/18/16
Time Collected: 12:35
Date Received: 10/20/16
Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Flags
Volatile Organic Compounds		Method: 5030B/8260B		
Analysis Date: 10/24/16				
Trichloroethene	< 1.0	1.0	ug/L	
Trichlorofluoromethane	< 1.0	1.0	ug/L	
1,2,3-Trichloropropane	< 1.0	1.0	ug/L	
1,2,4-Trimethylbenzene	< 1.0	1.0	ug/L	
1,3,5-Trimethylbenzene	< 1.0	1.0	ug/L	
Vinyl acetate	< 5.0	5.0	ug/L	
Vinyl chloride	< 2.0	2.0	ug/L	
Xylene, Total	< 1.0	1.0	ug/L	
Volatile Organic Compounds (8011)		Method: 8011		
Analysis Date: 11/10/16				
1,2-Dibromo-3-chloropropane	< 0.02	0.02	ug/L	
1,2-Dibromoethane (EDB)	< 0.05	0.05	ug/L	



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292

1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: REPUBLIC SERVICES (McLean)

Date Collected: 10/17/16

Project ID: ADS/McLean Co. LF #2 - GW

Time Collected: 13:28

Sample ID: DUP

Date Received: 10/20/16

Sample No: 16-5962-021

Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Date Analyzed	Method	Flag
Ammonia (as N), Dissolved	0.32	0.10	mg/L	10/26/16	350.1R2.0	
Chloride, Dissolved	177	5	mg/L	10/28/16	4500Cl, E 1997	
Cyanide, Total	< 0.005	0.005	mg/L	10/25/16	335.4R1.0	
Nitrate (as N), Dissolved	< 0.10	0.10	mg/L	10/24/16	353.2R2.0	
Oil (Hexane soluble)	< 5	5	mg/L	10/27/16	1664B 2010	
Phenols	< 10	10	ug/L	10/31/16	420.4R1.0	
Sulfate, Dissolved	181	15	mg/L	10/27/16	375.2R2.0	
Total Dissolved Solids	896	10	mg/L	10/24/16	2540C 1997	



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292

1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: REPUBLIC SERVICES (McLean)
Project ID: ADS/McLean Co. LF #2 - GW
Sample ID: DUP
Sample No: 16-5962-021

Date Collected: 10/17/16
Time Collected: 13:28
Date Received: 10/20/16
Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Flags
Dissolved Metals				
Method: 6010C		Preparation Method 3010A		
Analysis Date: 11/03/16		Preparation Date: 10/27/16		
Arsenic, diss.	< 5	10	ug/L	J
Boron, diss.	155	50	ug/L	
Cadmium, diss.	< 1	5	ug/L	J
Chromium, diss.	< 1	5	ug/L	J
Lead, diss.	< 2	5	ug/L	J
Zinc, diss.	< 5	10	ug/L	J
Magnesium, diss.	54.6	0.5	mg/L	
Dissolved Mercury				
Method: 7470A				
Analysis Date: 10/27/16				
Mercury, diss.	< 0.5	0.5	ug/L	
Volatile Organic Compounds				
Method: 5030B/8260B				
Analysis Date: 10/24/16				
Acetone	< 10.0	10.0	ug/L	
Acrylonitrile	< 100	100	ug/L	
Benzene	< 1.0	1.0	ug/L	
Bromobenzene	< 1.0	1.0	ug/L	
Bromochloromethane	< 1.0	1.0	ug/L	
Bromodichloromethane	< 1.0	1.0	ug/L	
Bromoform	< 1.0	1.0	ug/L	
Bromomethane	< 2.0	2.0	ug/L	
2-Butanone (MEK)	< 10.0	10.0	ug/L	
n-Butylbenzene	< 1.0	1.0	ug/L	
sec-Butylbenzene	< 1.0	1.0	ug/L	
tert-Butylbenzene	< 1.0	1.0	ug/L	
Carbon disulfide	< 1.0	1.0	ug/L	
Carbon tetrachloride	< 1.0	1.0	ug/L	
Chlorobenzene	< 1.0	1.0	ug/L	
Chlorodibromomethane	< 1.0	1.0	ug/L	
Chloroethane	< 2.0	2.0	ug/L	
Chloroform	< 1.0	1.0	ug/L	
Chloromethane	< 2.0	2.0	ug/L	
2-Chlorotoluene	< 1.0	1.0	ug/L	
4-Chlorotoluene	< 1.0	1.0	ug/L	
Dibromomethane	< 1.0	1.0	ug/L	
1,2-Dichlorobenzene	< 1.0	1.0	ug/L	



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292

1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: REPUBLIC SERVICES (McLean)
Project ID: ADS/McLean Co. LF #2 - GW
Sample ID: DUP
Sample No: 16-5962-021

Date Collected: 10/17/16
Time Collected: 13:28
Date Received: 10/20/16
Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Flags
Volatile Organic Compounds		Method: 5030B/8260B		
Analysis Date: 10/24/16				
1,3-Dichlorobenzene	< 1.0	1.0	ug/L	
1,4-Dichlorobenzene	< 1.0	1.0	ug/L	
trans-1,4-Dichloro-2-butene	< 1.0	1.0	ug/L	
Dichlorodifluoromethane	< 1.0	1.0	ug/L	
1,1-Dichloroethane	< 1.0	1.0	ug/L	
1,2-Dichloroethane	< 1.0	1.0	ug/L	
1,1-Dichloroethene	< 1.0	1.0	ug/L	
cis-1,2-Dichloroethene	< 1.0	1.0	ug/L	
trans-1,2-Dichloroethene	< 1.0	1.0	ug/L	
1,2-Dichloropropane	< 1.0	1.0	ug/L	
1,3-Dichloropropane	< 1.0	1.0	ug/L	
2,2-Dichloropropane	< 1.0	1.0	ug/L	
1,1-Dichloropropene	< 1.0	1.0	ug/L	
1,3-Dichloropropene (total)	< 1.0	1.0	ug/L	
cis-1,3-Dichloropropene	< 1.0	1.0	ug/L	
trans-1,3-Dichloropropene	< 1.0	1.0	ug/L	
Ethylbenzene	< 1.0	1.0	ug/L	
Hexachlorobutadiene	< 5.0	5.0	ug/L	
2-Hexanone	< 1.0	1.0	ug/L	J
Iodomethane	< 1.0	1.0	ug/L	
Isopropylbenzene	< 1.0	1.0	ug/L	
p-Isopropyltoluene	< 1.0	1.0	ug/L	
4-Methyl-2-pentanone (MIBK)	< 10.0	10.0	ug/L	
Methylene chloride	< 5.0	5.0	ug/L	
Naphthalene	< 5.0	5.0	ug/L	
n-Propylbenzene	< 1.0	1.0	ug/L	
Styrene	< 1.0	1.0	ug/L	
1,1,1,2-Tetrachloroethane	< 1.0	1.0	ug/L	
1,1,2,2-Tetrachloroethane	< 1.0	1.0	ug/L	
Tetrachloroethene	< 1.0	1.0	ug/L	
Tetrahydrofuran	< 1.0	1.0	ug/L	
Toluene	< 1.0	1.0	ug/L	
1,1,1-Trichloroethane	< 1.0	1.0	ug/L	
1,1,2-Trichloroethane	< 1.0	1.0	ug/L	
1,2,3-Trichlorobenzene	< 1.0	1.0	ug/L	
1,2,4-Trichlorobenzene	< 1.0	1.0	ug/L	



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292

1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: REPUBLIC SERVICES (McLean)
Project ID: ADS/McLean Co. LF #2 - GW
Sample ID: DUP
Sample No: 16-5962-021

Date Collected: 10/17/16
Time Collected: 13:28
Date Received: 10/20/16
Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Flags
Volatile Organic Compounds		Method: 5030B/8260B		
Analysis Date: 10/24/16				
Trichloroethene	< 1.0	1.0	ug/L	
Trichlorofluoromethane	< 1.0	1.0	ug/L	
1,2,3-Trichloropropane	< 1.0	1.0	ug/L	
1,2,4-Trimethylbenzene	< 1.0	1.0	ug/L	
1,3,5-Trimethylbenzene	< 1.0	1.0	ug/L	
Vinyl acetate	< 5.0	5.0	ug/L	
Vinyl chloride	< 2.0	2.0	ug/L	
Xylene, Total	< 1.0	1.0	ug/L	
Volatile Organic Compounds (8011)		Method: 8011		
Analysis Date: 11/10/16				
1,2-Dibromo-3-chloropropane	< 0.02	0.02	ug/L	
1,2-Dibromoethane (EDB)	< 0.05	0.05	ug/L	



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292


1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: REPUBLIC SERVICES (McLean)
Project ID: ADS/McLean Co. LF #2 - GW
Sample ID: Trip Blank #1
Sample No: 16-5962-022

Date Collected:
Time Collected:
Date Received: 10/20/16
Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Flags
Volatile Organic Compounds		Method: 5030B/8260B		
Analysis Date: 10/24/16				
Acetone	< 10.0	10.0	ug/L	
Acrylonitrile	< 100	100	ug/L	
Benzene	< 1.0	1.0	ug/L	
Bromobenzene	< 1.0	1.0	ug/L	
Bromochloromethane	< 1.0	1.0	ug/L	
Bromodichloromethane	< 1.0	1.0	ug/L	
Bromoform	< 1.0	1.0	ug/L	
Bromomethane	< 2.0	2.0	ug/L	
2-Butanone (MEK)	< 10.0	10.0	ug/L	
n-Butylbenzene	< 1.0	1.0	ug/L	
sec-Butylbenzene	< 1.0	1.0	ug/L	
tert-Butylbenzene	< 1.0	1.0	ug/L	
Carbon disulfide	< 1.0	1.0	ug/L	
Carbon tetrachloride	< 1.0	1.0	ug/L	
Chlorobenzene	< 1.0	1.0	ug/L	
Chlorodibromomethane	< 1.0	1.0	ug/L	
Chloroethane	< 2.0	2.0	ug/L	
Chloroform	< 1.0	1.0	ug/L	
Chloromethane	< 2.0	2.0	ug/L	
2-Chlorotoluene	< 1.0	1.0	ug/L	
4-Chlorotoluene	< 1.0	1.0	ug/L	
Dibromomethane	< 1.0	1.0	ug/L	
1,2-Dichlorobenzene	< 1.0	1.0	ug/L	
1,3-Dichlorobenzene	< 1.0	1.0	ug/L	
1,4-Dichlorobenzene	< 1.0	1.0	ug/L	
trans-1,4-Dichloro-2-butene	< 1.0	1.0	ug/L	
Dichlorodifluoromethane	< 1.0	1.0	ug/L	
1,1-Dichloroethane	< 1.0	1.0	ug/L	
1,2-Dichloroethane	< 1.0	1.0	ug/L	
1,1-Dichloroethene	< 1.0	1.0	ug/L	
cis-1,2-Dichloroethene	< 1.0	1.0	ug/L	
trans-1,2-Dichloroethene	< 1.0	1.0	ug/L	
1,2-Dichloropropane	< 1.0	1.0	ug/L	
1,3-Dichloropropane	< 1.0	1.0	ug/L	
2,2-Dichloropropane	< 1.0	1.0	ug/L	
1,1-Dichloropropene	< 1.0	1.0	ug/L	



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292

1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: REPUBLIC SERVICES (McLean)
Project ID: ADS/McLean Co. LF #2 - GW
Sample ID: Trip Blank #1
Sample No: 16-5962-022

Date Collected:
Time Collected:
Date Received: 10/20/16
Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Flags
Volatile Organic Compounds		Method: 5030B/8260B		
Analysis Date: 10/24/16				
1,3-Dichloropropene (total)	< 1.0	1.0	ug/L	
cis-1,3-Dichloropropene	< 1.0	1.0	ug/L	
trans-1,3-Dichloropropene	< 1.0	1.0	ug/L	
Ethylbenzene	< 1.0	1.0	ug/L	
Hexachlorobutadiene	< 5.0	5.0	ug/L	
2-Hexanone	< 1.0	10	ug/L	J
Iodomethane	< 1.0	1.0	ug/L	
Isopropylbenzene	< 1.0	1.0	ug/L	
p-Isopropyltoluene	< 1.0	1.0	ug/L	
4-Methyl-2-pentanone (MIBK)	< 10.0	10.0	ug/L	
Methylene chloride	< 5.0	5.0	ug/L	
Naphthalene	< 5.0	5.0	ug/L	
n-Propylbenzene	< 1.0	1.0	ug/L	
Styrene	< 1.0	1.0	ug/L	
1,1,1,2-Tetrachloroethane	< 1.0	1.0	ug/L	
1,1,2,2-Tetrachloroethane	< 1.0	1.0	ug/L	
Tetrachloroethene	< 1.0	1.0	ug/L	
Tetrahydrofuran	< 1.0	1.0	ug/L	
Toluene	< 1.0	1.0	ug/L	
1,1,1-Trichloroethane	< 1.0	1.0	ug/L	
1,1,2-Trichloroethane	< 1.0	1.0	ug/L	
1,2,3-Trichlorobenzene	< 1.0	1.0	ug/L	
1,2,4-Trichlorobenzene	< 1.0	1.0	ug/L	
Trichloroethene	< 1.0	1.0	ug/L	
Trichlorofluoromethane	< 1.0	1.0	ug/L	
1,2,3-Trichloropropane	< 1.0	1.0	ug/L	
1,2,4-Trimethylbenzene	< 1.0	1.0	ug/L	
1,3,5-Trimethylbenzene	< 1.0	1.0	ug/L	
Vinyl acetate	< 5.0	5.0	ug/L	
Vinyl chloride	< 2.0	2.0	ug/L	
Xylene, Total	< 1.0	1.0	ug/L	



**First
Environmental
Laboratories, Inc.**

1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

IL ELAP / NELAC Accreditation # 100292

Analytical Report

Client: REPUBLIC SERVICES (McLean)
Project ID: ADS/McLean Co. LF #2 - GW
Sample ID: Trip Blank #2
Sample No: 16-5962-023

Date Collected:
Time Collected:
Date Received: 10/20/16
Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Flags
Volatile Organic Compounds		Method: 5030B/8260B		
Analysis Date: 10/24/16				
Acetone	19.1	10.0	ug/L	
Acrylonitrile	< 100	100	ug/L	
Benzene	< 1.0	1.0	ug/L	
Bromobenzene	< 1.0	1.0	ug/L	
Bromochloromethane	< 1.0	1.0	ug/L	
Bromodichloromethane	< 1.0	1.0	ug/L	
Bromoform	< 1.0	1.0	ug/L	
Bromomethane	< 2.0	2.0	ug/L	
2-Butanone (MEK)	< 10.0	10.0	ug/L	
n-Butylbenzene	< 1.0	1.0	ug/L	
sec-Butylbenzene	< 1.0	1.0	ug/L	
tert-Butylbenzene	< 1.0	1.0	ug/L	
Carbon disulfide	< 1.0	1.0	ug/L	
Carbon tetrachloride	< 1.0	1.0	ug/L	
Chlorobenzene	< 1.0	1.0	ug/L	
Chlorodibromomethane	< 1.0	1.0	ug/L	
Chloroethane	< 2.0	2.0	ug/L	
Chloroform	< 1.0	1.0	ug/L	
Chloromethane	< 2.0	2.0	ug/L	
2-Chlorotoluene	< 1.0	1.0	ug/L	
4-Chlorotoluene	< 1.0	1.0	ug/L	
Dibromomethane	< 1.0	1.0	ug/L	
1,2-Dichlorobenzene	< 1.0	1.0	ug/L	
1,3-Dichlorobenzene	< 1.0	1.0	ug/L	
1,4-Dichlorobenzene	< 1.0	1.0	ug/L	
trans-1,4-Dichloro-2-butene	< 1.0	1.0	ug/L	
Dichlorodifluoromethane	< 1.0	1.0	ug/L	
1,1-Dichloroethane	< 1.0	1.0	ug/L	
1,2-Dichloroethane	< 1.0	1.0	ug/L	
1,1-Dichloroethene	< 1.0	1.0	ug/L	
cis-1,2-Dichloroethene	< 1.0	1.0	ug/L	
trans-1,2-Dichloroethene	< 1.0	1.0	ug/L	
1,2-Dichloropropane	< 1.0	1.0	ug/L	
1,3-Dichloropropane	< 1.0	1.0	ug/L	
2,2-Dichloropropane	< 1.0	1.0	ug/L	
1,1-Dichloropropene	< 1.0	1.0	ug/L	



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292


1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: REPUBLIC SERVICES (McLean)
Project ID: ADS/McLean Co. LF #2 - GW
Sample ID: Trip Blank #2
Sample No: 16-5962-023

Date Collected:
Time Collected:
Date Received: 10/20/16
Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Flags
Volatile Organic Compounds		Method: 5030B/8260B		
Analysis Date: 10/24/16				
1,3-Dichloropropene (total)	< 1.0	1.0	ug/L	
cis-1,3-Dichloropropene	< 1.0	1.0	ug/L	
trans-1,3-Dichloropropene	< 1.0	1.0	ug/L	
Ethylbenzene	< 1.0	1.0	ug/L	
Hexachlorobutadiene	< 5.0	5.0	ug/L	
2-Hexanone	< 1.0	10	ug/L	J
Iodomethane	< 1.0	1.0	ug/L	
Isopropylbenzene	< 1.0	1.0	ug/L	
p-Isopropyltoluene	< 1.0	1.0	ug/L	
4-Methyl-2-pentanone (MIBK)	< 10.0	10.0	ug/L	
Methylene chloride	< 5.0	5.0	ug/L	
Naphthalene	< 5.0	5.0	ug/L	
n-Propylbenzene	< 1.0	1.0	ug/L	
Styrene	< 1.0	1.0	ug/L	
1,1,1,2-Tetrachloroethane	< 1.0	1.0	ug/L	
1,1,2,2-Tetrachloroethane	< 1.0	1.0	ug/L	
Tetrachloroethene	< 1.0	1.0	ug/L	
Tetrahydrofuran	< 1.0	1.0	ug/L	
Toluene	< 1.0	1.0	ug/L	
1,1,1-Trichloroethane	< 1.0	1.0	ug/L	
1,1,2-Trichloroethane	< 1.0	1.0	ug/L	
1,2,3-Trichlorobenzene	< 1.0	1.0	ug/L	
1,2,4-Trichlorobenzene	< 1.0	1.0	ug/L	
Trichloroethene	< 1.0	1.0	ug/L	
Trichlorofluoromethane	< 1.0	1.0	ug/L	
1,2,3-Trichloropropane	< 1.0	1.0	ug/L	
1,2,4-Trimethylbenzene	< 1.0	1.0	ug/L	
1,3,5-Trimethylbenzene	< 1.0	1.0	ug/L	
Vinyl acetate	< 5.0	5.0	ug/L	
Vinyl chloride	< 2.0	2.0	ug/L	
Xylene, Total	< 1.0	1.0	ug/L	



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292

1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: REPUBLIC SERVICES (McLean)
Project ID: ADS/McLean Co. LF #2 - GW
Sample ID: Trip Blank #3
Sample No: 16-5962-024

Date Collected:
Time Collected:
Date Received: 10/20/16
Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Flags
Volatile Organic Compounds		Method: 5030B/8260B		
Analysis Date: 10/24/16				
Acetone	< 10.0	10.0	ug/L	
Acrylonitrile	< 100	100	ug/L	
Benzene	< 1.0	1.0	ug/L	
Bromobenzene	< 1.0	1.0	ug/L	
Bromochloromethane	< 1.0	1.0	ug/L	
Bromodichloromethane	< 1.0	1.0	ug/L	
Bromoform	< 1.0	1.0	ug/L	
Bromomethane	< 2.0	2.0	ug/L	
2-Butanone (MEK)	< 10.0	10.0	ug/L	
n-Butylbenzene	< 1.0	1.0	ug/L	
sec-Butylbenzene	< 1.0	1.0	ug/L	
tert-Butylbenzene	< 1.0	1.0	ug/L	
Carbon disulfide	< 1.0	1.0	ug/L	
Carbon tetrachloride	< 1.0	1.0	ug/L	
Chlorobenzene	< 1.0	1.0	ug/L	
Chlorodibromomethane	< 1.0	1.0	ug/L	
Chloroethane	< 2.0	2.0	ug/L	
Chloroform	< 1.0	1.0	ug/L	
Chloromethane	< 2.0	2.0	ug/L	
2-Chlorotoluene	< 1.0	1.0	ug/L	
4-Chlorotoluene	< 1.0	1.0	ug/L	
Dibromomethane	< 1.0	1.0	ug/L	
1,2-Dichlorobenzene	< 1.0	1.0	ug/L	
1,3-Dichlorobenzene	< 1.0	1.0	ug/L	
1,4-Dichlorobenzene	< 1.0	1.0	ug/L	
trans-1,4-Dichloro-2-butene	< 1.0	1.0	ug/L	
Dichlorodifluoromethane	< 1.0	1.0	ug/L	
1,1-Dichloroethane	< 1.0	1.0	ug/L	
1,2-Dichloroethane	< 1.0	1.0	ug/L	
1,1-Dichloroethene	< 1.0	1.0	ug/L	
cis-1,2-Dichloroethene	< 1.0	1.0	ug/L	
trans-1,2-Dichloroethene	< 1.0	1.0	ug/L	
1,2-Dichloropropane	< 1.0	1.0	ug/L	
1,3-Dichloropropane	< 1.0	1.0	ug/L	
2,2-Dichloropropane	< 1.0	1.0	ug/L	
1,1-Dichloropropene	< 1.0	1.0	ug/L	



**First
Environmental
Laboratories, Inc.**

IL ELAP / NELAC Accreditation # 100292

1600 Shore Road • Naperville, Illinois 60563 • Phone (630) 778-1200 • Fax (630) 778-1233

Analytical Report

Client: REPUBLIC SERVICES (McLean)
Project ID: ADS/McLean Co. LF #2 - GW
Sample ID: Trip Blank #3
Sample No: 16-5962-024

Date Collected:
Time Collected:
Date Received: 10/20/16
Date Reported: 11/10/16

Analyte	Result	R.L.	Units	Flags
Volatile Organic Compounds		Method: 5030B/8260B		
Analysis Date: 10/24/16				
1,3-Dichloropropene (total)	< 1.0	1.0	ug/L	
cis-1,3-Dichloropropene	< 1.0	1.0	ug/L	
trans-1,3-Dichloropropene	< 1.0	1.0	ug/L	
Ethylbenzene	< 1.0	1.0	ug/L	
Hexachlorobutadiene	< 5.0	5.0	ug/L	
2-Hexanone	< 1.0	10	ug/L	J
Iodomethane	< 1.0	1.0	ug/L	
Isopropylbenzene	< 1.0	1.0	ug/L	
p-Isopropyltoluene	< 1.0	1.0	ug/L	
4-Methyl-2-pentanone (MIBK)	< 10.0	10.0	ug/L	
Methylene chloride	< 5.0	5.0	ug/L	
Naphthalene	< 5.0	5.0	ug/L	
n-Propylbenzene	< 1.0	1.0	ug/L	
Styrene	< 1.0	1.0	ug/L	
1,1,1,2-Tetrachloroethane	< 1.0	1.0	ug/L	
1,1,2,2-Tetrachloroethane	< 1.0	1.0	ug/L	
Tetrachloroethene	< 1.0	1.0	ug/L	
Tetrahydrofuran	< 1.0	1.0	ug/L	
Toluene	< 1.0	1.0	ug/L	
1,1,1-Trichloroethane	< 1.0	1.0	ug/L	
1,1,2-Trichloroethane	< 1.0	1.0	ug/L	
1,2,3-Trichlorobenzene	< 1.0	1.0	ug/L	
1,2,4-Trichlorobenzene	< 1.0	1.0	ug/L	
Trichloroethene	< 1.0	1.0	ug/L	
Trichlorofluoromethane	< 1.0	1.0	ug/L	
1,2,3-Trichloropropane	< 1.0	1.0	ug/L	
1,2,4-Trimethylbenzene	< 1.0	1.0	ug/L	
1,3,5-Trimethylbenzene	< 1.0	1.0	ug/L	
Vinyl acetate	< 5.0	5.0	ug/L	
Vinyl chloride	< 2.0	2.0	ug/L	
Xylene, Total	< 1.0	1.0	ug/L	

Page 1 of 2

Andrews Engineering, Inc.
3300 Ginger Creek Drive
Springfield, Illinois 62711
phone: (217)787-2334 fax: (217) 787-9495
Send Report to: Colleen Grey

Republic Services
ADS/McLean Co. LF #2 - GW

Matrix Codes: S = Soil W = Water O = Other

Republic Services ADS/McLean Co. LF #2 - GW					
Matrix Codes: S = Soil W = Water O = Other					
Date/Time Taken	Sample Description	Matrix	G1	G2	
10/19/16 9:55 AM	G218	W	X	X	
10/17/16 11:57 AM	G222	W	X	X	
10/19/16 10:34 AM	G110	W	X	X	
10/18/16 11:24 AM	G113	W	X	X	
10/18/16 10:12 AM	G114	W	X	X	
10/17/16 2:40 PM	G115	W	X	X	
10/17/16 8:31 AM	G116	W	X	X	
10/18/16 10:45 AM	G209	W	X	X	
10/17/16 11:14 AM	G210	W	X	X	
10/17/16 10:04 AM	G211	W	X	X	
10/17/16 2:06 PM	G212	W	X	X	
10/17/16 1:28 PM	G213	W	X	X	

Cooler Temperature: $0.1 - 6^{\circ}\text{C}$

Received within 6 hours of collection

Ice Present: ☒ Yes ☐ No

Containers Received Preserved:

Yes _____ No _____

Notes and Special Instructions:

please email COC to Andrews Engineering, Inc. once logged in (cgrey@andrews-eng.com)

Relinquished by:

Daniel J. MacKinnon

Date/Time:

10/20/16 7:30 AM

Received by:

240

Date/Time:

10/20/16 730

CHAIN OF CUSTODY RECORD

First Environmental Laboratories, Inc.
1600 Shore Road, Suite D
Naperville, Illinois 60563
Phone: (630) 778-1200
Fax (630) 778-1223

Andrews Engineering, Inc.
3300 Ginger Creek Drive
Springfield, Illinois 62711
phone: (217) 787-2334 fax: (217) 787-9495
Send Report to: Colleen Grey

Republic Services
ADS/McLean Co. LF #2 - GW

Matrix Codes: S = Soil W = Water O = Other

Republic Services ADS/McLean Co. LF #2 - GW				Analyses												
Matrix Codes: S = Soil W = Water O = Other																
Date/Time Taken	Sample Description	Matrix	G1	G2	App II / Class I	PH									Comments	Lab I.D.
10/17/16 9:11 AM	G214	W	X	X												110-5962-013
10/18/16 9:42 AM	G215	W	X	X												014
10/18/16 8:59 AM	G216	W	X	X		X										015
10/19/16 9:16 AM	G217	W	X	X												016
10/18/16 1:57 PM	G219	W	X	X	X											017
10/18/16 1:18 PM	G220	W	X	X												018
10/18/16 12:02 PM	G221	W	X	X												019
10/18/16 12:35 PM	R223	W	X	X											R223 Samples are in bottles labeled G222 and vice versa	020
10/17/16 1:26 PM	DUP	W	X	X												021
	Trip Blank #1															022
	Trip Blank #2 - MCA															023
	Trip Blank #3															024

FOR LAB USE ONLY:

Cooler Temperature: 0.1 - 6 °C ☒ Yes ☐ No 41°C
Received within 6 hours of collection: ☒ Yes ☐ No
Ice Present: ☒ Yes ☐ No
Containers Received Preserved: ☒ Yes ☐ No

Notes and Special Instructions: please email COC to Andrews Engineering, Inc. once logged in (cgrey@andrews-eng.com)

Relinquished by: Daniel J. Macdonald Date/Time: 10/20/16 7:30 AM Received by: [Signature] Date/Time: 10/20/16 230
Relinquished by: _____ Date/Time: _____ Received by: _____ Date/Time: _____