



ILLINOIS ENVIRONMENTAL PROTECTION AGENCY
 DIVISION OF AIR POLLUTION CONTROL -- PERMIT SECTION
 P.O. BOX 19506
 SPRINGFIELD, ILLINOIS 62794-9506

FOR APPLICANT'S USE

Revision #: _____
 Date: ____ / ____ / ____
 Page _____ of _____
 Source Designation: _____

| | |
|---|----------------------------|
| SOLVENT CLEANING CONVEYORIZED DEGREASER | FOR AGENCY USE ONLY |
| | ID NUMBER: |
| | EMISSION POINT #: |
| | DATE: |

| SOURCE INFORMATION | |
|---------------------------|------------------------------|
| 1) SOURCE NAME: | |
| 2) DATE FORM PREPARED: | 3) SOURCE ID NO. (IF KNOWN): |

| GENERAL INFORMATION | |
|---|--------------------------------------|
| 4) NAME OF EMISSION UNIT: | |
| 5) NAME OF PROCESS: | |
| 6) DESCRIPTION OF PROCESS: | |
| 7) DESCRIPTION OF ITEM OR MATERIAL PRODUCED OR ACTIVITY ACCOMPLISHED: | |
| 8) FLOW DIAGRAM DESIGNATION OF EMISSION UNIT: | |
| 9) MANUFACTURER OF EMISSION UNIT: | |
| 10) MODEL NUMBER: | 11) SERIAL NUMBER: |
| 12) DATES OF COMMENCING CONSTRUCTION, OPERATION AND/OR MOST RECENT MODIFICATION OF THIS EMISSION UNIT (ACTUAL OR PLANNED) | a) CONSTRUCTION (MONTH/YEAR): |
| | b) OPERATION (MONTH/YEAR): |
| | c) LATEST MODIFICATION (MONTH/YEAR): |
| 13) DESCRIPTION OF MODIFICATION (IF APPLICABLE): | |

THIS AGENCY IS AUTHORIZED TO REQUIRE THIS INFORMATION UNDER ILLINOIS REVISED STATUTES, 1991, AS AMENDED 1992, CHAPTER 111 1/2, PAR. 1039.5. DISCLOSURE OF THIS INFORMATION IS REQUIRED UNDER THAT SECTION. FAILURE TO DO SO MAY PREVENT THIS FORM FROM BEING PROCESSED AND COULD RESULT IN THE APPLICATION BEING DENIED. THIS FORM HAS BEEN APPROVED BY THE FORMS MANAGEMENT CENTER.

APPLICATION PAGE _____

Printed on Recycled Paper
 366-CAAPP

FOR APPLICANT'S USE

14) DOES THE EMISSION UNIT HAVE MORE THAN ONE MODE OF OPERATION? YES NO

IF YES, EXPLAIN AND IDENTIFY WHICH MODE IS COVERED BY THIS FORM (NOTE: A SEPARATE SOLVENT CLEANING FORM 366-CAAPP MUST BE COMPLETED FOR EACH MODE):

15) PROVIDE THE NAME AND DESIGNATION OF ALL AIR POLLUTION CONTROL EQUIPMENT CONTROLLING THIS EMISSION UNIT, IF APPLICABLE (FORM 260-CAAPP AND THE APPROPRIATE 260-CAAPP ADDENDUM FORM MUST BE COMPLETED FOR EACH ITEM OF AIR POLLUTION CONTROL EQUIPMENT):

16) WILL EMISSIONS DURING STARTUP EXCEED EITHER THE ALLOWABLE EMISSION RATE PURSUANT TO A SPECIFIC RULE, OR THE ALLOWABLE EMISSION LIMIT AS ESTABLISHED BY AN EXISTING OR PROPOSED PERMIT CONDITION? YES NO

IF YES, COMPLETE AND ATTACH FORM 203-CAAPP, "REQUEST TO OPERATE WITH EXCESS EMISSIONS DURING STARTUP OF EQUIPMENT".

17) PROVIDE ANY LIMITATIONS ON SOURCE OPERATION AFFECTING EMISSIONS OR ANY WORK PRACTICE STANDARDS (E.G., ONLY ONE UNIT IS OPERATED AT A TIME):

OPERATING INFORMATION

18) ATTACH THE CALCULATIONS, TO THE EXTENT THEY ARE AIR EMISSION RELATED, FROM WHICH THE FOLLOWING OPERATING INFORMATION, MATERIAL USAGE INFORMATION AND FUEL USAGE DATA WERE BASED AND LABEL AS EXHIBIT 366-1. REFER TO SPECIAL NOTES OF FORM 202-CAAPP.

| | | | |
|------------------------------|-------------|-------------|-------------|
| 19a) MAXIMUM OPERATING HOURS | HOURS/DAY: | DAYS/WEEK: | WEEKS/YEAR: |
| | | | |
| b) TYPICAL OPERATING HOURS | HOURS/DAY: | DAYS/WEEK: | WEEKS/YEAR: |
| | | | |
| 20) ANNUAL THROUGHPUT | DEC-FEB(%): | MAR-MAY(%): | JUN-AUG(%): |
| | | | |

MATERIAL USAGE INFORMATION

| 21) RAW MATERIALS | MAXIMUM RATES | | TYPICAL RATES | |
|-------------------|---------------|-----------|---------------|-----------|
| | LBS/HR | TONS/YEAR | LBS/HR | TONS/YEAR |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

APPLICABLE RULES

22) PROVIDE ANY SPECIFIC EMISSION STANDARD(S) AND LIMITATION(S) SET BY RULE(S) WHICH ARE APPLICABLE TO THIS EMISSION UNIT (E.G., VOM, IAC 218.183, OPERATING PROCEDURES):

| REGULATED AIR POLLUTANT(S) | EMISSION STANDARD(S) | REQUIREMENT(S) |
|----------------------------|----------------------|----------------|
| | | |
| | | |
| | | |

23) PROVIDE ANY SPECIFIC RECORDKEEPING RULE(S) WHICH ARE APPLICABLE TO THIS EMISSION UNIT:

| REGULATED AIR POLLUTANT(S) | RECORDKEEPING RULE(S) | REQUIREMENT(S) |
|----------------------------|-----------------------|----------------|
| | | |
| | | |
| | | |

24) PROVIDE ANY SPECIFIC REPORTING RULE(S) WHICH ARE APPLICABLE TO THIS EMISSION UNIT:

| REGULATED AIR POLLUTANT(S) | REPORTING RULE(S) | REQUIREMENT(S) |
|----------------------------|-------------------|----------------|
| | | |
| | | |
| | | |

25) PROVIDE ANY SPECIFIC MONITORING RULE(S) WHICH ARE APPLICABLE TO THIS EMISSION UNIT:

| REGULATED AIR POLLUTANT(S) | MONITORING RULE(S) | REQUIREMENT(S) |
|----------------------------|--------------------|----------------|
| | | |
| | | |
| | | |

26) PROVIDE ANY SPECIFIC TESTING RULES AND/OR PROCEDURES WHICH ARE APPLICABLE TO THIS EMISSION UNIT :

| REGULATED AIR POLLUTANT(S) | TESTING RULE(S) | REQUIREMENT(S) |
|----------------------------|-----------------|----------------|
| | | |
| | | |
| | | |

27) DOES THE EMISSION UNIT QUALIFY FOR AN EXEMPTION FROM AN OTHERWISE APPLICABLE RULE?

YES NO

IF YES, THEN LIST BOTH THE RULE FROM WHICH IT IS EXEMPT AND THE RULE WHICH ALLOWS THE EXEMPTION. PROVIDE A DETAILED EXPLANATION JUSTIFYING THE EXEMPTION. INCLUDE DETAILED SUPPORTING DATA AND CALCULATIONS. ATTACH AND LABEL AS EXHIBIT 366-2, OR REFER TO OTHER ATTACHMENT(S) WHICH ADDRESS AND JUSTIFY THIS EXEMPTION.

COMPLIANCE INFORMATION

28) IS THE EMISSION UNIT IN COMPLIANCE WITH ALL APPLICABLE REQUIREMENTS?:

YES NO

IF NO, THEN FORM 294-CAAPP "COMPLIANCE PLAN/SCHEDULE OF COMPLIANCE -- ADDENDUM FOR NONCOMPLYING EMISSION UNITS" MUST BE COMPLETED AND SUBMITTED WITH THIS APPLICATION.

29) EXPLANATION OF HOW INITIAL COMPLIANCE IS TO BE, OR WAS PREVIOUSLY, DEMONSTRATED:

30) EXPLANATION OF HOW ONGOING COMPLIANCE WILL BE DEMONSTRATED:

OPERATING AND EQUIPMENT REQUIREMENT

THE CONVEYORIZED SOLVENT DEGREASER SHALL BE OPERATED IN ACCORDANCE WITH THE PROCEDURES SPECIFIED IN 35 ILL. ADM. CODE 218.183 , 219.183, OR 215.183, DEPENDING ON THE LOCATION OF THE PLANT.

31) IS THE DEGREASER EQUIPPED WITH A DRYING TUNNEL, ROTATING (TUMBLING) BASKET OR OTHER EQUIPMENT SUFFICIENT TO PREVENT CLEANED PARTS FROM CARRYING OUT SOLVENT LIQUID OR VAPOR?

YES NO

32) IS THE DEGREASER EQUIPPED WITH THE FOLLOWING SWITCHES:

a) A DEVICE WHICH SHUTS OFF THE SUMP HEAT SOURCE IF THE AMOUNT OF CONDENSER COOLANT IS NOT SUFFICIENT TO MAINTAIN THE DESIGNED VAPOR LEVEL?

YES NO

b) A DEVICE WHICH SHUTS OFF THE SPRAY PUMP OR THE CONVEYOR IF THE VAPOR LEVEL DROPS MORE THAN 10 CM (4 IN) BELOW THE BOTTOM CONDENSER COIL?

YES NO

c) A DEVICE WHICH SHUTS OFF THE SUMP HEAT SOURCE WHEN THE VAPOR LEVEL EXCEEDS THE DESIGN LEVEL?

YES NO

APPLICATION PAGE _____

Printed on Recycled Paper
366-CAAPP

| | | |
|---|------------------------------|-----------------------------|
| 33) IS THE DEGREASER EQUIPPED WITH OPENINGS FOR ENTRANCES AND EXITS THAT SILHOUETTE WORKLOADS SO THAT THE AVERAGE CLEARANCE BETWEEN THE PARTS AND THE EDGE OF THE DEGREASER OPENING IS LESS THAN 10 CM (4 INCHES), OR LESS THAN 10 PERCENT OF THE WIDTH OF THE OPENING? | <input type="checkbox"/> YES | <input type="checkbox"/> NO |
| 34) IS THE DEGREASER EQUIPPED WITH DOWNTIME COVERS FOR CLOSING OFF ENTRANCES AND EXITS WHEN THE DEGREASER IS SHUT DOWN? | <input type="checkbox"/> YES | <input type="checkbox"/> NO |
| 35) IS THE DEGREASER EQUIPPED WITH ONE OF THE FOLLOWING CONTROL DEVICES, IF THE AIR/VAPOR INTERFACE IS LARGER THAN 2.0 m ² (21.6 ft ²): a) A CARBON ADSORPTION SYSTEM WITH VENTILATION GREATER THAN OR EQUAL TO 15 m ³ /min per m ² (50 ft ³ /min per ft ²) OF AIR/VAPOR AREA WHEN DOWNTIME COVERS ARE OPEN, AND EXHAUSTING LESS THAN 25 PPM OF SOLVENT BY VOLUME AVERAGED OVER A COMPLETE ADSORPTION CYCLE? b) ANY OTHER EQUIPMENT OR SYSTEM OF EQUIVALENT EMISSION CONTROL AS APPROVED BY THE AGENCY AND FURTHER PROCESSED CONSISTENT WITH SECTION 218.108 OR 219.108? (SUCH EQUIPMENT OR SYSTEM MAY INCLUDE A REFRIGERATED CHILLIER) | <input type="checkbox"/> YES | <input type="checkbox"/> NO |
| 36) IS AN EXHAUST VENTILATION USED THAT EXCEEDS 20 m ³ /min per m ² (65 ft ³ /min per ft ²) OF AREA OF LOADING AND UNLOADING? IF YES, EXPLAIN: | <input type="checkbox"/> YES | <input type="checkbox"/> NO |
| 37) ARE SOLVENT CARRYOUT EMISSIONS MINIMIZED BY: a) RACKING PARTS FOR BEST DRAINAGE? b) MAINTAINING THE VERTICAL CONVEYOR SPEED AT LESS THAN 3.3 m/min (11 ft/min)? | <input type="checkbox"/> YES | <input type="checkbox"/> NO |
| 38) ARE WASTE SOLVENTS STORED IN COVERED CONTAINERS ONLY? a) ARE THEY DISPOSED OF IN SUCH A MANNER THAT NO MORE THAN 20% OF THE WASTE SOLVENT (BY WEIGHT) IS ALLOWED TO EVAPORATE INTO THE ATMOSPHERE? b) IF YES OR NO, EXPLAIN: | <input type="checkbox"/> YES | <input type="checkbox"/> NO |
| 39) ARE SOLVENT LEAKS REPAIRED IMMEDIATELY? | <input type="checkbox"/> YES | <input type="checkbox"/> NO |
| 40) IS THE SOLVENT, EXITING FROM THE WATER SEPARATOR VISUALLY FREE OF WATER? | <input type="checkbox"/> YES | <input type="checkbox"/> NO |
| 41) ARE DOWNTIME COVERS PLACED OVER ENTRANCES AND EXITS OF CONVEYORIZED DEGREASERS IMMEDIATELY AFTER THE CONVEYORS AND EXHAUSTS ARE SHUT DOWN AND NOT REMOVED UNTIL JUST BEFORE START-UP? | <input type="checkbox"/> YES | <input type="checkbox"/> NO |

TESTING, MONITORING, RECORDKEEPING AND REPORTING

42a) LIST THE PARAMETERS THAT RELATE TO AIR EMISSIONS FOR WHICH RECORDS ARE BEING MAINTAINED TO DETERMINE FEES, RULE APPLICABILITY OR COMPLIANCE. INCLUDE THE UNIT OF MEASUREMENT, THE METHOD OF MEASUREMENT, AND THE FREQUENCY OF SUCH RECORDS (E.G., HOURLY, DAILY, WEEKLY):

| PARAMETER | UNIT OF MEASUREMENT | METHOD OF MEASUREMENT | FREQUENCY |
|-----------|---------------------|-----------------------|-----------|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

b) BRIEFLY DESCRIBE THE METHOD BY WHICH RECORDS WILL BE CREATED AND MAINTAINED. FOR EACH RECORDED PARAMETER INCLUDE THE METHOD OF RECORDKEEPING, TITLE OF PERSON RESPONSIBLE FOR RECORDKEEPING, AND TITLE OF PERSON TO CONTACT FOR REVIEW OF RECORDS:

| PARAMETER | METHOD OF RECORDKEEPING | TITLE OF PERSON RESPONSIBLE | TITLE OF CONTACT PERSON |
|-----------|-------------------------|-----------------------------|-------------------------|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

c) IS COMPLIANCE OF THE EMISSION UNIT READILY DEMONSTRATED BY REVIEW OF THE RECORDS? YES NO

IF NO, EXPLAIN:

d) ARE ALL RECORDS READILY AVAILABLE FOR INSPECTION, COPYING AND SUBMITTAL TO THE AGENCY UPON REQUEST? YES NO

IF NO, EXPLAIN:

43a) DESCRIBE ANY EMISSION MONITORS USED TO DETERMINE FEES, RULE APPLICABILITY OR COMPLIANCE, INCLUDING ANY OPACITY AND OXYGEN/CO₂ ANALYZERS:

43b) WHAT PARAMETER(S) IS(ARE) BEING MONITORED?

c) DESCRIBE THE LOCATION OF EACH MONITOR

d) IS EACH MONITOR EQUIPPED WITH A RECORDING DEVICE? YES NO
IF NO, LIST ALL MONITORS WITHOUT A RECORDING DEVICE:

e) IS EACH MONITOR REVIEWED FOR ACCURACY ON AT LEAST A QUARTERLY BASIS? YES NO
IF NO, EXPLAIN:

f) IS EACH MONITOR OPERATED AT ALL TIMES THE ASSOCIATED EMISSION UNIT IS IN OPERATION? YES NO
IF NO, EXPLAIN:

44) PROVIDE INFORMATION ON THE MOST RECENT TESTS, IF ANY, IN WHICH THE RESULTS ARE USED FOR PURPOSES OF THE DETERMINATION OF FEES, RULE APPLICABILITY OR COMPLIANCE. INCLUDE THE TEST DATE, TEST METHOD USED, TESTING COMPANY, OPERATING CONDITIONS EXISTING DURING THE TEST AND A SUMMARY OF RESULTS. IF ADDITIONAL SPACE IS NEEDED, ATTACH AND LABEL AS EXHIBIT 366-3:

| TEST DATE | TEST METHOD | TESTING COMPANY | OPERATING CONDITIONS | SUMMARY OF RESULTS |
|-----------|-------------|-----------------|----------------------|--------------------|
| | | | | |
| | | | | |
| | | | | |
| | | | | |

45) DESCRIBE ALL REPORTING REQUIREMENTS AND PROVIDE THE TITLE AND FREQUENCY OF REPORT SUBMITTALS TO THE AGENCY:

| REPORTING REQUIREMENTS | TITLE OF REPORT | FREQUENCY |
|------------------------|-----------------|-----------|
| | | |
| | | |
| | | |

(46)EMISSION INFORMATION

| REGULATED AIR POLLUTANT | | <input type="checkbox"/> ¹ ACTUAL EMISSION RATE <input type="checkbox"/> ¹ UNCONTROLLED EMISSION RATE | | | | | ALLOWABLE BY RULE EMISSION RATE | | | ² PERMITTED EMISSION RATE | |
|---|----------|--|-------------------------|--------------------------|--------------------------|-----------------|---------------------------------|------------------|-------------------------|--------------------------------------|-------------------------|
| | | LBS PER HOUR (LBS/HR) | TONS PER YEAR (TONS/YR) | ³ OTHER TERMS | ³ OTHER TERMS | ⁴ DM | ⁵ RATE (UNITS) | APPLICABLE RULES | TONS PER YEAR (TONS/YR) | RATE (UNITS) | TONS PER YEAR (TONS/YR) |
| CARBON MONOXIDE (CO) | MAXIMUM: | | | | | | () | | | | |
| | TYPICAL: | | | | | | () | | | | |
| LEAD | MAXIMUM: | | | | | | () | | | | |
| | TYPICAL: | | | | | | () | | | | |
| NITROGEN OXIDES (NOx) | MAXIMUM: | | | | | | () | | | | |
| | TYPICAL: | | | | | | () | | | | |
| PARTICULATE MATTER (PART) | MAXIMUM: | | | | | | () | | | | |
| | TYPICAL: | | | | | | () | | | | |
| PARTICULATE MATTER <= 10 MICROMETERS (PM10) | MAXIMUM: | | | | | | () | | | | |
| | TYPICAL: | | | | | | () | | | | |
| SULFUR DIOXIDE (SO2) | MAXIMUM: | | | | | | () | | | | |
| | TYPICAL: | | | | | | () | | | | |
| VOLATILE ORGANIC MATERIAL (VOM) | MAXIMUM: | | | | | | () | | | | |
| | TYPICAL: | | | | | | () | | | | |
| OTHER, SPECIFY: | MAXIMUM: | | | | | | () | | | | |
| | TYPICAL: | | | | | | () | | | | |
| EXAMPLE: PARTICULATE MATTER | MAXIMUM: | 5.00 | 21.9 | 0.3 GR/DSCF | | 1 | 6.0 (LBS/HR) | 212.321 | 26.28 | 5.5 LBS/HR | 22 |
| | TYPICAL: | 4.00 | 14.4 | 0.24 GR/DSCF | | 4 | 5.5 (LBS/HR) | 212.321 | 19.80 | | |

IMPORTANT: ATTACH CALCULATIONS, TO THE EXTENT THEY ARE AIR EMISSIONS RELATED, ON WHICH EMISSIONS WERE DETERMINED AND LABEL AS EXHIBIT 366-4.

- ¹CHECK UNCONTROLLED EMISSION RATE BOX IF CONTROL EQUIPMENT IS USED, OTHERWISE CHECK AND PROVIDE THE ACTUAL EMISSION RATE TO ATMOSPHERE, INCLUDING INDOORS. SEE INSTRUCTIONS.
- ²PROVIDE THE EMISSION RATE THAT WILL BE USED AS A PERMIT SPECIAL CONDITION. THIS LIMIT WILL BE USED TO DETERMINE THE PERMIT FEE.
- ³PLEASE PROVIDE ANY OTHER EMISSION RATE WHICH IS COMMONLY USED, REQUIRED BY A SPECIFIC LIMITATION OR THAT WAS MEASURED (E.G. PPM, GR/DSCF, ETC.)
- ⁴DM - DETERMINATION METHOD: 1) STACK TEST, 2) MATERIAL BALANCE, 3) STANDARD EMISSION FACTOR (AP-42 OR AIRS), 4) ENGINEERING ESTIMATE, 5) SPECIAL EMISSION FACTOR (NOT AP-42 OR AIRS)
- ⁵RATE - ALLOWABLE EMISSION RATE SPECIFIED BY MOST STRINGENT APPLICABLE RULE.

APPLICATION PAGE _____

(47) HAZARDOUS AIR POLLUTANT EMISSION INFORMATION

| HAP INFORMATION | | <input type="checkbox"/> ¹ ACTUAL EMISSION RATE <input type="checkbox"/> ¹ UNCONTROLLED EMISSION RATE | | | | ALLOWABLE BY RULE | |
|---------------------|-------------------------|--|-------------------------|--------------------------|-----------------|---|---------------------------------|
| NAME OF HAP EMITTED | ² CAS NUMBER | POUNDS PER HOUR (LBS/HR) | TONS PER YEAR (TONS/YR) | ³ OTHER TERMS | ⁴ DM | ⁵ RATE OR STANDARD | APPLICABLE RULE |
| | | MAXIMUM: | | | | | |
| | | TYPICAL: | | | | | |
| | | MAXIMUM: | | | | | |
| | | TYPICAL: | | | | | |
| | | MAXIMUM: | | | | | |
| | | TYPICAL: | | | | | |
| | | MAXIMUM: | | | | | |
| | | TYPICAL: | | | | | |
| | | MAXIMUM: | | | | | |
| | | TYPICAL: | | | | | |
| | | MAXIMUM: | | | | | |
| | | TYPICAL: | | | | | |
| | | MAXIMUM: | | | | | |
| | | TYPICAL: | | | | | |
| | | MAXIMUM: | | | | | |
| | | TYPICAL: | | | | | |
| | | MAXIMUM: | | | | | |
| | | TYPICAL: | | | | | |
| | | MAXIMUM: | | | | | |
| | | TYPICAL: | | | | | |
| <i>EXAMPLE:</i> | | MAXIMUM: | 10.0 | 1.2 | | 2 | |
| <i>Benzene</i> | 71432 | TYPICAL: | 8.0 | 0.8 | | 2 | |
| | | | | | | <i>98% by wt control device leak-tight trucks</i> | <i>CFR 61 61.302(b),(d)</i> |

IMPORTANT: ATTACH CALCULATIONS, TO THE EXTENT THEY ARE AIR EMISSIONS RELATED, ON WHICH EMISSIONS WERE DETERMINED AND LABEL AS EXHIBIT 366-5.

¹PROVIDE UNCONTROLLED EMISSIONS IF CONTROL EQUIPMENT IS USED. OTHERWISE, PROVIDE ACTUAL EMISSIONS TO THE ATMOSPHERE, INCLUDING INDOORS. CHECK BOX TO SPECIFY.
²CAS - CHEMICAL ABSTRACT SERVICE NUMBER.
³PLEASE PROVIDE ANY OTHER EMISSION RATE WHICH IS COMMONLY USED, REQUIRED BY A SPECIFIC LIMITATION OR THAT WAS MEASURED (E.G., PPM, GR/DSCF, ETC.).
⁴DM - DETERMINATION METHOD: 1) STACK TEST, 2) MATERIAL BALANCE, 3) STANDARD EMISSION FACTOR (AP-42 OR AIRS, 4) ENGINEERING ESTIMATE, 5) SPECIAL EMISSION FACTOR (NOT AP-42 OR AIRS).
⁵RATE - ALLOWABLE EMISSION RATE OR STANDARD SPECIFIED BY MOST STRINGENT APPLICABLE RULE.

EXHAUST POINT INFORMATION

THIS SECTION SHOULD NOT BE COMPLETED IF EMISSIONS ARE EXHAUSTED THROUGH AIR POLLUTION CONTROL EQUIPMENT.

48) FLOW DIAGRAM DESIGNATION OF EXHAUST POINT:

49) DESCRIPTION OF EXHAUST POINT (STACK, VENT, ROOF MONITOR, INDOORS, ETC.). IF THE EXHAUST POINT DISCHARGES INDOORS, DO NOT COMPLETE THE REMAINING ITEMS.

50) DISTANCE TO NEAREST PLANT BOUNDARY FROM EXHAUST POINT DISCHARGE (FT):

51) DISCHARGE HEIGHT ABOVE GRADE (FT):

52) GOOD ENGINEERING PRACTICE (GEP) HEIGHT, IF KNOWN (FT):

53) DIAMETER OF EXHAUST POINT (FT): NOTE: FOR A NON CIRCULAR EXHAUST POINT, THE DIAMETER IS 1.128 TIMES THE SQUARE ROOT OF THE AREA.

| | | |
|------------------------|--------------------|--------------------|
| 54) EXIT GAS FLOW RATE | a) MAXIMUM (ACFM): | b) TYPICAL (ACFM): |
|------------------------|--------------------|--------------------|

| | | |
|--------------------------|------------------|------------------|
| 55) EXIT GAS TEMPERATURE | a) MAXIMUM (°F): | b) TYPICAL (°F): |
|--------------------------|------------------|------------------|

56) DIRECTION OF EXHAUST (VERTICAL, LATERAL, DOWNWARD):

57) LIST ALL EMISSION UNITS AND CONTROL DEVICES SERVED BY THIS EXHAUST POINT:

| NAME | FLOW DIAGRAM DESIGNATION |
|------|--------------------------|
| a) | |
| b) | |
| c) | |
| d) | |
| e) | |

THE FOLLOWING INFORMATION NEED ONLY BE SUPPLIED IF READILY AVAILABLE.

| | |
|----------------|---------------|
| 58a) LATITUDE: | b) LONGITUDE: |
|----------------|---------------|

| | | |
|---------------|-----------------------|-------------------------|
| 59) UTM ZONE: | b) UTM VERTICAL (KM): | c) UTM HORIZONTAL (KM): |
|---------------|-----------------------|-------------------------|