

STATE OF ILLINOIS  
 ENVIRONMENTAL PROTECTION AGENCY  
 BUREAU OF AIR  
 2520 WEST ILES AVENUE  
 SPRINGFIELD, ILLINOIS 62704

Page \_\_\_\_ of \_\_\_\_

<p>* DATA AND INFORMATION</p> <p>PROCESS EMISSION SOURCE</p>	
--	--

\* THIS INFORMATION FORM IS TO BE COMPLETED FOR AN EMISSION SOURCE OTHER THAN A FUEL COMBUSTION EMISSION SOURCE OR AN INCINERATOR. A FUEL COMBUSTION EMISSION SOURCE IS A FURNACE, BOILER, OR SIMILAR EQUIPMENT USED PRIMARILY FOR PRODUCING HEAT OR POWER BY INDIRECT HEAT TRANSFER. AN INCINERATOR IS AN APPARATUS IN WHICH REFUSE IS BURNED.

1. NAME OF PLANT OWNER:	2. NAME OF CORPORATE DIVISION OR PLANT (IF DIFFERENT FROM OWNER):
3. STREET ADDRESS OF EMISSION SOURCE:	4. CITY OF EMISSION SOURCE:

GENERAL INFORMATION		
5. NAME OF PROCESS:	6. NAME OF EMISSION SOURCE EQUIPMENT:	
7. EMISSION SOURCE EQUIPMENT MANUFACTURER:	8. MODEL NUMBER:	9. SERIAL NUMBER:
10. FLOW DIAGRAM DESIGNATION(S) OF EMISSION SOURCE:		
11. IDENTITY(S) OF ANY SIMILAR SOURCE(S) AT THE PLANT OR PREMISES NOT COVERED BY THE FORM (IF THE SOURCE IS COVERED BY ANOTHER APPLICATION, IDENTIFY THE APPLICATION):		
12. AVERAGE OPERATING TIME OF EMISSION SOURCE: ____ HRS/DAY    ____ DAYS/WK    ____ WKS/YR	13. MAXIMUM OPERATING TIME OF EMISSION SOURCE: ____ HRS/DAY    ____ DAYS/WK    ____ WKS/YR	
14. PERCENT OF ANNUAL THROUGHPUT: DEC-FEB _____ %    MAR-MAY _____ %    JUN-AUG _____ %    SEPT-NOV _____ %		

INSTRUCTIONS
1. COMPLETE THE ABOVE IDENTIFICATION AND GENERAL INFORMATION SECTION. 2. COMPLETE THE RAW MATERIAL, PRODUCT, WASTE MATERIAL, AND FUEL USAGE SECTIONS FOR THE PARTICULAR SOURCE EQUIPMENT. COMPOSITIONS OF MATERIALS MUST BE SUFFICIENTLY DETAILED TO ALLOW DETERMINATION OF THE NATURE AND QUANTITY OF POTENTIAL EMISSIONS. IN PARTICULAR, THE COMPOSITION OF PAINTS, INKS, ETC., AND ANY SOLVENTS MUST BE FULLY DETAILED. 3. EMISSION AND EXHAUST POINT INFORMATION MUST BE COMPLETED, UNLESS EMISSIONS ARE EXHAUSTED THROUGH AIR POLLUTION CONTROL EQUIPMENT. 4. OPERATION TIME AND CERTAIN OTHER ITEMS <u>REQUIRE</u> BOTH <u>AVERAGE</u> AND <u>MAXIMUM</u> VALUES 5. FOR GENERAL INFORMATION REFER TO "GENERAL INSTRUCTIONS FOR PERMIT APPLICATIONS," APC-201.

DEFINITIONS
AVERAGE - THE VALUE THAT <u>SUMMARIZES</u> OR <u>REPRESENTS</u> THE <u>GENERAL CONDITION</u> OF THE <u>EMISSION SOURCE</u> , OR THE <u>GENERAL STATE</u> OF PRODUCTION OF THE EMISSION SOURCE. SPECIFICALLY: AVERAGE OPERATING TIME - ACTUAL TOTAL HOURS OF OPERATION FOR THE PRECEDING TWELVE MONTH PERIOD. AVERAGE RATE - ACTUAL TOTAL QUANTITY OF "MATERIAL" FOR THE PRECEDING TWELVE MONTH PERIOD, DIVIDED BY THE AVERAGE OPERATING TIME. AVERAGE OPERATION - OPERATION TYPICAL OF THE PRECEDING TWELVE MONTH PERIOD, AS REPRESENTED BY AVERAGE OPERATING TIME AND AVERAGE RATES.
MAXIMUM - THE GREATEST VALUE <u>ATTAINABLE</u> OR <u>ATTAINED</u> FOR THE <u>EMISSION SOURCE</u> , OR THE PERIOD OF GREATEST OR UTMOST PRODUCTION OF THE EMISSION SOURCE. SPECIFICALLY: MAXIMUM OPERATING TIME - GREATEST EXPECTED TOTAL HOURS OF OPERATIONS FOR ANY TWELVE MONTH PERIOD. MAXIMUM RATE - GREATEST QUANTITY OF "MATERIAL" EXPECTED PER ANY ONE HOUR OF OPERATION. MAXIMUM OPERATION - GREATEST EXPECTED OPERATION, AS REPRESENTED BY MAXIMUM OPERATING TIME AND MAXIMUM RATES.

This Agency is authorized to require this information under Illinois Revised Statutes, 1979, Chapter 111 1/2, Section 1039. Disclosure of this information is required under that Section. Failure to do so may prevent this form from being processed and could result in your application being denied. This form has been approved by the Forms Management Center.

RAW MATERIAL INFORMATION		
NAME OF RAW MATERIAL	AVERAGE RATE PER IDENTICAL SOURCE	MAXIMUM RATE PER IDENTICAL SOURCE
20a.	b. _____ LB/HR	c. _____ LB/HR
21a.	b. _____ LB/HR	c. _____ LB/HR
22a.	b. _____ LB/HR	c. _____ LB/HR
23a.	b. _____ LB/HR	c. _____ LB/HR
24a.	b. _____ LB/HR	c. _____ LB/HR

PRODUCT INFORMATION		
NAME OF PRODUCT	AVERAGE RATE PER IDENTICAL SOURCE	MAXIMUM RATE PER IDENTICAL SOURCE
30a.	b. _____ LB/HR	c. _____ LB/HR
31a.	b. _____ LB/HR	c. _____ LB/HR
32a.	b. _____ LB/HR	c. _____ LB/HR
33a.	b. _____ LB/HR	c. _____ LB/HR
34a.	b. _____ LB/HR	c. _____ LB/HR

WASTE MATERIAL INFORMATION		
NAME OF WASTE MATERIAL	AVERAGE RATE PER IDENTICAL SOURCE	MAXIMUM RATE PER IDENTICAL SOURCE
40a.	b. _____ LB/HR	c. _____ LB/HR
41a.	b. _____ LB/HR	c. _____ LB/HR
42a.	b. _____ LB/HR	c. _____ LB/HR
43a.	b. _____ LB/HR	c. _____ LB/HR
44a.	b. _____ LB/HR	c. _____ LB/HR

*FUEL USAGE INFORMATION		
FUEL USED	TYPE	HEAT CONTENT
50a. NATURAL GAS <input type="checkbox"/>	b. -----	c. 1000 BTU/SCF
OTHER GAS <input type="checkbox"/>		BTU/SCF
OIL <input type="checkbox"/>		BTU/GAL
COAL <input type="checkbox"/>		BTU/LB
OTHER <input type="checkbox"/>		BTU/LB
d. AVERAGE FIRING RATE PER IDENTICAL SOURCE: BTU/HR		e. MAXIMUM FIRING RATE PER IDENTICAL SOURCE: BTU/HR

\*THIS SECTION IS TO BE COMPLETED FOR ANY FUEL USED DIRECTLY IN THE PROCESS EMISSION SOURCE, E. G. GAS IN A DRYER, OR COAL IN A MELT FURNACE.

## \*EMISSION INFORMATION

51. NUMBER OF IDENTICAL SOURCES (DESCRIBE AS REQUIRED):

## AVERAGE OPERATION

CONTAMINANT	CONCENTRATION OR EMISSION RATE PER IDENTICAL SOURCE		METHOD USED TO DETERMINE CONCENTRATION OR EMISSION RATE		
PARTICULATE MATTER	52a.	GR/SCF	b.	LB/HR	c.
CARBON MONOXIDE	53a.	PPM (VOL)	b.	LB/HR	c.
NITROGEN OXIDES	54a.	PPM (VOL)	b.	LB/HR	c.
ORGANIC MATERIAL	55a.	PPM (VOL)	b.	LB/HR	c.
SULFUR DIOXIDE	56a.	PPM (VOL)	b.	LB/HR	c.
**OTHER (SPECIFY)	57a.	PPM (VOL)	b.	LB/HR	c.

## MAXIMUM OPERATION

CONTAMINANT	CONCENTRATION OR EMISSION RATE PER IDENTICAL SOURCE		METHOD USED TO DETERMINE CONCENTRATION OR EMISSION RATE		
PARTICULATE MATTER	58a.	GR/SCF	b.	LB/HR	c.
CARBON MONOXIDE	59a.	PPM (VOL)	b.	LB/HR	c.
NITROGEN OXIDES	60a.	PPM (VOL)	b.	LB/HR	c.
ORGANIC MATERIAL	61a.	PPM (VOL)	b.	LB/HR	c.
SULFUR DIOXIDE	62a.	PPM (VOL)	b.	LB/HR	c.
**OTHER (SPECIFY)	63a.	PPM (VOL)	b.	LB/HR	c.

\*ITEMS 52 THROUGH 63 NEED NOT BE COMPLETED IF EMISSIONS ARE EXHAUSTED THROUGH AIR POLLUTION CONTROL EQUIPMENT.

\*\*"OTHER" CONTAMINANT SHOULD BE USED FOR AN AIR CONTAMINANT NOT SPECIFICALLY NAMED ABOVE. POSSIBLE OTHER CONTAMINANTS ARE ASBESTOS, BERYLLIUM, MERCURY, VINYL CHLORIDE, LEAD, ETC.

## \*\*\*EXHAUST POINT INFORMATION

64. FLOW DIAGRAM DESIGNATION(S) OF EXHAUST POINT:

65. DESCRIPTION OF EXHAUST POINT (LOCATION IN RELATION TO BUILDINGS, DIRECTION, HOODING, ETC.):

66. EXIT HEIGHT ABOVE GRADE:

67. EXIT DIAMETER:

68. GREATEST HEIGHT OF NEARBY BUILDINGS:

69. EXIT DISTANCE FROM NEAREST PLANT BOUNDARY:

## AVERAGE OPERATION

## MAXIMUM OPERATION

70. EXIT GAS TEMPERATURE:

°F

72. EXIT GAS TEMPERATURE:

°F

71. GAS FLOW RATE THROUGH EACH EXIT:

ACFM

73. GAS FLOW RATE THROUGH EACH EXIT:

ACFM

\*\*\*THIS SECTION SHOULD NOT BE COMPLETED IF EMISSIONS ARE EXHAUSTED THROUGH AIR POLLUTION CONTROL EQUIPMENT.