



Illinois

Environmental Protection Agency

Water System Name: _____

Water System Number: _____

Analysis Report Form

-Water System Section-

Water System Name: _____

Water System Number: _____

Collection Date (MMDDYYYY): _____

Collection Time: _____

If Composite Sample, List Sample Numbers and Collection Dates of Individual Samples Used to Composite

1. # _____	2. # _____	3. # _____	4. # _____
Date / /	Date / /	Date / /	Date / /

Sample Collector Name Telephone No.: _____

Sample Purpose (Circle One): **Routine (RT)** **Repeat (RP)** **Special (SP)**Sample Type (Circle One): **Finished (FN)** **Raw (RW)**

-Sampling Point Section-

WSF State Asgn ID: _____ / Descript.: _____

Sampling Point: _____ / Descript.: _____

- Required Sampling at Sample Point _____ -

Analyte Group Code: **RADs Without Uranium**

Analyte	Analyte Code	Method Code*	Required Detection Limit	Concentration pCi/L
RADIUM, COMBINED (226, 228)	4010			
RADIUM-226	4020			
RADIUM-228	4030			
GROSS ALPHA PARTICLE ACTIVITY, T	4109			



Illinois
Environmental Protection Agency

Water System Name: _____

Water System Number: _____

-Laboratory Section-

Laboratory State ID Number: _____

Laboratory Name: _____

Lab Sample Number: _____

Date Lab Rcpt.: _____

Complete Date: _____

Complete Time: _____

Comments (Data Quality Issues): _____

Mail Results to: **Illinois Environmental Protection Agency**
 Drinking Water Compliance Unit, Mailstop #19
 2520 West Iles Avenue, P.O. 19276
 Springfield, IL 62704-9276

Questions Call: (217) 785-0561

Fax: (217) 557-1407

Signature of Analyst or Official _____

Date Forwarded _____

*** See List of Permitted Values**

This Agency is authorized to require this information under Illinois Revised Statutes, 1987, Chapter 111 1/2, Section 1004(H). Disclosure of this information is required. Failure to do so may result in a civil penalty up to \$10,000.00 and an additional civil penalty up to \$1,000.00 for each day the failure continues. a fine up to \$1,000.00 and imprisonment up to one year. This form has been approved by the Forms Management Center.