

Illinois Environmental Protection Agency

2520 West Iles Avenue • P.O. Box 19276 • Springfield • Illinois • 62794-9276 • (217) 782-3397

Daily Operating Log for Calculated Dose Approach

Repor	ting Period:					Max Design Flowrate: Minimum Design Flowrate:					
Reporting Period:						Minimum Design Flowrate:					
PWSII	D:				Target Pathogen:						
UV Re					Dose Required:						
Operational Data		Dose Requirements									
Day	Run Time (hrs)	Total Production (MG)		Sensor Correction Factor	Calculated Dose (mJ/cm^2)	Daily Minimum Validated Dose (mJ/cm^2)	Flow Rate (MGD)	UVT (%)	Is Validated Dose > Dose required	Total Off-Specification Volume (MG)	
1											
2											
3											
4											
5											
6											
7											
8											
9											
10											
11											
12											
13											
14											
15											

Total Pro (MG)	oduction	D required (mJ/cm^2)	Sensor Correction Factor	Calculated Dose (mJ/cm^2)	Daily Minimum Validated Dose	Flow Rate (MGD)	UVT (%)	Is Validated	Total Off-Specification
					(mJ/cm^2)	(IVIGD)		Dose > Dose required	Volume (MG)
	ature.	ature:	ature:	ature:	ature:	ature: Date:	ature:	ature:	

Felony Warning: Any person who knowingly makes false, fictitious, or fraudulent material statement, orally or in writing, to the Illinois EPA commits a Class 4 felony. A second or subsequent offense after conviction is a Class 3 felony (415 ILCS 5/44 (h)).

This Agency is authorized to require this information under 415 ILCS 5. Failure to disclose this information may result in a civil penalty of not to exceed \$50,000 for the violation and an additional civil penalty of not to exceed \$10,000 for each day during which the violation continues (415 ILCS 5/42). This has been approved by the Forms Management Center.