



## Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

### LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: 2010355004 Date Received : 07/22/21

Funding Code: CS29 B50 Temperature C: 6.00

Client Sample ID: **G208** Lab Sample ID: **21G0917-01**

Matrix: Water Collected By: JW Date/Time Collected: 07/22/21 10:30

### Volatile Organic Compounds by GC/MS

Method: 524.3 Prepared: 07/23/21 08:00

Units: ug/L Analyzed: 07/23/21 12:39

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
1,1,1-Trichloroethane	< 0.50		0.50
1,1,2-Trichloroethane	< 0.50		0.50
1,1-Dichloroethene	< 0.50		0.50
1,2,4-Trichlorobenzene	< 0.50		0.50
1,2-Dichlorobenzene	< 0.50		0.50
1,2-Dichloroethane	< 0.50		0.50
1,2-Dichloropropane	< 0.50		0.50
1,4-Dichlorobenzene	< 0.50		0.50
Benzene	< 0.50		0.50
Carbon tetrachloride	< 0.50		0.50
Chlorobenzene	< 0.50		0.50
cis-1,2-Dichloroethene	< 0.50		0.50
Ethylbenzene	< 0.50		0.50
Methyl tert-butyl ether	< 0.50		0.50
Methylene chloride	< 0.50		0.50
Styrene	< 0.50		0.50
Tetrachloroethene	< 0.50		0.50
Toluene	< 0.50		0.50
trans-1,2-Dichloroethene	< 0.50		0.50
Trichloroethene	< 0.50		0.50
Vinyl chloride	< 0.50		0.50
Xylenes, total	< 0.50		0.50

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.*

**Reported:**  
07/29/21 14:53  
Page 1 of 35



## Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

### LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: 2010355004 Date Received : 07/22/21

Funding Code: CS29 B50 Temperature C: 6.00

Client Sample ID: **G208** Lab Sample ID: **21G0917-01**

Matrix: Water Collected By: JW Date/Time Collected: 07/22/21 10:30

### **Volatiles Organic Compounds by Purge and Trap GC/MS**

Method: 8260 Prepared: 07/26/21 08:00

Units: ug/L Analyzed: 07/26/21 16:18

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
1,1,1,2-Tetrachloroethane	< 2.0		2.0
1,1,1-Trichloroethane	< 2.0		2.0
1,1,2,2-Tetrachloroethane	< 2.0		2.0
1,1,2-Trichloroethane	< 2.0		2.0
1,1-Dichloroethane	< 2.0		2.0
1,1-Dichloroethene	< 2.0		2.0
1,1-Dichloropropene	< 2.0		2.0
1,2,3-Trichloropropane	< 2.0		2.0
1,2-Dibromoethane	< 2.0		2.0
1,2-Dichloroethane	< 2.0		2.0
1,2-Dichloropropane	< 2.0		2.0
1,3-Dichloropropane	< 2.0		2.0
2,2-Dichloropropane	< 2.0		2.0
2-Butanone (MEK)	< 10		10
2-Hexanone (MBK)	< 5.0		5.0
4-Methyl-2-pentanone (MIBK)	< 10		10
Acetone	< 10		10
Benzene	< 2.0		2.0
Bromobenzene	< 2.0		2.0
Bromochloromethane	< 2.0		2.0
Bromodichloromethane	< 2.0		2.0
Bromoform	< 5.0		5.0
Bromomethane	< 5.0	O1	5.0

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.*

**Reported:**  
07/29/21 14:53  
Page 2 of 35



## Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

### LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: 2010355004 Date Received : 07/22/21

Funding Code: CS29 B50 Temperature C: 6.00

Client Sample ID: **G208** Lab Sample ID: **21G0917-01**

Matrix: Water Collected By: JW Date/Time Collected: 07/22/21 10:30

### **Volatiles Organic Compounds by Purge and Trap GC/MS**

Method: 8260 Prepared: 07/26/21 08:00

Units: ug/L Analyzed: 07/26/21 16:18

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
Carbon disulfide	< 2.0		2.0
Carbon tetrachloride	< 2.0		2.0
Chlorobenzene	< 2.0		2.0
Chloroethane	< 2.0		2.0
Chloroform	< 2.0		2.0
Chloromethane	< 2.0		2.0
cis-1,2-Dichloroethene	< 2.0		2.0
cis-1,3-Dichloropropene	< 2.0		2.0
Dibromochloromethane	< 5.0		5.0
Dibromomethane	< 2.0		2.0
Ethylbenzene	< 2.0		2.0
Isopropylbenzene	< 2.0		2.0
Methyl tert-butyl ether	< 2.0		2.0
Methylene chloride	< 5.0		5.0
Styrene	< 2.0		2.0
Tetrachloroethene	< 2.0		2.0
Toluene	< 2.0		2.0
trans-1,2-Dichloroethene	< 2.0		2.0
trans-1,3-Dichloropropene	< 5.0		5.0
Trichloroethene	< 2.0		2.0
Trichlorofluoromethane	< 2.0		2.0
Vinyl chloride	< 2.0		2.0
Xylenes, total	< 2.0		2.0

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.*

**Reported:**  
07/29/21 14:53  
Page 3 of 35



## Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

### LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: 2010355004 Date Received : 07/22/21

Funding Code: CS29 B50 Temperature C: 6.00

Client Sample ID: **G208** Lab Sample ID: **21G0917-01**

Matrix: Water Collected By: JW Date/Time Collected: 07/22/21 10:30

### Semivolatiles by GC/MS

Method: 8270 Prepared: 07/23/21 10:52

Units: ug/L Analyzed: 07/26/21 11:36

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
1,2,4,5-Tetrachlorobenzene	< 1.5		1.5
1,2,4-Trichlorobenzene	< 1.5		1.5
1,2-Dichlorobenzene	< 1.5		1.5
1,2-Dinitrobenzene	< 1.5		1.5
1,3-Dichlorobenzene	< 1.5		1.5
1,3-Dinitrobenzene	< 5.0		5.0
1,4-Dichlorobenzene	< 1.5		1.5
1,4-Dinitrobenzene	< 5.0		5.0
1-Chloronaphthalene	< 1.5		1.5
1-Naphthylamine	< 5.0		5.0
2,2-Oxybis(1-chloropropane)	< 1.5		1.5
2,3,4,6-Tetrachlorophenol	< 1.5		1.5
2,4,5-Trichlorophenol	< 1.5		1.5
2,4,6-Trichlorophenol	< 1.5		1.5
2,4-Dichlorophenol	< 1.5		1.5
2,4-Dimethylphenol	< 1.5		1.5
2,4-Dinitrophenol	< 7.5		7.5
2,4-Dinitrotoluene	< 5.0		5.0
2,6-Dichlorophenol	< 1.5		1.5
2,6-Dinitrotoluene	< 1.5		1.5
2-Chloronaphthalene	< 1.5		1.5
2-Chlorophenol	< 1.5		1.5
2-Methylnaphthalene	< 1.5		1.5

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.*

**Reported:**  
07/29/21 14:53  
Page 4 of 35



## Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

### LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: 2010355004 Date Received : 07/22/21

Funding Code: CS29 B50 Temperature C: 6.00

Client Sample ID: **G208** Lab Sample ID: **21G0917-01**

Matrix: Water Collected By: JW Date/Time Collected: 07/22/21 10:30

### **Semivolatiles by GC/MS**

Method: 8270 Prepared: 07/23/21 10:52

Units: ug/L Analyzed: 07/26/21 11:36

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
2-Methylphenol	< 1.5		1.5
2-Naphthylamine	< 5.0		5.0
2-Nitroaniline	< 1.5		1.5
2-Nitrophenol	< 5.0		5.0
2-Picoline	< 1.5		1.5
3,3-Dichlorobenzidine	< 1.5		1.5
3-Nitroaniline	< 1.5		1.5
4,6-Dinitro-2-methylphenol	< 5.0		5.0
4-Bromophenyl phenyl ether	< 1.5		1.5
4-Chloro-3-methylphenol	< 1.5		1.5
4-Chloroaniline	< 1.5		1.5
4-Chlorophenyl phenyl ether	< 1.5		1.5
4-Methylphenol	< 1.5		1.5
4-Nitroaniline	< 1.5		1.5
4-Nitrobiphenyl	< 5.0		5.0
4-Nitrophenol	< 5.0		5.0
5-Nitroacenaphthene	< 5.0		5.0
7,12-Dimethylbenzo(a)anthracene	< 5.0		5.0
Acenaphthene	< 1.5		1.5
Acenaphthylene	< 1.5		1.5
Acetophenone	< 1.5		1.5
Anthracene	< 1.5		1.5
Azobenzene	< 1.5		1.5

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.*

**Reported:**  
07/29/21 14:53  
Page 5 of 35



## Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

### LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: 2010355004 Date Received : 07/22/21

Funding Code: CS29 B50 Temperature C: 6.00

Client Sample ID: **G208** Lab Sample ID: **21G0917-01**

Matrix: Water Collected By: JW Date/Time Collected: 07/22/21 10:30

### Semivolatiles by GC/MS

Method: 8270 Prepared: 07/23/21 10:52

Units: ug/L Analyzed: 07/26/21 11:36

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
Benzo(a)anthracene	< 1.5		1.5
Benzo(a)pyrene	< 1.5		1.5
Benzo(b)fluoranthene	< 1.5		1.5
Benzo(ghi)perylene	< 5.0		5.0
Benzo(k)fluoranthene	< 1.5		1.5
Bis(2-chloroethoxy)methane	< 1.5		1.5
Bis(2-chloroethyl)ether	< 1.5		1.5
Bis(2-ethylhexyl)phthalate	< 5.0		5.0
Butyl benzyl phthalate	< 5.0		5.0
Carbazole	< 1.5		1.5
Chrysene	< 1.5		1.5
Dibenzo(a,h)anthracene	< 5.0		5.0
Dibenzofuran	< 1.5		1.5
Diethylphthalate	< 1.5		1.5
Dimethylphthalate	< 1.5		1.5
Di-n-butylphthalate	< 1.5		1.5
Di-n-octylphthalate	< 5.0		5.0
Diphenylamine	< 1.5		1.5
Ethyl methanesulfonate	< 1.5		1.5
Fluoranthene	< 1.5		1.5
Fluorene	< 1.5		1.5
Hexachlorobenzene	< 1.5		1.5
Hexachlorobutadiene	< 1.5		1.5

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.*

**Reported:**  
07/29/21 14:53  
Page 6 of 35



## Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

### LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: 2010355004 Date Received : 07/22/21

Funding Code: CS29 B50 Temperature C: 6.00

Client Sample ID: **G208** Lab Sample ID: **21G0917-01**

Matrix: Water Collected By: JW Date/Time Collected: 07/22/21 10:30

### Semivolatiles by GC/MS

Method: 8270 Prepared: 07/23/21 10:52

Units: ug/L Analyzed: 07/26/21 11:36

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
Hexachlorocyclopentadiene	< 1.5		1.5
Hexachloroethane	< 1.5		1.5
Hexachloropropene	< 1.5		1.5
Indeno(1,2,3-cd)pyrene	< 5.0		5.0
Isodrin	< 1.5		1.5
Isophorone	< 1.5		1.5
Isosafrole	< 1.5		1.5
Mestranol	< 5.0		5.0
Methyl methanesulfonate	< 1.5		1.5
Naphthalene	< 1.5		1.5
Nitrobenzene	< 1.5		1.5
N-Nitrosodi-n-butylamine	< 1.5		1.5
N-Nitrosodi-n-propylamine	< 1.5		1.5
N-Nitrosopiperidine	< 1.5		1.5
p-Dimethylaminoazobenzene	< 1.5		1.5
Pentachlorobenzene	< 1.5		1.5
Pentachloronitrobenzene	< 1.5		1.5
Pentachlorophenol	< 5.0		5.0
Phenacetin	< 1.5		1.5
Phenanthrene	< 1.5		1.5
Phenol	< 1.5		1.5
Pronamide	< 1.5		1.5
Pyrene	< 1.5		1.5

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.*

**Reported:**  
07/29/21 14:53  
Page 7 of 35



## Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

### LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: 2010355004 Date Received : 07/22/21

Funding Code: CS29 B50 Temperature C: 6.00

Client Sample ID: **G208** Lab Sample ID: **21G0917-01**

Matrix: Water Collected By: JW Date/Time Collected: 07/22/21 10:30

#### **Semivolatiles by GC/MS**

Method: 8270 Prepared: 07/23/21 10:52

Units: ug/L Analyzed: 07/26/21 11:36

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
Pyridine	< 1.5		1.5
Safrole	< 1.5		1.5

#### **Hexavalent Chromium**

Method: 218.6 Prepared: 07/22/21 15:30

Units: ug/L Analyzed: 07/22/21 15:30

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
Hexavalent Chromium	< 50.0		50.0

#### **Mercury by EPA Method 245.1**

Method: 245.1 Prepared: 07/26/21 15:25

Units: ug/L Analyzed: 07/27/21 10:00

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
Mercury	< 0.06		0.06

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.*

**Reported:**  
07/29/21 14:53  
Page 8 of 35





## Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

### LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: 2010355004 Date Received : 07/22/21

Funding Code: CS29 B50 Temperature C: 6.00

Client Sample ID: **G208** Lab Sample ID: **21G0917-01**

Matrix: Water Collected By: JW Date/Time Collected: 07/22/21 10:30

#### **Metals (Digested Drinking Water) by EPA 200 Series Methods ICP**

Method: 200.7 Prepared: 07/26/21 07:47

Units: ug/L Analyzed: 07/26/21 10:54

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
<b>Boron</b>	<b>56.4</b>		25.0
Calcium	< 300		300
Hardness	< 1980		1980
Iron	< 200		200
Magnesium	< 300		300
Potassium	< 1400		1400
<b>Silica</b>	<b>14000</b>		2500
<b>Sodium</b>	<b>219000</b>		1000
Strontium	< 10.0		10.0

#### **Metals by EPA 200 Series Methods ICP/MS**

Method: 200.8 Prepared: 07/28/21 11:20

Units: ug/L Analyzed: 07/28/21 15:35

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
Aluminum	< 100		100
Antimony	< 2.00		2.00
Arsenic	< 1.00		1.00
Barium	< 5.00		5.00
Beryllium	< 1.00		1.00
Cadmium	< 3.00		3.00
Chromium	< 5.00		5.00

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.*

**Reported:**  
07/29/21 14:53  
Page 9 of 35



## Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

### LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: 2010355004 Date Received : 07/22/21

Funding Code: CS29 B50 Temperature C: 6.00

Client Sample ID: **G208** Lab Sample ID: **21G0917-01**

Matrix: Water Collected By: JW Date/Time Collected: 07/22/21 10:30

### **Metals by EPA 200 Series Methods ICP/MS**

Method: 200.8 Prepared: 07/28/21 11:20

Units: ug/L Analyzed: 07/28/21 15:35

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
Cobalt	< 10.0		10.0
Copper	< 100		100
Lead	< 5.00		5.00
Manganese	< 15.0		15.0
Molybdenum	< 20.0		20.0
Nickel	< 25.0		25.0
Selenium	< 2.00		2.00
Silver	< 10.0		10.0
Thallium	< 2.00		2.00
Vanadium	< 5.00		5.00
Zinc	< 100		100

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.*

**Reported:**  
07/29/21 14:53  
Page 10 of 35



## Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

### LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: 2010355004 Date Received : 07/22/21

Funding Code: CS29 B50 Temperature C: 6.00

Client Sample ID: **G228** Lab Sample ID: **21G0917-02**

Matrix: Water Collected By: JW Date/Time Collected: 07/22/21 10:30

### Volatile Organic Compounds by GC/MS

Method: 524.3 Prepared: 07/23/21 08:00

Units: ug/L Analyzed: 07/23/21 13:16

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
1,1,1-Trichloroethane	< 0.50		0.50
1,1,2-Trichloroethane	< 0.50		0.50
1,1-Dichloroethene	< 0.50		0.50
1,2,4-Trichlorobenzene	< 0.50		0.50
1,2-Dichlorobenzene	< 0.50		0.50
1,2-Dichloroethane	< 0.50		0.50
1,2-Dichloropropane	< 0.50		0.50
1,4-Dichlorobenzene	< 0.50		0.50
Benzene	< 0.50		0.50
Carbon tetrachloride	< 0.50		0.50
Chlorobenzene	< 0.50		0.50
cis-1,2-Dichloroethene	< 0.50		0.50
Ethylbenzene	< 0.50		0.50
Methyl tert-butyl ether	< 0.50		0.50
Methylene chloride	< 0.50		0.50
Styrene	< 0.50		0.50
<b>Tetrachloroethene</b>	<b>0.58</b>		0.50
Toluene	< 0.50		0.50
trans-1,2-Dichloroethene	< 0.50		0.50
Trichloroethene	< 0.50		0.50
Vinyl chloride	< 0.50		0.50
Xylenes, total	< 0.50		0.50

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.*

**Reported:**  
07/29/21 14:53  
Page 11 of 35



## Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

### LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: 2010355004 Date Received : 07/22/21

Funding Code: CS29 B50 Temperature C: 6.00

Client Sample ID: **G228** Lab Sample ID: **21G0917-02**

Matrix: Water Collected By: JW Date/Time Collected: 07/22/21 10:30

### **Volatiles Organic Compounds by Purge and Trap GC/MS**

Method: 8260 Prepared: 07/26/21 08:00

Units: ug/L Analyzed: 07/26/21 16:41

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
1,1,1,2-Tetrachloroethane	< 2.0		2.0
1,1,1-Trichloroethane	< 2.0		2.0
1,1,2,2-Tetrachloroethane	< 2.0		2.0
1,1,2-Trichloroethane	< 2.0		2.0
1,1-Dichloroethane	< 2.0		2.0
1,1-Dichloroethene	< 2.0		2.0
1,1-Dichloropropene	< 2.0		2.0
1,2,3-Trichloropropane	< 2.0		2.0
1,2-Dibromoethane	< 2.0		2.0
1,2-Dichloroethane	< 2.0		2.0
1,2-Dichloropropane	< 2.0		2.0
1,3-Dichloropropane	< 2.0		2.0
2,2-Dichloropropane	< 2.0		2.0
2-Butanone (MEK)	< 10		10
2-Hexanone (MBK)	< 5.0		5.0
4-Methyl-2-pentanone (MIBK)	< 10		10
Acetone	< 10		10
Benzene	< 2.0		2.0
Bromobenzene	< 2.0		2.0
Bromochloromethane	< 2.0		2.0
Bromodichloromethane	< 2.0		2.0
Bromoform	< 5.0		5.0
Bromomethane	< 5.0	O1	5.0

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.*

**Reported:**  
07/29/21 14:53  
Page 12 of 35



## Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

### LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: 2010355004 Date Received : 07/22/21

Funding Code: CS29 B50 Temperature C: 6.00

Client Sample ID: **G228** Lab Sample ID: **21G0917-02**

Matrix: Water Collected By: JW Date/Time Collected: 07/22/21 10:30

### **Volatiles Organic Compounds by Purge and Trap GC/MS**

Method: 8260 Prepared: 07/26/21 08:00

Units: ug/L Analyzed: 07/26/21 16:41

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
Carbon disulfide	< 2.0		2.0
Carbon tetrachloride	< 2.0		2.0
Chlorobenzene	< 2.0		2.0
Chloroethane	< 2.0		2.0
Chloroform	< 2.0		2.0
Chloromethane	< 2.0		2.0
cis-1,2-Dichloroethene	< 2.0		2.0
cis-1,3-Dichloropropene	< 2.0		2.0
Dibromochloromethane	< 5.0		5.0
Dibromomethane	< 2.0		2.0
Ethylbenzene	< 2.0		2.0
Isopropylbenzene	< 2.0		2.0
Methyl tert-butyl ether	< 2.0		2.0
Methylene chloride	< 5.0		5.0
Styrene	< 2.0		2.0
Tetrachloroethene	< 2.0		2.0
Toluene	< 2.0		2.0
trans-1,2-Dichloroethene	< 2.0		2.0
trans-1,3-Dichloropropene	< 5.0		5.0
Trichloroethene	< 2.0		2.0
Trichlorofluoromethane	< 2.0		2.0
Vinyl chloride	< 2.0		2.0
Xylenes, total	< 2.0		2.0

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.*

**Reported:**  
07/29/21 14:53  
Page 13 of 35



## Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

### LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: 2010355004 Date Received : 07/22/21

Funding Code: CS29 B50 Temperature C: 6.00

Client Sample ID: **G228** Lab Sample ID: **21G0917-02**

Matrix: Water Collected By: JW Date/Time Collected: 07/22/21 10:30

### Semivolatiles by GC/MS

Method: 8270 Prepared: 07/23/21 10:52

Units: ug/L Analyzed: 07/26/21 12:10

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
1,2,4,5-Tetrachlorobenzene	< 1.5		1.5
1,2,4-Trichlorobenzene	< 1.5		1.5
1,2-Dichlorobenzene	< 1.5		1.5
1,2-Dinitrobenzene	< 1.5		1.5
1,3-Dichlorobenzene	< 1.5		1.5
1,3-Dinitrobenzene	< 5.0		5.0
1,4-Dichlorobenzene	< 1.5		1.5
1,4-Dinitrobenzene	< 5.0		5.0
1-Chloronaphthalene	< 1.5		1.5
1-Naphthylamine	< 5.0		5.0
2,2-Oxybis(1-chloropropane)	< 1.5		1.5
2,3,4,6-Tetrachlorophenol	< 1.5		1.5
2,4,5-Trichlorophenol	< 1.5		1.5
2,4,6-Trichlorophenol	< 1.5		1.5
2,4-Dichlorophenol	< 1.5		1.5
2,4-Dimethylphenol	< 1.5		1.5
2,4-Dinitrophenol	< 7.5		7.5
2,4-Dinitrotoluene	< 5.0		5.0
2,6-Dichlorophenol	< 1.5		1.5
2,6-Dinitrotoluene	< 1.5		1.5
2-Chloronaphthalene	< 1.5		1.5
2-Chlorophenol	< 1.5		1.5
2-Methylnaphthalene	< 1.5		1.5

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.*

**Reported:**  
07/29/21 14:53  
Page 14 of 35



## Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

### LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: 2010355004 Date Received : 07/22/21

Funding Code: CS29 B50 Temperature C: 6.00

Client Sample ID: **G228** Lab Sample ID: **21G0917-02**

Matrix: Water Collected By: JW Date/Time Collected: 07/22/21 10:30

### Semivolatiles by GC/MS

Method: 8270 Prepared: 07/23/21 10:52

Units: ug/L Analyzed: 07/26/21 12:10

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
2-Methylphenol	< 1.5		1.5
2-Naphthylamine	< 5.0		5.0
2-Nitroaniline	< 1.5		1.5
2-Nitrophenol	< 5.0		5.0
2-Picoline	< 1.5		1.5
3,3-Dichlorobenzidine	< 1.5		1.5
3-Nitroaniline	< 1.5		1.5
4,6-Dinitro-2-methylphenol	< 5.0		5.0
4-Bromophenyl phenyl ether	< 1.5		1.5
4-Chloro-3-methylphenol	< 1.5		1.5
4-Chloroaniline	< 1.5		1.5
4-Chlorophenyl phenyl ether	< 1.5		1.5
4-Methylphenol	< 1.5		1.5
4-Nitroaniline	< 1.5		1.5
4-Nitrobiphenyl	< 5.0		5.0
4-Nitrophenol	< 5.0		5.0
5-Nitroacenaphthene	< 5.0		5.0
7,12-Dimethylbenzo(a)anthracene	< 5.0		5.0
Acenaphthene	< 1.5		1.5
Acenaphthylene	< 1.5		1.5
Acetophenone	< 1.5		1.5
Anthracene	< 1.5		1.5
Azobenzene	< 1.5		1.5

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.*

**Reported:**  
07/29/21 14:53  
Page 15 of 35



## Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

### LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: 2010355004 Date Received : 07/22/21

Funding Code: CS29 B50 Temperature C: 6.00

Client Sample ID: **G228** Lab Sample ID: **21G0917-02**

Matrix: Water Collected By: JW Date/Time Collected: 07/22/21 10:30

### Semivolatiles by GC/MS

Method: 8270 Prepared: 07/23/21 10:52

Units: ug/L Analyzed: 07/26/21 12:10

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
Benzo(a)anthracene	< 1.5		1.5
Benzo(a)pyrene	< 1.5		1.5
Benzo(b)fluoranthene	< 1.5		1.5
Benzo(ghi)perylene	< 5.0		5.0
Benzo(k)fluoranthene	< 1.5		1.5
Bis(2-chloroethoxy)methane	< 1.5		1.5
Bis(2-chloroethyl)ether	< 1.5		1.5
Bis(2-ethylhexyl)phthalate	< 5.0		5.0
Butyl benzyl phthalate	< 5.0		5.0
Carbazole	< 1.5		1.5
Chrysene	< 1.5		1.5
Dibenzo(a,h)anthracene	< 5.0		5.0
Dibenzofuran	< 1.5		1.5
Diethylphthalate	< 1.5		1.5
Dimethylphthalate	< 1.5		1.5
Di-n-butylphthalate	< 1.5		1.5
Di-n-octylphthalate	< 5.0		5.0
Diphenylamine	< 1.5		1.5
Ethyl methanesulfonate	< 1.5		1.5
Fluoranthene	< 1.5		1.5
Fluorene	< 1.5		1.5
Hexachlorobenzene	< 1.5		1.5
Hexachlorobutadiene	< 1.5		1.5

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.*

**Reported:**  
07/29/21 14:53  
Page 16 of 35





## Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

### LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: 2010355004 Date Received : 07/22/21

Funding Code: CS29 B50 Temperature C: 6.00

Client Sample ID: **G228** Lab Sample ID: **21G0917-02**

Matrix: Water Collected By: JW Date/Time Collected: 07/22/21 10:30

### Semivolatiles by GC/MS

Method: 8270 Prepared: 07/23/21 10:52

Units: ug/L Analyzed: 07/26/21 12:10

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
Hexachlorocyclopentadiene	< 1.5		1.5
Hexachloroethane	< 1.5		1.5
Hexachloropropene	< 1.5		1.5
Indeno(1,2,3-cd)pyrene	< 5.0		5.0
Isodrin	< 1.5		1.5
Isophorone	< 1.5		1.5
Isosafrole	< 1.5		1.5
Mestranol	< 5.0		5.0
Methyl methanesulfonate	< 1.5		1.5
Naphthalene	< 1.5		1.5
Nitrobenzene	< 1.5		1.5
N-Nitrosodi-n-butylamine	< 1.5		1.5
N-Nitrosodi-n-propylamine	< 1.5		1.5
N-Nitrosopiperidine	< 1.5		1.5
p-Dimethylaminoazobenzene	< 1.5		1.5
Pentachlorobenzene	< 1.5		1.5
Pentachloronitrobenzene	< 1.5		1.5
Pentachlorophenol	< 5.0		5.0
Phenacetin	< 1.5		1.5
Phenanthrene	< 1.5		1.5
Phenol	< 1.5		1.5
Pronamide	< 1.5		1.5
Pyrene	< 1.5		1.5

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.*

**Reported:**  
07/29/21 14:53  
Page 17 of 35



## Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

### LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: 2010355004 Date Received : 07/22/21

Funding Code: CS29 B50 Temperature C: 6.00

Client Sample ID: **G228** Lab Sample ID: **21G0917-02**

Matrix: Water Collected By: JW Date/Time Collected: 07/22/21 10:30

#### **Semivolatiles by GC/MS**

Method: 8270 Prepared: 07/23/21 10:52

Units: ug/L Analyzed: 07/26/21 12:10

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
Pyridine	< 1.5		1.5
Safrole	< 1.5		1.5

#### **Hexavalent Chromium**

Method: 218.6 Prepared: 07/22/21 15:30

Units: ug/L Analyzed: 07/22/21 15:30

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
Hexavalent Chromium	< 50.0		50.0

#### **Mercury by EPA Method 245.1**

Method: 245.1 Prepared: 07/26/21 15:25

Units: ug/L Analyzed: 07/27/21 10:02

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
Mercury	< 0.06		0.06

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.*

**Reported:**  
07/29/21 14:53  
Page 18 of 35



## Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

### LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: 2010355004 Date Received : 07/22/21

Funding Code: CS29 B50 Temperature C: 6.00

Client Sample ID: **G228** Lab Sample ID: **21G0917-02**

Matrix: Water Collected By: JW Date/Time Collected: 07/22/21 10:30

#### **Metals (Digested Drinking Water) by EPA 200 Series Methods ICP**

Method: 200.7 Prepared: 07/26/21 07:47

Units: ug/L Analyzed: 07/26/21 10:57

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
<b>Boron</b>	<b>54.9</b>		25.0
Calcium	< 300		300
Hardness	< 1980		1980
Iron	< 200		200
Magnesium	< 300		300
Potassium	< 1400		1400
<b>Silica</b>	<b>14400</b>		2500
<b>Sodium</b>	<b>222000</b>		1000
Strontium	< 10.0		10.0

#### **Metals by EPA 200 Series Methods ICP/MS**

Method: 200.8 Prepared: 07/28/21 11:20

Units: ug/L Analyzed: 07/28/21 15:39

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
Aluminum	< 100		100
Antimony	< 2.00		2.00
Arsenic	< 1.00		1.00
Barium	< 5.00		5.00
Beryllium	< 1.00		1.00
Cadmium	< 3.00		3.00
Chromium	< 5.00		5.00

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.*

**Reported:**  
07/29/21 14:53  
Page 19 of 35



## Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

### LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: 2010355004 Date Received : 07/22/21

Funding Code: CS29 B50 Temperature C: 6.00

Client Sample ID: **G228** Lab Sample ID: **21G0917-02**

Matrix: Water Collected By: JW Date/Time Collected: 07/22/21 10:30

### **Metals by EPA 200 Series Methods ICP/MS**

Method: 200.8 Prepared: 07/28/21 11:20

Units: ug/L Analyzed: 07/28/21 15:39

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
Cobalt	< 10.0		10.0
Copper	< 100		100
Lead	< 5.00		5.00
Manganese	< 15.0		15.0
Molybdenum	< 20.0		20.0
Nickel	< 25.0		25.0
Selenium	< 2.00		2.00
Silver	< 10.0		10.0
Thallium	< 2.00		2.00
Vanadium	< 5.00		5.00
Zinc	< 100		100

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.*

**Reported:**  
07/29/21 14:53  
Page 20 of 35



## Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

### LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: 2010355004 Date Received : 07/22/21

Funding Code: CS29 B50 Temperature C: 6.00

Client Sample ID: **G211** Lab Sample ID: **21G0917-03**

Matrix: Water Collected By: JW Date/Time Collected: 07/22/21 11:30

### Volatile Organic Compounds by GC/MS

Method: 524.3 Prepared: 07/23/21 08:00

Units: ug/L Analyzed: 07/23/21 13:39

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
1,1,1-Trichloroethane	< 0.50		0.50
1,1,2-Trichloroethane	< 0.50		0.50
1,1-Dichloroethene	< 0.50		0.50
1,2,4-Trichlorobenzene	< 0.50		0.50
1,2-Dichlorobenzene	< 0.50		0.50
1,2-Dichloroethane	< 0.50		0.50
1,2-Dichloropropane	< 0.50		0.50
1,4-Dichlorobenzene	< 0.50		0.50
Benzene	< 0.50		0.50
Carbon tetrachloride	< 0.50		0.50
Chlorobenzene	< 0.50		0.50
cis-1,2-Dichloroethene	< 0.50		0.50
Ethylbenzene	< 0.50		0.50
Methyl tert-butyl ether	< 0.50		0.50
Methylene chloride	< 0.50		0.50
Styrene	< 0.50		0.50
Tetrachloroethene	< 0.50		0.50
Toluene	< 0.50		0.50
trans-1,2-Dichloroethene	< 0.50		0.50
Trichloroethene	< 0.50		0.50
Vinyl chloride	< 0.50		0.50
Xylenes, total	< 0.50		0.50

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.*

**Reported:**  
07/29/21 14:53  
Page 21 of 35



## Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

### LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: 2010355004 Date Received : 07/22/21

Funding Code: CS29 B50 Temperature C: 6.00

Client Sample ID: **G211** Lab Sample ID: **21G0917-03**

Matrix: Water Collected By: JW Date/Time Collected: 07/22/21 11:30

### **Volatiles Organic Compounds by Purge and Trap GC/MS**

Method: 8260 Prepared: 07/26/21 08:00

Units: ug/L Analyzed: 07/26/21 17:04

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
1,1,1,2-Tetrachloroethane	< 2.0		2.0
1,1,1-Trichloroethane	< 2.0		2.0
1,1,2,2-Tetrachloroethane	< 2.0		2.0
1,1,2-Trichloroethane	< 2.0		2.0
1,1-Dichloroethane	< 2.0		2.0
1,1-Dichloroethene	< 2.0		2.0
1,1-Dichloropropene	< 2.0		2.0
1,2,3-Trichloropropane	< 2.0		2.0
1,2-Dibromoethane	< 2.0		2.0
1,2-Dichloroethane	< 2.0		2.0
1,2-Dichloropropane	< 2.0		2.0
1,3-Dichloropropane	< 2.0		2.0
2,2-Dichloropropane	< 2.0		2.0
2-Butanone (MEK)	< 10		10
2-Hexanone (MBK)	< 5.0		5.0
4-Methyl-2-pentanone (MIBK)	< 10		10
Acetone	< 10		10
Benzene	< 2.0		2.0
Bromobenzene	< 2.0		2.0
Bromochloromethane	< 2.0		2.0
Bromodichloromethane	< 2.0		2.0
Bromoform	< 5.0		5.0
Bromomethane	< 5.0	O1	5.0

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.*

**Reported:**  
07/29/21 14:53  
Page 22 of 35



## Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

### LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: 2010355004 Date Received : 07/22/21

Funding Code: CS29 B50 Temperature C: 6.00

Client Sample ID: **G211** Lab Sample ID: **21G0917-03**

Matrix: Water Collected By: JW Date/Time Collected: 07/22/21 11:30

### **Volatiles Organic Compounds by Purge and Trap GC/MS**

Method: 8260 Prepared: 07/26/21 08:00

Units: ug/L Analyzed: 07/26/21 17:04

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
Carbon disulfide	< 2.0		2.0
Carbon tetrachloride	< 2.0		2.0
Chlorobenzene	< 2.0		2.0
Chloroethane	< 2.0		2.0
Chloroform	< 2.0		2.0
Chloromethane	< 2.0		2.0
cis-1,2-Dichloroethene	< 2.0		2.0
cis-1,3-Dichloropropene	< 2.0		2.0
Dibromochloromethane	< 5.0		5.0
Dibromomethane	< 2.0		2.0
Ethylbenzene	< 2.0		2.0
Isopropylbenzene	< 2.0		2.0
Methyl tert-butyl ether	< 2.0		2.0
Methylene chloride	< 5.0		5.0
Styrene	< 2.0		2.0
Tetrachloroethene	< 2.0		2.0
Toluene	< 2.0		2.0
trans-1,2-Dichloroethene	< 2.0		2.0
trans-1,3-Dichloropropene	< 5.0		5.0
Trichloroethene	< 2.0		2.0
Trichlorofluoromethane	< 2.0		2.0
Vinyl chloride	< 2.0		2.0
Xylenes, total	< 2.0		2.0

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.*

**Reported:**  
07/29/21 14:53  
Page 23 of 35



## Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

### LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: 2010355004 Date Received : 07/22/21

Funding Code: CS29 B50 Temperature C: 6.00

Client Sample ID: **G211** Lab Sample ID: **21G0917-03**

Matrix: Water Collected By: JW Date/Time Collected: 07/22/21 11:30

### Semivolatiles by GC/MS

Method: 8270 Prepared: 07/23/21 10:52

Units: ug/L Analyzed: 07/26/21 12:45

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
1,2,4,5-Tetrachlorobenzene	< 1.5		1.5
1,2,4-Trichlorobenzene	< 1.5		1.5
1,2-Dichlorobenzene	< 1.5		1.5
1,2-Dinitrobenzene	< 1.5		1.5
1,3-Dichlorobenzene	< 1.5		1.5
1,3-Dinitrobenzene	< 5.0		5.0
1,4-Dichlorobenzene	< 1.5		1.5
1,4-Dinitrobenzene	< 5.0		5.0
1-Chloronaphthalene	< 1.5		1.5
1-Naphthylamine	< 5.0		5.0
2,2-Oxybis(1-chloropropane)	< 1.5		1.5
2,3,4,6-Tetrachlorophenol	< 1.5		1.5
2,4,5-Trichlorophenol	< 1.5		1.5
2,4,6-Trichlorophenol	< 1.5		1.5
2,4-Dichlorophenol	< 1.5		1.5
2,4-Dimethylphenol	< 1.5		1.5
2,4-Dinitrophenol	< 7.5		7.5
2,4-Dinitrotoluene	< 5.0		5.0
2,6-Dichlorophenol	< 1.5		1.5
2,6-Dinitrotoluene	< 1.5		1.5
2-Chloronaphthalene	< 1.5		1.5
2-Chlorophenol	< 1.5		1.5
2-Methylnaphthalene	< 1.5		1.5

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.*

**Reported:**  
07/29/21 14:53  
Page 24 of 35





## Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

### LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: 2010355004 Date Received : 07/22/21

Funding Code: CS29 B50 Temperature C: 6.00

Client Sample ID: **G211** Lab Sample ID: **21G0917-03**

Matrix: Water Collected By: JW Date/Time Collected: 07/22/21 11:30

### Semivolatiles by GC/MS

Method: 8270 Prepared: 07/23/21 10:52

Units: ug/L Analyzed: 07/26/21 12:45

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
2-Methylphenol	< 1.5		1.5
2-Naphthylamine	< 5.0		5.0
2-Nitroaniline	< 1.5		1.5
2-Nitrophenol	< 5.0		5.0
2-Picoline	< 1.5		1.5
3,3-Dichlorobenzidine	< 1.5		1.5
3-Nitroaniline	< 1.5		1.5
4,6-Dinitro-2-methylphenol	< 5.0		5.0
4-Bromophenyl phenyl ether	< 1.5		1.5
4-Chloro-3-methylphenol	< 1.5		1.5
4-Chloroaniline	< 1.5		1.5
4-Chlorophenyl phenyl ether	< 1.5		1.5
4-Methylphenol	< 1.5		1.5
4-Nitroaniline	< 1.5		1.5
4-Nitrobiphenyl	< 5.0		5.0
4-Nitrophenol	< 5.0		5.0
5-Nitroacenaphthene	< 5.0		5.0
7,12-Dimethylbenzo(a)anthracene	< 5.0		5.0
Acenaphthene	< 1.5		1.5
Acenaphthylene	< 1.5		1.5
Acetophenone	< 1.5		1.5
Anthracene	< 1.5		1.5
Azobenzene	< 1.5		1.5

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.*

**Reported:**  
07/29/21 14:53  
Page 25 of 35



## Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

### LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: 2010355004 Date Received : 07/22/21

Funding Code: CS29 B50 Temperature C: 6.00

Client Sample ID: **G211** Lab Sample ID: **21G0917-03**

Matrix: Water Collected By: JW Date/Time Collected: 07/22/21 11:30

### Semivolatiles by GC/MS

Method: 8270 Prepared: 07/23/21 10:52

Units: ug/L Analyzed: 07/26/21 12:45

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
Benzo(a)anthracene	< 1.5		1.5
Benzo(a)pyrene	< 1.5		1.5
Benzo(b)fluoranthene	< 1.5		1.5
Benzo(ghi)perylene	< 5.0		5.0
Benzo(k)fluoranthene	< 1.5		1.5
Bis(2-chloroethoxy)methane	< 1.5		1.5
Bis(2-chloroethyl)ether	< 1.5		1.5
Bis(2-ethylhexyl)phthalate	< 5.0		5.0
Butyl benzyl phthalate	< 5.0		5.0
Carbazole	< 1.5		1.5
Chrysene	< 1.5		1.5
Dibenzo(a,h)anthracene	< 5.0		5.0
Dibenzofuran	< 1.5		1.5
Diethylphthalate	< 1.5		1.5
Dimethylphthalate	< 1.5		1.5
Di-n-butylphthalate	< 1.5		1.5
Di-n-octylphthalate	< 5.0		5.0
Diphenylamine	< 1.5		1.5
Ethyl methanesulfonate	< 1.5		1.5
Fluoranthene	< 1.5		1.5
Fluorene	< 1.5		1.5
Hexachlorobenzene	< 1.5		1.5
Hexachlorobutadiene	< 1.5		1.5

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.*

**Reported:**  
07/29/21 14:53  
Page 26 of 35



## Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

### LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: 2010355004 Date Received : 07/22/21

Funding Code: CS29 B50 Temperature C: 6.00

Client Sample ID: **G211** Lab Sample ID: **21G0917-03**

Matrix: Water Collected By: JW Date/Time Collected: 07/22/21 11:30

### Semivolatiles by GC/MS

Method: 8270 Prepared: 07/23/21 10:52

Units: ug/L Analyzed: 07/26/21 12:45

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
Hexachlorocyclopentadiene	< 1.5		1.5
Hexachloroethane	< 1.5		1.5
Hexachloropropene	< 1.5		1.5
Indeno(1,2,3-cd)pyrene	< 5.0		5.0
Isodrin	< 1.5		1.5
Isophorone	< 1.5		1.5
Isosafrole	< 1.5		1.5
Mestranol	< 5.0		5.0
Methyl methanesulfonate	< 1.5		1.5
Naphthalene	< 1.5		1.5
Nitrobenzene	< 1.5		1.5
N-Nitrosodi-n-butylamine	< 1.5		1.5
N-Nitrosodi-n-propylamine	< 1.5		1.5
N-Nitrosopiperidine	< 1.5		1.5
p-Dimethylaminoazobenzene	< 1.5		1.5
Pentachlorobenzene	< 1.5		1.5
Pentachloronitrobenzene	< 1.5		1.5
Pentachlorophenol	< 5.0		5.0
Phenacetin	< 1.5		1.5
Phenanthrene	< 1.5		1.5
Phenol	< 1.5		1.5
Pronamide	< 1.5		1.5
Pyrene	< 1.5		1.5

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.*

**Reported:**  
07/29/21 14:53  
Page 27 of 35



## Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

### LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: 2010355004 Date Received : 07/22/21

Funding Code: CS29 B50 Temperature C: 6.00

Client Sample ID: **G211** Lab Sample ID: **21G0917-03**

Matrix: Water Collected By: JW Date/Time Collected: 07/22/21 11:30

#### **Semivolatiles by GC/MS**

Method: 8270 Prepared: 07/23/21 10:52

Units: ug/L Analyzed: 07/26/21 12:45

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
Pyridine	< 1.5		1.5
Safrole	< 1.5		1.5

#### **Hexavalent Chromium**

Method: 218.6 Prepared: 07/22/21 15:30

Units: ug/L Analyzed: 07/22/21 15:30

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
Hexavalent Chromium	< 50.0		50.0

#### **Mercury by EPA Method 245.1**

Method: 245.1 Prepared: 07/26/21 15:25

Units: ug/L Analyzed: 07/27/21 10:05

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
Mercury	< 0.06		0.06

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.*

**Reported:**  
07/29/21 14:53  
Page 28 of 35



## Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

### LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: 2010355004 Date Received : 07/22/21

Funding Code: CS29 B50 Temperature C: 6.00

Client Sample ID: **G211** Lab Sample ID: **21G0917-03**

Matrix: Water Collected By: JW Date/Time Collected: 07/22/21 11:30

#### **Metals (Digested Drinking Water) by EPA 200 Series Methods ICP**

Method: 200.7 Prepared: 07/23/21 09:50

Units: ug/L Analyzed: 07/28/21 10:09

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
<b>Boron</b>	149		25.0
<b>Calcium</b>	93500		300
<b>Hardness</b>	417000		1980
Iron	< 200		200
<b>Magnesium</b>	44500		300
<b>Potassium</b>	1950		1400
<b>Silica</b>	17300		2500
<b>Sodium</b>	51800		1000
<b>Strontium</b>	63.1		10.0

#### **Metals by EPA 200 Series Methods ICP/MS**

Method: 200.8 Prepared: 07/23/21 09:44

Units: ug/L Analyzed: 07/27/21 12:49

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
Aluminum	< 100		100
Antimony	< 2.00		2.00
Arsenic	< 1.00		1.00
<b>Barium</b>	40.5		5.00
Beryllium	< 1.00		1.00
Cadmium	< 3.00		3.00
Chromium	< 5.00		5.00

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.*

**Reported:**  
07/29/21 14:53  
Page 29 of 35



## Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

### LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: 2010355004 Date Received : 07/22/21

Funding Code: CS29 B50 Temperature C: 6.00

Client Sample ID: **G211** Lab Sample ID: **21G0917-03**

Matrix: Water Collected By: JW Date/Time Collected: 07/22/21 11:30

### **Metals by EPA 200 Series Methods ICP/MS**

Method: 200.8 Prepared: 07/23/21 09:44

Units: ug/L Analyzed: 07/27/21 12:49

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
Cobalt	< 10.0		10.0
<b>Copper</b>	<b>230</b>		100
<b>Lead</b>	<b>8.80</b>		5.00
Manganese	< 15.0		15.0
Molybdenum	< 20.0		20.0
Nickel	< 25.0		25.0
Selenium	< 2.00		2.00
Silver	< 10.0		10.0
Thallium	< 2.00		2.00
Vanadium	< 5.00		5.00
Zinc	< 100		100

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.*

**Reported:**  
07/29/21 14:53  
Page 30 of 35



## Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

### LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: 2010355004 Date Received : 07/22/21

Funding Code: CS29 B50 Temperature C: 6.00

Client Sample ID: **TB3** Lab Sample ID: **21G0917-04**

Matrix: Water Collected By: JW Date/Time Collected: 07/22/21 10:00

### Volatile Organic Compounds by GC/MS

Method: 524.3 Prepared: 07/23/21 08:00

Units: ug/L Analyzed: 07/23/21 18:44

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
1,1,1-Trichloroethane	< 0.50		0.50
1,1,2-Trichloroethane	< 0.50		0.50
1,1-Dichloroethene	< 0.50		0.50
1,2,4-Trichlorobenzene	< 0.50		0.50
1,2-Dichlorobenzene	< 0.50		0.50
1,2-Dichloroethane	< 0.50		0.50
1,2-Dichloropropane	< 0.50		0.50
1,4-Dichlorobenzene	< 0.50		0.50
Benzene	< 0.50		0.50
Carbon tetrachloride	< 0.50		0.50
Chlorobenzene	< 0.50		0.50
cis-1,2-Dichloroethene	< 0.50		0.50
Ethylbenzene	< 0.50		0.50
Methyl tert-butyl ether	< 0.50		0.50
Methylene chloride	< 0.50		0.50
Styrene	< 0.50		0.50
Tetrachloroethene	< 0.50		0.50
Toluene	< 0.50		0.50
trans-1,2-Dichloroethene	< 0.50		0.50
Trichloroethene	< 0.50		0.50
Vinyl chloride	< 0.50		0.50
Xylenes, total	< 0.50		0.50

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.*

**Reported:**  
07/29/21 14:53  
Page 31 of 35



## Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

### LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: 2010355004 Date Received : 07/22/21

Funding Code: CS29 B50 Temperature C: 6.00

Client Sample ID: **TB3** Lab Sample ID: **21G0917-04**

Matrix: Water Collected By: JW Date/Time Collected: 07/22/21 10:00

### **Volatiles Organic Compounds by Purge and Trap GC/MS**

Method: 8260 Prepared: 07/26/21 08:00

Units: ug/L Analyzed: 07/27/21 14:02

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
1,1,1,2-Tetrachloroethane	< 2.0		2.0
1,1,1-Trichloroethane	< 2.0		2.0
1,1,2,2-Tetrachloroethane	< 2.0		2.0
1,1,2-Trichloroethane	< 2.0		2.0
1,1-Dichloroethane	< 2.0		2.0
1,1-Dichloroethene	< 2.0		2.0
1,1-Dichloropropene	< 2.0		2.0
1,2,3-Trichloropropane	< 2.0		2.0
1,2-Dibromoethane	< 2.0		2.0
1,2-Dichloroethane	< 2.0		2.0
1,2-Dichloropropane	< 2.0		2.0
1,3-Dichloropropane	< 2.0		2.0
2,2-Dichloropropane	< 2.0		2.0
2-Butanone (MEK)	< 10		10
2-Hexanone (MBK)	< 5.0		5.0
4-Methyl-2-pentanone (MIBK)	< 10		10
Acetone	< 10		10
Benzene	< 2.0		2.0
Bromobenzene	< 2.0		2.0
Bromochloromethane	< 2.0		2.0
Bromodichloromethane	< 2.0		2.0
Bromoform	< 5.0		5.0
Bromomethane	< 5.0	O1	5.0

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.*

**Reported:**  
07/29/21 14:53  
Page 32 of 35





## Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

### LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: 2010355004 Date Received : 07/22/21

Funding Code: CS29 B50 Temperature C: 6.00

Client Sample ID: **TB3** Lab Sample ID: **21G0917-04**

Matrix: Water Collected By: JW Date/Time Collected: 07/22/21 10:00

### **Volatiles Organic Compounds by Purge and Trap GC/MS**

Method: 8260 Prepared: 07/26/21 08:00

Units: ug/L Analyzed: 07/27/21 14:02

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>Reporting Limit</u>
Carbon disulfide	< 2.0		2.0
Carbon tetrachloride	< 2.0		2.0
Chlorobenzene	< 2.0		2.0
Chloroethane	< 2.0		2.0
Chloroform	< 2.0		2.0
Chloromethane	< 2.0		2.0
cis-1,2-Dichloroethene	< 2.0		2.0
cis-1,3-Dichloropropene	< 2.0		2.0
Dibromochloromethane	< 5.0		5.0
Dibromomethane	< 2.0		2.0
Ethylbenzene	< 2.0		2.0
Isopropylbenzene	< 2.0		2.0
Methyl tert-butyl ether	< 2.0		2.0
Methylene chloride	< 5.0		5.0
Styrene	< 2.0		2.0
Tetrachloroethene	< 2.0		2.0
Toluene	< 2.0		2.0
trans-1,2-Dichloroethene	< 2.0		2.0
trans-1,3-Dichloropropene	< 5.0		5.0
Trichloroethene	< 2.0		2.0
Trichlorofluoromethane	< 2.0		2.0
Vinyl chloride	< 2.0		2.0
Xylenes, total	< 2.0		2.0

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.*

**Reported:**  
07/29/21 14:53  
Page 33 of 35



## Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

### LABORATORY RESULTS

Name:	<b>CHEMTOOL</b>	Date Received :	07/22/21
Project/Facility Number:	2010355004	Temperature C:	6.00
Funding Code:	CS29 B50		

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.*

**Reported:**  
07/29/21 14:53  
Page 34 of 35



## Illinois Environmental Protection Agency Laboratory

825 N. Rutledge Springfield, Illinois 62702 217.782.9780

### LABORATORY RESULTS

Name: **CHEMTOOL**

Project/Facility Number: 2010355004 Date Received : 07/22/21

Funding Code: CS29 B50 Temperature C: 6.00

#### **Notes and Definitions**

- O1 Quality control sample failed high - possible high bias or false positive result.
- ND Analyte NOT DETECTED at or above the reporting limit
- \* Non-NELAP accredited

Method 8270: There was insufficient amount of sample to perform a matrix spike duplicate analysis. NELAC and method requirements were not met.

Drinking Water Methods 200.7 and 200.8 were assigned to this work order for Metals analysis. Only sample 21G0917-03 required a digestion to be performed based on turbidity.

Report Authorized by:

Tom Weiss  
Laboratory Manager

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Test results meet all requirements of NELAC (accredited by Florida DOH #E37645). If you have any questions about this report, please contact Tom Weiss, Laboratory Manager, at 217.782.9780.*

**Reported:**

07/29/21 14:53

Page 35 of 35