

Illinois Environmental Protection Agency

LANDFILL OPERATOR SOLID WASTE & SPECIAL WASTE ENDORSEMENT PRACTICE EXAM

SOLID WASTE LANDFILL OPERATOR PRACTICE EXAM

An amendment to an approved permit issued by the Illinois EPA is considered a "significant modification" when (Part 810 - Section 103 "Definitions")
 A. it results in a loss of efficiency in the facility operation B. it results in an increase in the costs of disposal C. the modification results in any parameter in the permit having a value lying outside the expected operating range of values as specified in the permit D. all of the above
2. Before directly operating heavy equipment on the leachate collection piping system, feet of waste must be mounded over it. (Section 811.321)
A. 10 B. 5 C. 3 D. 1
3. "Disposal" has occurred once (Part 810 - Section 103 "Definitions")
 A. solid waste has accumulated B. solid waste is not contained to prevent entry into the environment C. solid waste is not confined D. all of the above occurs
4. The leachate must be collected and tested at least while the leachate management system is in operation. (Section 811.206)
A. weekly B. monthly C. once every 6 months D. annually
5. All vegetation on the final protective cover must (Section 811.322)
 A. be tolerant of the landfill gas generated B. be tolerant of the leachate produced C. be tolerant of alternate freezing and thawing D. all of the above

	ated hazardous wastes, the facility must communicate g or shipping the waste to the facility to (Section
 A. determine the identity of the was B. get rid of the load immediately find an alternative disposal site to the control of the above 	om the disposal site
7. To be certified by Illinois Environmental and a landfill operator must	
A. pass an exam; pay the feesB. pass an exam(s); pass an examC. pass an exam(s); have prior corD. have prior conduct certification;	nduct certification
8. The operator must provide financial assu (Section 811.700)	urance for closure and post-closure to the Illinois EPA
 A. within 30 days of beginning ope B. as part of the permit application C. by the expected closure date D. before receipt of the waste 	
9 prices for items should be used w estimates. (Section 811.705)	then preparing new closure and post-closure cost
A. Historical B. Current C. Projected D. Adjusted	
10. Landfill operators do not need to revise (Section 811.705)	current cost estimates for closure and post-closure care
A. when the landfill ownership charB. when facility modifications resultC. in each new application for permD. none of the above	t in an increase of the cost estimate
11. Landfill operators shall maintain and op	perate all systems, related devices, and structures to
 A. grow profits B. minimize operation costs C. properly operate facilities within D. all of the above 	compliance

12. Runoff from undisturbed areas which becomes mixed with runoff from disturbed areas (Section 811.103(a)(4))
 A. is not regulated B. must be treated in a publicly owned treatment works (POTWs) C. must be handled as runoff from disturbed areas D. none of the above
13. A contaminated leachate is (Part 810 - Section 103 "Definitions")
A. any leachate that releases from the top of a slope
B. any leachate whose constituents violate the Public and Food Processing Water Supply Standards
 C. any liquid below a landfill that has dissimilar constituent characteristics than groundwate background
D. all of the above
14. All solid wastes which do not meet the descriptions of inert or chemical wastes shall be considered (Part 810 - Section 103 "Definitions")
A. commercial wastes B. non-hazardous wastes C. general household wastes D. putrescible wastes
15. An administrative citation carries a civil penalty of for each violation. (415 ILCS 5/42, Section 42)
A. \$250.00
B. \$500.00
C. \$1,000.00 D. \$2,000.00
16. Coordinating safe landfill operations with local emergency services should be included in the (Title 35 Section 724.150-724.156)
A. contingency plan
B. daily operation plan C. Illinois EPA operating permit
D. none of the above
17. The leachate drainage system of a landfill must overlay (Section 811.307)
A. the entire liner system
B. only the bottom part of the landfill liner system C. only the side parts of the landfill liner system
D. only those portions of the liner that will collect leachate

18. The Construction Quality Assurance Officer is accountable for the supervision and perform a inspections for (Section 811.503)
 A. installation of the compacted earth liner B. installation of gas control facilities C. installation of a geomembrane D. all of the above
19. Groundwater monitoring wells are to be installed to (Section 811.318(a,b,e))
 A. monitor only previously filled portions of the disposal units B. monitor only that portion of the aquifer which surpasses drinking water standards C. monitor all sources or potential sources of discharges to the groundwater from waste disposal units and the leachate management system D. none of the above
20. The contaminant transport model chosen for the groundwater impact assessment must be reviewed for acceptance by the (Section 811.317(a))
A. County Health Department B. Illinois Department of Public Health C. U.S. EPA D. Illinois EPA
21. The low permeability layer of the final cover must be constructed no later than days af placement of the final lift of solid waste. (Section 811.314)
A. 15 B. 30 C. 60 D. 90
22. To demonstrate that a waste pile is not a landfill, the operator must show evidence that within the preceding the waste has been removed for utilization or disposed of elsewhere. (Pa 810 - Section 103 "Definitions")
A. one month B. six months C. twelve months D. twenty-four months
23 is required in the maintenance of intermediate cover. (Section 811.313)
 A. Repair of all cracks, rills, gullies, and depressions to retain solid waste covered B. Maintenance of seals around landfill gas vents and walls C. Maintenance of vegetative growth D. Maintenance of a 5 to 1 slope to thwart run-off

 24. A gas management system must be installed when the methane concentration measured beyond the boundary line by an ambient air monitor exceeds (Section 811.311) A. detection B. 10% C. 25% D. 50%
 25. Asbestos debris from construction-demolition shall be managed in accordance with the
SPECIAL WASTE ENDORSEMENT PRACTICE EXAM
A manifest accompanying each non-hazardous special waste accepted for disposal at a landfill must contain (Section 811.403)
 A. a description of the process from which the waste was generated. B. the name of the special waste hauler. C. the chemical composition of the waste. D. all of the above 2. If regulated hazardous wastes are identified by random load checking or otherwise discovered and the state of the state
a landfill permitted to accept non-hazardous special wastes, the responsibility to assure the cleanup, transportation and disposal of the waste at a permitted hazardous waste managemer facility belongs to (Section 811.323)
 A. the hauler. B. the Illinois EPA. C. the solid waste management facility. D. the generator.
3. A landfill rejecting loads of special waste must (Section 811.403)
 A. send information on rejected loads to the Illinois EPA in a monthly report. B. send information on rejected loads to the Illinois EPA in a quarterly report. C. notify the Illinois EPA immediately. D. send information on rejected loads to the generator.

- 4. A landfill must retain at the landfill all special waste documents, including chemical analysis, and certifications _____. (Section 811.405)
 - A. until the Illinois EPA completes its closure certification inspection.
 - B. until closure.
 - C. for five years.
 - D. until the end of the post-closure care period.
- 5. The special waste profile identification sheet that accompanies each special waste disposed at a landfill must certify _____. (Section 811.404)
 - A. name of the process generating the waste, and its physical characteristics.
 - B. the generator's SIC code.
 - C. the name of the laboratory that analyzed the waste.
 - D. all of the above

~END OF EXAM~