## Formatting Requirements for the 02 Record of the Electronically Submitted Groundwater and Leachate Data (the 02 Record portion of the LPC-160 is included for example purposes)

| REC | ORD CODE L P C S M 0   | 7 TRAN   | S CODE               | i.        | A 8    | (COLUMNS 9-29 FROM ABOVE) |
|-----|--|--|----------------------|-----------|--------|---------------------------|
| C   | FIELD MEASUREMENTS ONSTITUENT DESCRIPTION AND REQUIRED UNIT OF MEASURE | STORET<br>NUMBER                                     | Remarks<br>See Inst. | Replicate | < or > | Value                     |
| Q   | TEMP OF WATER (unfiltered ° F)   | $\frac{0}{30} \frac{0}{0} \frac{1}{34} \frac{1}{34}$ | 35                   | 36        | 37     | 38 47                     |
| Q   | SPEC COND (unfiltered umhos)   | 00094  |                      |           |        |                           |
| Q   | pH (unfiltered units)  | 0 0 4 0 0  |                      |           |        |                           |
| Q   | ELEV OF GW SURF (ft ref MSL)   | <u>7 1 9 9 3</u>                                     |                      |           |        |                           |
| Q   | DEPTH OF WATER (ft below LS)   | <u>7 2 0 1 9</u>                                     |                      |           |        |                           |
| A   | BTM WELL ELEV (ft ref MSL)   | 7 2 0 2 0  |                      |           |        |                           |
| Q   | DEPTH TO WATER FR MEA PT (ft)  | <u>7 2 1 0 9</u>                                     |                      |           |        | ·                         |

IL 532 1213 LPC 160 12/2011

This Agency is authorized to require this information under Illinois Revised Statutes, 1979, Chapter 111 1/2, Section 1004 and 1021. Disclosure of this information is required. Failure to do so may result in a civil penalty up to \$25,000 for each day the failure continues a fine up to \$1,000.00 and imprisonment up to one year. This form has been approved by the Forms Management Center.

All analytical procedures must be performed in accordance with the methods contained in "Test Methods for Evaluating Solid Wastes, Physical/Chemical Methods," SW-846, 3rd Edition, September 1986 or equivalent methods approved by the Agency. Proper sample chain of custody control and quality assurance/quality control procedures must be maintained in accordance with the facility sampling and analysis plan.

\*Only Keypunch with Data in Column 35 or Columns 38-47

## KEY:

| <b>Spaces Numbered</b> | <b>Description</b> | <b>Format</b> |
|------------------------|--------------------|---------------|
| Spaces 1-7             | Record Code        | LPCSM02       |
| Space 8                | Trans Code         | A             |
| Spaces 9-18            | Site ID            | 0000000000    |
| Spaces 19-22           | Mon Pt ID          |               |
| Spaces 23-28           | Date Collected     |               |
| Space 29               | Lab                |               |
| Spaces 30-34           | STORET Number      |               |
| Space 35               | Remarks            |               |
| Space 36               | Replicate          |               |
| Space 37               | < or >             |               |
| Space 38-47            | Value              |               |

Page 1 of 1