

**DRAFT  
REPORT FOR  
PUBLIC  
REVIEW**

**Kickapoo Creek Watershed  
HUC 0512011206**

Watershed Protection Plan

Prepared for Illinois EPA



October 2023

**CDM  
Smith**



# Table of Contents

|  |             |
|--|-------------|
| <b>Executive Summary .....</b>   | <b>ES-1</b> |
| <b>Section 1 Goals and Objectives for the Kickapoo Creek Watershed.....</b>                              | <b>1-1</b>  |
| 1.1 Total Maximum Daily Load Overview.....   | 1-1         |
| 1.2 Total Maximum Daily Load Goals and Objectives.....   | 1-2         |
| 1.3 Report Overview .....  | 1-4         |
| <b>Section 2 Kickapoo Creek Watershed Description.....</b>   | <b>2-1</b>  |
| 2.1 Location .....   | 2-1         |
| 2.2 Topography.....  | 2-1         |
| 2.3 Land Use .....   | 2-1         |
| 2.3.1 Subbasin Land Use.....   | 2-5         |
| 2.4 Soils .....  | 2-5         |
| 2.4.1 Soil Characteristics.....  | 2-5         |
| 2.5 Population.....  | 2-9         |
| 2.6 Climate and Streamflow.....  | 2-9         |
| 2.6.1 Climate.....   | 2-9         |
| 2.6.2 Streamflow.....  | 2-10        |
| <b>Section 3 Kickapoo Creek Watershed Public Participation .....</b>                                     | <b>3-1</b>  |
| <b>Section 4 Kickapoo Creek Watershed Water Quality Standards .....</b>                                  | <b>4-1</b>  |
| 4.1 Illinois Water Quality Standards.....  | 4-1         |
| 4.2 Designated Uses .....  | 4-1         |
| 4.2.1 General Use.....   | 4-1         |
| 4.3 Illinois Water Quality Standards.....  | 4-2         |
| 4.4 Potential Pollutant Sources .....  | 4-2         |
| <b>Section 5 Kickapoo Creek Watershed Data and Potential Pollution Sources.....</b>                      | <b>5-1</b>  |
| 5.1 Water Quality Data.....  | 5-1         |
| 5.1.1 Dissolved Oxygen.....  | 5-3         |
| 5.2 Point Sources.....   | 5-4         |
| 5.3 Nonpoint Sources .....   | 5-6         |
| 5.3.1 Crop Information.....  | 5-6         |
| 5.3.2 Animal Operations.....   | 5-7         |
| 5.3.3 Septic Systems.....  | 5-7         |
| 5.4 Watershed Studies and Other Watershed Information.....   | 5-8         |
| <b>Section 6 Approach to Developing Total Maximum Daily Loads and Identifying Data Needs .....</b>       | <b>6-1</b>  |
| <b>Section 7 Watershed Protection Plan for Riley Creek Subbasin in the Kickapoo Creek Watershed.....</b> | <b>7-1</b>  |
| 7.1 Protection Plan .....  | 7-1         |
| 7.2 Adaptive Management.....   | 7-1         |
| 7.3 Best Management Practice Recommendations.....  | 7-2         |

7.3.1 Recommendations for Total Phosphorus Management ..... 7-2  
     7.3.1.1 Point Sources of Oxygen-Demanding Materials ..... 7-3  
     7.3.1.2 Nonpoint Sources of Phosphorus ..... 7-3  
 7.4 Watershed-Specific Priority Areas and Projects ..... 7-15  
 7.5 Information and Education ..... 7-17  
 7.6 Monitoring ..... 7-17

## List of Figures

Figure 1-1 Kickapoo Creek TMDL Watershed ..... 1-3  
 Figure 2-1 Kickapoo Creek Watershed, Elevation..... 2-2  
 Figure 2-2 Kickapoo Creek Watershed, Land Use ..... 2-4  
 Figure 2-3 Kickapoo Creek Watershed, Soils ..... 2-7  
 Figure 2-4 Kickapoo Creek Watershed, K-Factor Ranges ..... 2-8  
 Figure 2-5 Kickapoo Creek Watershed, Active USGS Gages..... 2-11  
 Figure 2-6 Annual Streamflow Trends at Gages in Proximity to the Kickapoo Creek Watershed ... 2-12  
 Figure 5-1 Kickapoo Creek Watershed Water Quality Stations ..... 5-2  
 Figure 5-2 Dissolved Oxygen Measurements and Instantaneous Minimum Water Quality Standards in Riley Creek..... 5-3  
 Figure 5-3 Kickapoo Creek Watershed, Major NPDES Discharge Locations ..... 5-5  
 Figure 7-1 Kickapoo Creek Watershed Buffer Areas and Agricultural Lands Potentially Suitable for Conversion to Filter Strips..... 7-9  
 Figure 7-2 Riley Creek Buffer Areas and Agricultural Lands Potentially Suitable for Conversion to Filter Strips..... 7-11

## List of Tables

Table ES-1 Impaired Water Body in the Kickapoo Creek Watershed..... ES-1  
 Table 1-1 Impaired Water Body in the Kickapoo Creek Watershed ..... 1-2  
 Table 2-1 Land Cover and Land Use in the Kickapoo Creek Watershed ..... 2-3  
 Table 2-2 Land Cover and Land Use in the Riley Creek (IL\_BENA-01) Subbasin ..... 2-5  
 Table 2-3 Average Monthly Climate Data between Mattoon and Charleston, Illinois..... 2-9  
 Table 2-4 Streamflow Gages in the Kickapoo Creek Watershed<sup>1</sup>..... 2-10  
 Table 2-5 Streamflow Gages in the Watersheds Adjacent to the Kickapoo Creek Watershed..... 2-10  
 Table 4-1 Summary of Numeric Water Quality Standards for Potential Causes of Stream Impairments in the Kickapoo Creek Watershed ..... 4-2  
 Table 4-2 Impaired Waterbody in the Kickapoo Creek Watershed..... 4-3  
 Table 5-1 Existing Dissolved Oxygen Data for Riley Creek Segment IL\_BENA-01 ..... 5-4  
 Table 5-2 Permitted Facilities Discharging to or Upstream of the Impaired Segment in the Kickapoo Creek Watershed ..... 5-4  
 Table 5-3 Tillage Practices in Coles County, Illinois..... 5-6  
 Table 5-4 Coles County Animal Population..... 5-7  
 Table 7-1 Permit Information for Charleston STP ..... 7-3



|  |      |
|--|------|
| Table 7-2 Cultivated Areas for the Riley Creek Subbasin .....  | 7-5  |
| Table 7-3 Filter Strip Flow Lengths Based on Land Slope.....   | 7-8  |
| Table 7-4 Filter Strip details for the Kickapoo Creek Watershed .....  | 7-8  |
| Table 7-5 Kickapoo Creek Subwatershed Estimated Load Reductions for Stakeholder<br>Identified Priority Projects .....        | 7-16 |
| Table 7-6 Load Reduction Estimates For Stakeholder-Identified Implementation Projects<br>in the Kickapoo Creek Subbasin..... | 7-16 |

## Appendices

- Appendix A Land Use Categories
- Appendix B Soil Characteristics
- Appendix C Water Quality Data
- Appendix D Public Comments

## Abbreviations

|              |   |
|--------------|---|
| BMP          | best management practice                    |
| CBOD         | carbonaceous biochemical oxygen demand      |
| CDL          | cropland data layer                         |
| cfs          | cubic feet per second                       |
| CPS          | Conservation Practice Standard              |
| CWA          | Clean Water Act                             |
| DO           | dissolved oxygen                            |
| EPA          | U.S. Environmental Protection Agency        |
| fIBI         | Fish Index of Biotic Integrity              |
| GIS          | geographic information system               |
| HUC          | hydrologic unit code                        |
| IDA          | Illinois Department of Agriculture          |
| ILCS         | Illinois Compiled Statutes                  |
| Illinois EPA | Illinois Environmental Protection Agency    |
| IPCB         | Illinois Pollution Control Board            |
| LA           | load allocation                             |
| LC           | loading capacity                            |
| MBI          | Macroinvertebrate Biotic Index              |
| MGD          | million gallons per day                     |
| mg/L         | milligrams per liter                        |
| mIBI         | Macroinvertebrate Index of Biotic Integrity |
| mL           | milliliters                                 |
| MOS          | margin of safety                            |

|        |   |
|--------|---|
| NASS   | National Agricultural Statistics Service        |
| NMP    | nutrient management plan                        |
| NPDES  | National Pollutant Discharge Elimination System |
| NLRS   | Nutrient Loss Reduction Strategy                |
| NRCS   | Natural Resources Conservation Service          |
| RC     | reserve capacity                                |
| SOD    | sediment oxygen demand                          |
| SSURGO | Soil Survey Geographic Database                 |
| STAR   | Saving Tomorrow's Agriculture Resources         |
| STP    | sanitary treatment plant                        |
| SWCD   | Soil and Water Conservation District            |
| TMDL   | total maximum daily load                        |
| TSS    | total suspended solids                          |
| USGS   | U.S. Geological Survey                          |
| WASCOB | water and sediment control basin                |
| WBP    | watershed-based plan                            |
| WLA    | waste load allocation                           |
| WPP    | watershed protection plan                       |
| °F     | degrees Fahrenheit                              |
| µg/L   | micrograms per liter                            |

This page intentionally left blank.

# Executive Summary

A total maximum daily load (TMDL) is a calculation of the maximum amount of a pollutant that a water body can receive and still meet water quality standards. TMDLs are a requirement of Section 303(d) of the Clean Water Act (CWA). To meet this requirement, the Illinois Environmental Protection Agency (Illinois EPA) must identify water bodies not meeting water quality standards and then establish TMDLs for restoration of water quality. Illinois EPA develops a list, known as the 303(d) list, of water bodies not meeting water quality standards every 2 years, which is included in the Integrated Water Quality Report. Water bodies on the 303(d) list are then targeted for TMDL development. In accordance with U.S. Environmental Protection Agency (EPA) guidance, the report assigns all waters of the state to one of five categories; 303(d)-listed water bodies make up category five in the Integrated Report.

Water bodies listed as impaired in the 2018 Integrated Water Quality Report and 303(d) List<sup>1</sup> were originally targeted for TMDL development in 2019. A Stage 1 TMDL report was initiated for the Kickapoo Creek watershed (HUC 0512011206) based on the 2018 303(d) list. Stage 1 of TMDL development reviews and documents the physical characteristics of a watershed as well as available historical data in comparison to applicable water quality standards. **Table ES-1** contains information on the 2018 impaired water body that was investigated for this report:

**Table ES-1 Impaired Water Body in the Kickapoo Creek Watershed**

| Segment ID | Segment Name | Potential Causes of Impairment | Designated Use | Potential Sources (as identified by the 2018 303(d) list)  |
|------------|--------------|--------------------------------|----------------|--|
| IL_BENA-01 | Riley Creek  | Dissolved Oxygen (DO)          | Aquatic Life   | Industrial Point Source Discharge, Municipal Point Source Discharge, Crop Production (Crop Land or Dry Land), Agriculture, Urban Runoff/Storm Sewers |

Since the completion of Stage 1, the 2020/2022 Illinois Integrated Water Quality Report and 303(d) List was approved on June 30, 2022.<sup>2</sup> Riley Creek (segment IL\_BENA-01) is no longer on the 303(d) list and is listed as a Category 2 water, which means that all designated uses that were assessed are supported. This report did not progress beyond Stage 1 because of the delisting of the impaired segment and was replaced with a watershed protection plan (WPP) to ensure that watershed practices maintain water quality and continue meeting the designated uses.

<sup>1</sup> Illinois EPA. 2018. *Illinois Integrated Water Quality Report and Section 303(d) List, 2018*. <https://epa.illinois.gov/content/dam/soi/en/web/epa/topics/water-quality/watershed-management/tmdls/documents/2018-cycle-integrated-report-final-20210201.pdf>

<sup>2</sup> Illinois EPA. 2022. *Illinois Integrated Water Quality Report and Section 303(d) List, 2020/2022*. <https://epa.illinois.gov/content/dam/soi/en/web/epa/topics/water-quality/watershed-management/tmdls/documents/2020-2022-ir-final-6-01-22.pdf>

This page intentionally left blank.

# Section 1

## Goals and Objectives for the Kickapoo Creek Watershed

### 1.1 Total Maximum Daily Load Overview

Total maximum daily load (TMDL) is a calculation of the maximum amount of a pollutant that a water body can receive and still meet water quality standards. TMDLs are a requirement of Section 303(d) of the Clean Water Act (CWA). To meet this requirement, the Illinois Environmental Protection Agency (Illinois EPA) must identify water bodies not meeting water quality standards and then establish TMDLs for restoration of water quality. Illinois EPA develops a list, known as the 303(d) list, of water bodies not meeting water quality standards every 2 years, which is included in the Integrated Water Quality Report. Water bodies on the 303(d) list are then targeted for TMDL development. In accordance with U.S. Environmental Protection Agency (EPA) guidance, the report assigns all waters of the state to one of five categories; 303(d)-listed water bodies make up category five in the Integrated Report.

In general, the TMDL is a quantitative assessment of water quality impairments, contributing sources, and pollutant reductions needed to attain water quality standards. The TMDL specifies the amount of pollutant or other stressor that needs to be reduced to meet water quality standards, allocates pollutant control or management responsibilities among sources in a watershed, and provides a scientific and policy basis for taking actions needed to restore a water body.

Water quality standards are laws or regulations that states authorize to enhance water quality and protect public health and welfare. Water quality standards provide the foundation for accomplishing two of the principal goals of the CWA. These goals are to:

- Restore and maintain the chemical, physical, and biological integrity of the nation's waters
- Where attainable, achieve water quality that promotes protection and propagation of fish, shellfish, and wildlife, and provides for recreation in and on the water

Water quality standards consist of three elements:

- Designated beneficial use or uses of a water body or segment of a water body
- Water quality criteria necessary to protect the use or uses of that particular water body
- Antidegradation policy

Examples of designated uses are primary contact (swimming), protection of aquatic life, and public and food processing water supply. Water quality criteria describe the quality of water that will support a designated use. Water quality criteria can be expressed as numeric limits or as a narrative statement. Antidegradation policies are adopted so that water quality improvements are conserved, maintained, and protected.

## 1.2 Total Maximum Daily Load Goals and Objectives

Illinois EPA has a three-stage approach to TMDL development. The stages are:

**Stage 1** – Watershed Characterization, Data Analysis, Methodology Selection

**Stage 2** – Data Collection (optional)

**Stage 3** – Model Calibration, TMDL Scenarios, Implementation Plan

Water bodies listed as impaired in the 2018 Integrated Water Quality Report and 303(d) List<sup>3</sup> were originally targeted for Stage 1 TMDL development in 2019. Illinois EPA uses the U.S. Geological Survey (USGS) 10-digit hydrologic unit code (HUC) to group subbasins into TMDL watersheds. This report presents Stage 1 of the TMDL development process for the Kickapoo Creek watershed (HUC 0512011206). The following water body segment in the Kickapoo Creek watershed was targeted for TMDL development based on the 2018 303(d) list:

- Riley Creek (IL\_BENA-01)


This water body segment is shown on **Figure 1-1**. **Table 1-1** lists the water body segment and potential causes and sources of impairment.

**Table 1-1 Impaired Water Body in the Kickapoo Creek Watershed**

| Segment ID | Segment Name | Potential Causes of Impairment | Designated Use | Potential Sources (as identified by the 2018 303(d) list)  |
|------------|--------------|--------------------------------|----------------|--|
| IL_BENA-01 | Riley Creek  | Dissolved Oxygen (DO)          | Aquatic Life   | Industrial Point Source Discharge, Municipal Point Source Discharge, Crop Production (Crop Land or Dry Land), Agriculture, Urban Runoff/Storm Sewers |

<sup>3</sup> Illinois EPA. 2018. *Illinois Integrated Water Quality Report and Section 303(d) List, 2018*. <https://epa.illinois.gov/content/dam/soi/en/web/epa/topics/water-quality/watershed-management/tmdls/documents/2018-cycle-integrated-report-final-20210201.pdf>





DRAFT



Figure 1-1: Kickapoo Creek Watershed  
HUC 0512011206

A TMDL for an impaired segment specifies the following elements:

- Loading capacity (LC), or the maximum amount of pollutant loading a water body can receive without violating water quality standards
- Waste load allocation (WLA), or the portion of the TMDL allocated to existing or future point sources
- Load allocation (LA), or the portion of the TMDL allocated to existing or future nonpoint sources and natural background
- Margin of safety (MOS), or an accounting of uncertainty about the relationship between pollutant loads and receiving water quality
- Reserve capacity (RC), or a portion of the load explicitly set aside to account for growth in the watershed

These elements are combined into the following equation:

$$\text{TMDL} = \text{LC} + \Sigma \text{WLA} + \Sigma \text{LA} + \text{MOS} + \text{RC}$$

TMDL development takes into account the seasonal variability of pollutant loads so that water quality standards are met during all seasons of the year. Also, reasonable assurance that the TMDL will be achieved is described in a watershed-based plan (WBP). Data compiled during Stage 1 showed that historical DO concentrations in Riley Creek segment IL\_BENA-01 have not recently violated the water quality standard (see discussion in Section 5) and a TMDL was not developed (refer to Section 6). Since the completion of Stage 1, the 2020/2022 Illinois Integrated Water Quality Report and 303(d) List was approved on June 30, 2022.<sup>4</sup> Riley Creek (segment IL\_BENA-01) is no longer on the 303(d) list and is listed as a Category 2 water, which means that all designated uses that were assessed are supported. This report did not progress beyond Stage 1 because of the delisting of the impaired segment and was replaced with a watershed protection plan (WPP) to ensure that watershed practices maintain water quality and continue meeting the designated uses. The WPP is included in this report as Section 7.

## 1.3 Report Overview

The remaining sections of this report are summarized as follows:

- **Section 2 Kickapoo Creek Watershed Description** provides a description of the watershed's location, topography, geology, land use, soils, population, and hydrology.
- **Section 3 Kickapoo Creek Watershed Public Participation** discusses public participation activities that occurred throughout the TMDL/WPP development process.

<sup>4</sup> Illinois EPA. 2022. *Illinois Integrated Water Quality Report and Section 303(d) List, 2020/2022*. <https://epa.illinois.gov/content/dam/soi/en/web/epa/topics/water-quality/watershed-management/tmdls/documents/2020-2022-ir-final-6-01-22.pdf>

- **Section 4 Kickapoo Creek Watershed Water Quality Standards** defines the water quality standards for the impaired water body.
- **Section 5 Kickapoo Creek Watershed Data and Potential Pollution Sources** presents the available/relevant water quality data, discusses the characteristics of the impaired stream segment in the watershed, and describes the point and nonpoint sources with potential to contribute to the watershed load.
- **Section 6 Approach to Developing Total Maximum Daily Loads and Identifying Data Needs** discusses delisting the segment from the 303(d) list and recommends not proceeding further with Stages 2 and 3 of TMDL development.
- **Section 7 Watershed Protection Plan for Riley Creek Subbasin in the Kickapoo Creek Watershed** includes recommendations for continued implementation actions, point and nonpoint source monitoring, management measures, and BMPs that can be used to protect and maintain water quality in the watershed.

This page intentionally left blank.

## Section 2

# Kickapoo Creek Watershed Description

### 2.1 Location

The Kickapoo Creek watershed (HUC 0512011206 shown in **Figure 1-1**) is in east-central Illinois, flows in an easterly direction, and drains approximately 65,500 acres (102 square miles), all of which are within Coles County.

### 2.2 Topography

Topography is an important factor in watershed management because stream types, precipitation, and soil types can vary significantly with elevation. Elevation data are available from USGS<sup>5</sup> for each 1:24,000 topographic quadrangle in the United States. Elevation data for the Kickapoo Creek watershed were obtained by overlaying the National Elevation Dataset grid onto the geographic information system (GIS)-delineated watershed. **Figure 2-1** shows the elevations within the watershed.

Elevation in the Kickapoo Creek watershed ranges from approximately 794 feet above sea level in the southwestern portion of the watershed to 560 feet at the confluence of Kickapoo Creek with the Embarras River at the southeastern extent of the watershed.


### 2.3 Land Use

Land use data for the Kickapoo Creek watershed were extracted from the U.S. Department of Agriculture's National Agriculture Statistics Service (NASS) 2018 cropland data layer (CDL).<sup>6</sup> The CDL is a raster-based, georeferenced, crop-specific land cover data layer created to provide acreage estimates to the Agricultural Statistics Board for the state's major commodities, and to produce digital, crop-specific, categorized georeferenced output products. This information is made available to all agencies and to the public free of charge and represents the most accurate and up-to-date land cover datasets available at a national scale. The most recent available CDL dataset was produced in 2018 and includes 23 separate land use classes applicable to the watershed. The available resolution of the land cover dataset is 30 square meters.

---

<sup>5</sup> USGS. 3D Elevation Program webpage. <https://www.usgs.gov/3d-elevation-program>

<sup>6</sup> NASS CDL. [https://www.nass.usda.gov/Research\\_and\\_Science/Cropland/Release/index.php](https://www.nass.usda.gov/Research_and_Science/Cropland/Release/index.php)



DRAFT




Figure 2-1: Kickapoo Creek Watershed, Elevation

The land use of the Kickapoo Creek watershed was determined by overlaying the Illinois statewide 2018 CDL onto the GIS-delineated watershed. **Table 2-1** contains the main categories of land uses within the Kickapoo Creek watershed and includes the area of each land cover category and percentage of the watershed area. **Figure 2-2** illustrates the land uses of the watershed. **Appendix A** contains a table of all land uses in the watershed.

**Table 2-1 Land Cover and Land Use in the Kickapoo Creek Watershed**

| Land Cover Category        | Area (Acres)  | Percentage  |
|----------------------------|---------------|-------------|
| Soybeans                   | 22,057        | 33.7%       |
| Corn                       | 20,712        | 31.7%       |
| Developed/Low Intensity    | 6,200         | 9.5%        |
| Deciduous Forest           | 6,064         | 9.3%        |
| Developed/Open Space       | 3,875         | 5.9%        |
| Grass/Pasture              | 3,569         | 5.5%        |
| Developed/Medium Intensity | 1,905         | 2.9%        |
| Developed/High Intensity   | 591           | 0.9%        |
| Other                      | 458           | 0.7%        |
| <b>Total</b>               | <b>65,431</b> | <b>100%</b> |

The land cover data reveal that the largest percentage of watershed area is used for crop production (65 percent). Approximately 9 percent of the watershed area is forest and 5.5 percent of the watershed area is grass or pasture. Nearly 20 percent of the watershed area is developed or urban in nature, while wetlands, marshes, and open water make up the remainder of the Kickapoo Creek watershed.



DRAFT



Figure 2-2: Kickapoo Creek Watershed, Land Use



### 2.3.1 Subbasin Land Use

The subbasin area draining to the impaired segment of Riley Creek (IL\_BENA-01) was further delineated through GIS (see **Figure 2-2**). Land cover data was then intersected with the subbasin boundary to determine the major land uses contributing runoff to the impaired waterbody, as shown in **Table 2-2**. **Appendix A** contains a table of all land uses in the subbasin.

**Table 2-2 Land Cover and Land Use in the Riley Creek (IL\_BENA-01) Subbasin**

| Land Cover Category        | Area (Acres)  | Percentage  |
|----------------------------|---------------|-------------|
| Soybeans                   | 15,468        | 37.4%       |
| Corn                       | 15,259        | 36.9%       |
| Developed/Low Intensity    | 3,721         | 9.0%        |
| Developed/Open Space       | 2,155         | 5.2%        |
| Deciduous Forest           | 1,477         | 3.6%        |
| Grass/Pasture              | 1,471         | 3.6%        |
| Developed/Medium Intensity | 1,205         | 2.9%        |
| Developed/High Intensity   | 410           | 1.0%        |
| Other                      | 207           | 0.5%        |
| <b>Total</b>               | <b>41,373</b> | <b>100%</b> |

## 2.4 Soils

Soils data are available through the Natural Resources Conservation Service's (NRCS's) Soil Survey Geographic Database (SSURGO).<sup>7</sup> For SSURGO data, field mapping methods using national standards are used to construct the soil maps. Mapping scales generally range from 1:12,000 to 1:63,360, making SSURGO the most detailed level of soil mapping done by NRCS.

Attributes of the spatial coverage can be linked to the SSURGO databases, which provides information on various chemical and physical soil characteristics for each map unit and soil series. Of particular interest for TMDL development are the hydrologic soil groups and the K-factor of the Universal Soil Loss Equation. The following sections describe and summarize the specified soil characteristics for the Kickapoo Creek watershed.

### 2.4.1 Soil Characteristics

**Appendix B** contains a table of the SSURGO soil series for the Kickapoo Creek watershed. A total of 40 soil types exist in the watershed. Drummer silty clay loam with 0 to 2 percent slopes is the most common soil type and makes up approximately 32 percent of the watershed. Raub silt loam (0 to 2 percent slopes), Dana silt loam (0 to 2 percent slopes, eroded), and Xenia silt loam (Bloomington Ridged Plain, 2 to 5 percent slopes) are the other most common soil types in the watershed (15.9, 8.9, and 7.4 percent of the watershed, respectively). The other soil types each represent less than 6 percent of the total watershed area. The table in **Appendix B** also contains the area, dominant hydrologic soil group, and K-factor range. Each of these characteristics are described in more detail in the paragraphs that follow.

<sup>7</sup> NRCS SSURGO. <https://www.nrcs.usda.gov/resources/data-and-reports/soil-survey-geographic-database-ssurgo>

**Figure 2-3** shows the hydrologic soil groups found within the Kickapoo Creek watershed. Hydrologic soil groups are used to estimate runoff from precipitation. Soils are assigned to one of four groups according to the infiltration of water when the soils are thoroughly wet and receive precipitation from long-duration storms:

- Group A: Soils in this group have low runoff potential when thoroughly wet. Water is transmitted freely through the soil.
- Group B: Soils in this group have moderately low runoff potential when thoroughly wet. Water transmission through the soil is unimpeded.
- Group C: Soils in this group have moderately high runoff potential when thoroughly wet. Water transmission through the soil is somewhat restricted.
- Group D: Soils in this group have high runoff potential when thoroughly wet. Water movement through the soil is restricted or very restricted.


While hydrologic soil groups A, B, C, B/D, and C/D are all found within the Kickapoo Creek watershed, groups B/D and C are the most common types, representing 55 and 34 percent of the watershed, respectively. Group C/D, A, and B cover smaller portions of the watershed, at 5.4, 1.9, and 1.8 percent, respectively. The most common type, group B/D, is a dual hydrologic soil groups because, while these soils have a water table within 60 centimeters of the surface (similar to group D soils) these soils can be adequately drained to the point that they resemble group B soils, which exhibit “moderately low runoff potential when thoroughly wet” and water can move through the soil unimpeded. The first letter of the soil group applies to the drained condition and the second letter to the undrained condition. For the purpose of hydrologic soil group, adequately drained means that the seasonal high-water table is kept at 24 inches below the surface.<sup>8</sup>

A commonly used soil attribute is the K-factor, which is a measure of soil erodibility and quantifies the relative susceptibility of soil to sheet and rill erosion. Values of K range from 0.02 to 0.69, from least erodible to most erodible, respectively, and are influenced by elements including texture, organic matter content, structure, and saturated hydraulic conductivity.<sup>9</sup> The distribution of K-factor values in the Kickapoo Creek watershed range from 0.21 to 0.43, as shown in **Figure 2-4**.

---

<sup>8</sup> NRCS. 2007. *Hydrology National Engineering Handbook*. Part 630, Hydrologic Soil Groups. <https://directives.sc.egov.usda.gov/OpenNonWebContent.aspx?content=22526.wba>


<sup>9</sup> Institute of Water Research. Michigan State University. 2002. RUSLE Online Soil Erosion Assessment Tool. <http://www.iwr.msu.edu/rusle/kfactor.htm>



DRAFT



Figure 2-3: Kickapoo Creek Watershed, Soils



DRAFT

**Figure 2-4: Kickapoo Creek Watershed, K-Factor Ranges**



## 2.5 Population

Census 2015 TIGER/Line data<sup>10</sup> from the U.S. Census Bureau were retrieved. Geographic shapefiles of census block groups<sup>11</sup> were downloaded for the entire state of Illinois. All census block groups having geographic center points (centroids) within the watershed were selected and tallied to provide an estimate of populations in all census blocks both completely and partially contained by the watershed boundary. Given that the optimal size of a census block group is 1,500 people, and 30 block group centroids are within the watershed, it is estimated that approximately 45,000 people reside in the Kickapoo Creek watershed. The major municipalities in the watershed are shown in **Figure 1-1**. The largest urban development in the watershed is the City of Charleston, Illinois, with a population of approximately 17,300, according to the 2020 census.<sup>12</sup>

## 2.6 Climate and Streamflow

### 2.6.1 Climate

Central Illinois has a temperate climate with hot summers and cold, moderately snowy winters. Monthly precipitation data from the Mattoon Charleston Coles County Airport, Illinois station (station USW00053802) in Coles County were extracted from the National Centers for Environmental Information (formerly known as the National Climatic Data Center) database<sup>13</sup> for 1998 through 2019. The data station, between Mattoon and Charleston, is near the center of the Kickapoo Creek watershed and is expected to be representative of climate throughout the watershed.

**Table 2-3** contains average monthly precipitation along with average high and low temperatures for the period of record. Average annual precipitation is approximately 35 inches. June is historically the wettest month, while January and February are the driest. July is historically the warmest month, with an average maximum temperature of 85 degrees Fahrenheit (°F), while January is typically the coldest month, with an average minimum temperature of 20°F.

**Table 2-3 Average Monthly Climate Data between Mattoon and Charleston, Illinois**

| Month    | Average Total Precipitation (inches) | Average Daily Maximum Temperature (°F) | Average Daily Minimum Temperature (°F) |
|----------|--------------------------------------|--|--|
| January  | 1.8                                  | 35.8                                   | 20.4                                   |
| February | 1.7                                  | 40.3                                   | 23.9                                   |
| March    | 2.2                                  | 52.0                                   | 33.0                                   |
| April    | 4.0                                  | 64.7                                   | 43.9                                   |
| May      | 4.0                                  | 74.5                                   | 54.5                                   |
| June     | 5.0                                  | 82.6                                   | 62.5                                   |
| July     | 3.7                                  | 85.4                                   | 65.1                                   |
| August   | 2.5                                  | 84.4                                   | 62.8                                   |

<sup>10</sup> U.S. Census Bureau. TIGER/Line Shapefiles. <https://www.census.gov/geographies/mapping-files/time-series/geo/tiger-line-file.html>

<sup>11</sup> U.S. Census Bureau. 2010 Census – Block Maps. <https://www.census.gov/geographies/reference-maps/2010/geo/2010-census-block-maps.html>

<sup>12</sup> U.S. Census Bureau. QuickFacts. <https://www.census.gov/quickfacts/fact/table/charlestoncityillinois.IL,US/PST045221>

<sup>13</sup> National Centers for Environmental Information. Station USW00053802 precipitation data. <https://www.ncdc.noaa.gov/cdo-web/datatools/findstation>

| Month         | Average Total Precipitation (inches) | Average Daily Maximum Temperature (°F) | Average Daily Minimum Temperature (°F) |
|---------------|--------------------------------------|--|--|
| September     | 2.6                                  | 79.6                                   | 56.6                                   |
| October       | 3.1                                  | 66.2                                   | 45.4                                   |
| November      | 2.4                                  | 52.8                                   | 35.1                                   |
| December      | 2.0                                  | 39.7                                   | 25.5                                   |
| <b>Annual</b> | <b>35.0<sup>1</sup></b>              | <b>63.2</b>                            | <b>44.1</b>                            |

Note:

<sup>1</sup> Average annual total.

## 2.6.2 Streamflow

Analysis of the Kickapoo Creek watershed requires an understanding of flow throughout the drainage area. There are two USGS gages within the watershed, however, both of these gages have limited data (USGS 2019). **Table 2-4** provides information about the stations.

**Table 2-4 Streamflow Gages in the Kickapoo Creek Watershed<sup>1</sup>**

| Gage Number | Name   | Available Data         | Period of Record | Data Count |
|-------------|--|------------------------|------------------|------------|
| 03343805    | Kickapoo Creek near Mattoon, IL                  | Gage Height, Discharge | 2014–2016        | 18         |
| 03343820    | Kickapoo Creek at 1320E Road near Charleston, IL | Gage Height, Discharge | 2010–2016        | 63         |

Note:

<sup>1</sup> USGS. National Water Information System. Daily Streamflow Data for Illinois.


[https://waterdata.usgs.gov/IL/nwis/current/?type=dailydischarge&group\\_key=basin\\_cd](https://waterdata.usgs.gov/IL/nwis/current/?type=dailydischarge&group_key=basin_cd)

There are six USGS gages in adjacent watersheds (**Figure 2-5**) with similar characteristics to those of the Kickapoo Creek watershed that have available discharge data and may be used to estimate streamflow for TMDL development for the impaired segment of Riley Creek (IL\_BENA-01). These gages are summarized in **Table 2-5** and their stream flows are shown in **Figure 2-6**.

**Table 2-5 Streamflow Gages in the Watersheds Adjacent to the Kickapoo Creek Watershed**

| Gage Number | Name                               | Drainage Area (square miles) | Approximate Distance from Kickapoo Watershed (miles) | Period of Record | Minimum Monthly Flow (cfs) | Maximum Monthly Flow (cfs) |
|-------------|------------------------------------|------------------------------|--|------------------|----------------------------|----------------------------|
| 03343400    | Embarras River near Camargo, IL    | 186                          | 14   | 1969–2019        | 23                         | 1,119                      |
| 05590800    | Lake Fork at Atwood, IL            | 149                          | 20   | 1972–2019        | 35                         | 597                        |
| 05591200    | Kaskaskia River at Cook Mills, IL  | 473                          | 5  | 1970–2019        | 41                         | 1,613                      |
| 05591550    | Whitley Creek near Allenville, IL  | 35                           | 7  | 1980–2019        | Less than 1                | 241                        |
| 05591700    | West Okaw River near Lovington, IL | 112                          | 21   | 1970–2019        | 8                          | 525                        |
| 05592000    | Kaskaskia River at Shelbyville, IL | 1,054                        | 21   | 1970–2019        | 301                        | 1,944                      |


cfs – cubic feet per second



DRAFT



Figure 2-5: Kickapoo Creek Watershed, Active USGS Gages



**Figure 2-6 Annual Streamflow Trends at Gages in Proximity to the Kickapoo Creek Watershed**

USGS gages 05591550 (Whitley Creek near Allenville, IL) and 05591700 (West Okaw River near Lovington, IL) have drainage areas and maximum and minimum monthly flows that are similar to the existing gages within the Kickapoo Creek watershed. Data from these gages may be used to estimate flow values for subbasins in the Kickapoo Creek watershed using the drainage area ratio method, represented by the following equation:

$$Q_{\text{gaged}} \left( \frac{\text{Area}_{\text{ungaged}}}{\text{Area}_{\text{gaged}}} \right) = Q_{\text{ungaged}}$$

Where,

- $Q_{\text{gaged}}$  = Streamflow of the gaged basin
- $Q_{\text{ungaged}}$  = Streamflow of the ungaged basin
- $\text{Area}_{\text{gaged}}$  = Area of the gaged basin
- $\text{Area}_{\text{ungaged}}$  = Area of the ungaged basin

The assumption behind the equation is that the flow per unit area is equivalent in watersheds with similar characteristics. Therefore, the flow per unit area in the gaged watershed multiplied by the area of the ungaged watershed estimates the flow for the ungaged watershed. As flow data are needed for TMDL development and/or watershed-based planning, data downloaded through the USGS for the surrogate gage for the available period of record will be adjusted to account for point source influence in the watershed upstream of the gaging station. Average daily flows from all National Pollutant Discharge Elimination System (NPDES) permitted facilities upstream of the surrogate USGS gages are subtracted from the gaged flow prior to flow-per-unit-area calculations.



The resulting estimates account for flows associated with precipitation and overland runoff only. Average daily flows from permitted NPDES discharges upstream of the impaired segments in the Kickapoo Creek watershed can then be added back into the equation to more accurately reflect estimated daily streamflow conditions in a given segment.

This page intentionally left blank.

## Section 3

# Kickapoo Creek Watershed Public Participation

Public knowledge, acceptance, and follow-through are necessary to implement a plan to meet recommended TMDLs, WBPs, or WPPs. It is important to involve the public as early in the process as possible to achieve maximum cooperation and respond to concerns regarding the purpose of the process and the regulatory authority to implement any recommendations.

Illinois EPA, along with CDM Smith, held a virtual public meeting on June 30, 2021, to present Stage 1 of TMDL development. An additional public meeting will be held to present the final results of the TMDL development process and the Draft WPP report. Comments received through the public meeting process are included in **Appendix D**. This section and the appendix will be updated following the final public meeting.

This page intentionally left blank.

## Section 4

# Kickapoo Creek Watershed Water Quality Standards

### 4.1 Illinois Water Quality Standards

Water quality standards are developed and enforced by the state to protect the “designated uses” of the state’s waterways. In Illinois, the Illinois Pollution Control Board (IPCB) is responsible for setting the standards. Illinois is required to update water quality standards every 3 years in accordance with the CWA. The standards requiring modifications are identified and prioritized by Illinois EPA in conjunction with EPA. New standards are then developed or revised during the 3-year period.

Illinois EPA is also responsible for developing scientifically based water quality criteria and proposing them to IPCB for adoption into state rules and regulations. The Illinois water quality standards are established in Title 35 of the Illinois Administrative Code: Environmental Protection; Subtitle C, Water Pollution; Chapter I, Pollution Control Board; Part 302, Water Quality Standards.<sup>14</sup>

### 4.2 Designated Uses

The waters of Illinois are classified into four primary categories of narrative and numeric water quality standards for surface waters: General Use Standards, Public and Food Processing Water Supplies Standards, Secondary Contact and Indigenous Aquatic Life Standards, and Lake Michigan Basin Water Quality Standards.<sup>15</sup> Segment IL\_BENA-01 of Riley Creek was listed on the 2018 303(d) list for impairment of the aquatic life designated use by low DO under the General Use Standard.

#### 4.2.1 General Use

The General Use classification is defined by IPCB as standards that “are intended to protect aquatic life, wildlife, agricultural, primary contact, secondary contact, and most industrial uses.” They are also intended to “ensure the aesthetic quality of the state’s aquatic environment and to protect human health from disease or other harmful effects that could occur from ingesting aquatic organisms taken from surface waters of the state.”<sup>16</sup>

---

<sup>14</sup> Illinois Pollution Control Board. Title 35 Procedural and Environmental Rules. <https://pcb.illinois.gov/SLR/IPCBandIEPAEnvironmentalRegulationsTitle35>

<sup>15</sup> Illinois Numeric Water Quality Standards for Surface Waters. <https://pcb.illinois.gov/documents/dsweb/Get/Document-33354/>

<sup>16</sup> Illinois EPA, *Integrated Report*, 9. <https://epa.illinois.gov/content/dam/soi/en/web/epa/topics/water-quality/watershed-management/tmdls/documents/2020-2022-ir-final-6-01-22.pdf>

## 4.3 Illinois Water Quality Standards

According to the Illinois EPA Integrated Report,<sup>17</sup> aquatic life use assessments in streams are typically based on the interpretation of biological information, physiochemical water data, and physical habitat. The primary biological measures used are the Fish Index of Biotic Integrity (fIBI), the Macroinvertebrate Index of Biotic Integrity (mIBI), and the Macroinvertebrate Biotic Index (MBI). Physical habitat information used in assessments includes quantitative and qualitative measures of stream bottom composition and qualitative descriptors of channel and riparian conditions. Physiochemical water data used include measures of conventional parameters (e.g., DO, pH, and temperature), priority pollutants, nonpriority pollutants, and other pollutants.

**Table 4-1** presents the numeric water quality standards of the potential cause of impairment for segment IL\_BENA-01 of Riley Creek in the Kickapoo Creek watershed.

**Table 4-1 Summary of Numeric Water Quality Standards for Potential Causes of Stream Impairments in the Kickapoo Creek Watershed**

| Parameter | Units | General Use Water Quality Standard   | Regulatory Reference <sup>1</sup> |
|-----------|-------|--|-----------------------------------|
| DO        | mg/L  | <p><i>March through July</i></p> <p>≥5.0 minimum, and ≥6.25 7-day daily mean averaged over 7 days</p> <p><i>August through February</i></p> <p>≥4.0 minimum, ≥4.5 7-day minimum averaged over 7 days, and ≥6.0 30-day daily mean<sup>1</sup></p> | 302.206© <sup>2</sup>             |

Notes:

<sup>1</sup> 302.206(d) provides further information on detailed calculations for determining the acute and chronic standards for DO.

<sup>2</sup> Riley Creek is subject to Section 302, Appendix D: Stream Segments for Enhanced Dissolved Oxygen Protection. mg/L – milligrams per liter

The 2020/2022 Illinois Integrated Water Quality Report and 303(d) list was approved in June 2022.<sup>18</sup> Riley Creek segment IL\_BENA-01 is now a Category 2 water, indicating that all designated uses that were assessed are supported.

## 4.4 Potential Pollutant Sources

To properly address the conditions within the Kickapoo Creek watershed, potential pollutant sources must be investigated for the pollutants where TMDLs will be developed. **Table 4-2** provides a summary of the potential sources associated with the 2018 listed potential causes for the 303(d)-listed segment in this watershed.

<sup>17</sup> Illinois EPA, *Integrated Report*, 17. <https://epa.illinois.gov/content/dam/soi/en/web/epa/topics/water-quality/watershed-management/tmdls/documents/2020-2022-ir-final-6-01-22.pdf>

<sup>18</sup> Illinois EPA, *Integrated Report*. <https://epa.illinois.gov/content/dam/soi/en/web/epa/topics/water-quality/watershed-management/tmdls/documents/2018-cycle-integrated-report-final-20210201.pdf>

**Table 4-2 Impaired Waterbody in the Kickapoo Creek Watershed**

| Segment ID | Segment Name | Potential Causes of Impairment | Designated Use | Potential Sources (as identified by the 2018 303(d) list)  |
|------------|--------------|--------------------------------|----------------|--|
| IL_BENA-01 | Riley Creek  | DO                             | Aquatic Life   | Industrial Point Source Discharge, Municipal Point Source Discharge, Crop Production (Crop Land or Dry Land), Agriculture, Urban Runoff/Storm Sewers |

This page intentionally left blank.



## Section 5

# Kickapoo Creek Watershed Data and Potential Pollution Sources

To further characterize the Kickapoo Creek watershed, a wide range of data were collected and reviewed. Water quality data for the impaired stream, as well as information on potential point and nonpoint sources within the watershed, were compiled from a variety of data sources. This information is presented and discussed in further detail in the remainder of this section.

### 5.1 Water Quality Data


Illinois EPA monitoring programs that contribute data to the assessment of streams include the Ambient Water Quality Monitoring Network, the Pesticide Monitoring Subnetwork, Facility-Related Stream Surveys, Intensive River Basin Surveys, and the Fish Contaminant Monitoring Program.<sup>19</sup> Much of the data used for this report came from the Ambient Water Quality and Lake Monitoring Programs and Intensive Basin Surveys. The Ambient Water Quality Network and Ambient Lake Monitoring Programs include 146 fixed stream stations statewide that are sampled every 6 weeks. Additional data are collected during Intensive River Basin Surveys, which are typically conducted on a 5-year cycle and focus on basins where intensive data are currently lacking or where historical data need updating. Additional information on Illinois EPA's monitoring programs can be found in the Illinois Water Monitoring Strategy report.<sup>20</sup>

Data from a total of four historic water quality stations on or upgradient of the impaired stream within the Kickapoo Creek watershed were located and reviewed for this report. These water quality data were provided by Illinois EPA. **Figure 5-1** shows the water quality data stations within the watershed that contain data relevant to the impaired segment. The data summary provided in this section includes all available date ranges of collected data.

One stream segment within the Kickapoo Creek watershed, Riley Creek segment IL\_BENA-01 (**Figure 5-2**), is addressed in this report. There is one water quality station on the segment with data from 2001 through 2016. Two stations with available DO data exist on the segment of Riley Creek upstream of the impaired segment, and one additional station exists on Cassell Creek, which is also upstream of the impaired segment. The data summarized in this section include water quality data for the parameter of concern (DO).

<sup>19</sup> Illinois EPA. River and stream webpage. <https://epa.illinois.gov/topics/water-quality/monitoring/river-and-stream.html>

<sup>20</sup> Illinois EPA. 2014. *Illinois Water Monitoring Strategy 2015-2020*. <https://www2.illinois.gov/epa/Documents/epa.state.il.us/water/water-quality/monitoring-strategy/monitoring-strategy-2015-2020.pdf>



DRAFT



Figure 5-1: Kickapoo Creek Watershed Water Quality Stations




Figure 5-2 Dissolved Oxygen Measurements and Instantaneous Minimum Water Quality Standards in Riley Creek

All historical water quality data for the 2018 303(d)-listed segment in the Kickapoo Creek watershed are provided in **Appendix C**.

### 5.1.1 Dissolved Oxygen

Riley Creek segment IL\_BENA-01 was listed in 2018 for impairment of the aquatic life use because of low DO concentrations. **Table 5-1** summarizes available historical DO data on this segment. The general use water quality standard for DO provides seasonal instantaneous minimum and minimum weekly (7-day) average concentrations for DO in streams. The instantaneous minimum standards of 5.0 mg/L for March through July and 4.0 mg/L for August through February were used to identify exceedances. Since only one exceedance of the instantaneous standard was identified, the dataset was also assessed for the 7-day average minimum standard of 6.25 mg/L for March through July and 4.5 mg/L for August through February. Only one exceedance was identified using the 7-day average minimum standard as well.

**Table 5-1 Existing Dissolved Oxygen Data for Riley Creek Segment IL\_BENA-01**

| Illinois Water Quality Standard (mg/L) | Period of Record and Number of Data Points | Mean (mg/L) | Maximum (mg/L) | Minimum (mg/L) | Number of Exceedances | Sample Locations                   |
|--|--|-------------|----------------|----------------|-----------------------|------------------------------------|
| 5.0 <sup>1</sup> , 4.0 <sup>2</sup>    | 2001–2021; 37                              | 7.34        | 10.30          | 3.80           | 1                     | BENA-01, BENA-02, BENA-03, BENC-01 |

Notes:

<sup>1</sup> Instantaneous minimum, March–July.<sup>2</sup> Instantaneous minimum, August–February.

The summary of data presented in **Table 5-1** reflects single samples from locations on the segment and upstream of the segment compared to the standard during the appropriate months. One exceedance was reported in the available dataset for Riley Creek segment IL\_BENA-01, representing 3 percent of available DO measurements. **Figure 5-2** shows the DO measurements collected over time on the segment.

All DO samples were collected between May and September when stream temperatures are typically higher and sampling conditions are more favorable. Stream flows are typically higher at the beginning of the summer, in May and June, and lower in July, August, and September. The one exception below the instantaneous minimum occurred in September 2006, when the 4.0 mg/L standard applied. All DO measurements in the last decade have been above the applicable water quality standard.

## 5.2 Point Sources


There is one active wastewater treatment plant that discharges upstream of Riley Creek.

**Table 5-2** contains permit information for this point source while **Figure 5-3** shows the location of the facility.

**Table 5-2 Permitted Facilities Discharging to or Upstream of the Impaired Segment in the Kickapoo Creek Watershed**

| Facility ID | Facility Name                             | Design Average/Maximum Flow (MGD) | Receiving Water |
|-------------|---|-----------------------------------|-----------------|
| IL0021644   | CHARLESTON SANITARY TREATMENT PLANT (STP) | 3.3/6.0                           | Cassell Creek   |

MGD – million gallons per day



DRAFT



Figure 5-3: Kickapoo Creek Watershed Major NPDES Discharge Locations

## 5.3 Nonpoint Sources

There are many potential nonpoint sources of loading of oxygen-demanding materials to Riley Creek in the Kickapoo Creek watershed. This section will discuss site-specific cropping practices, animal operations, and area septic systems. Data were collected through communication with the local NRCS, Soil and Water Conservation Districts (SWCDs), and county health departments.

### 5.3.1 Crop Information

Approximately 66 percent of the land within the Kickapoo Creek watershed is devoted to agriculture. Of the agricultural lands, soybean and corn monocultures account for approximately 34 percent and 32 percent of the watershed, respectively. Tillage practices can be categorized as conventional till, reduced till, mulch till, and no till. The percentage of each tillage practice for corn, soybeans, and small grains by county are generated by the Illinois Department of Agriculture (IDA) from county transect surveys.<sup>21</sup> Data specific to the Kickapoo Creek watershed were not available; however, Coles County practices were available and are shown in **Table 5-3**.

**Table 5-3 Tillage Practices in Coles County, Illinois**

| Tillage System    | Corn  |       | Soybean |       | Small Grain |      |
|-------------------|-------|-------|---------|-------|-------------|------|
|                   | 2015  | 2018  | 2015    | 2018  | 2015        | 2018 |
| Conventional Till | 95.5% | 76.2% | 19.0%   | 16.4% | 0.0%        | 0.0% |
| Reduced Till      | 4.1%  | 21.2% | 32.0%   | 34.6% | 0.0%        | 0.0% |
| Mulch Till        | 0.0%  | 2.6%  | 35.0%   | 38.3% | 0.0%        | 0.0% |
| No Till           | 0.4%  | 0.0%  | 14.0%   | 10.8% | 0.0%        | 0.0% |

According to the County Transect Survey Summary Report,<sup>22</sup> fields planted conventionally leave less than 15 percent of the soil surfaced covered with crop residue after planting, while mulch till leaves at least 30 percent of the residue from the previous crop remaining on the soil surface after being tilled and planted. Reduced till falls between conventional and mulch (greater than 15 percent but less than 30 percent), and no-till practices leave the soil virtually undisturbed from harvest through planting. Residue is important because it shields the ground from the eroding effects of rain and helps retain moisture for crops. Data indicate a transition toward reduced and mulch tilling in Coles County over the past 5 years and reductions in conventional till practices. Erosion control practices can reduce the amount of sediment and nutrients entering a receiving water. Sedimentation and excess nutrients can both impact DO levels in streams.

Information on field tiling practices was also sought as field drains can influence the timing and amount of water delivered to area streams and reservoirs and deliver dissolved nutrients from fields to receiving waters. The local SWCD reported that the use of tile drainage is common and an estimated 80 percent of the agricultural land within the watershed likely uses tile drainage.<sup>23</sup>

<sup>21</sup> IDA. 2018. Illinois Soil Conservation Transect Surveys. <https://agr.illinois.gov/resources/landwater/illinois-soil-conservation-transect-survey-reports.html>

<sup>22</sup> IDA. 2018. Illinois Soil Conservation Transect Survey Reports. <https://agr.illinois.gov/resources/landwater/illinois-soil-conservation-transect-survey-reports.html>

<sup>23</sup> Spaniol, L. 2019, November 12. Coles County Soil and Water Conservation District Resource Conservationist. Email correspondence.

### 5.3.2 Animal Operations

Information on commercial animal operations is available from the NASS. Knowing the number of animal units in a watershed is useful in TMDL development as grazing animals have the potential to increase erosion and contribute nutrients through manure. Data specific to the Kickapoo Creek watershed were not available; however, Coles County animal populations were reviewed and are presented in **Table 5-4**.<sup>24,25</sup>

**Table 5-4 Coles County Animal Population**

| Livestock Type    | 2012  | 2017  | Percent Change |
|-------------------|-------|-------|----------------|
| Cattle and Calves | 2,875 | 4,007 | 39.4%          |
| Beef              | 1,312 | 2,083 | 58.8%          |
| Dairy             | 98    | 110   | 12.2%          |
| Hogs and Pigs     | (D)   | 9,219 | --             |
| Poultry           | 42    | 21    | -50.0%         |
| Sheep and Lambs   | 251   | 113   | -55.0%         |
| Horses and Ponies | 447   | 230   | -48.5%         |

(D) - Withheld to avoid disclosing data for individual farms

Communications with local SWCD officials have provided more watershed-specific details. In Coles County, which encompasses the entirety of the Kickapoo Creek watershed, SWCD officials stated that there are very few cattle operations but there are several small horse farms and some goat hobby farms. Officials were not aware of any commercial poultry operations within the watershed nor commercial hog production facilities, although there are likely some small hog production operations for personal consumption, 4-H, and/or Future Farmers of America.<sup>26</sup>

### 5.3.3 Septic Systems

Many households in rural areas of Illinois that are not connected to municipal sewers make use of on-site sewage disposal systems or septic systems. There are many types of septic systems, but the most common is composed of a septic tank draining to a septic field where nutrient removal occurs. The degree of nutrient removal in these systems is limited by soils, and system upkeep and maintenance.

Across the United States, septic systems have been found to be a significant source of phosphorous pollution, which can contribute to low DO. Animal waste, urban runoff, and permitted point sources can also contribute. The information on the extent of sewer and unsewered municipalities was obtained from the Coles County Health Department.<sup>27</sup> Health department officials stated that the townships of Mattoon, Lafayette, and Charleston had 203, 814, and 781 permitted private septic systems, respectively. Of these townships, however, only the northern parts of Charleston likely flow into the impaired segment IL\_BENA-01 of Riley Creek. There was no information regarding septic systems outside of these townships, but given that

<sup>24</sup> NASS. 2019. 2017 Census of Agriculture, Illinois State and County Data. [https://www.nass.usda.gov/Publications/AgCensus/2017/Full\\_Report/Volume\\_1\\_Chapter\\_2\\_County\\_Level/Illinois/](https://www.nass.usda.gov/Publications/AgCensus/2017/Full_Report/Volume_1_Chapter_2_County_Level/Illinois/)

<sup>25</sup> NASS. 2014. 2012 Census of Agriculture, Illinois State and County Data. [2012 - Illinois AgCensus \(cornell.edu\)](https://www.nass.usda.gov/Publications/AgCensus/2012/Full_Report/Volume_1_Chapter_2_County_Level/Illinois/)

<sup>26</sup> Spaniol, L. 2019, November 12. Coles County Soil and Water Conservation District Resource Conservationist. Email correspondence.

<sup>27</sup> Spear, G. 2019, November 12. Coles County Health Department. Email correspondence.



these areas are rural, it is likely that septic systems are prevalent throughout the Kickapoo Creek watershed.

## 5.4 Watershed Studies and Other Watershed Information

Previous efforts completed within the watershed are listed below. This list may not be exhaustive.

**2002** – The Illinois State Water Survey conducted a 2-year watershed monitoring study of the Kickapoo Creek watershed to assist the Embarras River Ecosystem Partnership–Conservation 2000 Ecosystem Program in establishing a baseline of hydrologic and water quality data. The data was intended to provide an understanding of the cumulative impacts of future best management practices (BMPs) to be implemented in the watershed. The study found that the Mattoon wastewater treatment plant contributes 27 percent of the flow of Kickapoo Creek at the gage that the study installed, with flows ranging from 10 to 60 percent on a monthly basis.<sup>28</sup>

**2009** – Section 319 grant funds, matched by a group of developers and the City of Bloomington, Illinois, were used to develop an 88-acre park with a meandering stream and functioning floodplain corridor with wetlands, prairie, savanna, and forest components near a development in the Bloomington-Normal area in central Illinois. The stream restoration was spurred because this area of the Kickapoo Creek watershed was listed as a “Biologically Significant Stream,” with a count at the time of 51 fish species and 23 mussel species.<sup>29</sup>

**2011** – The Embarras River Watershed Management Plan was developed by the City of Charleston and the Embarras River Management Association and was created to update a similar plan that was written in 1996 to work toward restoring waters impaired by nonpoint sources of pollution. The plan includes a Kickapoo Creek Subwatershed Implementation Plan that recommends projects such as detention basins, streambank stabilization, and wetland/floodplain restoration to combat issues such as erosion and excess nitrogen, phosphorus, and sediment loading.<sup>30</sup>

**2012** – Section 319 funds were used near Charleston to implement BMPs to reduce severe bank erosion and increase stream habitat. The project included the construction of two rock riffles and bank protection within 2,000 feet of Kickapoo Creek, as well as pre- and postbiological and geomorphological restoration monitoring.<sup>31</sup>

<sup>28</sup> Illinois State Water Survey Watershed Science Section. 2004. *Sediment and Water Quality Monitoring for the Hurricane and Kickapoo Creek Watersheds, Coles and Cumberland Counties, Illinois*. <https://www.isws.illinois.edu/pubdoc/CR/ISWSCR2004-05.pdf>

<sup>29</sup> Illinois Department of Natural Resources. 2009. *Kickapoo Creek Restoration Project – Phase 1. Project T-46-D1 - Illinois Wildlife Action Plan*

<sup>30</sup> Illinois EPA, V3 Companies Ltd, and Northwater Consulting. 2011. *Embarrass River Watershed Management Plan*. <https://epa.illinois.gov/content/dam/soi/en/web/epa/topics/water-quality/watershed-management/watershed-based-planning/documents/embarraswmp-final-version110111.pdf>

<sup>31</sup> Illinois Department of Natural Resources. 2012. *Kickapoo Creek Restoration Project, Charleston, Illinois* <https://dnr.illinois.gov/content/dam/soi/en/web/dnr/programs/nrda/documents/vesuvius-kickapoo319projectfinalreport6-29-12.pdf>



**2015** – The City of Bloomington developed a wetland detention within a natural stream design for a residential development with Section 319 funding with the goal of capturing runoff to manage both quantity and quality of stormwater runoff.<sup>32</sup>

**2018** – The Wetlands Research Institute and the Nature Conservancy launched a nutrient credit system near Peoria, Illinois, in which nutrient runoff credits could be bought by treatment plants and other point source dischargers to reduce nitrogen and phosphorus runoff.<sup>33</sup>

**2022** - The Embarras River Watershed Management Plan was updated in 2022 through 319 grants funds awarded to the Coles County SWCD. The updated plan was completed by the Illinois Farm Bureau, Northwater Consulting, and Illinois Extension as partners, along with support from private groups, county Farm Bureaus, and SWCD boards throughout the watershed. The plan gives focus and direction for the coming 10 years to address multiple resource concerns in the watershed, with particular emphasis placed on water quality due to the Embarras River Watershed’s listing as a phosphorus priority watershed in the Illinois NLRs.<sup>34</sup>

---

<sup>32</sup> “Kickapoo Creek Section 319 National Monitoring Program Project.” n.d. Report excerpt.  
[https://319monitoring.wordpress.ncsu.edu/files/2016/05/il\\_kickapoo\\_profile.pdf](https://319monitoring.wordpress.ncsu.edu/files/2016/05/il_kickapoo_profile.pdf)

<sup>33</sup> “Kickapoo Creek: Its Distant Past and Exceptionally Bright Future,” *Peoria Magazine*.  
[https://www.peoriomagazine.com/archive/ibi\\_article/2018/kickapoo-creek-its-distant-past-and-exceptionally-bright-future/](https://www.peoriomagazine.com/archive/ibi_article/2018/kickapoo-creek-its-distant-past-and-exceptionally-bright-future/)

<sup>34</sup> Northwater. 2022. <http://www.colescountyswcd.org/resources/embarras-river-watershed-plan/>

This page intentionally left blank.

## Section 6

# Approach to Developing Total Maximum Daily Loads and Identifying Data Needs

Illinois EPA is currently developing TMDLs for pollutants that have numeric water quality standards. Riley Creek segment IL\_BENA-01, in the Kickapoo Creek watershed, was listed in 2018 for impairment of the aquatic life use because of low DO, which has a numeric water quality standard. **Table 1-1** lists the potential causes of impairment as identified in the 2018 303(d) list.

The available dataset for impairment on Riley Creek (IL\_BENA-01) showed that this segment is no longer impaired by low DO, and it was recommended that this segment be removed from the 303(d) list.

Since the completion of Stage 1, the 2020/2022 Illinois Integrated Water Quality Report and 303(d) List was approved in June 2022.<sup>35</sup> Riley Creek is no longer on the 303(d) list and is listed a “Category 2” water, indicating that all designated uses that were assessed are supported. No additional stages of TMDL development are recommended based on the updated status, however, a WPP has been developed to protect and maintain water quality and designated uses in the watershed and is included as Section 7 of this report.

---

<sup>35</sup> Illinois EPA, *Integrated Report*. <https://epa.illinois.gov/content/dam/soi/en/web/epa/topics/water-quality/watershed-management/tmdls/documents/2020-2022-ir-final-6-01-22.pdf>

This page intentionally left blank.

## Section 7

# Watershed Protection Plan for Riley Creek Subbasin in the Kickapoo Creek Watershed

### 7.1 Protection Plan

As presented in Section 5 of this report, data show that Riley Creek (segment IL\_BENA-01) is no longer impaired and the segment has since been removed from the 2020/2022 303(d) list. As a result, a TMDL was not developed. This protection plan has been developed to help guide the implementation of recommended BMPs intended to protect and maintain the water quality in the subbasin.

High phosphorus concentrations in receiving streams often result in excessive algae growth, typically periphyton in smaller streams and phytoplankton in larger rivers. Excessive algae growth is known to cause water column DO depletions as the algae respire. Effective ways to maintain adequate DO levels in rural watersheds often requires efforts to restrict total phosphorus loads from entering water bodies. While no numeric standard exists for total phosphorus in streams, Illinois has developed a Nutrient Loss Reduction Strategy (NLRS). The NLRS contains an interim goal of reducing total phosphorus loads within the state by 25 percent by 2025, with an overall long-term goal of establishing a 45 percent reduction in nitrogen and phosphorus loads.

Given that the Kickapoo Creek watershed area is dominated by agricultural land uses, water quality protection in this area will largely be driven by implementation and maintenance of agricultural BMPs. This WPP provides information on nonpoint source nutrient load reduction BMPs that can continue to protect and maintain DO concentrations that support the aquatic life use within Riley Creek segment IL\_BENA-01.

### 7.2 Adaptive Management

Watershed planning is an iterative and adaptive process that requires continuous monitoring and evaluation of success criteria to help improve results as lessons are learned throughout implementation. This adaptive management approach is recommended for the WPP for the Riley Creek subbasin within the Kickapoo Creek Watershed. Adaptive management conforms to EPA guidelines as it is a systematic process for continually improving management policies and practices through learning from the outcomes of operational programs. Some defining characteristics of an adaptive management approach include:

- Acknowledgment of uncertainty about what policy or practice is “best” for the particular management issue
- Thoughtful selection of the policies or practices to be applied (the assessment and design stages of the cycle)

- Careful implementation of a plan of action designed to reveal the critical knowledge that is currently lacking
- Monitoring of key response indicators
- Analysis of the management outcomes in consideration of the original objectives and incorporation of the results into future decisions

Implementation actions, management measures, and recommended monitoring are all discussed throughout the remainder of this section to assist in the development of an adaptive management program. The recommended point and nonpoint source BMPs presented herein are voluntary measures that can be taken by dischargers and/or landowners within or upstream of the Riley Creek IL\_BENA-01 segment.

## 7.3 Best Management Practice Recommendations

Implementation actions, point source controls, management measures, and/or BMPs are used to control the generation or distribution of pollutants within a watershed. BMPs are either structural, such as wetlands, sediment basins, fencing, or filter strips; or managerial, such as conservation tillage practices, nutrient management plans (NMPs), or crop rotation. Both structural and managerial BMPs require effective management to be successful in reducing pollutant loading to water resources.<sup>36</sup>

It is typically most effective to install a combination of nonpoint source controls and BMPs or a BMP system. A BMP system is a combination of two or more individual BMPs that are used to control pollutants from a single critical source. If the watershed has more than one identified pollutant but the transport mechanism is the same, then a BMP system that establishes controls for the transport mechanism can be employed.<sup>27</sup> The following subsections describe recommended BMPs for the management of total phosphorus loads that can help to minimize DO depletions within the Riley Creek subbasin.

### 7.3.1 Recommendations for Total Phosphorus Management

Phosphorus is a nutrient critical to healthy ecosystems at low concentrations, however, overenrichment of phosphorus can result in aquatic ecosystem degradation when nitrogen is also available in sufficient quantities. Nutrient enrichment can result in rapid algal growth as available nutrients and carbon dioxide are consumed. This response can alter pH, decrease DO (which is critical to other aquatic biota), alter the diurnal DO pattern, and even create anoxic conditions. In addition, nutrient enrichment can reduce water clarity and light penetration and is aesthetically displeasing.

Inputs of phosphorus originate from both point and nonpoint sources. Most of the phosphorus discharged by point discharges is soluble and originates from anthropogenic sources. For example, effluents from municipal sewage treatment plants are often a contributor of phosphorous loads to area waterways. Contributions from failed on-site wastewater treatment (septic) systems can also be a significant source (nonpoint), especially if they are concentrated in

---

<sup>36</sup> Osmond, D.L., D.L.K. Hoag, A.E. Luloff, D.W. Meals, and K. Neas. 2015. "Farmers' Use of Nutrient Management: Lessons from Watershed Case Studies." *Journal of Environmental Quality*, February. DOI: <http://dx.doi.org/10.2134/jeq2014.02.0091>

a small area. Phosphorus from nonpoint sources is generally insoluble or particulate. Most of this phosphorus is bound tightly to soil particles and enters streams from erosion although some may come from sources such as tile drainage in the dissolved form. Phosphorus loading from nonpoint sources is typically intermittent and is most often associated with stormwater runoff. Sediment loads associated with nonpoint runoff can impact the physical attributes of the stream, reduce the opportunities for physical reaeration within a stream channel, and act as a transport mechanism for phosphorus.

Phosphorus loads in the Riley Creek subbasin originate primarily from external sources. As presented in previous sections, possible external sources of total phosphorus include point source discharges, crop production/agriculture, and potentially urban runoff/storm sewers. To continue to effectively manage total phosphorus loads into Riley Creek and in turn mitigate against potential DO depletions, management measures must primarily address loading through sediment and surface runoff controls.

### 7.3.1.1 Point Sources of Oxygen-Demanding Materials

There is one active municipal point source discharger that discharges into Cassell Creek upstream of Riley Creek segment IL\_BENA-01. **Table 7-1** contains facility and permit information for the Charleston STP.

**Table 7-1 Permit Information for Charleston STP**

| Facility       | NPDES Permit Number | Design Average Flow (MGD) | Design Maximum Flow (MGD) | CBOD Daily Maximum (mg/L) | DO Daily Minimum <sup>1</sup> (mg/L) | DO Daily Minimum <sup>2</sup> (mg/L) |
|----------------|---------------------|---------------------------|---------------------------|---------------------------|--------------------------------------|--------------------------------------|
| Charleston STP | IL0021644           | 3.3                       | 6.0                       | 24                        | 5.0                                  | 3.5                                  |

Notes:

<sup>1</sup> March – July.

<sup>2</sup> August – February.

CBOD – carbonaceous biochemical oxygen demand

The permit also contains limits for ammonia and has monitoring requirements for total phosphorus and total nitrogen. The average total phosphorus concentration in discharge effluent at the Charleston STP is 2.3 mg/L based on discharge monitoring report data submitted from November 2020 to October 2021. Continued monitoring and evaluation of oxygen-demanding constituents to receiving waters will provide Illinois EPA and interested watershed group members data and information to use when considering water quality goals for segment IL\_BENA-01 of Riley Creek.

### 7.3.1.2 Nonpoint Sources of Phosphorus

There are many potential nonpoint sources of phosphorus within the Riley Creek subbasin. The following section presents information on watershed cropping practices and other BMPs that help reduce nutrient loads and improve DO levels in area waterways.

BMPs that could be used for treatment of these nonpoint sources include:

- Nutrient management

- Conservation tillage practices
- Filter strips and riparian buffers
- Farming/soil retention practices
- Wetlands
- Water and sediment control basins (WASCOBs)
- Phosphorus-based lawn fertilizer restrictions

**Nutrient Management:** Nutrient management programs are available for management of nutrient loads within the Riley Creek subbasin. Crop management of nitrogen and phosphorus originating in the agricultural portions of the watershed can be accomplished through NMPs that focus on increasing the efficiency with which applied nutrients are used by crops, thereby reducing the amount available to be transported to both surface water and groundwater.

The overall goal of nutrient reduction from agriculture should be to increase the efficiency of nutrient use by balancing nutrient inputs in feed and fertilizer with outputs in crops and animal produce, and to manage the concentration of nutrients in the soil. The four “Rs” of nutrient management are applying the right fertilizer source at the right rate at the right time and in the right place. It is not unusual for crops in fields or portions of fields to show nutrient deficiencies during periods of the growing season, even where an adequate NMP is followed. The fact that nutrients are applied does not necessarily mean they are available. Plants obtain most of their nutrients and water from the soil through their root system. Any factor that restricts root growth and activity has the potential to restrict nutrient availability and result in increased nutrient runoff.

Reducing nutrient loss in agricultural runoff may be brought about by source and transport control measures, such as filter strips or grassed waterways. The NMPs account for all inputs and outputs of nutrients to determine reductions. NMPs typically include the following:

- Review of aerial photography and soil maps
- Regular soil testing to determine areas where adequate or excessive fertilization has taken place, monitor where nutrient buildup in soils occurs, and aid in determining fertilization maintenance requirements; appropriate soils sampling and analysis techniques are described in the Illinois Agronomy Handbook (<http://extension.cropsciences.illinois.edu/handbook/>).
- Review of current and/or planned crop rotation practices
- Establishment of yield goals and associated nutrient application rates, which can help minimize the potential for excessive buildup of phosphorus and reallocate phosphorus sources to fields or areas where the greatest agronomic benefits can be produced
- Development of nutrient budgets with planned application rates, application methods, and timing and form of nutrient application



- Identification of sensitive areas and restrictions on application when land is snow covered, frozen, or saturated

Regional differences in phosphorus-supplying power are shown in Figure 8-4 of the Illinois Agronomy Handbook.<sup>37</sup> The differences were broadly defined primarily based on variability in parent material, degree of weathering, native vegetation, and natural drainages. For example, soils developed under forest cover appear to have more available subsoil phosphorus than those developed under grass. Soil test values are used to determine when buildup and maintenance of soil phosphorus is needed to supplement soils with low phosphorus-supplying power. Specific application amounts should be determined by periodic soil testing.

Subsoil levels of phosphorus in the southern Illinois region may be rather high by soil test in some soils, but this is partially offset by conditions that restrict rooting. Yet, excessively high phosphorus soil test levels should not be maintained. While soil test procedures were designed to predict where phosphorus is needed and not to predict environmental problems, the likelihood of phosphorus loss increases with high phosphorus test levels. Environmental decisions regarding phosphorus applications should include such factors as distance from a significant lake or stream, infiltration rate, slope, and residue cover. One possible problem with using soil test values to predict environmental problems is in sample depth. Normally samples are collected to a 7-inch depth for predicting nutritional needs. For environmental purposes, it would often be better to collect the samples from a 1- or 2-inch depth, which is the depth that will influence phosphorus runoff. Another potential problem is variability in soil test levels within fields in relation to the dominant runoff and sediment-producing zones. Several fertilizer placement recommendations are described in the Illinois Agronomy Handbook. However, given the propensity of phosphorus to bind tightly to soil particles and subsequently enter streams through erosion, the deep fertilizer placement technique may be most appropriate in areas where phosphorus is a concern. Under the deep placement technique, fertilizer is placed 4 to 8 inches deep into the soil rather than being spread near the surface.

**Conservation Tillage Practices:** Conservation tillage practices also help to manage nutrient and sediment loads into receiving waters by reducing erosion of soils. **Table 7-2** shows the areas (acres) in the watershed that are under cultivation along with the percent of the corresponding watershed area that is cultivated. Crop residuals or living vegetation cover on the soil surface protects against soil detachment from water and wind erosion.

**Table 7-2 Cultivated Areas for the Riley Creek Subbasin**

| Stream Segment | Segment ID | Land Cover Area (acres) | Cultivated Area (acres) | Percent Cultivated |
|----------------|------------|-------------------------|-------------------------|--------------------|
| Riley Creek    | IL_BENA-01 | 41,373                  | 30,727                  | 74%                |

Conservation tillage practices are no till and reduced till. No till is the practice of limiting soil disturbance to manage the amount, orientation, and distribution of crop and plant residue on the

<sup>37</sup> Fernandez, F.G., and R.G. Hoeft. Under revision. "Managing Soil pH and Crop Nutrients." Chapter 8 in *Illinois Agronomy Handbook*. Illinois Extension and Outreach Department of Crop Sciences. <http://extension.cropsciences.illinois.edu/handbook/pdfs/chapter08.pdf>

soil surface year-round.<sup>38</sup> Reduced till is managing the amount, orientation, and distribution of crop and other plant residue on the soil surface year-round, while limiting the soil-disturbing activities used to grow and harvest crops in systems where the field surface is tilled prior to planting.<sup>39</sup>

The no-till practice consists only of an in-row soil tillage operation during the planting activities and a seed row/furrow closing device. No full-width tillage is performed from the time of harvest or termination of one cash crop to the time of harvest/termination of the next cash crop in the rotation regardless of the depth of the tillage operation. Limited tillage is allowed to close or level ruts from harvesting equipment; however, no more than 25 percent of the field may be tilled for this purpose.

As noted above, the reduced-till practice consists of managing plant residue on the soil surface while limiting soil-disturbing activities. The practice includes tillage methods commonly referred to as mulch tillage or conservation tillage, where the entire soil surface is disturbed by tillage operations such as chisel plowing, field cultivating, tandem disking, or vertical tillage. It also includes tillage/planting systems with few tillage operations (e.g., ridge till) but which do not meet the criteria for the no-till practice as described above and in Illinois NRCS Conservation Practice Standard (CPS) 329.<sup>40</sup>

In both the no-till and reduced-till practices, removal of residue from the row area prior to or as part of the planting operation is acceptable. In the no-till practice, however, the disturbed portion of the row width should not exceed one-third of the crop row width. In either practice, none of the residue should be burned. To reduce erosion to the targeted level, the current approved water and/or wind erosion prediction technology should be used to determine the amount of randomly distributed surface residue needed, the period of the year the residue needs to be present in the field, and the amount of surface soil disturbance allowed. All residues will be uniformly distributed over the entire field. Residue should not be shredded after harvest because shredding makes it susceptible to movement by wind or water, and areas where the shredded residue accumulates may interfere with planting of the next crop.

If the no-till BMP is selected for use by a landowner, a separate plan shall be prepared for each area that will use this practice. Additional guidance and minimum plan elements are discussed in Illinois NRCS CPS 329.<sup>41</sup> If the reduced-till BMP is selected for use by a landowner, a separate plan shall be prepared for each area that will use this practice. Additional guidance and minimum plan elements are discussed in Illinois NRCS CPS 345.<sup>42</sup>

---

<sup>38</sup> NRCS. 2016a. Conservation Practice Standard. Residue and Tillage Management, No Till. Code 329. <https://www.nrcs.usda.gov/resources/guides-and-instructions/residue-and-tillage-management-no-till-ac-329-conservation>

<sup>39</sup> NRCS. 2016b. Conservation Practice Standard. Residue and Tillage Management, Reduced Till. Code 345. <https://www.nrcs.usda.gov/resources/guides-and-instructions/residue-and-tillage-management-reduced-till-ac-345-conservation>

<sup>40</sup> NRCS. 2016a.

<sup>41</sup> NRCS. 2016b.

<sup>42</sup> NRCS. 2016b.

Conservation tillage practices can remove up to 45 percent of the phosphorus from runoff. The 2018 Illinois Department of Agriculture's soil transect survey estimated that conventional till accounts for 76 percent of cultivated land.

To achieve TMDL load reductions, tillage practices already in place should be continued, and practices should be assessed and improved upon for all agricultural areas in the Kickapoo Creek Watershed subbasins.

**Filter Strips:** Filter strips can be used as a control for both sediment and nutrient pollutant loads from runoff. Filter strips are strips or areas of permanent herbaceous vegetation situated between cropland, grazing land, or disturbed land and environmentally sensitive areas, such as waterways. The filter strips are permanently designated plantings to treat runoff and are not part of an adjacent cropland's rotation.

The filter strip vegetation may consist of a single species or a mixture of grasses, legumes, and/or other forbs that are appropriately adapted to the soil and climate, and to the farm chemicals used in the adjacent land. Approved seed listings are provided in the Illinois NRCS CPS 393.<sup>43</sup> Applicable maintenance shall be performed, as needed, to ensure the strips continue to function properly, including removal of state-listed noxious weeds, gully repair, removal of excess sediment, and reseeding. Overland flow entering the filter strip should be primarily sheet flow; areas of concentrated flow should be dispersed as part of the maintenance activities so as not to circumvent the filter strip. Harvesting of the filter strip vegetation, where appropriate, will help to encourage dense growth, maintain an upright growth habit, and remove contaminants and unwanted nutrients contained in the plant tissue. Prescribed burning may be used to manage and maintain the filter strip when an approved burn plan has been developed.

The installation of filter strips adjacent to the receiving waters and any contributing tributaries can result in considerable reduction of overland contributions of sediments, suspended solids, and nutrients to a receiving water. Filter strips implemented along streams and their tributaries slow and filter runoff and provide bank stabilization, thereby decreasing erosion and re-sedimentation; however, they should not be installed on unstable channel banks already eroding because of undercutting of the bank toe. When used in support of a riparian forest buffer, filter strips can also restore or maintain sheet flow.

The Illinois NRCS CPS 393 describes filter strip requirements based on land slope; the requirements are designed to achieve a minimum flow through time of 15 to 30 minutes at a one-half inch depth. **Table 7-3** provides a summary of the guidance for filter strip width, or flow length, as a function of slope.<sup>44</sup>

---

<sup>43</sup> NRCS. 2017a. Conservation Practice Standard. Filter Strip. Code 393.  
[https://efotg.sc.egov.usda.gov/api/CPSFile/5609/393\\_IL\\_CPS\\_Filter\\_Strip\\_2017](https://efotg.sc.egov.usda.gov/api/CPSFile/5609/393_IL_CPS_Filter_Strip_2017)

<sup>44</sup> NRCS. 2017a.

**Table 7-3 Filter Strip Flow Lengths Based on Land Slope**

| Percent Slope   | Filter Strip Flow Length (feet) |         |
|-----------------|---------------------------------|---------|
|                 | Minimum                         | Maximum |
| 0.5%            | 36                              | 72      |
| 1.0%            | 54                              | 108     |
| 2.0%            | 72                              | 144     |
| 3.0%            | 90                              | 180     |
| 4.0%            | 108                             | 216     |
| 5.0% or greater | 117                             | 234     |


In conjunction with the available land use, topography, and soil information discussed in Section 2, mapping software was used to buffer stream segments and tributaries to an appropriate and reasonable width to determine the total area found in the subbasin. Owing to the wide range of soil types and slopes found throughout the watershed, the appropriate buffer widths estimated in GIS were based on the maximum buffer area of 234 feet adjacent to the segment's major tributaries.

Not all land use types within the buffer areas are candidates for conversion to filter strips. Existing forests and undisturbed grasslands already function as filter strips and conversion of developed residential or commercial lands is often not feasible. In general, agricultural lands are the land use type most conducive to conversion to buffer strips and will likely provide the greatest benefit to water quality once converted. Therefore, GIS software was used to extract the approximate acreage of agricultural lands surrounding potential tributaries and buffer areas of the stream segments within the Riley Creek subbasin.

There is approximately 13.8 acres of agricultural land within the buffer width area of Riley Creek segment IL\_BENA-01 and an additional 887 acres of agricultural land within upstream segment buffer width areas within the greater Kickapoo Creek watershed where filter strips could potentially be installed. Landowners should be encouraged to evaluate their land adjacent to a waterway to determine the practicality of installing or extending filter strips to achieve effective flow lengths as described in the NRCS guidance provided in **Table 7-4**. **Figure 7-1** shows the buffered areas and agricultural lands suitable for conversion to filter strips within the watershed.

**Table 7-4 Filter Strip details for the Kickapoo Creek Watershed**

| Stream Segment                | Segment ID | Average Stream Slope (%) | Filter Strip Flow Length (feet) | Total Buffer Area (acres) | Agricultural Land in Buffer (acres) |
|-------------------------------|------------|--------------------------|---------------------------------|---------------------------|-------------------------------------|
| Riley Creek                   | IL_BENA-01 | 6.9                      | 234                             | 81.7                      | 13.8                                |
| Riley Creek                   | IL_BENA-02 | 2.6                      | 180                             | 481                       | 312                                 |
| Riley Creek                   | IL_BENA-03 | 5.6                      | 234                             | 303                       | 58.8                                |
| Union Drainage District No. 3 | IL_BENAA   | 3.5                      | 216                             | 295                       | 214                                 |
| Cassell Creek                 | IL_BENC-01 | 3.8                      | 216                             | 485                       | 302                                 |



DRAFT



**Figure 7-1: Kickapoo Creek Watershed Buffer Areas and Agricultural Lands Potentially Suitable for Conversion to Filter Strips**

If the filter strip BMP is selected for use by a landowner, a separate plan should be prepared for each area that will use this practice. Additional guidance and minimum plan elements are discussed in Illinois NRCS CPS 393, including site preparation; seed, seeding rates, and mixtures; lime and fertilizer; seedbed preparation and seeding; and operation and maintenance.

**Riparian Buffers:** Similar to filter strips, riparian vegetation buffers enhance infiltration of runoff and subsequent trapping of nonpoint source pollutants such as phosphorus. The vegetation also serves to reinforce streambank soils, which helps minimize erosion. The primary difference between filter strips and riparian buffers are the types of vegetation plantings used within the buffer area. Riparian buffers leverage woody vegetation such as trees and shrubs. The total buffer area for the Riley Creek stream segment within the Kickapoo Creek watershed is also shown in **Table 7-4**. There are 81.7 acres within 234 feet of the stream segment. Approximately 13.8 of these acres are currently classified as agricultural. Upstream segments have significantly more agricultural land within the buffer width areas surrounding the stream. Conversion of agricultural lands in upstream segments could also have a beneficial water quality impact downstream on Riley Creek segment IL\_BENA-01. Other land uses that are potentially suitable for conversion to buffer strips include forested areas, parks, and open space (**Figure 7-2**). Landowners should assess parcels adjacent to the stream channels and maintain or improve existing riparian areas, or potentially convert cultivated lands.

**Soil Retention:** Soil retention practices help to manage nutrient loads into receiving streams by reducing soil erosion. As indicated in **Table 7-2**, approximately 30,727 acres of the Riley Creek segment IL\_BENA-01 subbasin are under cultivation, which accounts for about 74 percent of the watershed area. Farming practices in the watershed should be assessed to determine methods being used, where they can be improved upon, and what additional practices might be appropriate to reduce nutrient loads through soil retention.

Any farming/soil retention method with the capability to reduce sediment and suspended solids entering waterways also have the potential to reduce nutrient loads. In addition to conservation tillage and buffer strips (riparian or filter strips), other examples of soil retention methods may include:

- **Field borders:** A minimum 30-foot strip of permanent vegetation, such as stiff-stemmed, upright grasses, grass/legumes, forbs, and/or shrubs, established at the edge or around the perimeter of a cropland or grazing fields to reduce erosion from wind and water and protect soils and water quality.
- **Contour farming:** Aligning ridges, furrows, and roughness formed by tillage, planting, and other operations to alter the velocity and/or direction of water flow to or around hillslopes in areas where crops are grown on sloping lands.<sup>45</sup>

---

<sup>45</sup> NRCS. 2021a. Conservation Practice Standard. Contour Farming. Code 330.  
[https://efotg.sc.egov.usda.gov/api/CPSFile/32990/330\\_IL\\_CPS\\_\(Con\)tour\\_Farming\\_2021](https://efotg.sc.egov.usda.gov/api/CPSFile/32990/330_IL_CPS_(Con)tour_Farming_2021)





- **Conservation crop rotation:** A planned sequence of at least two different crops grown on the same ground over a period (i.e., the rotation cycle). Applies to all cropland where at least one annually planted crop is included in the rotation. To recover excess nutrients from the soil profile and reduce water quality degradation, crops with quick germination and root system formation, a rooting depth sufficient to reach the nutrients not removed by the previous crop, and nutrient requirements that readily use the excess nutrients should be used.
- **Strip cropping:** A practice of growing planned rotations of erosion-resistant and erosion-susceptible crops or fallow in a systematic arrangement of approximately equal strips (two or more) across a field. Strip cropping can reduce sheet, rill, and wind erosion, and the transport of sediment and other water- and wind-borne contaminants. Strip cropping can be applicable on steeper slopes but is less effective on slopes exceeding 12 percent.<sup>46</sup>
- **Cover cropping:** A cover crop consists of grasses, legumes, and forbs planted for seasonal vegetative cover that may either be established between successive production crops, or companion- or relay-planted into production crops. The cover crop should be established as soon as practical prior to or after harvest of the production crop and terminated as late as practical to maximize plant biomass production and nutrient uptake while allowing time to prepare the field for the next production crop.<sup>47</sup>
- **Terracing:** A soil conservation practice that may consist of an earthen embankment, channel, or combination of ridges and channels constructed across high gradient slopes that can prevent runoff of precipitation from causing serious erosion. Terraces reduce both the volume and velocity of water moving across the soil surface, which reduces peak discharge rates by temporarily storing runoff and allowing associated sediment and other contaminants to settle out behind the terrace ridge rather than directly entering receiving waters.<sup>48</sup>
- **Critical area planting:** The establishment of permanent vegetation on sites that have or are expected to have high erosion rates, and/or on sites that have physical, chemical, or biological conditions that prevent the establishment of vegetation using normal practices.<sup>49</sup>
- **Sediment basins:** A basin formed by an embankment or excavation, or combination of these, with a constructed engineered outlet that captures and detains sediment-laden runoff or other debris for a sufficient period. Sediment basins act as the last line of defense for capturing sediment when erosion has already occurred, and must have sediment storage capacity, detention storage, and temporary flood storage capacities. For maximum sediment retention, the basin should be designed so that the detention storage remains full of water between storm events. If site conditions, safety concerns, or local laws preclude a

---

<sup>46</sup> NRCS. 2017b. Conservation Practice Standard. Stripcropping. Code 585.  
[https://www.nrcs.usda.gov/wps/portal/nrcs/detailfull/national/technical/cp/npcs/?cid=nrcs143\\_026849](https://www.nrcs.usda.gov/wps/portal/nrcs/detailfull/national/technical/cp/npcs/?cid=nrcs143_026849)

<sup>47</sup> NRCS. 2016c. Conservation Practice Standard. Cover Crop. Code 340.  
[https://efotg.sc.egov.usda.gov/api/CPSFile/14651/340\\_OK\\_CPS\\_Cover\\_Crop\\_2016](https://efotg.sc.egov.usda.gov/api/CPSFile/14651/340_OK_CPS_Cover_Crop_2016)

<sup>48</sup> NRCS. 2021b. Conservation Practice Standard. Terrace. Code 600.  
[https://efotg.sc.egov.usda.gov/api/CPSFile/31209/600\\_IL\\_CPS\\_Terrace\\_2021](https://efotg.sc.egov.usda.gov/api/CPSFile/31209/600_IL_CPS_Terrace_2021)

<sup>49</sup> NRCS. 2022. Conservation Practice Standard. Critical Area Planting. Code 342.  
[https://efotg.sc.egov.usda.gov/api/CPSFile/35815/342\\_IL\\_CPS\\_Critical\\_Area\\_Planting\\_2022](https://efotg.sc.egov.usda.gov/api/CPSFile/35815/342_IL_CPS_Critical_Area_Planting_2022)



permanent pool of water, all or a portion of the detention and sediment storage may be designed to be dewatered between storm events.

**Wetlands:** The use of wetlands as a structural control is also useful for management of nutrient loading within a watershed. To treat loads from agricultural or developed land runoff, wetlands could be constructed at select locations where more focused runoff occurs (e.g., downstream of a tile drainage system, at select stormwater outfalls). Wetlands are effective BMPs for phosphorus and sediment control because they:

- Prevent floods by temporarily storing water, allowing the water to evaporate or percolate into the ground
- Improve water quality through natural pollution control such as plant nutrient uptake
- Filter sediment
- Slow overland flow of water thereby reducing soil erosion

A properly designed and functioning wetland can provide very efficient treatment of pollutants. Design of wetland systems is critical to the sustainable functionality of the system and should consider soils in the proposed location, hydraulic retention time, and space requirements. In general, soils classified as hydric are most suitable for wetland construction. Areas near waterways that are not currently classified as wetlands but have hydric soils present are typically strong candidates for potential wetland construction. Existing wetland areas may also be candidates for reconstruction or enhancement to improve their nutrient uptake capacity. Geospatial analysis of soil classifications was conducted for buffer distances surrounding Riley Creek segment IL\_BENA-01 within the Kickapoo Creek watershed; no hydric soils were present. However, these geospatial data layers are intended for use on a larger scale, and on-site soil investigation and wetland delineation is typically necessary to verify the suitability of a given area for wetland construction.

Constructed wetlands, which comprise the second or third stage of a nonpoint source treatment system, can be very effective at improving water quality. Studies have shown that artificial wetlands designed and constructed specifically to remove pollutants from surface water runoff have removal rates of greater than 90 percent for suspended solids, up to 90 percent for total phosphorus, 20 to 80 percent of orthophosphate, and 10 to 75 percent for nitrogen species.<sup>50,51,52,53</sup> Although the removal rate for phosphorus is low in long-term studies, the rate can be improved if sheet flow is maintained to the wetland, and vegetation and substrate are monitored to ensure the wetland is operating optimally. Sediment or vegetation removal may be necessary if the wetland removal efficiency is lessened over time.<sup>54</sup> Guidelines for wetland design

<sup>50</sup> Johnson, R., R. Evans, and K. Bass. 1996. *Constructed Wetlands Demonstration Project for NPS Pollution Control*. North Carolina Department of Natural Resources: Division of Water Quality.

<sup>51</sup> Moore, J.A., and D. Smith. 2006. *Understanding Natural Wetlands*. Oregon State University Extension Service. EC1407. <https://catalog.extension.oregonstate.edu/sites/catalog/files/project/pdf/ec1407.pdf>

<sup>52</sup> EPA. 2003a. *National Management Measures to Control Nonpoint Source Pollution from Agriculture*. Office of Water. EPA 841-B-03-004.

<sup>53</sup> Kovosic, D.A., M.B. David, L.E. Gentry, K.M. Starks, and R.A. Cooke. 2000. "Effectiveness of Constructed Wetlands in Reducing N and P Export from Agricultural Tile Drainage." *Journal of Environmental Quality*. 29:1262–1274.

<sup>54</sup> EPA. 2003a.

suggest a wetland to watershed ratio of 0.6 percent for nutrient and sediment removal from agricultural runoff.

**WASCOBs:** WASCOBs are earth embankments or combination ridge and channel systems constructed across the slopes of minor watercourses to reduce watercourse and gully erosion. These basins act as water detention basins and trap sediments (and the pollutants bound to the sediment) prior to reaching a receiving water. A WASCOB reduces gully erosion by controlling flow within the drainage area; the basins may be installed singly or in series as part of a system. The practice applies to sites where the topography is generally irregular, runoff and sediment damage land and improvements, and watercourse or gully erosion is a problem. Adequate and stable outlets from the basin are required to convey runoff water to a point where it will not cause damage. Additionally, sheet and rill erosion should be controlled by other conservation practices (i.e., the WASCOB would be part of another conservation system that adequately addresses resource concerns both above and below the basin). However, if land ownership or physical conditions preclude treatment of the upper portion of a slope, a WASCOB may be used to separate the upper area from and permit treatment of the lower slope.

WASCOBS should, at a minimum, be designed to be large enough to control runoff from at least a 10-year, 24-hour storm using a combination of flood storage and discharge through the outlet. Additionally, the WASCOB must be designed to have the capacity to store at least the anticipated 10-year sediment accumulation. Otherwise, periodic sediment removal is required as part of the maintenance activities in order to maintain the required capacity. Locations are determined based on slopes, erosion areas, crop management, and soil survey data.

When using a WASCOB, a separate plan shall be prepared for each treatment unit that will use this practice. Local NRCS personnel can often provide information and advice for design and installation. Illinois NRCS CPS 638<sup>55</sup> provides additional information on design and maintenance requirements for WASCOBs, and information on cropping activity recommendations and requirements around the basin. Maintenance includes reseeding or planting the basins to maintain vegetation, where specified, and periodically checking them, especially after large storms, to determine the need for embankment repairs or mechanical removal of excess sediment. Inlets and outlets should be cleaned regularly. Damaged components should be replaced promptly.

**Fertilizer Restrictions:** Runoff from urban and developed areas may include phosphorus-based fertilizers applied to residential lawns, golf courses, and other surfaces. If used too close to a receiving waterbody, phosphorus present in stormwater runoff will enter the waterbody. Illinois has a statute in place that governs the use of phosphorus-based fertilizers in urban areas: the Lawn Care Products Application and Notice Act (415 Illinois Compiled Statutes [ILCS] 65)<sup>56</sup>. This act includes the following prohibitions for phosphorus-based fertilizers (see the act for limited exceptions):

---

<sup>55</sup> NRCS. 2018. Conservation Practice Standard. Water and Sediment Control Basin. Code 638.

[https://efotg.sc.egov.usda.gov/api/CPSFile/5838/638\\_IL\\_CPS\\_Water\\_and\\_Sediment\\_\(Con\)trol\\_Basin\\_2018](https://efotg.sc.egov.usda.gov/api/CPSFile/5838/638_IL_CPS_Water_and_Sediment_(Con)trol_Basin_2018)

<sup>56</sup> Illinois Compiled Statutes. Environmental Safety (415 ILCS 65) Lawn Care Products Application and Notice Act. <https://www.ilga.gov/legislation/ilcs/ilcs3.asp?ActID=1597&ChapterID=36>

- They shall not be applied to lawns unless it can be demonstrated by soil test that the lawn is lacking in phosphorus when compared against the standard established by the University of Illinois; see the act for exceptions.
- They shall not be applied to impervious surfaces.
- They shall not be applied within 3 feet of any waterbody if a spray, drop, or rotary spreader is used. If other equipment is used, the fertilizer may not be applied within 15 feet of a water body.
- They shall not be applied when the ground is frozen or saturated.

Appropriate lawn markers for the application event and notifications to potentially affected adjacent properties are required.

## 7.4 Watershed-Specific Priority Areas and Projects

Illinois EPA is soliciting information from local stakeholders, watershed groups, and the SWCDs to identify and document any previous or in-progress watershed projects that target the parameters of concern. Information received during the public meeting process will be documented in this section of the final report.

Additionally, Section 5.4 of this report summarized previous watershed studies that have been completed within the watershed along with reference information to find additional details. The Kickapoo Creek watershed is within the larger Embarras River Watershed. A watershed management plan was developed for the Embarras River Watershed in 2011 and was recently updated in late 2022. The 2011 plan included a Kickapoo Creek subwatershed plan that recommended a number of stakeholder-identified focus areas for BMP implementation (**Table 7-5**). The stakeholder-identified areas were located across the City of Charleston and along Kickapoo Creek.<sup>57</sup>

---

<sup>57</sup> V3 Companies and Northwater Consulting. 2011. <https://epa.illinois.gov/content/dam/soi/en/web/epa/topics/water-quality/watershed-management/watershed-based-planning/documents/embarraswmp-final-version110111.pdf>

**Table 7-5 Kickapoo Creek Subwatershed Estimated Load Reductions for Stakeholder Identified Priority Projects**

| Project Type                    | Stakeholder     | Length (ft) | Area (acres) | Nitrogen (lbs) | Phosphorus (lbs) | Sediment (lbs) | Project Details  |
|---------------------------------|-----------------|-------------|--------------|----------------|------------------|----------------|--|
| Detention                       | Charleston      |             | 876          | 35,041         | 14,016           | 657            | Detention in crop field, high priority                     |
| Detention Basin                 | Charleston      |             | 86           | 3,459          | 1,384            | 65             | Detention in crop ground to alleviate flooding             |
| Detention Basin                 | Charleston      |             | 12           | 464            | 185              | 9              | Detention or floodplain restoration                        |
| Stabilization /Detention        | Charleston      |             | 59           | 2,368          | 947              | 44             | Ravine - install detention structures and stabilize ravine |
| Wetland/ Floodplain Restoration | Charleston      |             | 46           | 2,551          | 742              | 83             | Floodplain restoration including wetlands                  |
| Streambank Stabilization        | Coles SWCD/NRCS | 42,102      |              | 37,891         | 15,157           | 6,315          | Kickapoo Creek   |

Source: Embarras River Watershed Management Plan, 2011

The 2022 updated plan also included additional detail for the Riley Creek subbasin. Modeling was performed by the Wetlands Initiative in 2020 to evaluate the contributing watershed for project opportunities. Potential practices identified include:

- Grassed Waterways – 307 locations totaling 241,021 feet
- WASCObS – 3 sites, 980 feet
- Contoured buffer strips – 1.9 acres
- Cover crop – 674 acres
- Drainage Water Management – 2,886 acres
- Saturated buffers – 117 sites
- Wetlands – 2.6 acres

Additional calculations were computed in the 2022 report to provide estimates of the loads treated by stakeholder identified projects. This information is presented in **Table 7-6**. The 2022 report estimated BMP implementation costs at \$67.50/acre. This figure can be used for planning purposes when/if additional water quality projects are proposed or identified for future watershed protection.

**Table 7-6 Load Reduction Estimates For Stakeholder-Identified Implementation Projects in the Kickapoo Creek Subbasin**

| Nitrogen (lbs) | Phosphorus (lbs) | Sediment (tons) |
|----------------|------------------|-----------------|
| 110            | 75               | 60              |

Source: Embarras River Watershed Management Plan 2022.

## 7.5 Information and Education

Public outreach and education campaigns that support watershed protection should take on a holistic approach that consider more than just water quality goals within a watershed. Stakeholder engagement and cooperation improves when outreach strategies also address broader stakeholder concerns such as water supply availability and aesthetics. Watershed plans that incorporate this holistic approach are more successful in changing social behaviors and implementing multi-benefit BMPs that help with maintaining healthy water quality conditions while also protecting other important resources such as drinking water sources, agricultural resources, forests and rangeland, and parks and open space.

Existing training and education programs can be leveraged to help bolster communication between agricultural producers and other landowners and industries and encourage them to learn and support successful implementation of the protection plan. Saving Tomorrow's Agriculture Resources (STAR) for example, is a group developed by the Coles County SWCD and farmers to encourage improvements in on-farm soil health and downstream water quality. The STAR program offers farmers and landowners a user friendly and confidential tool to evaluate conservation land management practices on their properties.

Additionally, the Coles County SWCD, with support from the University of Illinois Extension and Illinois Farm Bureau, received a Section 319 grant in 2021 to update the Embarrass River Watershed Management Plan,<sup>58</sup> which includes the Kickapoo Creek subbasin as a priority watershed. Watershed planning meetings will be held in support of the plan update providing opportunities for public outreach and education within the Kickapoo Creek watershed area.

## 7.6 Monitoring

Successful WPP implementation relies on continued monitoring of in-stream conditions to document any changes in water quality over time. This can be accomplished by conducting monitoring programs designed to:

- Track implementation of BMPs in the watershed
- Estimate effectiveness of BMPs
- Continue monitoring of point source discharges in the watershed
- Monitor storm-based high flow events
- Low-flow monitor total phosphorus and DO throughout the watershed
- Establish a baseline from which decisions can be made regarding the need for additional incentives for implementation of BMPs
- Measure the extent of voluntary implementation efforts

---

<sup>58</sup> Illinois EPA et al., *Embarrass Watershed Plan*. <https://epa.illinois.gov/content/dam/soi/en/web/epa/topics/water-quality/watershed-management/watershed-based-planning/documents/embarraswmp-final-version110111.pdf>

- Determine the extent to which management measures are properly maintained and operated

Estimating the effectiveness of the BMPs implemented in the watershed could be completed by monitoring before and after any BMP is incorporated into the watershed. Additional monitoring could be conducted on specific structural systems such as a sediment control basin. Inflow and outflow measurements could be conducted to determine site-specific removal efficiency.

Illinois EPA conducts Intensive River Basin Surveys every 5 years. Additionally, select ambient sites are monitored nine times a year. Continuation of this state monitoring program will assess stream water quality as improvements in the watershed are completed. This data will also be used to assess whether water quality standards are being attained.

# Appendix A

## Land Use Categories

This page intentionally left blank.



# Appendix A

## Land Use Categories

**Table A-1: Kickapoo Creek TMDL Watershed Land Use**

| Land Cover Category               | acres  | Percent |
|-----------------------------------|--------|---------|
| Soybeans                          | 22,057 | 33.7%   |
| Corn                              | 20,712 | 31.7%   |
| Developed/Low Intensity           | 6,200  | 9.5%    |
| Deciduous Forest                  | 6,064  | 9.3%    |
| Developed/Open Space              | 3,875  | 5.9%    |
| Grass/Pasture                     | 3,569  | 5.5%    |
| Developed/Med Intensity           | 1,905  | 2.9%    |
| Developed/High Intensity          | 591    | 0.9%    |
| Open Water                        | 160    | 0.2%    |
| Double Crop Winter Wheat/Soybeans | 100    | 0.2%    |
| Other Hay/Non Alfalfa             | 63     | 0.1%    |
| Winter Wheat                      | 48     | <0.1%   |
| Alfalfa                           | 35     | <0.1%   |
| Barren                            | 28     | <0.1%   |
| Herbaceous Wetlands               | 17     | <0.1%   |
| Woody Wetlands                    | 10     | <0.1%   |
| Sod/Grass Seed                    | 1.3    | <0.1%   |
| Sorghum                           | 0.9    | <0.1%   |
| Shrubland                         | 0.3    | <0.1%   |
| Clover/Wildflowers                | 0.2    | <0.1%   |
| Evergreen Forest                  | 0.2    | <0.1%   |
| Pumpkins                          | 0.2    | <0.1%   |
| Grapes                            | 0.1    | <0.1%   |

**Table A-2: Segment IL\_BENA-01 Subbasin Land Use**

| Land Cover Category               | acres  | Percentage |
|-----------------------------------|--------|------------|
| Soybeans                          | 15,468 | 37.4%      |
| Corn                              | 15,259 | 36.9%      |
| Developed/Low Intensity           | 3,721  | 9.0%       |
| Developed/Open Space              | 2,155  | 5.2%       |
| Deciduous Forest                  | 1,477  | 3.6%       |
| Grass/Pasture                     | 1,471  | 3.6%       |
| Developed/Medium Intensity        | 1,205  | 2.9%       |
| Developed/High Intensity          | 410    | 1.0%       |
| Open Water                        | 96     | 0.2%       |
| Winter Wheat                      | 29     | <0.1%      |
| Double Crop Winter Wheat/Soybeans | 26     | <0.1%      |
| Other Hay/Non Alfalfa             | 22     | <0.1%      |
| Barren                            | 22     | <0.1%      |
| Herbaceous Wetlands               | 4.8    | <0.1%      |
| Alfalfa                           | 3.1    | <0.1%      |
| Woody Wetlands                    | 2.5    | <0.1%      |
| Sorghum                           | 0.9    | <0.1%      |
| Evergreen Forest                  | 0.2    | <0.1%      |
| Pumpkins                          | 0.2    | <0.1%      |

# Appendix B

## Soil Characteristics

This page intentionally left blank.

| MUKEY   | MUSYM  | Mapunit Name  | Hydro Group | K-Factor | Acres  | Percent |
|---------|--------|---|-------------|----------|--------|---------|
| 1428391 | 152A   | Drummer silty clay loam, 0 to 2 percent slopes                              | B/D         | 0.33     | 21,099 | 32.2%   |
| 1428407 | 481A   | Raub silt loam, non-densic substratum, 0 to 2 percent slopes                | B/D         | 0.34     | 10,387 | 15.9%   |
| 1428382 | 56B2   | Dana silt loam, 2 to 5 percent slopes, eroded                               | C           | 0.38     | 5,797  | 8.9%    |
| 1428398 | 291B   | Xenia silt loam, Bloomington Ridged Plain, 2 to 5 percent slopes            | C           | 0.4      | 4,855  | 7.4%    |
| 1428403 | 348B   | Wingate silt loam, 2 to 5 percent slopes                                    | C           | 0.38     | 3,700  | 5.6%    |
| 1428408 | 496A   | Fincastle silt loam, udic moisture class, 0 to 2 percent slopes             | C/D         | 0.42     | 3,143  | 4.8%    |
| 1428404 | 353A   | Toronto silt loam, Bloomington Ridged Plain, 0 to 2 percent slopes          | B/D         | 0.4      | 2,674  | 4.1%    |
| 1547460 | 618C2  | Senachwine silt loam, 5 to 10 percent slopes, eroded                        | C           | 0.39     | 2,436  | 3.7%    |
| 1547456 | 618F   | Senachwine silt loam, 18 to 35 percent slopes                               | C           | 0.38     | 1,615  | 2.5%    |
| 1428381 | 56B    | Dana silt loam, 2 to 5 percent slopes                                       | C           | 0.36     | 1,526  | 2.3%    |
| 1547462 | 618G   | Senachwine silt loam, 35 to 60 percent slopes                               | C           | 0.39     | 1,475  | 2.3%    |
| 1428406 | 3451cA | Lawson silt loam, cool mesic, 0 to 2 percent slopes, frequently flooded     | B/D         | 0.42     | 1,302  | 2.0%    |
| 1428399 | 3304A  | Landes fine sandy loam, 0 to 2 percent slopes, frequently flooded           | A           | 0.21     | 1,261  | 1.9%    |
| 1428409 | 533    | Urban land  | <Null>      | <Null>   | 847    | 1.3%    |
| 1428401 | 322C2  | Russell silt loam, Bloomington Ridged Plain, 5 to 10 percent slopes, eroded | B           | 0.36     | 592    | 0.9%    |
| 1547465 | 668B2  | Somonauk silt loam, 2 to 5 percent slopes, eroded                           | C           | 0.33     | 358    | 0.5%    |
| 1428400 | 322B   | Russell silt loam, Bloomington Ridged Plain, 2 to 5 percent slopes          | B           | 0.4      | 342    | 0.5%    |
| 1428392 | 244A   | Hartsburg silty clay loam, 0 to 2 percent slopes                            | B/D         | 0.4      | 244    | 0.4%    |
| 1428393 | 154A   | Flanagan silt loam, 0 to 2 percent slopes                                   | C/D         | 0.39     | 218    | 0.3%    |
| 1428419 | W      | Water   | <Null>      | <Null>   | 203    | 0.3%    |
| 1428416 | 3107A  | Sawmill silty clay loam, 0 to 2 percent slopes, frequently flooded          | B/D         | 0.39     | 191    | 0.3%    |
| 1428413 | 871B   | Lenzburg gravelly loam, 1 to 5 percent slopes                               | C           | 0.36     | 160    | 0.2%    |
| 1547458 | 618D2  | Senachwine silt loam, 10 to 18 percent slopes, eroded                       | C           | 0.39     | 146    | 0.2%    |
| 1428402 | 330A   | Peotone silty clay loam, 0 to 2 percent slopes                              | C/D         | 0.31     | 145    | 0.2%    |
| 1547470 | 3424A  | Shoals silt loam, 0 to 2 percent slopes, frequently flooded                 | B/D         | 0.43     | 130    | 0.2%    |
| 1428411 | 570C2  | Martinsville loam, 5 to 10 percent slopes, eroded                           | B           | 0.32     | 128    | 0.2%    |
| 1428387 | 7373B  | Camden silt loam, sandy substratum, 2 to 5 percent slopes, rarely flooded   | C           | 0.35     | 126    | 0.2%    |
| 1428415 | 3073A  | Ross silt loam, 0 to 2 percent slopes, frequently flooded                   | B           | 0.26     | 78     | 0.1%    |
| 1428414 | 871D   | Lenzburg loam, 7 to 20 percent slopes                                       | C           | 0.36     | 62     | 0.1%    |
| 1547459 | 618C3  | Senachwine clay loam, 5 to 10 percent slopes, severely eroded               | C           | 0.37     | 41     | 0.1%    |
| 1428417 | 3226A  | Wirt silt loam, 0 to 2 percent slopes, frequently flooded                   | B           | 0.43     | 41     | 0.1%    |
| 1547463 | 830    | Landfill  | <Null>      | <Null>   | 39     | 0.1%    |
| 1428386 | 7132A  | Starks silt loam, 0 to 2 percent slopes, rarely flooded                     | C/D         | 0.36     | 30     | 0.0%    |

| MUKEY   | MUSYM | Mapunit Name  | Hydro Group | K-Factor | Acres | Percent |
|---------|-------|---|-------------|----------|-------|---------|
| 1547472 | M-W   | Miscellaneous water   | <Null>      | <Null>   | 29    | 0.0%    |
| 1547471 | 7570B | Martinsville silt loam, 2 to 5 percent slopes, rarely flooded   | B           | 0.35     | 25    | 0.0%    |
| 1428395 | 219A  | Millbrook silt loam, 0 to 2 percent slopes                      | C/D         | 0.32     | 16    | 0.0%    |
| 1603180 | 132A  | Starks silt loam, 0 to 2 percent slopes                         | C/D         | 0.37     | 16    | 0.0%    |
| 1428418 | 3284A | Tice silty clay loam, 0 to 2 percent slopes, frequently flooded | B/D         | 0.4      | 9     | 0.0%    |
| 1547457 | 618D3 | Senachwine clay loam, 10 to 18 percent slopes, severely eroded  | C           | 0.38     | 6     | 0.0%    |
| 1547466 | 722A  | Drummer-Milford silty clay loams, 0 to 2 percent slopes         | B/D         | 0.34     | 0     | 0.0%    |

| Hydro Group | Acres  | Percent |
|-------------|--------|---------|
| <Null>      | 1,119  | 1.7%    |
| A           | 1,261  | 1.9%    |
| B           | 1,206  | 1.8%    |
| B/D         | 36,037 | 55.0%   |
| C           | 22,303 | 34.1%   |
| C/D         | 3,567  | 5.4%    |

# Appendix C

## Water Quality Data

This page intentionally left blank.



| Station Code | Waterbody Name | Collection Date | Analyte   | Sample Fraction | Result Units | Qualifier | Method Detection Limit |
|--------------|----------------|-----------------|---|-----------------|--------------|-----------|------------------------|
| BEN-01       |                | 19-Jun-01       | ALKALINITY, CARBONATE AS CaCO3,Total mg/l       | Total           |              |           |                        |
| BEN-01       |                | 19-Jun-01       | ALUMINIUM,Dissolved ug/l                        | Dissolved       |              | K         |                        |
| BEN-01       |                | 19-Jun-01       | ALUMINIUM,Total ug/l                            | Total           |              |           |                        |
| BEN-01       |                | 19-Jun-01       | ARSENIC,Total                                   | Total           |              |           |                        |
| BEN-01       |                | 19-Jun-01       | BARIUM,Dissolved ug/l                           | Dissolved       |              |           |                        |
| BEN-01       |                | 19-Jun-01       | BARIUM,Total ug/l                               | Total           |              |           |                        |
| BEN-01       |                | 19-Jun-01       | BERYLLIUM,Dissolved ug/l                        | Dissolved       |              | K         |                        |
| BEN-01       |                | 19-Jun-01       | BERYLLIUM,Total ug/l                            | Total           |              | K         |                        |
| BEN-01       |                | 19-Jun-01       | BORON,Dissolved ug/l                            | Dissolved       |              |           |                        |
| BEN-01       |                | 19-Jun-01       | BORON,Total ug/l                                | Total           |              |           |                        |
| BEN-01       |                | 19-Jun-01       | CADMIUM,Dissolved ug/l                          | Dissolved       |              | K         |                        |
| BEN-01       |                | 19-Jun-01       | CADMIUM,Total ug/l                              | Total           |              | K         |                        |
| BEN-01       |                | 19-Jun-01       | CALCIUM,Dissolved mg/l                          | Dissolved       |              |           |                        |
| BEN-01       |                | 19-Jun-01       | CALCIUM,Total mg/l                              | Total           |              |           |                        |
| BEN-01       |                | 19-Jun-01       | CARBON, TOTAL ORGANIC mg/l                      |                 |              |           |                        |
| BEN-01       |                | 19-Jun-01       | CHLORIDE,Total mg/l                             | Total           |              |           |                        |
| BEN-01       |                | 19-Jun-01       | CHLOROPHYLL (A+B+C),Filterable                  | Filterable      |              |           |                        |
| BEN-01       |                | 19-Jun-01       | CHLOROPHYLL A, CORRECTED FOR PHEOPHYTIN ug/l    |                 |              |           |                        |
| BEN-01       |                | 19-Jun-01       | CHLOROPHYLL A, UNCORRECTED FOR PHEOPHYTIN,Fixed | Fixed           |              |           |                        |
| BEN-01       |                | 19-Jun-01       | CHLOROPHYLL-B                                   |                 |              |           |                        |
| BEN-01       |                | 19-Jun-01       | CHLOROPHYLL-C                                   |                 |              |           |                        |
| BEN-01       |                | 19-Jun-01       | CHROMIUM,Dissolved ug/l                         | Dissolved       |              | K         |                        |
| BEN-01       |                | 19-Jun-01       | CHROMIUM,Total ug/l                             | Total           |              | K         |                        |
| BEN-01       |                | 19-Jun-01       | COBALT,Dissolved ug/l                           | Dissolved       |              | K         |                        |
| BEN-01       |                | 19-Jun-01       | COBALT,Total ug/l                               | Total           |              | K         |                        |
| BEN-01       |                | 19-Jun-01       | CONDUCTANCE, SPECIFIC umho/cm                   |                 |              |           |                        |
| BEN-01       |                | 19-Jun-01       | COPPER,Dissolved ug/l                           | Dissolved       |              | K         |                        |
| BEN-01       |                | 19-Jun-01       | COPPER,Total ug/l                               | Total           |              | K         |                        |
| BEN-01       |                | 19-Jun-01       | CYANIDE   |                 |              | K         |                        |
| BEN-01       |                | 19-Jun-01       | DEPTH ft  |                 |              |           |                        |
| BEN-01       |                | 19-Jun-01       | DISSOLVED OXYGEN (DO) mg/l                      |                 |              |           |                        |
| BEN-01       |                | 19-Jun-01       | FLUORIDES                                       |                 |              |           |                        |
| BEN-01       |                | 19-Jun-01       | HARDNESS, CA, MG mg/l                           |                 |              | C         |                        |
| BEN-01       |                | 19-Jun-01       | IRON,Dissolved ug/l                             | Dissolved       |              | K         |                        |
| BEN-01       |                | 19-Jun-01       | IRON,Total ug/l                                 | Total           |              |           |                        |
| BEN-01       |                | 19-Jun-01       | LEAD,Total ug/l                                 | Total           |              | K         |                        |
| BEN-01       |                | 19-Jun-01       | MAGNESIUM,Dissolved mg/l                        | Dissolved       |              |           |                        |
| BEN-01       |                | 19-Jun-01       | MAGNESIUM,Total mg/l                            | Total           |              |           |                        |
| BEN-01       |                | 19-Jun-01       | MANGANESE,Dissolved ug/l                        | Dissolved       |              |           |                        |
| BEN-01       |                | 19-Jun-01       | MANGANESE,Total ug/l                            | Total           |              |           |                        |
| BEN-01       |                | 19-Jun-01       | MERCURY,Total                                   | Total           |              | KQ        |                        |
| BEN-01       |                | 19-Jun-01       | NICKEL,Dissolved ug/l                           | Dissolved       |              | K         |                        |
| BEN-01       |                | 19-Jun-01       | NICKEL,Total ug/l                               | Total           |              | K         |                        |
| BEN-01       |                | 19-Jun-01       | NITROGEN, AMMONIA (NH3),Total mg/l              | Total           |              | K         |                        |
| BEN-01       |                | 19-Jun-01       | NITROGEN, NITRITE (NO2) + NITRATE (NO3) mg/l    |                 |              |           |                        |
| BEN-01       |                | 19-Jun-01       | PH  |                 |              |           |                        |
| BEN-01       |                | 19-Jun-01       | PHENOLS   |                 |              |           |                        |
| BEN-01       |                | 19-Jun-01       | PHEOPHYTIN-A                                    |                 |              |           |                        |
| BEN-01       |                | 19-Jun-01       | PHOSPHORUS AS P,Dissolved mg/l                  | Dissolved       |              |           |                        |
| BEN-01       |                | 19-Jun-01       | PHOSPHORUS AS P,Total mg/l                      | Total           |              |           |                        |
| BEN-01       |                | 19-Jun-01       | POTASSIUM,Dissolved mg/l                        | Dissolved       |              |           |                        |
| BEN-01       |                | 19-Jun-01       | POTASSIUM,Total mg/l                            | Total           |              |           |                        |
| BEN-01       |                | 19-Jun-01       | SILVER,Dissolved ug/l                           | Dissolved       |              | K         |                        |
| BEN-01       |                | 19-Jun-01       | SILVER,Total ug/l                               | Total           |              | K         |                        |
| BEN-01       |                | 19-Jun-01       | SODIUM,Dissolved mg/l                           | Dissolved       |              |           |                        |
| BEN-01       |                | 19-Jun-01       | SODIUM,Total mg/l                               | Total           |              |           |                        |
| BEN-01       |                | 19-Jun-01       | SOLIDS, FIXED                                   |                 |              |           |                        |
| BEN-01       |                | 19-Jun-01       | SOLIDS, FIXED,Total mg/l                        | Total           |              |           |                        |
| BEN-01       |                | 19-Jun-01       | SOLIDS, FIXED, Volatile mg/l                    | Volatile        |              |           |                        |
| BEN-01       |                | 19-Jun-01       | STRONTIUM,Dissolved ug/l                        | Dissolved       |              |           |                        |
| BEN-01       |                | 19-Jun-01       | STRONTIUM,Total ug/l                            | Total           |              |           |                        |
| BEN-01       |                | 19-Jun-01       | SULFATE   |                 |              |           |                        |
| BEN-01       |                | 19-Jun-01       | TEMPERATURE, AIR deg C                          |                 |              |           |                        |
| BEN-01       |                | 19-Jun-01       | TEMPERATURE, WATER deg C                        |                 |              |           |                        |
| BEN-01       |                | 19-Jun-01       | TURBIDITY FTU                                   |                 |              |           |                        |
| BEN-01       |                | 19-Jun-01       | VANADIUM,Dissolved ug/l                         | Dissolved       |              | K         |                        |
| BEN-01       |                | 19-Jun-01       | VANADIUM,Total ug/l                             | Total           |              | K         |                        |
| BEN-01       |                | 19-Jun-01       | ZINC,Dissolved ug/l                             | Dissolved       |              | K         |                        |
| BEN-01       |                | 19-Jun-01       | ZINC,Total ug/l                                 | Total           |              | K         |                        |

| Station Code | Waterbody Name | Collection Date | Analyte   | Sample Fraction | Result Units | Qualifier | Method Detection Limit |
|--------------|----------------|-----------------|---|-----------------|--------------|-----------|------------------------|
| BENA-01      |                | 19-Jun-01       | ALKALINITY, CARBONATE AS CaCO3,Total mg/l       | Total           |              |           |                        |
| BENA-01      |                | 19-Jun-01       | ALUMINIUM,Dissolved ug/l                        | Dissolved       |              | K         |                        |
| BENA-01      |                | 19-Jun-01       | ALUMINIUM,Total ug/l                            | Total           |              |           |                        |
| BENA-01      |                | 19-Jun-01       | ARSENIC,Total                                   | Total           |              |           |                        |
| BENA-01      |                | 19-Jun-01       | BARIUM,Dissolved ug/l                           | Dissolved       |              |           |                        |
| BENA-01      |                | 19-Jun-01       | BARIUM,Total ug/l                               | Total           |              |           |                        |
| BENA-01      |                | 19-Jun-01       | BERYLLIUM,Dissolved ug/l                        | Dissolved       |              | K         |                        |
| BENA-01      |                | 19-Jun-01       | BERYLLIUM,Total ug/l                            | Total           |              | K         |                        |
| BENA-01      |                | 19-Jun-01       | BORON,Dissolved ug/l                            | Dissolved       |              |           |                        |
| BENA-01      |                | 19-Jun-01       | BORON,Total ug/l                                | Total           |              |           |                        |
| BENA-01      |                | 19-Jun-01       | CADMIUM,Dissolved ug/l                          | Dissolved       |              | K         |                        |
| BENA-01      |                | 19-Jun-01       | CADMIUM,Total ug/l                              | Total           |              | K         |                        |
| BENA-01      |                | 19-Jun-01       | CALCIUM,Dissolved mg/l                          | Dissolved       |              |           |                        |
| BENA-01      |                | 19-Jun-01       | CALCIUM,Total mg/l                              | Total           |              |           |                        |
| BENA-01      |                | 19-Jun-01       | CARBON, TOTAL ORGANIC mg/l                      |                 |              |           |                        |
| BENA-01      |                | 19-Jun-01       | CHLORIDE,Total mg/l                             | Total           |              |           |                        |
| BENA-01      |                | 19-Jun-01       | CHLOROPHYLL (A+B+C),Filterable                  | Filterable      |              |           |                        |
| BENA-01      |                | 19-Jun-01       | CHLOROPHYLL A, CORRECTED FOR PHEOPHYTIN ug/l    |                 |              |           |                        |
| BENA-01      |                | 19-Jun-01       | CHLOROPHYLL A, UNCORRECTED FOR PHEOPHYTIN,Fixed | Fixed           |              |           |                        |
| BENA-01      |                | 19-Jun-01       | CHLOROPHYLL-B                                   |                 |              |           |                        |
| BENA-01      |                | 19-Jun-01       | CHLOROPHYLL-C                                   |                 |              |           |                        |
| BENA-01      |                | 19-Jun-01       | CHROMIUM,Dissolved ug/l                         | Dissolved       |              | K         |                        |
| BENA-01      |                | 19-Jun-01       | CHROMIUM,Total ug/l                             | Total           |              | K         |                        |
| BENA-01      |                | 19-Jun-01       | COBALT,Dissolved ug/l                           | Dissolved       |              | K         |                        |
| BENA-01      |                | 19-Jun-01       | COBALT,Total ug/l                               | Total           |              | K         |                        |
| BENA-01      |                | 19-Jun-01       | CONDUCTANCE, SPECIFIC umho/cm                   |                 |              |           |                        |
| BENA-01      |                | 19-Jun-01       | COPPER,Dissolved ug/l                           | Dissolved       |              | K         |                        |
| BENA-01      |                | 19-Jun-01       | COPPER,Total ug/l                               | Total           |              | K         |                        |
| BENA-01      |                | 19-Jun-01       | CYANIDE   |                 |              | K         |                        |
| BENA-01      |                | 19-Jun-01       | DEPTH ft  |                 |              |           |                        |
| BENA-01      |                | 19-Jun-01       | DISSOLVED OXYGEN (DO) mg/l                      |                 |              |           |                        |
| BENA-01      |                | 19-Jun-01       | FLUORIDES                                       |                 |              |           |                        |
| BENA-01      |                | 19-Jun-01       | HARDNESS, CA, MG mg/l                           |                 |              | C         |                        |
| BENA-01      |                | 19-Jun-01       | IRON,Dissolved ug/l                             | Dissolved       |              | K         |                        |
| BENA-01      |                | 19-Jun-01       | IRON,Total ug/l                                 | Total           |              |           |                        |
| BENA-01      |                | 19-Jun-01       | LEAD,Total ug/l                                 | Total           |              | K         |                        |
| BENA-01      |                | 19-Jun-01       | MAGNESIUM,Dissolved mg/l                        | Dissolved       |              |           |                        |
| BENA-01      |                | 19-Jun-01       | MAGNESIUM,Total mg/l                            | Total           |              |           |                        |
| BENA-01      |                | 19-Jun-01       | MANGANESE,Dissolved ug/l                        | Dissolved       |              | K         |                        |
| BENA-01      |                | 19-Jun-01       | MANGANESE,Total ug/l                            | Total           |              |           |                        |
| BENA-01      |                | 19-Jun-01       | MERCURY,Total                                   | Total           |              | KQ        |                        |
| BENA-01      |                | 19-Jun-01       | NICKEL,Dissolved ug/l                           | Dissolved       |              | K         |                        |
| BENA-01      |                | 19-Jun-01       | NICKEL,Total ug/l                               | Total           |              | K         |                        |
| BENA-01      |                | 19-Jun-01       | NITROGEN, AMMONIA (NH3),Total mg/l              | Total           |              |           |                        |
| BENA-01      |                | 19-Jun-01       | NITROGEN, NITRITE (NO2) + NITRATE (NO3) mg/l    |                 |              |           |                        |
| BENA-01      |                | 19-Jun-01       | PH  |                 |              |           |                        |
| BENA-01      |                | 19-Jun-01       | PHENOLS   |                 |              |           |                        |
| BENA-01      |                | 19-Jun-01       | PHEOPHYTIN-A                                    |                 |              |           |                        |
| BENA-01      |                | 19-Jun-01       | PHOSPHORUS AS P,Dissolved mg/l                  | Dissolved       |              |           |                        |
| BENA-01      |                | 19-Jun-01       | PHOSPHORUS AS P,Total mg/l                      | Total           |              |           |                        |
| BENA-01      |                | 19-Jun-01       | POTASSIUM,Dissolved mg/l                        | Dissolved       |              |           |                        |
| BENA-01      |                | 19-Jun-01       | POTASSIUM,Total mg/l                            | Total           |              |           |                        |
| BENA-01      |                | 19-Jun-01       | SILVER,Dissolved ug/l                           | Dissolved       |              | K         |                        |
| BENA-01      |                | 19-Jun-01       | SILVER,Total ug/l                               | Total           |              | K         |                        |
| BENA-01      |                | 19-Jun-01       | SODIUM,Dissolved mg/l                           | Dissolved       |              |           |                        |
| BENA-01      |                | 19-Jun-01       | SODIUM,Total mg/l                               | Total           |              |           |                        |
| BENA-01      |                | 19-Jun-01       | SOLIDS, FIXED                                   |                 |              |           |                        |
| BENA-01      |                | 19-Jun-01       | SOLIDS, FIXED,Total mg/l                        | Total           |              |           |                        |
| BENA-01      |                | 19-Jun-01       | SOLIDS, FIXED,Volatile mg/l                     | Volatile        |              |           |                        |
| BENA-01      |                | 19-Jun-01       | STRONTIUM,Dissolved ug/l                        | Dissolved       |              |           |                        |
| BENA-01      |                | 19-Jun-01       | STRONTIUM,Total ug/l                            | Total           |              |           |                        |
| BENA-01      |                | 19-Jun-01       | SULFATE   |                 |              | K         |                        |
| BENA-01      |                | 19-Jun-01       | TEMPERATURE, AIR deg C                          |                 |              |           |                        |
| BENA-01      |                | 19-Jun-01       | TEMPERATURE, WATER deg C                        |                 |              |           |                        |
| BENA-01      |                | 19-Jun-01       | TURBIDITY FTU                                   |                 |              |           |                        |
| BENA-01      |                | 19-Jun-01       | VANADIUM,Dissolved ug/l                         | Dissolved       |              | K         |                        |
| BENA-01      |                | 19-Jun-01       | VANADIUM,Total ug/l                             | Total           |              | K         |                        |
| BENA-01      |                | 19-Jun-01       | ZINC,Dissolved ug/l                             | Dissolved       |              | K         |                        |
| BENA-01      |                | 19-Jun-01       | ZINC,Total ug/l                                 | Total           |              | K         |                        |

| Station Code | Waterbody Name | Collection Date | Analyte   | Sample Fraction | Result Units | Qualifier | Method Detection Limit |
|--------------|----------------|-----------------|---|-----------------|--------------|-----------|------------------------|
| BENA-02      |                | 19-Jun-01       | ALKALINITY, CARBONATE AS CaCO3,Total mg/l       | Total           |              |           |                        |
| BENA-02      |                | 19-Jun-01       | ALUMINIUM,Dissolved ug/l                        | Dissolved       |              | K         |                        |
| BENA-02      |                | 19-Jun-01       | ALUMINIUM,Total ug/l                            | Total           |              |           |                        |
| BENA-02      |                | 19-Jun-01       | ARSENIC,Total                                   | Total           |              |           |                        |
| BENA-02      |                | 19-Jun-01       | BARIUM,Dissolved ug/l                           | Dissolved       |              |           |                        |
| BENA-02      |                | 19-Jun-01       | BARIUM,Total ug/l                               | Total           |              |           |                        |
| BENA-02      |                | 19-Jun-01       | BERYLLIUM,Dissolved ug/l                        | Dissolved       |              | K         |                        |
| BENA-02      |                | 19-Jun-01       | BERYLLIUM,Total ug/l                            | Total           |              | K         |                        |
| BENA-02      |                | 19-Jun-01       | BORON,Dissolved ug/l                            | Dissolved       |              |           |                        |
| BENA-02      |                | 19-Jun-01       | BORON,Total ug/l                                | Total           |              |           |                        |
| BENA-02      |                | 19-Jun-01       | CADMIUM,Dissolved ug/l                          | Dissolved       |              | K         |                        |
| BENA-02      |                | 19-Jun-01       | CADMIUM,Total ug/l                              | Total           |              | K         |                        |
| BENA-02      |                | 19-Jun-01       | CALCIUM,Dissolved mg/l                          | Dissolved       |              |           |                        |
| BENA-02      |                | 19-Jun-01       | CALCIUM,Total mg/l                              | Total           |              |           |                        |
| BENA-02      |                | 19-Jun-01       | CARBON, TOTAL ORGANIC mg/l                      |                 |              |           |                        |
| BENA-02      |                | 19-Jun-01       | CHLORIDE,Total mg/l                             | Total           |              |           |                        |
| BENA-02      |                | 19-Jun-01       | CHLOROPHYLL (A+B+C),Filterable                  | Filterable      |              |           |                        |
| BENA-02      |                | 19-Jun-01       | CHLOROPHYLL A, CORRECTED FOR PHEOPHYTIN ug/l    |                 |              |           |                        |
| BENA-02      |                | 19-Jun-01       | CHLOROPHYLL A, UNCORRECTED FOR PHEOPHYTIN,Fixed | Fixed           |              |           |                        |
| BENA-02      |                | 19-Jun-01       | CHLOROPHYLL-B                                   |                 |              |           |                        |
| BENA-02      |                | 19-Jun-01       | CHLOROPHYLL-C                                   |                 |              |           |                        |
| BENA-02      |                | 19-Jun-01       | CHROMIUM,Dissolved ug/l                         | Dissolved       |              | K         |                        |
| BENA-02      |                | 19-Jun-01       | CHROMIUM,Total ug/l                             | Total           |              | K         |                        |
| BENA-02      |                | 19-Jun-01       | COBALT,Dissolved ug/l                           | Dissolved       |              | K         |                        |
| BENA-02      |                | 19-Jun-01       | COBALT,Total ug/l                               | Total           |              | K         |                        |
| BENA-02      |                | 19-Jun-01       | CONDUCTANCE, SPECIFIC umho/cm                   |                 |              |           |                        |
| BENA-02      |                | 19-Jun-01       | COPPER,Dissolved ug/l                           | Dissolved       |              | K         |                        |
| BENA-02      |                | 19-Jun-01       | COPPER,Total ug/l                               | Total           |              | K         |                        |
| BENA-02      |                | 19-Jun-01       | CYANIDE   |                 |              | K         |                        |
| BENA-02      |                | 19-Jun-01       | DEPTH ft  |                 |              |           |                        |
| BENA-02      |                | 19-Jun-01       | DISSOLVED OXYGEN (DO) mg/l                      |                 |              |           |                        |
| BENA-02      |                | 19-Jun-01       | FLUORIDES                                       |                 |              |           |                        |
| BENA-02      |                | 19-Jun-01       | HARDNESS, CA, MG mg/l                           |                 |              | C         |                        |
| BENA-02      |                | 19-Jun-01       | IRON,Dissolved ug/l                             | Dissolved       |              | K         |                        |
| BENA-02      |                | 19-Jun-01       | IRON,Total ug/l                                 | Total           |              |           |                        |
| BENA-02      |                | 19-Jun-01       | LEAD,Total ug/l                                 | Total           |              | K         |                        |
| BENA-02      |                | 19-Jun-01       | MAGNESIUM,Dissolved mg/l                        | Dissolved       |              |           |                        |
| BENA-02      |                | 19-Jun-01       | MAGNESIUM,Total mg/l                            | Total           |              |           |                        |
| BENA-02      |                | 19-Jun-01       | MANGANESE,Dissolved ug/l                        | Dissolved       |              | K         |                        |
| BENA-02      |                | 19-Jun-01       | MANGANESE,Total ug/l                            | Total           |              |           |                        |
| BENA-02      |                | 19-Jun-01       | MERCURY,Total                                   | Total           |              | KQ        |                        |
| BENA-02      |                | 19-Jun-01       | NICKEL,Dissolved ug/l                           | Dissolved       |              | K         |                        |
| BENA-02      |                | 19-Jun-01       | NICKEL,Total ug/l                               | Total           |              | K         |                        |
| BENA-02      |                | 19-Jun-01       | NITROGEN, AMMONIA (NH3),Total mg/l              | Total           |              | K         |                        |
| BENA-02      |                | 19-Jun-01       | NITROGEN, NITRITE (NO2) + NITRATE (NO3) mg/l    |                 |              |           |                        |
| BENA-02      |                | 19-Jun-01       | PH  |                 |              |           |                        |
| BENA-02      |                | 19-Jun-01       | PHENOLS   |                 |              |           |                        |
| BENA-02      |                | 19-Jun-01       | PHEOPHYTIN-A                                    |                 |              |           |                        |
| BENA-02      |                | 19-Jun-01       | PHOSPHORUS AS P,Dissolved mg/l                  | Dissolved       |              |           |                        |
| BENA-02      |                | 19-Jun-01       | PHOSPHORUS AS P,Total mg/l                      | Total           |              |           |                        |
| BENA-02      |                | 19-Jun-01       | POTASSIUM,Dissolved mg/l                        | Dissolved       |              |           |                        |
| BENA-02      |                | 19-Jun-01       | POTASSIUM,Total mg/l                            | Total           |              | K         |                        |
| BENA-02      |                | 19-Jun-01       | SILVER,Dissolved ug/l                           | Dissolved       |              | K         |                        |
| BENA-02      |                | 19-Jun-01       | SILVER,Total ug/l                               | Total           |              | K         |                        |
| BENA-02      |                | 19-Jun-01       | SODIUM,Dissolved mg/l                           | Dissolved       |              |           |                        |
| BENA-02      |                | 19-Jun-01       | SODIUM,Total mg/l                               | Total           |              |           |                        |
| BENA-02      |                | 19-Jun-01       | SOLIDS, FIXED                                   |                 |              |           |                        |
| BENA-02      |                | 19-Jun-01       | SOLIDS, FIXED,Total mg/l                        | Total           |              |           |                        |
| BENA-02      |                | 19-Jun-01       | SOLIDS, FIXED,Volatile mg/l                     | Volatile        |              |           |                        |
| BENA-02      |                | 19-Jun-01       | STRONTIUM,Dissolved ug/l                        | Dissolved       |              |           |                        |
| BENA-02      |                | 19-Jun-01       | STRONTIUM,Total ug/l                            | Total           |              |           |                        |
| BENA-02      |                | 19-Jun-01       | SULFATE   |                 |              |           |                        |
| BENA-02      |                | 19-Jun-01       | TEMPERATURE, AIR deg C                          |                 |              |           |                        |
| BENA-02      |                | 19-Jun-01       | TEMPERATURE, WATER deg C                        |                 |              |           |                        |
| BENA-02      |                | 19-Jun-01       | TURBIDITY FTU                                   |                 |              |           |                        |
| BENA-02      |                | 19-Jun-01       | VANADIUM,Dissolved ug/l                         | Dissolved       |              | K         |                        |
| BENA-02      |                | 19-Jun-01       | VANADIUM,Total ug/l                             | Total           |              | K         |                        |
| BENA-02      |                | 19-Jun-01       | ZINC,Dissolved ug/l                             | Dissolved       |              | K         |                        |
| BENA-02      |                | 19-Jun-01       | ZINC,Total ug/l                                 | Total           |              | K         |                        |

| Station Code | Waterbody Name | Collection Date | Analyte   | Sample Fraction | Result Units | Qualifier | Method Detection Limit |
|--------------|----------------|-----------------|---|-----------------|--------------|-----------|------------------------|
| BENA-02      |                | 19-Jul-01       | ALKALINITY, CARBONATE AS CaCO3,Total mg/l       | Total           |              |           |                        |
| BENA-02      |                | 19-Jul-01       | ALUMINUM,Dissolved ug/l                         | Dissolved       |              | K         |                        |
| BENA-02      |                | 19-Jul-01       | ALUMINUM,Total ug/l                             | Total           |              |           |                        |
| BENA-02      |                | 19-Jul-01       | ARSENIC,Total                                   | Total           |              |           |                        |
| BENA-02      |                | 19-Jul-01       | BARIUM,Dissolved ug/l                           | Dissolved       |              |           |                        |
| BENA-02      |                | 19-Jul-01       | BARIUM,Total ug/l                               | Total           |              |           |                        |
| BENA-02      |                | 19-Jul-01       | BERYLLIUM,Dissolved ug/l                        | Dissolved       |              | K         |                        |
| BENA-02      |                | 19-Jul-01       | BERYLLIUM,Total ug/l                            | Total           |              | K         |                        |
| BENA-02      |                | 19-Jul-01       | BORON,Dissolved ug/l                            | Dissolved       |              |           |                        |
| BENA-02      |                | 19-Jul-01       | BORON,Total ug/l                                | Total           |              |           |                        |
| BENA-02      |                | 19-Jul-01       | CADMIUM,Dissolved ug/l                          | Dissolved       |              | K         |                        |
| BENA-02      |                | 19-Jul-01       | CADMIUM,Total ug/l                              | Total           |              | K         |                        |
| BENA-02      |                | 19-Jul-01       | CALCIUM,Dissolved mg/l                          | Dissolved       |              |           |                        |
| BENA-02      |                | 19-Jul-01       | CALCIUM,Total mg/l                              | Total           |              |           |                        |
| BENA-02      |                | 19-Jul-01       | CARBON, TOTAL ORGANIC mg/l                      |                 |              |           |                        |
| BENA-02      |                | 19-Jul-01       | CHLORIDE,Total mg/l                             | Total           |              |           |                        |
| BENA-02      |                | 19-Jul-01       | CHLOROPHYLL (A+B+C),Filterable                  | Filterable      |              |           |                        |
| BENA-02      |                | 19-Jul-01       | CHLOROPHYLL A, CORRECTED FOR PHEOPHYTIN ug/l    |                 |              | K         |                        |
| BENA-02      |                | 19-Jul-01       | CHLOROPHYLL A, UNCORRECTED FOR PHEOPHYTIN,Fixed | Fixed           |              |           |                        |
| BENA-02      |                | 19-Jul-01       | CHLOROPHYLL-B                                   |                 |              |           |                        |
| BENA-02      |                | 19-Jul-01       | CHLOROPHYLL-C                                   |                 |              |           |                        |
| BENA-02      |                | 19-Jul-01       | CHROMIUM,Dissolved ug/l                         | Dissolved       |              | K         |                        |
| BENA-02      |                | 19-Jul-01       | CHROMIUM,Total ug/l                             | Total           |              | K         |                        |
| BENA-02      |                | 19-Jul-01       | COBALT,Dissolved ug/l                           | Dissolved       |              | K         |                        |
| BENA-02      |                | 19-Jul-01       | COBALT,Total ug/l                               | Total           |              | K         |                        |
| BENA-02      |                | 19-Jul-01       | CONDUCTANCE, SPECIFIC umho/cm                   |                 |              |           |                        |
| BENA-02      |                | 19-Jul-01       | COPPER,Dissolved ug/l                           | Dissolved       |              | K         |                        |
| BENA-02      |                | 19-Jul-01       | COPPER,Total ug/l                               | Total           |              | K         |                        |
| BENA-02      |                | 19-Jul-01       | CYANIDE   |                 |              | K         |                        |
| BENA-02      |                | 19-Jul-01       | DEPTH ft  |                 |              |           |                        |
| BENA-02      |                | 19-Jul-01       | DISSOLVED OXYGEN (DO) mg/l                      |                 |              |           |                        |
| BENA-02      |                | 19-Jul-01       | FLUORIDES                                       |                 |              |           |                        |
| BENA-02      |                | 19-Jul-01       | HARDNESS, CA, MG mg/l                           |                 |              | C         |                        |
| BENA-02      |                | 19-Jul-01       | IRON,Dissolved ug/l                             | Dissolved       |              | K         |                        |
| BENA-02      |                | 19-Jul-01       | IRON,Total ug/l                                 | Total           |              |           |                        |
| BENA-02      |                | 19-Jul-01       | LEAD,Dissolved ug/l                             | Dissolved       |              | K         |                        |
| BENA-02      |                | 19-Jul-01       | LEAD,Total ug/l                                 | Total           |              | K         |                        |
| BENA-02      |                | 19-Jul-01       | MAGNESIUM,Dissolved mg/l                        | Dissolved       |              |           |                        |
| BENA-02      |                | 19-Jul-01       | MAGNESIUM,Total mg/l                            | Total           |              |           |                        |
| BENA-02      |                | 19-Jul-01       | MANGANESE,Dissolved ug/l                        | Dissolved       |              |           |                        |
| BENA-02      |                | 19-Jul-01       | MANGANESE,Total ug/l                            | Total           |              |           |                        |
| BENA-02      |                | 19-Jul-01       | MERCURY,Total                                   | Total           |              | KQ        |                        |
| BENA-02      |                | 19-Jul-01       | NICKEL,Dissolved ug/l                           | Dissolved       |              | K         |                        |
| BENA-02      |                | 19-Jul-01       | NICKEL,Total ug/l                               | Total           |              | K         |                        |
| BENA-02      |                | 19-Jul-01       | NITROGEN, AMMONIA (NH3),Total mg/l              | Total           |              |           |                        |
| BENA-02      |                | 19-Jul-01       | NITROGEN, NITRITE (NO2) + NITRATE (NO3) mg/l    |                 |              |           |                        |
| BENA-02      |                | 19-Jul-01       | PH  |                 |              |           |                        |
| BENA-02      |                | 19-Jul-01       | PHENOLS   |                 |              | K         |                        |
| BENA-02      |                | 19-Jul-01       | PHEOPHYTIN-A                                    |                 |              |           |                        |
| BENA-02      |                | 19-Jul-01       | PHOSPHORUS AS P,Dissolved mg/l                  | Dissolved       |              |           |                        |
| BENA-02      |                | 19-Jul-01       | PHOSPHORUS AS P,Total mg/l                      | Total           |              |           |                        |
| BENA-02      |                | 19-Jul-01       | POTASSIUM,Dissolved mg/l                        | Dissolved       |              |           |                        |
| BENA-02      |                | 19-Jul-01       | POTASSIUM,Total mg/l                            | Total           |              |           |                        |
| BENA-02      |                | 19-Jul-01       | SILVER,Dissolved ug/l                           | Dissolved       |              | K         |                        |
| BENA-02      |                | 19-Jul-01       | SILVER,Total ug/l                               | Total           |              | K         |                        |
| BENA-02      |                | 19-Jul-01       | SODIUM,Dissolved mg/l                           | Dissolved       |              |           |                        |
| BENA-02      |                | 19-Jul-01       | SODIUM,Total mg/l                               | Total           |              |           |                        |
| BENA-02      |                | 19-Jul-01       | SOLIDS, FIXED                                   |                 |              |           |                        |
| BENA-02      |                | 19-Jul-01       | SOLIDS, FIXED,Total mg/l                        | Total           |              |           |                        |
| BENA-02      |                | 19-Jul-01       | SOLIDS, FIXED,Volatle mg/l                      | Volatile        |              |           |                        |
| BENA-02      |                | 19-Jul-01       | STRONTIUM,Dissolved ug/l                        | Dissolved       |              |           |                        |
| BENA-02      |                | 19-Jul-01       | STRONTIUM,Total ug/l                            | Total           |              |           |                        |
| BENA-02      |                | 19-Jul-01       | SULFATE   |                 |              |           |                        |
| BENA-02      |                | 19-Jul-01       | TEMPERATURE, AIR deg C                          |                 |              |           |                        |
| BENA-02      |                | 19-Jul-01       | TEMPERATURE, WATER deg C                        |                 |              |           |                        |
| BENA-02      |                | 19-Jul-01       | TURBIDITY NTU                                   |                 |              |           |                        |
| BENA-02      |                | 19-Jul-01       | VANADIUM,Dissolved ug/l                         | Dissolved       |              | K         |                        |
| BENA-02      |                | 19-Jul-01       | VANADIUM,Total ug/l                             | Total           |              | K         |                        |
| BENA-02      |                | 19-Jul-01       | ZINC,Dissolved ug/l                             | Dissolved       |              | K         |                        |

| Station Code | Waterbody Name | Collection Date | Analyte   | Sample Fraction | Result Units | Qualifier | Method Detection Limit |
|--------------|----------------|-----------------|---|-----------------|--------------|-----------|------------------------|
| BENA-02      |                | 19-Jul-01       | ZINC,Total ug/l                                 | Total           |              | K         |                        |
| BENA-03      |                | 19-Jul-01       | ALKALINITY, CARBONATE AS CaCO3,Total mg/l       | Total           |              |           |                        |
| BENA-03      |                | 19-Jul-01       | ALUMINUM,Dissolved ug/l                         | Dissolved       |              |           |                        |
| BENA-03      |                | 19-Jul-01       | ALUMINUM,Total ug/l                             | Total           |              | K         |                        |
| BENA-03      |                | 19-Jul-01       | ARSENIC,Total                                   | Total           |              |           |                        |
| BENA-03      |                | 19-Jul-01       | BARIUM,Dissolved ug/l                           | Dissolved       |              |           |                        |
| BENA-03      |                | 19-Jul-01       | BARIUM,Total ug/l                               | Total           |              |           |                        |
| BENA-03      |                | 19-Jul-01       | BERYLLIUM,Dissolved ug/l                        | Dissolved       |              | K         |                        |
| BENA-03      |                | 19-Jul-01       | BERYLLIUM,Total ug/l                            | Total           |              | K         |                        |
| BENA-03      |                | 19-Jul-01       | BORON,Dissolved ug/l                            | Dissolved       |              |           |                        |
| BENA-03      |                | 19-Jul-01       | BORON,Total ug/l                                | Total           |              |           |                        |
| BENA-03      |                | 19-Jul-01       | CADMIUM,Dissolved ug/l                          | Dissolved       |              | K         |                        |
| BENA-03      |                | 19-Jul-01       | CADMIUM,Total ug/l                              | Total           |              | K         |                        |
| BENA-03      |                | 19-Jul-01       | CALCIUM,Dissolved mg/l                          | Dissolved       |              |           |                        |
| BENA-03      |                | 19-Jul-01       | CALCIUM,Total mg/l                              | Total           |              |           |                        |
| BENA-03      |                | 19-Jul-01       | CARBON, TOTAL ORGANIC mg/l                      |                 |              |           |                        |
| BENA-03      |                | 19-Jul-01       | CHLORIDE,Total mg/l                             | Total           |              |           |                        |
| BENA-03      |                | 19-Jul-01       | CHLOROPHYLL (A+B+C),Filterable                  | Filterable      |              |           |                        |
| BENA-03      |                | 19-Jul-01       | CHLOROPHYLL A, CORRECTED FOR PHEOPHYTIN ug/l    |                 |              |           |                        |
| BENA-03      |                | 19-Jul-01       | CHLOROPHYLL A, UNCORRECTED FOR PHEOPHYTIN,Fixed | Fixed           |              |           |                        |
| BENA-03      |                | 19-Jul-01       | CHLOROPHYLL-B                                   |                 |              | K         |                        |
| BENA-03      |                | 19-Jul-01       | CHLOROPHYLL-C                                   |                 |              |           |                        |
| BENA-03      |                | 19-Jul-01       | CHROMIUM,Dissolved ug/l                         | Dissolved       |              | K         |                        |
| BENA-03      |                | 19-Jul-01       | CHROMIUM,Total ug/l                             | Total           |              | K         |                        |
| BENA-03      |                | 19-Jul-01       | COBALT,Dissolved ug/l                           | Dissolved       |              | K         |                        |
| BENA-03      |                | 19-Jul-01       | COBALT,Total ug/l                               | Total           |              | K         |                        |
| BENA-03      |                | 19-Jul-01       | CONDUCTANCE, SPECIFIC umho/cm                   |                 |              |           |                        |
| BENA-03      |                | 19-Jul-01       | COPPER,Dissolved ug/l                           | Dissolved       |              | K         |                        |
| BENA-03      |                | 19-Jul-01       | COPPER,Total ug/l                               | Total           |              | K         |                        |
| BENA-03      |                | 19-Jul-01       | CYANIDE   |                 |              | K         |                        |
| BENA-03      |                | 19-Jul-01       | DEPTH ft  |                 |              |           |                        |
| BENA-03      |                | 19-Jul-01       | DISSOLVED OXYGEN (DO) mg/l                      |                 |              |           |                        |
| BENA-03      |                | 19-Jul-01       | FLUORIDES                                       |                 |              |           |                        |
| BENA-03      |                | 19-Jul-01       | HARDNESS, CA, MG mg/l                           |                 |              | C         |                        |
| BENA-03      |                | 19-Jul-01       | IRON,Dissolved ug/l                             | Dissolved       |              |           |                        |
| BENA-03      |                | 19-Jul-01       | IRON,Total ug/l                                 | Total           |              | K         |                        |
| BENA-03      |                | 19-Jul-01       | LEAD,Dissolved ug/l                             | Dissolved       |              | K         |                        |
| BENA-03      |                | 19-Jul-01       | LEAD,Total ug/l                                 | Total           |              | K         |                        |
| BENA-03      |                | 19-Jul-01       | MAGNESIUM,Dissolved mg/l                        | Dissolved       |              |           |                        |
| BENA-03      |                | 19-Jul-01       | MAGNESIUM,Total mg/l                            | Total           |              |           |                        |
| BENA-03      |                | 19-Jul-01       | MANGANESE,Dissolved ug/l                        | Dissolved       |              |           |                        |
| BENA-03      |                | 19-Jul-01       | MANGANESE,Total ug/l                            | Total           |              |           |                        |
| BENA-03      |                | 19-Jul-01       | MERCURY,Total                                   | Total           |              | KQ        |                        |
| BENA-03      |                | 19-Jul-01       | NICKEL,Dissolved ug/l                           | Dissolved       |              | K         |                        |
| BENA-03      |                | 19-Jul-01       | NICKEL,Total ug/l                               | Total           |              | K         |                        |
| BENA-03      |                | 19-Jul-01       | NITROGEN, AMMONIA (NH3),Total mg/l              | Total           |              | K         |                        |
| BENA-03      |                | 19-Jul-01       | NITROGEN, NITRITE (NO2) + NITRATE (NO3) mg/l    |                 |              |           |                        |
| BENA-03      |                | 19-Jul-01       | PH  |                 |              |           |                        |
| BENA-03      |                | 19-Jul-01       | PHENOLS   |                 |              | K         |                        |
| BENA-03      |                | 19-Jul-01       | PHEOPHYTIN-A                                    |                 |              | K         |                        |
| BENA-03      |                | 19-Jul-01       | PHOSPHORUS AS P,Dissolved mg/l                  | Dissolved       |              |           |                        |
| BENA-03      |                | 19-Jul-01       | PHOSPHORUS AS P,Total mg/l                      | Total           |              |           |                        |
| BENA-03      |                | 19-Jul-01       | POTASSIUM,Dissolved mg/l                        | Dissolved       |              |           |                        |
| BENA-03      |                | 19-Jul-01       | POTASSIUM,Total mg/l                            | Total           |              |           |                        |
| BENA-03      |                | 19-Jul-01       | SILVER,Dissolved ug/l                           | Dissolved       |              | K         |                        |
| BENA-03      |                | 19-Jul-01       | SILVER,Total ug/l                               | Total           |              | K         |                        |
| BENA-03      |                | 19-Jul-01       | SODIUM,Dissolved mg/l                           | Dissolved       |              |           |                        |
| BENA-03      |                | 19-Jul-01       | SODIUM,Total mg/l                               | Total           |              |           |                        |
| BENA-03      |                | 19-Jul-01       | SOLIDS, FIXED                                   |                 |              |           |                        |
| BENA-03      |                | 19-Jul-01       | SOLIDS, FIXED,Total mg/l                        | Total           |              |           |                        |
| BENA-03      |                | 19-Jul-01       | SOLIDS, FIXED, Volatile mg/l                    | Volatile        |              |           |                        |
| BENA-03      |                | 19-Jul-01       | STRONTIUM,Dissolved ug/l                        | Dissolved       |              |           |                        |
| BENA-03      |                | 19-Jul-01       | STRONTIUM,Total ug/l                            | Total           |              |           |                        |
| BENA-03      |                | 19-Jul-01       | SULFATE   |                 |              |           |                        |
| BENA-03      |                | 19-Jul-01       | TEMPERATURE, AIR deg C                          |                 |              |           |                        |
| BENA-03      |                | 19-Jul-01       | TEMPERATURE, WATER deg C                        |                 |              |           |                        |
| BENA-03      |                | 19-Jul-01       | TURBIDITY NTU                                   |                 |              |           |                        |
| BENA-03      |                | 19-Jul-01       | VANADIUM,Dissolved ug/l                         | Dissolved       |              | K         |                        |
| BENA-03      |                | 19-Jul-01       | VANADIUM,Total ug/l                             | Total           |              | K         |                        |

| Station Code | Waterbody Name | Collection Date | Analyte   | Sample Fraction | Result Units | Qualifier | Method Detection Limit |
|--------------|----------------|-----------------|---|-----------------|--------------|-----------|------------------------|
| BENA-03      |                | 19-Jul-01       | ZINC,Dissolved ug/l                             | Dissolved       |              | K         |                        |
| BENA-03      |                | 19-Jul-01       | ZINC>Total ug/l                                 | Total           |              | K         |                        |
| BEN-01       |                | 02-Aug-01       | ALKALINITY, CARBONATE AS CaCO3>Total mg/l       | Total           |              |           |                        |
| BEN-01       |                | 02-Aug-01       | ALUMINIUM,Dissolved ug/l                        | Dissolved       |              | K         |                        |
| BEN-01       |                | 02-Aug-01       | ALUMINIUM>Total ug/l                            | Total           |              |           |                        |
| BEN-01       |                | 02-Aug-01       | ARSENIC>Total                                   | Total           |              |           |                        |
| BEN-01       |                | 02-Aug-01       | BARIUM,Dissolved ug/l                           | Dissolved       |              |           |                        |
| BEN-01       |                | 02-Aug-01       | BARIUM>Total ug/l                               | Total           |              |           |                        |
| BEN-01       |                | 02-Aug-01       | BERYLLIUM,Dissolved ug/l                        | Dissolved       |              | K         |                        |
| BEN-01       |                | 02-Aug-01       | BERYLLIUM>Total ug/l                            | Total           |              | K         |                        |
| BEN-01       |                | 02-Aug-01       | BORON,Dissolved ug/l                            | Dissolved       |              |           |                        |
| BEN-01       |                | 02-Aug-01       | BORON>Total ug/l                                | Total           |              |           |                        |
| BEN-01       |                | 02-Aug-01       | CADMIUM,Dissolved ug/l                          | Dissolved       |              | K         |                        |
| BEN-01       |                | 02-Aug-01       | CADMIUM>Total ug/l                              | Total           |              | K         |                        |
| BEN-01       |                | 02-Aug-01       | CALCIUM,Dissolved mg/l                          | Dissolved       |              |           |                        |
| BEN-01       |                | 02-Aug-01       | CALCIUM>Total mg/l                              | Total           |              |           |                        |
| BEN-01       |                | 02-Aug-01       | CARBON, TOTAL ORGANIC mg/l                      |                 |              |           |                        |
| BEN-01       |                | 02-Aug-01       | CHLORIDE>Total mg/l                             | Total           |              |           |                        |
| BEN-01       |                | 02-Aug-01       | CHLOROPHYLL (A+B+C),Filterable                  | Filterable      |              |           |                        |
| BEN-01       |                | 02-Aug-01       | CHLOROPHYLL A, CORRECTED FOR PHEOPHYTIN ug/l    |                 |              |           |                        |
| BEN-01       |                | 02-Aug-01       | CHLOROPHYLL A, UNCORRECTED FOR PHEOPHYTIN,Fixed | Fixed           |              |           |                        |
| BEN-01       |                | 02-Aug-01       | CHLOROPHYLL-B                                   |                 |              |           |                        |
| BEN-01       |                | 02-Aug-01       | CHLOROPHYLL-C                                   |                 |              | K         |                        |
| BEN-01       |                | 02-Aug-01       | CHROMIUM,Dissolved ug/l                         | Dissolved       |              | K         |                        |
| BEN-01       |                | 02-Aug-01       | CHROMIUM>Total ug/l                             | Total           |              | K         |                        |
| BEN-01       |                | 02-Aug-01       | COBALT,Dissolved ug/l                           | Dissolved       |              | K         |                        |
| BEN-01       |                | 02-Aug-01       | COBALT>Total ug/l                               | Total           |              | K         |                        |
| BEN-01       |                | 02-Aug-01       | CONDUCTANCE, SPECIFIC umho/cm                   |                 |              |           |                        |
| BEN-01       |                | 02-Aug-01       | COPPER,Dissolved ug/l                           | Dissolved       |              | K         |                        |
| BEN-01       |                | 02-Aug-01       | COPPER>Total ug/l                               | Total           |              | K         |                        |
| BEN-01       |                | 02-Aug-01       | CYANIDE   |                 |              | K         |                        |
| BEN-01       |                | 02-Aug-01       | DEPTH ft  |                 |              |           |                        |
| BEN-01       |                | 02-Aug-01       | DISSOLVED OXYGEN (DO) mg/l                      |                 |              |           |                        |
| BEN-01       |                | 02-Aug-01       | FLUORIDES                                       |                 |              |           |                        |
| BEN-01       |                | 02-Aug-01       | HARDNESS, CA, MG mg/l                           |                 |              | C         |                        |
| BEN-01       |                | 02-Aug-01       | IRON,Dissolved ug/l                             | Dissolved       |              | K         |                        |
| BEN-01       |                | 02-Aug-01       | IRON>Total ug/l                                 | Total           |              |           |                        |
| BEN-01       |                | 02-Aug-01       | LEAD,Dissolved ug/l                             | Dissolved       |              | K         |                        |
| BEN-01       |                | 02-Aug-01       | LEAD>Total ug/l                                 | Total           |              | K         |                        |
| BEN-01       |                | 02-Aug-01       | MAGNESIUM,Dissolved mg/l                        | Dissolved       |              |           |                        |
| BEN-01       |                | 02-Aug-01       | MAGNESIUM>Total mg/l                            | Total           |              |           |                        |
| BEN-01       |                | 02-Aug-01       | MANGANESE,Dissolved ug/l                        | Dissolved       |              |           |                        |
| BEN-01       |                | 02-Aug-01       | MANGANESE>Total ug/l                            | Total           |              |           |                        |
| BEN-01       |                | 02-Aug-01       | MERCURY>Total                                   | Total           |              |           |                        |
| BEN-01       |                | 02-Aug-01       | NICKEL,Dissolved ug/l                           | Dissolved       |              | K         |                        |
| BEN-01       |                | 02-Aug-01       | NICKEL>Total ug/l                               | Total           |              | K         |                        |
| BEN-01       |                | 02-Aug-01       | NITROGEN, AMMONIA (NH3),Total mg/l              | Total           |              | K         |                        |
| BEN-01       |                | 02-Aug-01       | NITROGEN, NITRITE (NO2) + NITRATE (NO3) mg/l    |                 |              |           |                        |
| BEN-01       |                | 02-Aug-01       | PH  |                 |              |           |                        |
| BEN-01       |                | 02-Aug-01       | PHEOPHYTIN-A                                    |                 |              | K         |                        |
| BEN-01       |                | 02-Aug-01       | PHOSPHORUS AS P,Dissolved mg/l                  | Dissolved       |              |           |                        |
| BEN-01       |                | 02-Aug-01       | PHOSPHORUS AS P>Total mg/l                      | Total           |              |           |                        |
| BEN-01       |                | 02-Aug-01       | POTASSIUM,Dissolved mg/l                        | Dissolved       |              |           |                        |
| BEN-01       |                | 02-Aug-01       | POTASSIUM>Total mg/l                            | Total           |              |           |                        |
| BEN-01       |                | 02-Aug-01       | SILVER,Dissolved ug/l                           | Dissolved       |              | K         |                        |
| BEN-01       |                | 02-Aug-01       | SILVER>Total ug/l                               | Total           |              | K         |                        |
| BEN-01       |                | 02-Aug-01       | SODIUM,Dissolved mg/l                           | Dissolved       |              |           |                        |
| BEN-01       |                | 02-Aug-01       | SODIUM>Total mg/l                               | Total           |              |           |                        |
| BEN-01       |                | 02-Aug-01       | SOLIDS, FIXED                                   |                 |              |           |                        |
| BEN-01       |                | 02-Aug-01       | SOLIDS, FIXED>Total mg/l                        | Total           |              |           |                        |
| BEN-01       |                | 02-Aug-01       | SOLIDS, FIXED, Volatile mg/l                    | Volatile        |              |           |                        |
| BEN-01       |                | 02-Aug-01       | STRONTIUM,Dissolved ug/l                        | Dissolved       |              |           |                        |
| BEN-01       |                | 02-Aug-01       | STRONTIUM>Total ug/l                            | Total           |              |           |                        |
| BEN-01       |                | 02-Aug-01       | SULFATE   |                 |              | K         |                        |
| BEN-01       |                | 02-Aug-01       | TEMPERATURE, AIR deg C                          |                 |              |           |                        |
| BEN-01       |                | 02-Aug-01       | TEMPERATURE, WATER deg C                        |                 |              |           |                        |
| BEN-01       |                | 02-Aug-01       | TURBIDITY NTU                                   |                 |              |           |                        |
| BEN-01       |                | 02-Aug-01       | VANADIUM,Dissolved ug/l                         | Dissolved       |              | K         |                        |
| BEN-01       |                | 02-Aug-01       | VANADIUM>Total ug/l                             | Total           |              | K         |                        |

| Station Code | Waterbody Name | Collection Date | Analyte   | Sample Fraction | Result Units | Qualifier | Method Detection Limit |
|--------------|----------------|-----------------|---|-----------------|--------------|-----------|------------------------|
| BEN-01       |                | 02-Aug-01       | ZINC,Dissolved ug/l                             | Dissolved       |              | K         |                        |
| BEN-01       |                | 02-Aug-01       | ZINC,Total ug/l                                 | Total           |              | K         |                        |
| BEN-01       |                | 18-Sep-01       | CHLOROPHYLL (A+B+C),Filterable                  | Filterable      |              |           |                        |
| BEN-01       |                | 18-Sep-01       | CHLOROPHYLL A, CORRECTED FOR PHEOPHYTIN ug/l    |                 |              | K         |                        |
| BEN-01       |                | 18-Sep-01       | CHLOROPHYLL A, UNCORRECTED FOR PHEOPHYTIN,Fixed | Fixed           |              | K         |                        |
| BEN-01       |                | 18-Sep-01       | CHLOROPHYLL-B                                   |                 |              | K         |                        |
| BEN-01       |                | 18-Sep-01       | CHLOROPHYLL-C                                   |                 |              | K         |                        |
| BEN-01       |                | 18-Sep-01       | DEPTH ft  |                 |              |           |                        |
| BEN-01       |                | 18-Sep-01       | PHEOPHYTIN-A                                    |                 |              | K         |                        |
| BENA-02      |                | 18-Sep-01       | ALKALINITY, CARBONATE AS CaCO3,Total mg/l       | Total           |              |           |                        |
| BENA-02      |                | 18-Sep-01       | ALUMINIUM,Dissolved ug/l                        | Dissolved       |              | K         |                        |
| BENA-02      |                | 18-Sep-01       | ALUMINIUM,Total ug/l                            | Total           |              |           |                        |
| BENA-02      |                | 18-Sep-01       | ARSENIC,Total                                   | Total           |              |           |                        |
| BENA-02      |                | 18-Sep-01       | BARIUM,Dissolved ug/l                           | Dissolved       |              |           |                        |
| BENA-02      |                | 18-Sep-01       | BARIUM,Total ug/l                               | Total           |              |           |                        |
| BENA-02      |                | 18-Sep-01       | BERYLLIUM,Dissolved ug/l                        | Dissolved       |              | K         |                        |
| BENA-02      |                | 18-Sep-01       | BERYLLIUM,Total ug/l                            | Total           |              | K         |                        |
| BENA-02      |                | 18-Sep-01       | BORON,Dissolved ug/l                            | Dissolved       |              |           |                        |
| BENA-02      |                | 18-Sep-01       | BORON,Total ug/l                                | Total           |              |           |                        |
| BENA-02      |                | 18-Sep-01       | CADMIUM,Dissolved ug/l                          | Dissolved       |              | K         |                        |
| BENA-02      |                | 18-Sep-01       | CADMIUM,Total ug/l                              | Total           |              | K         |                        |
| BENA-02      |                | 18-Sep-01       | CALCIUM,Dissolved mg/l                          | Dissolved       |              |           |                        |
| BENA-02      |                | 18-Sep-01       | CALCIUM,Total mg/l                              | Total           |              |           |                        |
| BENA-02      |                | 18-Sep-01       | CARBON, TOTAL ORGANIC mg/l                      |                 |              |           |                        |
| BENA-02      |                | 18-Sep-01       | CHLORIDE,Total mg/l                             | Total           |              |           |                        |
| BENA-02      |                | 18-Sep-01       | CHLOROPHYLL (A+B+C),Filterable                  | Filterable      |              |           |                        |
| BENA-02      |                | 18-Sep-01       | CHLOROPHYLL A, CORRECTED FOR PHEOPHYTIN ug/l    |                 |              |           |                        |
| BENA-02      |                | 18-Sep-01       | CHLOROPHYLL A, UNCORRECTED FOR PHEOPHYTIN,Fixed | Fixed           |              |           |                        |
| BENA-02      |                | 18-Sep-01       | CHLOROPHYLL-B                                   |                 |              | K         |                        |
| BENA-02      |                | 18-Sep-01       | CHLOROPHYLL-C                                   |                 |              | K         |                        |
| BENA-02      |                | 18-Sep-01       | CHROMIUM,Dissolved ug/l                         | Dissolved       |              | K         |                        |
| BENA-02      |                | 18-Sep-01       | CHROMIUM,Total ug/l                             | Total           |              | K         |                        |
| BENA-02      |                | 18-Sep-01       | COBALT,Dissolved ug/l                           | Dissolved       |              | K         |                        |
| BENA-02      |                | 18-Sep-01       | COBALT,Total ug/l                               | Total           |              | K         |                        |
| BENA-02      |                | 18-Sep-01       | CONDUCTANCE, SPECIFIC umho/cm                   |                 |              |           |                        |
| BENA-02      |                | 18-Sep-01       | COPPER,Dissolved ug/l                           | Dissolved       |              | K         |                        |
| BENA-02      |                | 18-Sep-01       | COPPER,Total ug/l                               | Total           |              | K         |                        |
| BENA-02      |                | 18-Sep-01       | CYANIDE   |                 |              | K         |                        |
| BENA-02      |                | 18-Sep-01       | DEPTH ft  |                 |              |           |                        |
| BENA-02      |                | 18-Sep-01       | DISSOLVED OXYGEN (DO) mg/l                      |                 |              |           |                        |
| BENA-02      |                | 18-Sep-01       | FLUORIDES                                       |                 |              |           |                        |
| BENA-02      |                | 18-Sep-01       | HARDNESS, CA, MG mg/l                           |                 |              | C         |                        |
| BENA-02      |                | 18-Sep-01       | IRON,Dissolved ug/l                             | Dissolved       |              |           |                        |
| BENA-02      |                | 18-Sep-01       | IRON,Total ug/l                                 | Total           |              |           |                        |
| BENA-02      |                | 18-Sep-01       | LEAD,Dissolved ug/l                             | Dissolved       |              | K         |                        |
| BENA-02      |                | 18-Sep-01       | LEAD,Total ug/l                                 | Total           |              | K         |                        |
| BENA-02      |                | 18-Sep-01       | MAGNESIUM,Dissolved mg/l                        | Dissolved       |              |           |                        |
| BENA-02      |                | 18-Sep-01       | MAGNESIUM,Total mg/l                            | Total           |              |           |                        |
| BENA-02      |                | 18-Sep-01       | MANGANESE,Dissolved ug/l                        | Dissolved       |              |           |                        |
| BENA-02      |                | 18-Sep-01       | MANGANESE,Total ug/l                            | Total           |              |           |                        |
| BENA-02      |                | 18-Sep-01       | MERCURY,Total                                   | Total           |              | K         |                        |
| BENA-02      |                | 18-Sep-01       | NICKEL,Dissolved ug/l                           | Dissolved       |              | K         |                        |
| BENA-02      |                | 18-Sep-01       | NICKEL,Total ug/l                               | Total           |              | K         |                        |
| BENA-02      |                | 18-Sep-01       | NITROGEN, AMMONIA (NH3),Total mg/l              | Total           |              |           |                        |
| BENA-02      |                | 18-Sep-01       | NITROGEN, NITRITE (NO2) + NITRATE (NO3) mg/l    |                 |              |           |                        |
| BENA-02      |                | 18-Sep-01       | PH  |                 |              |           |                        |
| BENA-02      |                | 18-Sep-01       | PHENOLS   |                 |              | K         |                        |
| BENA-02      |                | 18-Sep-01       | PHEOPHYTIN-A                                    |                 |              |           |                        |
| BENA-02      |                | 18-Sep-01       | PHOSPHORUS AS P,Dissolved mg/l                  | Dissolved       |              |           |                        |
| BENA-02      |                | 18-Sep-01       | PHOSPHORUS AS P,Total mg/l                      | Total           |              |           |                        |
| BENA-02      |                | 18-Sep-01       | POTASSIUM,Dissolved mg/l                        | Dissolved       |              |           |                        |
| BENA-02      |                | 18-Sep-01       | POTASSIUM,Total mg/l                            | Total           |              |           |                        |
| BENA-02      |                | 18-Sep-01       | SILVER,Dissolved ug/l                           | Dissolved       |              | K         |                        |
| BENA-02      |                | 18-Sep-01       | SILVER,Total ug/l                               | Total           |              | K         |                        |
| BENA-02      |                | 18-Sep-01       | SODIUM,Dissolved mg/l                           | Dissolved       |              |           |                        |
| BENA-02      |                | 18-Sep-01       | SODIUM,Total mg/l                               | Total           |              |           |                        |
| BENA-02      |                | 18-Sep-01       | SOLIDS, FIXED                                   |                 |              |           |                        |
| BENA-02      |                | 18-Sep-01       | SOLIDS, FIXED,Total mg/l                        | Total           |              |           |                        |
| BENA-02      |                | 18-Sep-01       | SOLIDS, FIXED, Volatile mg/l                    | Volatile        |              |           |                        |

| Station Code | Waterbody Name | Collection Date | Analyte   | Sample Fraction | Result Units | Qualifier | Method Detection Limit |
|--------------|----------------|-----------------|---|-----------------|--------------|-----------|------------------------|
| BENA-02      |                | 18-Sep-01       | STRONTIUM,Dissolved ug/l                        | Dissolved       |              |           |                        |
| BENA-02      |                | 18-Sep-01       | STRONTIUM>Total ug/l                            | Total           |              |           |                        |
| BENA-02      |                | 18-Sep-01       | SULFATE   |                 |              |           |                        |
| BENA-02      |                | 18-Sep-01       | TEMPERATURE, AIR deg C                          |                 |              |           |                        |
| BENA-02      |                | 18-Sep-01       | TEMPERATURE, WATER deg C                        |                 |              |           |                        |
| BENA-02      |                | 18-Sep-01       | TURBIDITY NTU                                   |                 |              |           |                        |
| BENA-02      |                | 18-Sep-01       | VANADIUM,Dissolved ug/l                         | Dissolved       |              | K         |                        |
| BENA-02      |                | 18-Sep-01       | VANADIUM>Total ug/l                             | Total           |              | K         |                        |
| BENA-02      |                | 18-Sep-01       | ZINC,Dissolved ug/l                             | Dissolved       |              | K         |                        |
| BENA-02      |                | 18-Sep-01       | ZINC>Total ug/l                                 | Total           |              | K         |                        |
| BENA-03      |                | 18-Sep-01       | ALKALINITY, CARBONATE AS CaCO3>Total mg/l       | Total           |              |           |                        |
| BENA-03      |                | 18-Sep-01       | ALUMINUM,Dissolved ug/l                         | Dissolved       |              | K         |                        |
| BENA-03      |                | 18-Sep-01       | ALUMINUM>Total ug/l                             | Total           |              |           |                        |
| BENA-03      |                | 18-Sep-01       | ARSENIC>Total                                   | Total           |              | K         |                        |
| BENA-03      |                | 18-Sep-01       | BARIUM,Dissolved ug/l                           | Dissolved       |              |           |                        |
| BENA-03      |                | 18-Sep-01       | BARIUM>Total ug/l                               | Total           |              |           |                        |
| BENA-03      |                | 18-Sep-01       | BERYLLIUM,Dissolved ug/l                        | Dissolved       |              | K         |                        |
| BENA-03      |                | 18-Sep-01       | BERYLLIUM>Total ug/l                            | Total           |              | K         |                        |
| BENA-03      |                | 18-Sep-01       | BORON,Dissolved ug/l                            | Dissolved       |              |           |                        |
| BENA-03      |                | 18-Sep-01       | BORON>Total ug/l                                | Total           |              |           |                        |
| BENA-03      |                | 18-Sep-01       | CADMIUM,Dissolved ug/l                          | Dissolved       |              | K         |                        |
| BENA-03      |                | 18-Sep-01       | CADMIUM>Total ug/l                              | Total           |              | K         |                        |
| BENA-03      |                | 18-Sep-01       | CALCIUM,Dissolved mg/l                          | Dissolved       |              |           |                        |
| BENA-03      |                | 18-Sep-01       | CALCIUM>Total mg/l                              | Total           |              |           |                        |
| BENA-03      |                | 18-Sep-01       | CARBON, TOTAL ORGANIC mg/l                      |                 |              |           |                        |
| BENA-03      |                | 18-Sep-01       | CHLORIDE>Total mg/l                             | Total           |              |           |                        |
| BENA-03      |                | 18-Sep-01       | CHLOROPHYLL (A+B+C),Filterable                  | Filterable      |              |           |                        |
| BENA-03      |                | 18-Sep-01       | CHLOROPHYLL A, CORRECTED FOR PHEOPHYTIN ug/l    |                 |              |           |                        |
| BENA-03      |                | 18-Sep-01       | CHLOROPHYLL A, UNCORRECTED FOR PHEOPHYTIN,Fixed | Fixed           |              |           |                        |
| BENA-03      |                | 18-Sep-01       | CHLOROPHYLL-B                                   |                 |              |           |                        |
| BENA-03      |                | 18-Sep-01       | CHLOROPHYLL-C                                   |                 |              | K         |                        |
| BENA-03      |                | 18-Sep-01       | CHROMIUM,Dissolved ug/l                         | Dissolved       |              | K         |                        |
| BENA-03      |                | 18-Sep-01       | CHROMIUM>Total ug/l                             | Total           |              | K         |                        |
| BENA-03      |                | 18-Sep-01       | COBALT,Dissolved ug/l                           | Dissolved       |              | K         |                        |
| BENA-03      |                | 18-Sep-01       | COBALT>Total ug/l                               | Total           |              | K         |                        |
| BENA-03      |                | 18-Sep-01       | CONDUCTANCE, SPECIFIC umho/cm                   |                 |              |           |                        |
| BENA-03      |                | 18-Sep-01       | COPPER,Dissolved ug/l                           | Dissolved       |              | K         |                        |
| BENA-03      |                | 18-Sep-01       | COPPER>Total ug/l                               | Total           |              | K         |                        |
| BENA-03      |                | 18-Sep-01       | CYANIDE   |                 |              | K         |                        |
| BENA-03      |                | 18-Sep-01       | DEPTH ft  |                 |              |           |                        |
| BENA-03      |                | 18-Sep-01       | DISSOLVED OXYGEN (DO) mg/l                      |                 |              |           |                        |
| BENA-03      |                | 18-Sep-01       | FLUORIDES                                       |                 |              |           |                        |
| BENA-03      |                | 18-Sep-01       | HARDNESS, CA,MG mg/l                            |                 |              | C         |                        |
| BENA-03      |                | 18-Sep-01       | IRON,Dissolved ug/l                             | Dissolved       |              | K         |                        |
| BENA-03      |                | 18-Sep-01       | IRON>Total ug/l                                 | Total           |              |           |                        |
| BENA-03      |                | 18-Sep-01       | LEAD,Dissolved ug/l                             | Dissolved       |              | K         |                        |
| BENA-03      |                | 18-Sep-01       | LEAD>Total ug/l                                 | Total           |              | K         |                        |
| BENA-03      |                | 18-Sep-01       | MAGNESIUM,Dissolved mg/l                        | Dissolved       |              |           |                        |
| BENA-03      |                | 18-Sep-01       | MAGNESIUM>Total mg/l                            | Total           |              |           |                        |
| BENA-03      |                | 18-Sep-01       | MANGANESE,Dissolved ug/l                        | Dissolved       |              |           |                        |
| BENA-03      |                | 18-Sep-01       | MANGANESE>Total ug/l                            | Total           |              |           |                        |
| BENA-03      |                | 18-Sep-01       | MERCURY>Total                                   | Total           |              | K         |                        |
| BENA-03      |                | 18-Sep-01       | NICKEL,Dissolved ug/l                           | Dissolved       |              | K         |                        |
| BENA-03      |                | 18-Sep-01       | NICKEL>Total ug/l                               | Total           |              | K         |                        |
| BENA-03      |                | 18-Sep-01       | NITROGEN, AMMONIA (NH3),Total mg/l              | Total           |              | K         |                        |
| BENA-03      |                | 18-Sep-01       | NITROGEN, NITRITE (NO2) + NITRATE (NO3) mg/l    |                 |              |           |                        |
| BENA-03      |                | 18-Sep-01       | PH  |                 |              |           |                        |
| BENA-03      |                | 18-Sep-01       | PHENOLS   |                 |              | K         |                        |
| BENA-03      |                | 18-Sep-01       | PHEOPHYTIN-A                                    |                 |              | K         |                        |
| BENA-03      |                | 18-Sep-01       | PHOSPHORUS AS P,Dissolved mg/l                  | Dissolved       |              |           |                        |
| BENA-03      |                | 18-Sep-01       | PHOSPHORUS AS P>Total mg/l                      | Total           |              |           |                        |
| BENA-03      |                | 18-Sep-01       | POTASSIUM,Dissolved mg/l                        | Dissolved       |              |           |                        |
| BENA-03      |                | 18-Sep-01       | POTASSIUM>Total mg/l                            | Total           |              |           |                        |
| BENA-03      |                | 18-Sep-01       | SILVER,Dissolved ug/l                           | Dissolved       |              | K         |                        |
| BENA-03      |                | 18-Sep-01       | SILVER>Total ug/l                               | Total           |              | K         |                        |
| BENA-03      |                | 18-Sep-01       | SODIUM,Dissolved mg/l                           | Dissolved       |              |           |                        |
| BENA-03      |                | 18-Sep-01       | SODIUM>Total mg/l                               | Total           |              |           |                        |
| BENA-03      |                | 18-Sep-01       | SOLIDS, FIXED                                   |                 |              |           |                        |
| BENA-03      |                | 18-Sep-01       | SOLIDS, FIXED>Total mg/l                        | Total           |              |           |                        |



| Station Code | Waterbody Name | Collection Date | Analyte                                      | Sample Fraction | Result Units | Qualifier | Method Detection Limit |
|--------------|----------------|-----------------|--|-----------------|--------------|-----------|------------------------|
| BENA-03      |                | 18-Sep-01       | SOLIDS, FIXED, Volatile mg/l                 |                 |              |           |                        |
| BENA-03      |                | 18-Sep-01       | STRONTIUM, Dissolved ug/l                    | Dissolved       |              |           |                        |
| BENA-03      |                | 18-Sep-01       | STRONTIUM, Total ug/l                        | Total           |              |           |                        |
| BENA-03      |                | 18-Sep-01       | SULFATE                                      |                 |              |           |                        |
| BENA-03      |                | 18-Sep-01       | TEMPERATURE, AIR deg C                       |                 |              |           |                        |
| BENA-03      |                | 18-Sep-01       | TEMPERATURE, WATER deg C                     |                 |              |           |                        |
| BENA-03      |                | 18-Sep-01       | TURBIDITY NTU                                |                 |              |           |                        |
| BENA-03      |                | 18-Sep-01       | VANADIUM, Dissolved ug/l                     | Dissolved       |              | K         |                        |
| BENA-03      |                | 18-Sep-01       | VANADIUM, Total ug/l                         | Total           |              | K         |                        |
| BENA-03      |                | 18-Sep-01       | ZINC, Dissolved ug/l                         | Dissolved       |              | K         |                        |
| BENA-03      |                | 18-Sep-01       | ZINC, Total ug/l                             | Total           |              | K         |                        |
| BEN-01       | Kickapoo Creek | 23-May-06       | Alkalinity, total                            |                 | mg/l         |           | 0                      |
| BEN-01       | KICKAPOO CREEK | 23-May-06       | Aluminum                                     | Dissolved       | ug/l         | J         | 20                     |
| BEN-01       | KICKAPOO CREEK | 23-May-06       | Aluminum                                     | Total           | ug/l         |           | 20                     |
| BEN-01       | KICKAPOO CREEK | 23-May-06       | Arsenic                                      | Total           | ug/l         | ND        | 0.06                   |
| BEN-01       | KICKAPOO CREEK | 23-May-06       | Barium                                       | Dissolved       | ug/l         |           | 1                      |
| BEN-01       | KICKAPOO CREEK | 23-May-06       | Barium                                       | Total           | ug/l         |           | 1                      |
| BEN-01       | KICKAPOO CREEK | 23-May-06       | Beryllium                                    | Dissolved       | ug/l         | ND        | 1                      |
| BEN-01       | KICKAPOO CREEK | 23-May-06       | Beryllium                                    | Total           | ug/l         | ND        | 1                      |
| BEN-01       | KICKAPOO CREEK | 23-May-06       | Boron  | Dissolved       | ug/l         |           | 4                      |
| BEN-01       | KICKAPOO CREEK | 23-May-06       | Boron  | Total           | ug/l         |           | 4                      |
| BEN-01       | KICKAPOO CREEK | 23-May-06       | Cadmium                                      | Dissolved       | ug/l         | ND        | 1                      |
| BEN-01       | KICKAPOO CREEK | 23-May-06       | Cadmium                                      | Total           | ug/l         | ND        | 1                      |
| BEN-01       | KICKAPOO CREEK | 23-May-06       | Calcium                                      | Dissolved       | ug/l         |           | 18                     |
| BEN-01       | KICKAPOO CREEK | 23-May-06       | Calcium                                      | Total           | ug/l         |           | 18                     |
| BEN-01       | Kickapoo Creek | 23-May-06       | Carbon, organic                              | Total           | mg/l         |           | 0.5                    |
| BEN-01       | Kickapoo Creek | 23-May-06       | Chloride                                     | Total           | mg/l         |           | 1                      |
| BEN-01       | KICKAPOO CREEK | 23-May-06       | Chlorophyll a, corrected for pheophytin      | Total           | ug/l         |           | 1                      |
| BEN-01       | KICKAPOO CREEK | 23-May-06       | Chlorophyll a, uncorrected for pheophytin    | Total           | ug/l         |           | 1                      |
| BEN-01       | KICKAPOO CREEK | 23-May-06       | Chlorophyll-b                                | Total           | ug/l         | ND        | 1                      |
| BEN-01       | KICKAPOO CREEK | 23-May-06       | Chlorophyll-c                                | Total           | ug/l         | ND        | 1                      |
| BEN-01       | KICKAPOO CREEK | 23-May-06       | Chromium                                     | Dissolved       | ug/l         | ND        | 2                      |
| BEN-01       | KICKAPOO CREEK | 23-May-06       | Chromium                                     | Total           | ug/l         | ND        | 2                      |
| BEN-01       | KICKAPOO CREEK | 23-May-06       | Cobalt                                       | Dissolved       | ug/l         | ND        | 3                      |
| BEN-01       | KICKAPOO CREEK | 23-May-06       | Cobalt                                       | Total           | ug/l         | ND        | 3                      |
| BEN-01       | KICKAPOO CREEK | 23-May-06       | Copper                                       | Dissolved       | ug/l         | ND        | 3                      |
| BEN-01       | KICKAPOO CREEK | 23-May-06       | Copper                                       | Total           | ug/l         | ND        | 3                      |
| BEN-01       | Kickapoo Creek | 23-May-06       | Cyanide                                      | Total           | mg/l         | ND        | 0.003                  |
| BEN-01       |                | 23-May-06       | Dissolved oxygen (DO)                        |                 | mg/l         |           |                        |
| BEN-01       | Kickapoo Creek | 23-May-06       | Fluorides                                    | Total           | mg/l         |           | 0.05                   |
| BEN-01       | KICKAPOO CREEK | 23-May-06       | Hardness, Ca + Mg                            | Total           | ug/l         | C         |                        |
| BEN-01       | KICKAPOO CREEK | 23-May-06       | Iron   | Dissolved       | ug/l         | ND        | 33                     |
| BEN-01       | KICKAPOO CREEK | 23-May-06       | Iron   | Total           | ug/l         |           | 33                     |
| BEN-01       | KICKAPOO CREEK | 23-May-06       | Lead   | Dissolved       | ug/l         | ND        | 5                      |
| BEN-01       | KICKAPOO CREEK | 23-May-06       | Lead   | Total           | ug/l         | ND        | 5                      |
| BEN-01       | KICKAPOO CREEK | 23-May-06       | Magnesium                                    | Dissolved       | ug/l         |           | 9                      |
| BEN-01       | KICKAPOO CREEK | 23-May-06       | Magnesium                                    | Total           | ug/l         |           | 9                      |
| BEN-01       | KICKAPOO CREEK | 23-May-06       | Manganese                                    | Dissolved       | ug/l         |           | 1                      |
| BEN-01       | KICKAPOO CREEK | 23-May-06       | Manganese                                    | Total           | ug/l         |           | 1                      |
| BEN-01       | KICKAPOO CREEK | 23-May-06       | Nickel                                       | Dissolved       | ug/l         | ND        | 5                      |
| BEN-01       | KICKAPOO CREEK | 23-May-06       | Nickel                                       | Total           | ug/l         | ND        | 5                      |
| BEN-01       | Kickapoo Creek | 23-May-06       | Nitrogen, ammonia as N                       | Total           | mg/l         |           | 0.04                   |
| BEN-01       | Kickapoo Creek | 23-May-06       | Nitrogen, Kjeldahl                           | Total           | mg/l         |           | 0.4                    |
| BEN-01       | Kickapoo Creek | 23-May-06       | Nitrogen, Nitrite (NO2) + Nitrate (NO3) as N | Total           | mg/l         |           | 0.5                    |
| BEN-01       |                | 23-May-06       | pH   |                 |              |           |                        |
| BEN-01       | Kickapoo Creek | 23-May-06       | Phenols                                      | Total           | ug/l         | ND        | 4                      |
| BEN-01       | KICKAPOO CREEK | 23-May-06       | Pheophytin-a                                 | Total           | ug/l         | ND        | 1                      |
| BEN-01       | Kickapoo Creek | 23-May-06       | Phosphorus as P                              | Dissolved       | mg/l         |           | 0.01                   |
| BEN-01       | Kickapoo Creek | 23-May-06       | Phosphorus as P                              | Total           | mg/l         |           | 0.01                   |
| BEN-01       | KICKAPOO CREEK | 23-May-06       | Potassium                                    | Dissolved       | ug/l         | ND        | 2000                   |
| BEN-01       | KICKAPOO CREEK | 23-May-06       | Potassium                                    | Total           | ug/l         | ND        | 2000                   |
| BEN-01       | KICKAPOO CREEK | 23-May-06       | Silver                                       | Dissolved       | ug/l         | ND        | 3                      |
| BEN-01       | KICKAPOO CREEK | 23-May-06       | Silver                                       | Total           | ug/l         | ND        | 3                      |
| BEN-01       | KICKAPOO CREEK | 23-May-06       | Sodium                                       | Dissolved       | ug/l         |           | 370                    |
| BEN-01       | KICKAPOO CREEK | 23-May-06       | Sodium                                       | Total           | ug/l         |           | 370                    |
| BEN-01       | Kickapoo Creek | 23-May-06       | Solids, suspended, volatile                  |                 | mg/l         | ND        | 6                      |
| BEN-01       | Kickapoo Creek | 23-May-06       | Solids, Total Suspended (TSS)                |                 | mg/l         |           | 5                      |
| BEN-01       |                | 23-May-06       | Specific conductance                         |                 | umho/cm      |           |                        |
| BEN-01       | KICKAPOO CREEK | 23-May-06       | Strontium                                    | Dissolved       | ug/l         |           | 1                      |

| Station Code | Waterbody Name | Collection Date | Analyte                                      | Sample Fraction | Result Units | Qualifier | Method Detection Limit |
|--------------|----------------|-----------------|--|-----------------|--------------|-----------|------------------------|
| BEN-01       | KICKAPOO CREEK | 23-May-06       | Strontium                                    | Total           | ug/l         |           | 1                      |
| BEN-01       | Kickapoo Creek | 23-May-06       | Sulfate                                      | Total           | mg/l         |           | 1                      |
| BEN-01       |                | 23-May-06       | Temperature, air                             |                 | deg C        |           |                        |
| BEN-01       | Kickapoo Creek | 23-May-06       | Temperature, sample                          |                 | deg C        |           |                        |
| BEN-01       | KICKAPOO CREEK | 23-May-06       | Temperature, sample                          |                 | deg C        |           |                        |
| BEN-01       | KICKAPOO CREEK | 23-May-06       | Temperature, sample                          |                 | deg C        |           |                        |
| BEN-01       |                | 23-May-06       | Temperature, water                           |                 | deg C        |           |                        |
| BEN-01       |                | 23-May-06       | Turbidity                                    |                 | NTU          |           |                        |
| BEN-01       | KICKAPOO CREEK | 23-May-06       | Vanadium                                     | Dissolved       | ug/l         | ND        | 3                      |
| BEN-01       | KICKAPOO CREEK | 23-May-06       | Vanadium                                     | Total           | ug/l         | ND        | 3                      |
| BEN-01       | KICKAPOO CREEK | 23-May-06       | Zinc   | Dissolved       | ug/l         | J         | 2                      |
| BEN-01       | KICKAPOO CREEK | 23-May-06       | Zinc   | Total           | ug/l         | J         | 2                      |
| BENA-01      | Riley Creek    | 23-May-06       | Alkalinity, total                            |                 | mg/l         |           | 0                      |
| BENA-01      | RILEY CREEK    | 23-May-06       | Aluminum                                     | Dissolved       | ug/l         | J         | 20                     |
| BENA-01      | RILEY CREEK    | 23-May-06       | Aluminum                                     | Total           | ug/l         |           | 20                     |
| BENA-01      | RILEY CREEK    | 23-May-06       | Arsenic                                      | Total           | ug/l         |           | 0.06                   |
| BENA-01      | RILEY CREEK    | 23-May-06       | Barium                                       | Dissolved       | ug/l         |           | 1                      |
| BENA-01      | RILEY CREEK    | 23-May-06       | Barium                                       | Total           | ug/l         |           | 1                      |
| BENA-01      | RILEY CREEK    | 23-May-06       | Beryllium                                    | Dissolved       | ug/l         | ND        | 1                      |
| BENA-01      | RILEY CREEK    | 23-May-06       | Beryllium                                    | Total           | ug/l         | ND        | 1                      |
| BENA-01      | RILEY CREEK    | 23-May-06       | Boron  | Dissolved       | ug/l         |           | 4                      |
| BENA-01      | RILEY CREEK    | 23-May-06       | Boron  | Total           | ug/l         |           | 4                      |
| BENA-01      | RILEY CREEK    | 23-May-06       | Cadmium                                      | Dissolved       | ug/l         | ND        | 1                      |
| BENA-01      | RILEY CREEK    | 23-May-06       | Cadmium                                      | Total           | ug/l         | ND        | 1                      |
| BENA-01      | RILEY CREEK    | 23-May-06       | Calcium                                      | Dissolved       | ug/l         |           | 18                     |
| BENA-01      | RILEY CREEK    | 23-May-06       | Calcium                                      | Total           | ug/l         |           | 18                     |
| BENA-01      | Riley Creek    | 23-May-06       | Carbon, organic                              | Total           | mg/l         |           | 0.5                    |
| BENA-01      | Riley Creek    | 23-May-06       | Chloride                                     | Total           | mg/l         |           | 1                      |
| BENA-01      | RILEY CREEK    | 23-May-06       | Chlorophyll a, corrected for pheophytin      | Total           | ug/l         |           | 1                      |
| BENA-01      | RILEY CREEK    | 23-May-06       | Chlorophyll a, uncorrected for pheophytin    | Total           | ug/l         |           | 1                      |
| BENA-01      | RILEY CREEK    | 23-May-06       | Chlorophyll-b                                | Total           | ug/l         | ND        | 1                      |
| BENA-01      | RILEY CREEK    | 23-May-06       | Chlorophyll-c                                | Total           | ug/l         | ND        | 1                      |
| BENA-01      | RILEY CREEK    | 23-May-06       | Chromium                                     | Dissolved       | ug/l         | ND        | 2                      |
| BENA-01      | RILEY CREEK    | 23-May-06       | Chromium                                     | Total           | ug/l         | ND        | 2                      |
| BENA-01      | RILEY CREEK    | 23-May-06       | Cobalt                                       | Dissolved       | ug/l         | ND        | 3                      |
| BENA-01      | RILEY CREEK    | 23-May-06       | Cobalt                                       | Total           | ug/l         | ND        | 3                      |
| BENA-01      | RILEY CREEK    | 23-May-06       | Copper                                       | Dissolved       | ug/l         | ND        | 3                      |
| BENA-01      | RILEY CREEK    | 23-May-06       | Copper                                       | Total           | ug/l         | ND        | 3                      |
| BENA-01      | Riley Creek    | 23-May-06       | Cyanide                                      | Total           | mg/l         | ND        | 0.003                  |
| BENA-01      |                | 23-May-06       | Dissolved oxygen (DO)                        |                 | mg/l         |           |                        |
| BENA-01      | Riley Creek    | 23-May-06       | Fluorides                                    | Total           | mg/l         |           | 0.05                   |
| BENA-01      | RILEY CREEK    | 23-May-06       | Hardness, Ca + Mg                            | Total           | ug/l         | C         |                        |
| BENA-01      | RILEY CREEK    | 23-May-06       | Iron   | Dissolved       | ug/l         | ND        | 33                     |
| BENA-01      | RILEY CREEK    | 23-May-06       | Iron   | Total           | ug/l         |           | 33                     |
| BENA-01      | RILEY CREEK    | 23-May-06       | Lead   | Dissolved       | ug/l         | ND        | 5                      |
| BENA-01      | RILEY CREEK    | 23-May-06       | Lead   | Total           | ug/l         | ND        | 5                      |
| BENA-01      | RILEY CREEK    | 23-May-06       | Magnesium                                    | Dissolved       | ug/l         |           | 9                      |
| BENA-01      | RILEY CREEK    | 23-May-06       | Magnesium                                    | Total           | ug/l         |           | 9                      |
| BENA-01      | RILEY CREEK    | 23-May-06       | Manganese                                    | Dissolved       | ug/l         |           | 1                      |
| BENA-01      | RILEY CREEK    | 23-May-06       | Manganese                                    | Total           | ug/l         |           | 1                      |
| BENA-01      | RILEY CREEK    | 23-May-06       | Nickel                                       | Dissolved       | ug/l         | ND        | 5                      |
| BENA-01      | RILEY CREEK    | 23-May-06       | Nickel                                       | Total           | ug/l         | ND        | 5                      |
| BENA-01      | Riley Creek    | 23-May-06       | Nitrogen, ammonia as N                       | Total           | mg/l         |           | 0.04                   |
| BENA-01      | Riley Creek    | 23-May-06       | Nitrogen, Kjeldahl                           | Total           | mg/l         |           | 0.4                    |
| BENA-01      | Riley Creek    | 23-May-06       | Nitrogen, Nitrite (NO2) + Nitrate (NO3) as N | Total           | mg/l         |           | 0.5                    |
| BENA-01      |                | 23-May-06       | pH   |                 |              |           |                        |
| BENA-01      | Riley Creek    | 23-May-06       | Phenols                                      | Total           | ug/l         | ND        | 4                      |
| BENA-01      | RILEY CREEK    | 23-May-06       | Pheophytin-a                                 | Total           | ug/l         | ND        | 1                      |
| BENA-01      | Riley Creek    | 23-May-06       | Phosphorus as P                              | Dissolved       | mg/l         |           | 0.01                   |
| BENA-01      | Riley Creek    | 23-May-06       | Phosphorus as P                              | Total           | mg/l         |           | 0.01                   |
| BENA-01      | RILEY CREEK    | 23-May-06       | Potassium                                    | Dissolved       | ug/l         | ND        | 2000                   |
| BENA-01      | RILEY CREEK    | 23-May-06       | Potassium                                    | Total           | ug/l         | ND        | 2000                   |
| BENA-01      | RILEY CREEK    | 23-May-06       | Silver                                       | Dissolved       | ug/l         | ND        | 3                      |
| BENA-01      | RILEY CREEK    | 23-May-06       | Silver                                       | Total           | ug/l         | ND        | 3                      |
| BENA-01      | RILEY CREEK    | 23-May-06       | Sodium                                       | Dissolved       | ug/l         |           | 370                    |
| BENA-01      | RILEY CREEK    | 23-May-06       | Sodium                                       | Total           | ug/l         |           | 370                    |
| BENA-01      | Riley Creek    | 23-May-06       | Solids, suspended, volatile                  |                 | mg/l         | ND        | 6                      |
| BENA-01      | Riley Creek    | 23-May-06       | Solids, Total Suspended (TSS)                |                 | mg/l         | ND        | 5                      |
| BENA-01      |                | 23-May-06       | Specific conductance                         |                 | umho/cm      |           |                        |

| Station Code | Waterbody Name | Collection Date | Analyte                                      | Sample Fraction | Result Units | Qualifier | Method Detection Limit |
|--------------|----------------|-----------------|--|-----------------|--------------|-----------|------------------------|
| BENA-01      | RILEY CREEK    | 23-May-06       | Strontium                                    | Dissolved       | ug/l         |           | 1                      |
| BENA-01      | RILEY CREEK    | 23-May-06       | Strontium                                    | Total           | ug/l         |           | 1                      |
| BENA-01      | Riley Creek    | 23-May-06       | Sulfate                                      | Total           | mg/l         |           | 1                      |
| BENA-01      |                | 23-May-06       | Temperature, air                             |                 | deg C        |           |                        |
| BENA-01      | Riley Creek    | 23-May-06       | Temperature, sample                          |                 | deg C        |           |                        |
| BENA-01      | RILEY CREEK    | 23-May-06       | Temperature, sample                          |                 | deg C        |           |                        |
| BENA-01      | RILEY CREEK    | 23-May-06       | Temperature, sample                          |                 | deg C        |           |                        |
| BENA-01      |                | 23-May-06       | Temperature, water                           |                 | deg C        |           |                        |
| BENA-01      |                | 23-May-06       | Turbidity                                    |                 | NTU          |           |                        |
| BENA-01      | RILEY CREEK    | 23-May-06       | Vanadium                                     | Dissolved       | ug/l         | ND        | 3                      |
| BENA-01      | RILEY CREEK    | 23-May-06       | Vanadium                                     | Total           | ug/l         | ND        | 3                      |
| BENA-01      | RILEY CREEK    | 23-May-06       | Zinc   | Dissolved       | ug/l         | J         | 2                      |
| BENA-01      | RILEY CREEK    | 23-May-06       | Zinc   | Total           | ug/l         | J         | 2                      |
| BENA-02      | Riley Creek    | 23-May-06       | Alkalinity, total                            |                 | mg/l         |           | 0                      |
| BENA-02      | RILEY CREEK    | 23-May-06       | Aluminum                                     | Dissolved       | ug/l         | J         | 20                     |
| BENA-02      | RILEY CREEK    | 23-May-06       | Aluminum                                     | Total           | ug/l         |           | 20                     |
| BENA-02      | RILEY CREEK    | 23-May-06       | Arsenic                                      | Total           | ug/l         | J         | 0.06                   |
| BENA-02      | RILEY CREEK    | 23-May-06       | Barium                                       | Dissolved       | ug/l         |           | 1                      |
| BENA-02      | RILEY CREEK    | 23-May-06       | Barium                                       | Total           | ug/l         |           | 1                      |
| BENA-02      | RILEY CREEK    | 23-May-06       | Beryllium                                    | Dissolved       | ug/l         | ND        | 1                      |
| BENA-02      | RILEY CREEK    | 23-May-06       | Beryllium                                    | Total           | ug/l         | ND        | 1                      |
| BENA-02      | RILEY CREEK    | 23-May-06       | Boron  | Dissolved       | ug/l         | J         | 4                      |
| BENA-02      | RILEY CREEK    | 23-May-06       | Boron  | Total           | ug/l         |           | 4                      |
| BENA-02      | RILEY CREEK    | 23-May-06       | Cadmium                                      | Dissolved       | ug/l         | ND        | 1                      |
| BENA-02      | RILEY CREEK    | 23-May-06       | Cadmium                                      | Total           | ug/l         | ND        | 1                      |
| BENA-02      | RILEY CREEK    | 23-May-06       | Calcium                                      | Dissolved       | ug/l         |           | 18                     |
| BENA-02      | RILEY CREEK    | 23-May-06       | Calcium                                      | Total           | ug/l         |           | 18                     |
| BENA-02      | Riley Creek    | 23-May-06       | Carbon, organic                              | Total           | mg/l         |           | 0.5                    |
| BENA-02      | Riley Creek    | 23-May-06       | Chloride                                     | Total           | mg/l         |           | 1                      |
| BENA-02      | RILEY CREEK    | 23-May-06       | Chlorophyll a, corrected for pheophytin      | Total           | ug/l         |           | 1                      |
| BENA-02      | RILEY CREEK    | 23-May-06       | Chlorophyll a, uncorrected for pheophytin    | Total           | ug/l         |           | 1                      |
| BENA-02      | RILEY CREEK    | 23-May-06       | Chlorophyll-b                                | Total           | ug/l         | ND        | 1                      |
| BENA-02      | RILEY CREEK    | 23-May-06       | Chlorophyll-c                                | Total           | ug/l         | ND        | 1                      |
| BENA-02      | RILEY CREEK    | 23-May-06       | Chromium                                     | Dissolved       | ug/l         | ND        | 2                      |
| BENA-02      | RILEY CREEK    | 23-May-06       | Chromium                                     | Total           | ug/l         | ND        | 2                      |
| BENA-02      | RILEY CREEK    | 23-May-06       | Cobalt                                       | Dissolved       | ug/l         | ND        | 3                      |
| BENA-02      | RILEY CREEK    | 23-May-06       | Cobalt                                       | Total           | ug/l         | ND        | 3                      |
| BENA-02      | RILEY CREEK    | 23-May-06       | Copper                                       | Dissolved       | ug/l         | ND        | 3                      |
| BENA-02      | RILEY CREEK    | 23-May-06       | Copper                                       | Total           | ug/l         | ND        | 3                      |
| BENA-02      | Riley Creek    | 23-May-06       | Cyanide                                      | Total           | mg/l         | ND        | 0.003                  |
| BENA-02      |                | 23-May-06       | Dissolved oxygen (DO)                        |                 | mg/l         |           |                        |
| BENA-02      | Riley Creek    | 23-May-06       | Fluorides                                    | Total           | mg/l         |           | 0.05                   |
| BENA-02      | RILEY CREEK    | 23-May-06       | Hardness, Ca + Mg                            | Total           | ug/l         | C         |                        |
| BENA-02      | RILEY CREEK    | 23-May-06       | Iron   | Dissolved       | ug/l         | ND        | 33                     |
| BENA-02      | RILEY CREEK    | 23-May-06       | Iron   | Total           | ug/l         |           | 33                     |
| BENA-02      | RILEY CREEK    | 23-May-06       | Lead   | Dissolved       | ug/l         | ND        | 5                      |
| BENA-02      | RILEY CREEK    | 23-May-06       | Lead   | Total           | ug/l         | ND        | 5                      |
| BENA-02      | RILEY CREEK    | 23-May-06       | Magnesium                                    | Dissolved       | ug/l         |           | 9                      |
| BENA-02      | RILEY CREEK    | 23-May-06       | Magnesium                                    | Total           | ug/l         |           | 9                      |
| BENA-02      | RILEY CREEK    | 23-May-06       | Manganese                                    | Dissolved       | ug/l         |           | 1                      |
| BENA-02      | RILEY CREEK    | 23-May-06       | Manganese                                    | Total           | ug/l         |           | 1                      |
| BENA-02      | RILEY CREEK    | 23-May-06       | Nickel                                       | Dissolved       | ug/l         | ND        | 5                      |
| BENA-02      | RILEY CREEK    | 23-May-06       | Nickel                                       | Total           | ug/l         | ND        | 5                      |
| BENA-02      | Riley Creek    | 23-May-06       | Nitrogen, ammonia as N                       | Total           | mg/l         |           | 0.04                   |
| BENA-02      | Riley Creek    | 23-May-06       | Nitrogen, Kjeldahl                           | Total           | mg/l         |           | 0.4                    |
| BENA-02      | Riley Creek    | 23-May-06       | Nitrogen, Nitrite (NO2) + Nitrate (NO3) as N | Total           | mg/l         |           | 0.5                    |
| BENA-02      |                | 23-May-06       | pH   |                 |              |           |                        |
| BENA-02      | Riley Creek    | 23-May-06       | Phenols                                      | Total           | ug/l         | ND        | 4                      |
| BENA-02      | RILEY CREEK    | 23-May-06       | Pheophytin-a                                 | Total           | ug/l         |           | 1                      |
| BENA-02      | Riley Creek    | 23-May-06       | Phosphorus as P                              | Dissolved       | mg/l         | J         | 0.01                   |
| BENA-02      | Riley Creek    | 23-May-06       | Phosphorus as P                              | Total           | mg/l         |           | 0.01                   |
| BENA-02      | RILEY CREEK    | 23-May-06       | Potassium                                    | Dissolved       | ug/l         | ND        | 2000                   |
| BENA-02      | RILEY CREEK    | 23-May-06       | Potassium                                    | Total           | ug/l         | ND        | 2000                   |
| BENA-02      | RILEY CREEK    | 23-May-06       | Silver                                       | Dissolved       | ug/l         | ND        | 3                      |
| BENA-02      | RILEY CREEK    | 23-May-06       | Silver                                       | Total           | ug/l         | ND        | 3                      |
| BENA-02      | RILEY CREEK    | 23-May-06       | Sodium                                       | Dissolved       | ug/l         |           | 370                    |
| BENA-02      | RILEY CREEK    | 23-May-06       | Sodium                                       | Total           | ug/l         |           | 370                    |
| BENA-02      | Riley Creek    | 23-May-06       | Solids, suspended, volatile                  |                 | mg/l         |           | 6                      |
| BENA-02      | Riley Creek    | 23-May-06       | Solids, Total Suspended (TSS)                |                 | mg/l         |           | 5                      |

| Station Code | Waterbody Name | Collection Date | Analyte                                      | Sample Fraction | Result Units | Qualifier | Method Detection Limit |
|--------------|----------------|-----------------|--|-----------------|--------------|-----------|------------------------|
| BENA-02      |                | 23-May-06       | Specific conductance                         |                 | umho/cm      |           |                        |
| BENA-02      | RILEY CREEK    | 23-May-06       | Strontium                                    | Dissolved       | ug/l         |           | 1                      |
| BENA-02      | RILEY CREEK    | 23-May-06       | Strontium                                    | Total           | ug/l         |           | 1                      |
| BENA-02      | Riley Creek    | 23-May-06       | Sulfate                                      | Total           | mg/l         |           | 1                      |
| BENA-02      |                | 23-May-06       | Temperature, air                             |                 | deg C        |           |                        |
| BENA-02      | Riley Creek    | 23-May-06       | Temperature, sample                          |                 | deg C        |           |                        |
| BENA-02      | RILEY CREEK    | 23-May-06       | Temperature, sample                          |                 | deg C        |           |                        |
| BENA-02      | RILEY CREEK    | 23-May-06       | Temperature, sample                          |                 | deg C        |           |                        |
| BENA-02      |                | 23-May-06       | Temperature, water                           |                 | deg C        |           |                        |
| BENA-02      |                | 23-May-06       | Turbidity                                    |                 | NTU          |           |                        |
| BENA-02      | RILEY CREEK    | 23-May-06       | Vanadium                                     | Dissolved       | ug/l         | ND        | 3                      |
| BENA-02      | RILEY CREEK    | 23-May-06       | Vanadium                                     | Total           | ug/l         | ND        | 3                      |
| BENA-02      | RILEY CREEK    | 23-May-06       | Zinc   | Dissolved       | ug/l         | J         | 2                      |
| BENA-02      | RILEY CREEK    | 23-May-06       | Zinc   | Total           | ug/l         | J         | 2                      |
| BENA-03      | Riley Creek    | 23-May-06       | Alkalinity, total                            |                 | mg/l         |           | 0                      |
| BENA-03      | RILEY CREEK    | 23-May-06       | Aluminum                                     | Dissolved       | ug/l         | J         | 20                     |
| BENA-03      | RILEY CREEK    | 23-May-06       | Aluminum                                     | Total           | ug/l         |           | 20                     |
| BENA-03      | RILEY CREEK    | 23-May-06       | Arsenic                                      | Total           | ug/l         | J         | 0.06                   |
| BENA-03      | RILEY CREEK    | 23-May-06       | Barium                                       | Dissolved       | ug/l         |           | 1                      |
| BENA-03      | RILEY CREEK    | 23-May-06       | Barium                                       | Total           | ug/l         |           | 1                      |
| BENA-03      | RILEY CREEK    | 23-May-06       | Beryllium                                    | Dissolved       | ug/l         | ND        | 1                      |
| BENA-03      | RILEY CREEK    | 23-May-06       | Beryllium                                    | Total           | ug/l         | ND        | 1                      |
| BENA-03      | RILEY CREEK    | 23-May-06       | Boron  | Dissolved       | ug/l         | J         | 4                      |
| BENA-03      | RILEY CREEK    | 23-May-06       | Boron  | Total           | ug/l         |           | 4                      |
| BENA-03      | RILEY CREEK    | 23-May-06       | Cadmium                                      | Dissolved       | ug/l         | ND        | 1                      |
| BENA-03      | RILEY CREEK    | 23-May-06       | Cadmium                                      | Total           | ug/l         | ND        | 1                      |
| BENA-03      | RILEY CREEK    | 23-May-06       | Calcium                                      | Dissolved       | ug/l         |           | 18                     |
| BENA-03      | RILEY CREEK    | 23-May-06       | Calcium                                      | Total           | ug/l         |           | 18                     |
| BENA-03      | Riley Creek    | 23-May-06       | Carbon, organic                              | Total           | mg/l         |           | 0.5                    |
| BENA-03      | Riley Creek    | 23-May-06       | Chloride                                     | Total           | mg/l         |           | 1                      |
| BENA-03      | RILEY CREEK    | 23-May-06       | Chlorophyll a, corrected for pheophytin      | Total           | ug/l         |           | 1                      |
| BENA-03      | RILEY CREEK    | 23-May-06       | Chlorophyll a, uncorrected for pheophytin    | Total           | ug/l         |           | 1                      |
| BENA-03      | RILEY CREEK    | 23-May-06       | Chlorophyll-b                                | Total           | ug/l         | ND        | 1                      |
| BENA-03      | RILEY CREEK    | 23-May-06       | Chlorophyll-c                                | Total           | ug/l         | ND        | 1                      |
| BENA-03      | RILEY CREEK    | 23-May-06       | Chromium                                     | Dissolved       | ug/l         | ND        | 2                      |
| BENA-03      | RILEY CREEK    | 23-May-06       | Chromium                                     | Total           | ug/l         | ND        | 2                      |
| BENA-03      | RILEY CREEK    | 23-May-06       | Cobalt                                       | Dissolved       | ug/l         | ND        | 3                      |
| BENA-03      | RILEY CREEK    | 23-May-06       | Cobalt                                       | Total           | ug/l         | ND        | 3                      |
| BENA-03      | RILEY CREEK    | 23-May-06       | Copper                                       | Dissolved       | ug/l         | ND        | 3                      |
| BENA-03      | RILEY CREEK    | 23-May-06       | Copper                                       | Total           | ug/l         | ND        | 3                      |
| BENA-03      | Riley Creek    | 23-May-06       | Cyanide                                      | Total           | mg/l         | ND        | 0.003                  |
| BENA-03      |                | 23-May-06       | Dissolved oxygen (DO)                        |                 | mg/l         |           |                        |
| BENA-03      | Riley Creek    | 23-May-06       | Fluorides                                    | Total           | mg/l         |           | 0.05                   |
| BENA-03      | RILEY CREEK    | 23-May-06       | Hardness, Ca + Mg                            | Total           | ug/l         | C         |                        |
| BENA-03      | RILEY CREEK    | 23-May-06       | Iron   | Dissolved       | ug/l         | ND        | 33                     |
| BENA-03      | RILEY CREEK    | 23-May-06       | Iron   | Total           | ug/l         |           | 33                     |
| BENA-03      | RILEY CREEK    | 23-May-06       | Lead   | Dissolved       | ug/l         | ND        | 5                      |
| BENA-03      | RILEY CREEK    | 23-May-06       | Lead   | Total           | ug/l         | ND        | 5                      |
| BENA-03      | RILEY CREEK    | 23-May-06       | Magnesium                                    | Dissolved       | ug/l         |           | 9                      |
| BENA-03      | RILEY CREEK    | 23-May-06       | Magnesium                                    | Total           | ug/l         |           | 9                      |
| BENA-03      | RILEY CREEK    | 23-May-06       | Manganese                                    | Dissolved       | ug/l         |           | 1                      |
| BENA-03      | RILEY CREEK    | 23-May-06       | Manganese                                    | Total           | ug/l         |           | 1                      |
| BENA-03      | RILEY CREEK    | 23-May-06       | Nickel                                       | Dissolved       | ug/l         | ND        | 5                      |
| BENA-03      | RILEY CREEK    | 23-May-06       | Nickel                                       | Total           | ug/l         | ND        | 5                      |
| BENA-03      | Riley Creek    | 23-May-06       | Nitrogen, ammonia as N                       | Total           | mg/l         | J         | 0.04                   |
| BENA-03      | Riley Creek    | 23-May-06       | Nitrogen, Kjeldahl                           | Total           | mg/l         |           | 0.4                    |
| BENA-03      | Riley Creek    | 23-May-06       | Nitrogen, Nitrite (NO2) + Nitrate (NO3) as N | Total           | mg/l         |           | 0.5                    |
| BENA-03      |                | 23-May-06       | pH   |                 |              |           |                        |
| BENA-03      | Riley Creek    | 23-May-06       | Phenols                                      | Total           | ug/l         | ND        | 4                      |
| BENA-03      | RILEY CREEK    | 23-May-06       | Pheophytin-a                                 | Total           | ug/l         | ND        | 1                      |
| BENA-03      | Riley Creek    | 23-May-06       | Phosphorus as P                              | Dissolved       | mg/l         | J         | 0.01                   |
| BENA-03      | Riley Creek    | 23-May-06       | Phosphorus as P                              | Total           | mg/l         |           | 0.01                   |
| BENA-03      | RILEY CREEK    | 23-May-06       | Potassium                                    | Dissolved       | ug/l         | ND        | 2000                   |
| BENA-03      | RILEY CREEK    | 23-May-06       | Potassium                                    | Total           | ug/l         | ND        | 2000                   |
| BENA-03      | RILEY CREEK    | 23-May-06       | Silver                                       | Dissolved       | ug/l         | ND        | 3                      |
| BENA-03      | RILEY CREEK    | 23-May-06       | Silver                                       | Total           | ug/l         | ND        | 3                      |
| BENA-03      | RILEY CREEK    | 23-May-06       | Sodium                                       | Dissolved       | ug/l         |           | 370                    |
| BENA-03      | RILEY CREEK    | 23-May-06       | Sodium                                       | Total           | ug/l         |           | 370                    |
| BENA-03      | Riley Creek    | 23-May-06       | Solids, suspended, volatile                  |                 | mg/l         | ND        | 6                      |

| Station Code | Waterbody Name      | Collection Date | Analyte                                      | Sample Fraction | Result Units | Qualifier | Method Detection Limit |
|--------------|---------------------|-----------------|--|-----------------|--------------|-----------|------------------------|
| BENA-03      | Riley Creek         | 23-May-06       | Solids, Total Suspended (TSS)                |                 | mg/l         | ND        | 5                      |
| BENA-03      |                     | 23-May-06       | Specific conductance                         |                 | umho/cm      |           |                        |
| BENA-03      | RILEY CREEK         | 23-May-06       | Strontium                                    | Dissolved       | ug/l         |           | 1                      |
| BENA-03      | RILEY CREEK         | 23-May-06       | Strontium                                    | Total           | ug/l         |           | 1                      |
| BENA-03      | Riley Creek         | 23-May-06       | Sulfate                                      | Total           | mg/l         |           | 1                      |
| BENA-03      |                     | 23-May-06       | Temperature, air                             |                 | deg C        |           |                        |
| BENA-03      | Riley Creek         | 23-May-06       | Temperature, sample                          |                 | deg C        |           |                        |
| BENA-03      | RILEY CREEK         | 23-May-06       | Temperature, sample                          |                 | deg C        |           |                        |
| BENA-03      | RILEY CREEK         | 23-May-06       | Temperature, sample                          |                 | deg C        |           |                        |
| BENA-03      |                     | 23-May-06       | Temperature, water                           |                 | deg C        |           |                        |
| BENA-03      |                     | 23-May-06       | Turbidity                                    |                 | NTU          |           |                        |
| BENA-03      | RILEY CREEK         | 23-May-06       | Vanadium                                     | Dissolved       | ug/l         | ND        | 3                      |
| BENA-03      | RILEY CREEK         | 23-May-06       | Vanadium                                     | Total           | ug/l         | ND        | 3                      |
| BENA-03      | RILEY CREEK         | 23-May-06       | Zinc   | Dissolved       | ug/l         | J         | 2                      |
| BENA-03      | RILEY CREEK         | 23-May-06       | Zinc   | Total           | ug/l         | J         | 2                      |
| BENC-01      | Riley-Cassell Creek | 23-May-06       | Alkalinity, total                            |                 | mg/l         |           | 0                      |
| BENC-01      | RILEY               | 23-May-06       | Aluminum                                     | Dissolved       | ug/l         | J         | 20                     |
| BENC-01      | RILEY               | 23-May-06       | Aluminum                                     | Total           | ug/l         | J         | 20                     |
| BENC-01      | RILEY               | 23-May-06       | Arsenic                                      | Total           | ug/l         | J         | 0.06                   |
| BENC-01      | RILEY               | 23-May-06       | Barium                                       | Dissolved       | ug/l         |           | 1                      |
| BENC-01      | RILEY               | 23-May-06       | Barium                                       | Total           | ug/l         |           | 1                      |
| BENC-01      | RILEY               | 23-May-06       | Beryllium                                    | Dissolved       | ug/l         | ND        | 1                      |
| BENC-01      | RILEY               | 23-May-06       | Beryllium                                    | Total           | ug/l         | ND        | 1                      |
| BENC-01      | RILEY               | 23-May-06       | Boron  | Dissolved       | ug/l         |           | 4                      |
| BENC-01      | RILEY               | 23-May-06       | Boron  | Total           | ug/l         |           | 4                      |
| BENC-01      | RILEY               | 23-May-06       | Cadmium                                      | Dissolved       | ug/l         | ND        | 1                      |
| BENC-01      | RILEY               | 23-May-06       | Cadmium                                      | Total           | ug/l         | ND        | 1                      |
| BENC-01      | RILEY               | 23-May-06       | Calcium                                      | Dissolved       | ug/l         |           | 18                     |
| BENC-01      | RILEY               | 23-May-06       | Calcium                                      | Total           | ug/l         |           | 18                     |
| BENC-01      | Riley-Cassell Creek | 23-May-06       | Carbon, organic                              | Total           | mg/l         |           | 0.5                    |
| BENC-01      | Riley-Cassell Creek | 23-May-06       | Chloride                                     | Total           | mg/l         |           | 1                      |
| BENC-01      | RILEY CREEK         | 23-May-06       | Chlorophyll a, corrected for pheophytin      | Total           | ug/l         |           | 1                      |
| BENC-01      | RILEY CREEK         | 23-May-06       | Chlorophyll a, uncorrected for pheophytin    | Total           | ug/l         |           | 1                      |
| BENC-01      | RILEY CREEK         | 23-May-06       | Chlorophyll-b                                | Total           | ug/l         | ND        | 1                      |
| BENC-01      | RILEY CREEK         | 23-May-06       | Chlorophyll-c                                | Total           | ug/l         | ND        | 1                      |
| BENC-01      | RILEY               | 23-May-06       | Chromium                                     | Dissolved       | ug/l         | ND        | 2                      |
| BENC-01      | RILEY               | 23-May-06       | Chromium                                     | Total           | ug/l         | ND        | 2                      |
| BENC-01      | RILEY               | 23-May-06       | Cobalt                                       | Dissolved       | ug/l         | ND        | 3                      |
| BENC-01      | RILEY               | 23-May-06       | Cobalt                                       | Total           | ug/l         | ND        | 3                      |
| BENC-01      | RILEY               | 23-May-06       | Copper                                       | Dissolved       | ug/l         | ND        | 3                      |
| BENC-01      | RILEY               | 23-May-06       | Copper                                       | Total           | ug/l         | ND        | 3                      |
| BENC-01      | Riley-Cassell Creek | 23-May-06       | Cyanide                                      | Total           | mg/l         | ND        | 0.003                  |
| BENC-01      |                     | 23-May-06       | Dissolved oxygen (DO)                        |                 | mg/l         |           |                        |
| BENC-01      | Riley-Cassell Creek | 23-May-06       | Fluorides                                    | Total           | mg/l         |           | 0.05                   |
| BENC-01      | RILEY               | 23-May-06       | Hardness, Ca + Mg                            | Total           | ug/l         | C         |                        |
| BENC-01      | RILEY               | 23-May-06       | Iron   | Dissolved       | ug/l         | ND        | 33                     |
| BENC-01      | RILEY               | 23-May-06       | Iron   | Total           | ug/l         |           | 33                     |
| BENC-01      | RILEY               | 23-May-06       | Lead   | Dissolved       | ug/l         | ND        | 5                      |
| BENC-01      | RILEY               | 23-May-06       | Lead   | Total           | ug/l         | ND        | 5                      |
| BENC-01      | RILEY               | 23-May-06       | Magnesium                                    | Dissolved       | ug/l         |           | 9                      |
| BENC-01      | RILEY               | 23-May-06       | Magnesium                                    | Total           | ug/l         |           | 9                      |
| BENC-01      | RILEY               | 23-May-06       | Manganese                                    | Dissolved       | ug/l         |           | 1                      |
| BENC-01      | RILEY               | 23-May-06       | Manganese                                    | Total           | ug/l         |           | 1                      |
| BENC-01      | RILEY               | 23-May-06       | Nickel                                       | Dissolved       | ug/l         | ND        | 5                      |
| BENC-01      | RILEY               | 23-May-06       | Nickel                                       | Total           | ug/l         | ND        | 5                      |
| BENC-01      | Riley-Cassell Creek | 23-May-06       | Nitrogen, ammonia as N                       | Total           | mg/l         |           | 0.04                   |
| BENC-01      | Riley-Cassell Creek | 23-May-06       | Nitrogen, Kjeldahl                           | Total           | mg/l         |           | 0.4                    |
| BENC-01      | Riley-Cassell Creek | 23-May-06       | Nitrogen, Nitrite (NO2) + Nitrate (NO3) as N | Total           | mg/l         |           | 0.5                    |
| BENC-01      |                     | 23-May-06       | pH   |                 |              |           |                        |
| BENC-01      | Riley-Cassell Creek | 23-May-06       | Phenols                                      | Total           | ug/l         | ND        | 4                      |
| BENC-01      | RILEY CREEK         | 23-May-06       | Pheophytin-a                                 | Total           | ug/l         | ND        | 1                      |
| BENC-01      | Riley-Cassell Creek | 23-May-06       | Phosphorus as P                              | Dissolved       | mg/l         |           | 0.01                   |
| BENC-01      | Riley-Cassell Creek | 23-May-06       | Phosphorus as P                              | Total           | mg/l         |           | 0.01                   |
| BENC-01      | RILEY               | 23-May-06       | Potassium                                    | Dissolved       | ug/l         | ND        | 2000                   |
| BENC-01      | RILEY               | 23-May-06       | Potassium                                    | Total           | ug/l         | ND        | 2000                   |
| BENC-01      | RILEY               | 23-May-06       | Selenium                                     | Total           | ug/l         | J         | 0.18                   |
| BENC-01      | RILEY               | 23-May-06       | Silver                                       | Dissolved       | ug/l         | ND        | 3                      |
| BENC-01      | RILEY               | 23-May-06       | Silver                                       | Total           | ug/l         | ND        | 3                      |
| BENC-01      | RILEY               | 23-May-06       | Sodium                                       | Dissolved       | ug/l         |           | 370                    |

| Station Code | Waterbody Name      | Collection Date | Analyte                                      | Sample Fraction | Result Units | Qualifier | Method Detection Limit |
|--------------|---------------------|-----------------|--|-----------------|--------------|-----------|------------------------|
| BENC-01      | RILEY               | 23-May-06       | Sodium                                       | Total           | ug/l         |           | 370                    |
| BENC-01      | Riley-Cassell Creek | 23-May-06       | Solids, suspended, volatile                  |                 | mg/l         | ND        | 6                      |
| BENC-01      | Riley-Cassell Creek | 23-May-06       | Solids, Total Suspended (TSS)                |                 | mg/l         | ND        | 5                      |
| BENC-01      |                     | 23-May-06       | Specific conductance                         |                 | umho/cm      |           |                        |
| BENC-01      | RILEY               | 23-May-06       | Strontium                                    | Dissolved       | ug/l         |           | 1                      |
| BENC-01      | RILEY               | 23-May-06       | Strontium                                    | Total           | ug/l         |           | 1                      |
| BENC-01      | Riley-Cassell Creek | 23-May-06       | Sulfate                                      | Total           | mg/l         |           | 1                      |
| BENC-01      |                     | 23-May-06       | Temperature, air                             |                 | deg C        |           |                        |
| BENC-01      | Riley-Cassell Creek | 23-May-06       | Temperature, sample                          |                 | deg C        |           |                        |
| BENC-01      | RILEY               | 23-May-06       | Temperature, sample                          |                 | deg C        |           |                        |
| BENC-01      | RILEY               | 23-May-06       | Temperature, sample                          |                 | deg C        |           |                        |
| BENC-01      |                     | 23-May-06       | Temperature, water                           |                 | deg C        |           |                        |
| BENC-01      |                     | 23-May-06       | Turbidity                                    |                 | NTU          |           |                        |
| BENC-01      | RILEY               | 23-May-06       | Vanadium                                     | Dissolved       | ug/l         | ND        | 3                      |
| BENC-01      | RILEY               | 23-May-06       | Vanadium                                     | Total           | ug/l         | ND        | 3                      |
| BENC-01      | RILEY               | 23-May-06       | Zinc   | Dissolved       | ug/l         | J         | 2                      |
| BENC-01      | RILEY               | 23-May-06       | Zinc   | Total           | ug/l         |           | 2                      |
| BENA-01      | Riley Creek         | 17-Jul-06       | Alkalinity, total                            |                 | mg/l         |           | 0                      |
| BENA-01      | RILEY CREEK         | 17-Jul-06       | Aluminum                                     | Dissolved       | ug/l         | J         | 20                     |
| BENA-01      | RILEY CREEK         | 17-Jul-06       | Aluminum                                     | Total           | ug/l         |           | 20                     |
| BENA-01      | RILEY CREEK         | 17-Jul-06       | Arsenic                                      | Total           | ug/l         |           | 0.06                   |
| BENA-01      | RILEY CREEK         | 17-Jul-06       | Barium                                       | Dissolved       | ug/l         |           | 1                      |
| BENA-01      | RILEY CREEK         | 17-Jul-06       | Barium                                       | Total           | ug/l         |           | 1                      |
| BENA-01      | RILEY CREEK         | 17-Jul-06       | Beryllium                                    | Dissolved       | ug/l         | ND        | 1                      |
| BENA-01      | RILEY CREEK         | 17-Jul-06       | Beryllium                                    | Total           | ug/l         | ND        | 1                      |
| BENA-01      | RILEY CREEK         | 17-Jul-06       | Boron  | Dissolved       | ug/l         |           | 4                      |
| BENA-01      | RILEY CREEK         | 17-Jul-06       | Boron  | Total           | ug/l         |           | 4                      |
| BENA-01      | RILEY CREEK         | 17-Jul-06       | Cadmium                                      | Dissolved       | ug/l         | ND        | 1                      |
| BENA-01      | RILEY CREEK         | 17-Jul-06       | Cadmium                                      | Total           | ug/l         | ND        | 1                      |
| BENA-01      | RILEY CREEK         | 17-Jul-06       | Calcium                                      | Dissolved       | ug/l         |           | 18                     |
| BENA-01      | RILEY CREEK         | 17-Jul-06       | Calcium                                      | Total           | ug/l         |           | 18                     |
| BENA-01      | Riley Creek         | 17-Jul-06       | Carbon, organic                              | Total           | mg/l         |           | 0.5                    |
| BENA-01      | Riley Creek         | 17-Jul-06       | Chloride                                     | Total           | mg/l         |           | 1                      |
| BENA-01      | RILEY CREEK         | 17-Jul-06       | Chlorophyll a, corrected for pheophytin      | Total           | ug/l         |           | 1                      |
| BENA-01      | RILEY CREEK         | 17-Jul-06       | Chlorophyll a, uncorrected for pheophytin    | Total           | ug/l         |           | 1                      |
| BENA-01      | RILEY CREEK         | 17-Jul-06       | Chlorophyll-b                                | Total           | ug/l         | ND        | 1                      |
| BENA-01      | RILEY CREEK         | 17-Jul-06       | Chlorophyll-c                                | Total           | ug/l         | ND        | 1                      |
| BENA-01      | RILEY CREEK         | 17-Jul-06       | Chromium                                     | Dissolved       | ug/l         | ND        | 2                      |
| BENA-01      | RILEY CREEK         | 17-Jul-06       | Chromium                                     | Total           | ug/l         | ND        | 2                      |
| BENA-01      | RILEY CREEK         | 17-Jul-06       | Cobalt                                       | Dissolved       | ug/l         | ND        | 3                      |
| BENA-01      | RILEY CREEK         | 17-Jul-06       | Cobalt                                       | Total           | ug/l         | ND        | 3                      |
| BENA-01      | RILEY CREEK         | 17-Jul-06       | Copper                                       | Dissolved       | ug/l         | ND        | 3                      |
| BENA-01      | RILEY CREEK         | 17-Jul-06       | Copper                                       | Total           | ug/l         | J         | 3                      |
| BENA-01      | Riley Creek         | 17-Jul-06       | Cyanide                                      | Total           | mg/l         | ND        | 0.003                  |
| BENA-01      |                     | 17-Jul-06       | Dissolved oxygen (DO)                        |                 | mg/l         |           |                        |
| BENA-01      | Riley Creek         | 17-Jul-06       | Fluorides                                    | Total           | mg/l         |           | 0.05                   |
| BENA-01      | RILEY CREEK         | 17-Jul-06       | Hardness, Ca + Mg                            | Total           | ug/l         | C         |                        |
| BENA-01      | RILEY CREEK         | 17-Jul-06       | Iron   | Dissolved       | ug/l         | ND        | 33                     |
| BENA-01      | RILEY CREEK         | 17-Jul-06       | Iron   | Total           | ug/l         |           | 33                     |
| BENA-01      | RILEY CREEK         | 17-Jul-06       | Lead   | Dissolved       | ug/l         | ND        | 5                      |
| BENA-01      | RILEY CREEK         | 17-Jul-06       | Lead   | Total           | ug/l         | ND        | 5                      |
| BENA-01      | RILEY CREEK         | 17-Jul-06       | Magnesium                                    | Dissolved       | ug/l         |           | 9                      |
| BENA-01      | RILEY CREEK         | 17-Jul-06       | Magnesium                                    | Total           | ug/l         |           | 9                      |
| BENA-01      | RILEY CREEK         | 17-Jul-06       | Manganese                                    | Dissolved       | ug/l         |           | 1                      |
| BENA-01      | RILEY CREEK         | 17-Jul-06       | Manganese                                    | Total           | ug/l         |           | 1                      |
| BENA-01      | RILEY CREEK         | 17-Jul-06       | Nickel                                       | Dissolved       | ug/l         |           | 5                      |
| BENA-01      | RILEY CREEK         | 17-Jul-06       | Nickel                                       | Total           | ug/l         | ND        | 5                      |
| BENA-01      | Riley Creek         | 17-Jul-06       | Nitrogen, ammonia as N                       | Total           | mg/l         |           | 0.04                   |
| BENA-01      | Riley Creek         | 17-Jul-06       | Nitrogen, Kjeldahl                           | Total           | mg/l         | ND        | 0.75                   |
| BENA-01      | Riley Creek         | 17-Jul-06       | Nitrogen, Nitrite (NO2) + Nitrate (NO3) as N | Total           | mg/l         |           | 0.1                    |
| BENA-01      |                     | 17-Jul-06       | pH   |                 |              |           |                        |
| BENA-01      | Riley Creek         | 17-Jul-06       | Phenols                                      | Total           | ug/l         | J         | 4                      |
| BENA-01      | RILEY CREEK         | 17-Jul-06       | Pheophytin-a                                 | Total           | ug/l         | ND        | 1                      |
| BENA-01      | Riley Creek         | 17-Jul-06       | Phosphorus as P                              | Dissolved       | mg/l         |           | 0.01                   |
| BENA-01      | Riley Creek         | 17-Jul-06       | Phosphorus as P                              | Total           | mg/l         |           | 0.01                   |
| BENA-01      | RILEY CREEK         | 17-Jul-06       | Potassium                                    | Dissolved       | ug/l         |           | 2000                   |
| BENA-01      | RILEY CREEK         | 17-Jul-06       | Potassium                                    | Total           | ug/l         |           | 2000                   |
| BENA-01      | RILEY CREEK         | 17-Jul-06       | Silver                                       | Dissolved       | ug/l         | ND        | 3                      |
| BENA-01      | RILEY CREEK         | 17-Jul-06       | Silver                                       | Total           | ug/l         | ND        | 3                      |

| Station Code | Waterbody Name | Collection Date | Analyte                                      | Sample Fraction | Result Units | Qualifier | Method Detection Limit |
|--------------|----------------|-----------------|--|-----------------|--------------|-----------|------------------------|
| BENA-01      | RILEY CREEK    | 17-Jul-06       | Sodium                                       | Dissolved       | ug/l         |           | 370                    |
| BENA-01      | RILEY CREEK    | 17-Jul-06       | Sodium                                       | Total           | ug/l         |           | 370                    |
| BENA-01      | Riley Creek    | 17-Jul-06       | Solids, suspended, volatile                  |                 | mg/l         | ND        | 6                      |
| BENA-01      | Riley Creek    | 17-Jul-06       | Solids, Total Suspended (TSS)                |                 | mg/l         |           | 5                      |
| BENA-01      |                | 17-Jul-06       | Specific conductance                         |                 | umho/cm      |           |                        |
| BENA-01      | RILEY CREEK    | 17-Jul-06       | Strontium                                    | Dissolved       | ug/l         |           | 1                      |
| BENA-01      | RILEY CREEK    | 17-Jul-06       | Strontium                                    | Total           | ug/l         |           | 1                      |
| BENA-01      | Riley Creek    | 17-Jul-06       | Sulfate                                      | Total           | mg/l         |           | 2                      |
| BENA-01      |                | 17-Jul-06       | Temperature, air                             |                 | deg C        |           |                        |
| BENA-01      | Riley Creek    | 17-Jul-06       | Temperature, sample                          |                 | deg C        |           |                        |
| BENA-01      | RILEY CREEK    | 17-Jul-06       | Temperature, sample                          |                 | deg C        |           |                        |
| BENA-01      | RILEY CREEK    | 17-Jul-06       | Temperature, sample                          |                 | deg C        |           |                        |
| BENA-01      |                | 17-Jul-06       | Temperature, water                           |                 | deg C        |           |                        |
| BENA-01      |                | 17-Jul-06       | Turbidity                                    |                 | NTU          |           |                        |
| BENA-01      | RILEY CREEK    | 17-Jul-06       | Vanadium                                     | Dissolved       | ug/l         | ND        | 3                      |
| BENA-01      | RILEY CREEK    | 17-Jul-06       | Vanadium                                     | Total           | ug/l         | ND        | 3                      |
| BENA-01      | RILEY CREEK    | 17-Jul-06       | Zinc   | Dissolved       | ug/l         |           | 2                      |
| BENA-01      | RILEY CREEK    | 17-Jul-06       | Zinc   | Total           | ug/l         |           | 2                      |
| BENA-03      | Riley Creek    | 17-Jul-06       | Alkalinity, total                            |                 | mg/l         |           | 0                      |
| BENA-03      | RILEY CREEK    | 17-Jul-06       | Aluminum                                     | Dissolved       | ug/l         | J         | 20                     |
| BENA-03      | RILEY CREEK    | 17-Jul-06       | Aluminum                                     | Total           | ug/l         |           | 20                     |
| BENA-03      | RILEY CREEK    | 17-Jul-06       | Arsenic                                      | Total           | ug/l         |           | 0.06                   |
| BENA-03      | RILEY CREEK    | 17-Jul-06       | Barium                                       | Dissolved       | ug/l         |           | 1                      |
| BENA-03      | RILEY CREEK    | 17-Jul-06       | Barium                                       | Total           | ug/l         |           | 1                      |
| BENA-03      | RILEY CREEK    | 17-Jul-06       | Beryllium                                    | Dissolved       | ug/l         | ND        | 1                      |
| BENA-03      | RILEY CREEK    | 17-Jul-06       | Beryllium                                    | Total           | ug/l         | ND        | 1                      |
| BENA-03      | RILEY CREEK    | 17-Jul-06       | Boron  | Dissolved       | ug/l         |           | 4                      |
| BENA-03      | RILEY CREEK    | 17-Jul-06       | Boron  | Total           | ug/l         |           | 4                      |
| BENA-03      | RILEY CREEK    | 17-Jul-06       | Cadmium                                      | Dissolved       | ug/l         | ND        | 1                      |
| BENA-03      | RILEY CREEK    | 17-Jul-06       | Cadmium                                      | Total           | ug/l         | ND        | 1                      |
| BENA-03      | RILEY CREEK    | 17-Jul-06       | Calcium                                      | Dissolved       | ug/l         |           | 18                     |
| BENA-03      | RILEY CREEK    | 17-Jul-06       | Calcium                                      | Total           | ug/l         |           | 18                     |
| BENA-03      | Riley Creek    | 17-Jul-06       | Carbon, organic                              | Total           | mg/l         |           | 0.5                    |
| BENA-03      | Riley Creek    | 17-Jul-06       | Chloride                                     | Total           | mg/l         |           | 1                      |
| BENA-03      | RILEY CREEK    | 17-Jul-06       | Chlorophyll a, corrected for pheophytin      | Total           | ug/l         |           | 1                      |
| BENA-03      | RILEY CREEK    | 17-Jul-06       | Chlorophyll a, uncorrected for pheophytin    | Total           | ug/l         |           | 1                      |
| BENA-03      | RILEY CREEK    | 17-Jul-06       | Chlorophyll-b                                | Total           | ug/l         | ND        | 1                      |
| BENA-03      | RILEY CREEK    | 17-Jul-06       | Chlorophyll-c                                | Total           | ug/l         | ND        | 1                      |
| BENA-03      | RILEY CREEK    | 17-Jul-06       | Chromium                                     | Dissolved       | ug/l         | ND        | 2                      |
| BENA-03      | RILEY CREEK    | 17-Jul-06       | Chromium                                     | Total           | ug/l         | ND        | 2                      |
| BENA-03      | RILEY CREEK    | 17-Jul-06       | Cobalt                                       | Dissolved       | ug/l         | ND        | 3                      |
| BENA-03      | RILEY CREEK    | 17-Jul-06       | Cobalt                                       | Total           | ug/l         | ND        | 3                      |
| BENA-03      | RILEY CREEK    | 17-Jul-06       | Copper                                       | Dissolved       | ug/l         | ND        | 3                      |
| BENA-03      | RILEY CREEK    | 17-Jul-06       | Copper                                       | Total           | ug/l         | J         | 3                      |
| BENA-03      | Riley Creek    | 17-Jul-06       | Cyanide                                      | Total           | mg/l         | ND        | 0.003                  |
| BENA-03      |                | 17-Jul-06       | Dissolved oxygen (DO)                        |                 | mg/l         |           |                        |
| BENA-03      | Riley Creek    | 17-Jul-06       | Fluorides                                    | Total           | mg/l         |           | 0.05                   |
| BENA-03      | RILEY CREEK    | 17-Jul-06       | Hardness, Ca + Mg                            | Total           | ug/l         | C         |                        |
| BENA-03      | RILEY CREEK    | 17-Jul-06       | Iron   | Dissolved       | ug/l         | ND        | 33                     |
| BENA-03      | RILEY CREEK    | 17-Jul-06       | Iron   | Total           | ug/l         |           | 33                     |
| BENA-03      | RILEY CREEK    | 17-Jul-06       | Lead   | Dissolved       | ug/l         | ND        | 5                      |
| BENA-03      | RILEY CREEK    | 17-Jul-06       | Lead   | Total           | ug/l         | ND        | 5                      |
| BENA-03      | RILEY CREEK    | 17-Jul-06       | Magnesium                                    | Dissolved       | ug/l         |           | 9                      |
| BENA-03      | RILEY CREEK    | 17-Jul-06       | Magnesium                                    | Total           | ug/l         |           | 9                      |
| BENA-03      | RILEY CREEK    | 17-Jul-06       | Manganese                                    | Dissolved       | ug/l         |           | 1                      |
| BENA-03      | RILEY CREEK    | 17-Jul-06       | Manganese                                    | Total           | ug/l         |           | 1                      |
| BENA-03      | RILEY CREEK    | 17-Jul-06       | Nickel                                       | Dissolved       | ug/l         |           | 5                      |
| BENA-03      | RILEY CREEK    | 17-Jul-06       | Nickel                                       | Total           | ug/l         | ND        | 5                      |
| BENA-03      | Riley Creek    | 17-Jul-06       | Nitrogen, ammonia as N                       | Total           | mg/l         |           | 0.04                   |
| BENA-03      | Riley Creek    | 17-Jul-06       | Nitrogen, Kjeldahl                           | Total           | mg/l         | ND        | 0.75                   |
| BENA-03      | Riley Creek    | 17-Jul-06       | Nitrogen, Nitrite (NO2) + Nitrate (NO3) as N | Total           | mg/l         |           | 0.1                    |
| BENA-03      |                | 17-Jul-06       | pH   |                 |              |           |                        |
| BENA-03      | Riley Creek    | 17-Jul-06       | Phenols                                      | Total           | ug/l         | J         | 4                      |
| BENA-03      | RILEY CREEK    | 17-Jul-06       | Pheophytin-a                                 | Total           | ug/l         | ND        | 1                      |
| BENA-03      | Riley Creek    | 17-Jul-06       | Phosphorus as P                              | Dissolved       | mg/l         |           | 0.01                   |
| BENA-03      | Riley Creek    | 17-Jul-06       | Phosphorus as P                              | Total           | mg/l         |           | 0.01                   |
| BENA-03      | RILEY CREEK    | 17-Jul-06       | Potassium                                    | Dissolved       | ug/l         |           | 2000                   |
| BENA-03      | RILEY CREEK    | 17-Jul-06       | Potassium                                    | Total           | ug/l         |           | 2000                   |
| BENA-03      | RILEY CREEK    | 17-Jul-06       | Silver                                       | Dissolved       | ug/l         | ND        | 3                      |

| Station Code | Waterbody Name | Collection Date | Analyte                                      | Sample Fraction | Result Units | Qualifier | Method Detection Limit |
|--------------|----------------|-----------------|--|-----------------|--------------|-----------|------------------------|
| BENA-03      | RILEY CREEK    | 17-Jul-06       | Silver                                       | Total           | ug/l         | ND        | 3                      |
| BENA-03      | RILEY CREEK    | 17-Jul-06       | Sodium                                       | Dissolved       | ug/l         |           | 370                    |
| BENA-03      | RILEY CREEK    | 17-Jul-06       | Sodium                                       | Total           | ug/l         |           | 370                    |
| BENA-03      | Riley Creek    | 17-Jul-06       | Solids, suspended, volatile                  |                 | mg/l         |           | 6                      |
| BENA-03      | Riley Creek    | 17-Jul-06       | Solids, Total Suspended (TSS)                |                 | mg/l         |           | 5                      |
| BENA-03      |                | 17-Jul-06       | Specific conductance                         |                 | umho/cm      |           |                        |
| BENA-03      | RILEY CREEK    | 17-Jul-06       | Strontium                                    | Dissolved       | ug/l         |           | 1                      |
| BENA-03      | RILEY CREEK    | 17-Jul-06       | Strontium                                    | Total           | ug/l         |           | 1                      |
| BENA-03      | Riley Creek    | 17-Jul-06       | Sulfate                                      | Total           | mg/l         |           | 2                      |
| BENA-03      |                | 17-Jul-06       | Temperature, air                             |                 | deg C        |           |                        |
| BENA-03      | Riley Creek    | 17-Jul-06       | Temperature, sample                          |                 | deg C        |           |                        |
| BENA-03      | RILEY CREEK    | 17-Jul-06       | Temperature, sample                          |                 | deg C        |           |                        |
| BENA-03      | RILEY CREEK    | 17-Jul-06       | Temperature, sample                          |                 | deg C        |           |                        |
| BENA-03      |                | 17-Jul-06       | Temperature, water                           |                 | deg C        |           |                        |
| BENA-03      |                | 17-Jul-06       | Turbidity                                    |                 | NTU          |           |                        |
| BENA-03      | RILEY CREEK    | 17-Jul-06       | Vanadium                                     | Dissolved       | ug/l         | ND        | 3                      |
| BENA-03      | RILEY CREEK    | 17-Jul-06       | Vanadium                                     | Total           | ug/l         | ND        | 3                      |
| BENA-03      | RILEY CREEK    | 17-Jul-06       | Zinc   | Dissolved       | ug/l         |           | 2                      |
| BENA-03      | RILEY CREEK    | 17-Jul-06       | Zinc   | Total           | ug/l         |           | 2                      |
| BENC-01      | Cassel Cr.     | 17-Jul-06       | Alkalinity, total                            |                 | mg/l         |           | 0                      |
| BENC-01      | CASSEL CREEK   | 17-Jul-06       | Aluminum                                     | Dissolved       | ug/l         | ND        | 20                     |
| BENC-01      | CASSEL CREEK   | 17-Jul-06       | Aluminum                                     | Total           | ug/l         |           | 20                     |
| BENC-01      | CASSEL CREEK   | 17-Jul-06       | Arsenic                                      | Total           | ug/l         |           | 0.06                   |
| BENC-01      | CASSEL CREEK   | 17-Jul-06       | Barium                                       | Dissolved       | ug/l         |           | 1                      |
| BENC-01      | CASSEL CREEK   | 17-Jul-06       | Barium                                       | Total           | ug/l         |           | 1                      |
| BENC-01      | CASSEL CREEK   | 17-Jul-06       | Beryllium                                    | Dissolved       | ug/l         | ND        | 1                      |
| BENC-01      | CASSEL CREEK   | 17-Jul-06       | Beryllium                                    | Total           | ug/l         | ND        | 1                      |
| BENC-01      | CASSEL CREEK   | 17-Jul-06       | Boron  | Dissolved       | ug/l         |           | 4                      |
| BENC-01      | CASSEL CREEK   | 17-Jul-06       | Boron  | Total           | ug/l         |           | 4                      |
| BENC-01      | CASSEL CREEK   | 17-Jul-06       | Cadmium                                      | Dissolved       | ug/l         | ND        | 1                      |
| BENC-01      | CASSEL CREEK   | 17-Jul-06       | Cadmium                                      | Total           | ug/l         | ND        | 1                      |
| BENC-01      | CASSEL CREEK   | 17-Jul-06       | Calcium                                      | Dissolved       | ug/l         |           | 18                     |
| BENC-01      | CASSEL CREEK   | 17-Jul-06       | Calcium                                      | Total           | ug/l         |           | 18                     |
| BENC-01      | Cassel Cr.     | 17-Jul-06       | Carbon, organic                              | Total           | mg/l         |           | 0.5                    |
| BENC-01      | Cassel Cr.     | 17-Jul-06       | Chloride                                     | Total           | mg/l         |           | 1                      |
| BENC-01      | CASSEL CREEK   | 17-Jul-06       | Chlorophyll a, corrected for pheophytin      | Total           | ug/l         |           | 1                      |
| BENC-01      | CASSEL CREEK   | 17-Jul-06       | Chlorophyll a, uncorrected for pheophytin    | Total           | ug/l         |           | 1                      |
| BENC-01      | CASSEL CREEK   | 17-Jul-06       | Chlorophyll-b                                | Total           | ug/l         | ND        | 1                      |
| BENC-01      | CASSEL CREEK   | 17-Jul-06       | Chlorophyll-c                                | Total           | ug/l         | ND        | 1                      |
| BENC-01      | CASSEL CREEK   | 17-Jul-06       | Chromium                                     | Dissolved       | ug/l         | ND        | 2                      |
| BENC-01      | CASSEL CREEK   | 17-Jul-06       | Chromium                                     | Total           | ug/l         | ND        | 2                      |
| BENC-01      | CASSEL CREEK   | 17-Jul-06       | Cobalt                                       | Dissolved       | ug/l         | ND        | 3                      |
| BENC-01      | CASSEL CREEK   | 17-Jul-06       | Cobalt                                       | Total           | ug/l         | ND        | 3                      |
| BENC-01      | CASSEL CREEK   | 17-Jul-06       | Copper                                       | Dissolved       | ug/l         | ND        | 3                      |
| BENC-01      | CASSEL CREEK   | 17-Jul-06       | Copper                                       | Total           | ug/l         | J         | 3                      |
| BENC-01      | Cassel Cr.     | 17-Jul-06       | Cyanide                                      | Total           | mg/l         | ND        | 0.003                  |
| BENC-01      |                | 17-Jul-06       | Dissolved oxygen (DO)                        |                 | mg/l         |           |                        |
| BENC-01      | Cassel Cr.     | 17-Jul-06       | Fluorides                                    | Total           | mg/l         |           | 0.05                   |
| BENC-01      | CASSEL CREEK   | 17-Jul-06       | Hardness, Ca + Mg                            | Total           | ug/l         | C         |                        |
| BENC-01      | CASSEL CREEK   | 17-Jul-06       | Iron   | Dissolved       | ug/l         | ND        | 33                     |
| BENC-01      | CASSEL CREEK   | 17-Jul-06       | Iron   | Total           | ug/l         |           | 33                     |
| BENC-01      | CASSEL CREEK   | 17-Jul-06       | Lead   | Dissolved       | ug/l         | ND        | 5                      |
| BENC-01      | CASSEL CREEK   | 17-Jul-06       | Lead   | Total           | ug/l         | ND        | 5                      |
| BENC-01      | CASSEL CREEK   | 17-Jul-06       | Magnesium                                    | Dissolved       | ug/l         |           | 9                      |
| BENC-01      | CASSEL CREEK   | 17-Jul-06       | Magnesium                                    | Total           | ug/l         |           | 9                      |
| BENC-01      | CASSEL CREEK   | 17-Jul-06       | Manganese                                    | Dissolved       | ug/l         |           | 1                      |
| BENC-01      | CASSEL CREEK   | 17-Jul-06       | Manganese                                    | Total           | ug/l         |           | 1                      |
| BENC-01      | CASSEL CREEK   | 17-Jul-06       | Nickel                                       | Dissolved       | ug/l         | ND        | 5                      |
| BENC-01      | CASSEL CREEK   | 17-Jul-06       | Nickel                                       | Total           | ug/l         | ND        | 5                      |
| BENC-01      | Cassel Cr.     | 17-Jul-06       | Nitrogen, ammonia as N                       | Total           | mg/l         |           | 0.04                   |
| BENC-01      | Cassel Cr.     | 17-Jul-06       | Nitrogen, Kjeldahl                           | Total           | mg/l         |           | 0.75                   |
| BENC-01      | Cassel Cr.     | 17-Jul-06       | Nitrogen, Nitrite (NO2) + Nitrate (NO3) as N | Total           | mg/l         |           | 0.25                   |
| BENC-01      |                | 17-Jul-06       | pH   |                 |              |           |                        |
| BENC-01      | Cassel Cr.     | 17-Jul-06       | Phenols                                      | Total           | ug/l         | ND        | 4                      |
| BENC-01      | CASSEL CREEK   | 17-Jul-06       | Pheophytin-a                                 | Total           | ug/l         | ND        | 1                      |
| BENC-01      | Cassel Cr.     | 17-Jul-06       | Phosphorus as P                              | Dissolved       | mg/l         |           | 0.05                   |
| BENC-01      | Cassel Cr.     | 17-Jul-06       | Phosphorus as P                              | Total           | mg/l         |           | 0.05                   |
| BENC-01      | CASSEL CREEK   | 17-Jul-06       | Potassium                                    | Dissolved       | ug/l         | ND        | 2000                   |
| BENC-01      | CASSEL CREEK   | 17-Jul-06       | Potassium                                    | Total           | ug/l         | ND        | 2000                   |



| Station Code | Waterbody Name | Collection Date | Analyte                                      | Sample Fraction | Result Units | Qualifier | Method Detection Limit |
|--------------|----------------|-----------------|--|-----------------|--------------|-----------|------------------------|
| BENC-01      | CASSEL CREEK   | 17-Jul-06       | Silver                                       | Dissolved       | ug/l         | ND        | 3                      |
| BENC-01      | CASSEL CREEK   | 17-Jul-06       | Silver                                       | Total           | ug/l         | ND        | 3                      |
| BENC-01      | CASSEL CREEK   | 17-Jul-06       | Sodium                                       | Dissolved       | ug/l         |           | 370                    |
| BENC-01      | CASSEL CREEK   | 17-Jul-06       | Sodium                                       | Total           | ug/l         |           | 370                    |
| BENC-01      | Cassel Cr.     | 17-Jul-06       | Solids, suspended, volatile                  |                 | mg/l         | ND        | 6                      |
| BENC-01      | Cassel Cr.     | 17-Jul-06       | Solids, Total Suspended (TSS)                |                 | mg/l         |           | 5                      |
| BENC-01      |                | 17-Jul-06       | Specific conductance                         |                 | umho/cm      |           |                        |
| BENC-01      | CASSEL CREEK   | 17-Jul-06       | Strontium                                    | Dissolved       | ug/l         |           | 1                      |
| BENC-01      | CASSEL CREEK   | 17-Jul-06       | Strontium                                    | Total           | ug/l         |           | 1                      |
| BENC-01      | Cassel Cr.     | 17-Jul-06       | Sulfate                                      | Total           | mg/l         |           | 2                      |
| BENC-01      |                | 17-Jul-06       | Temperature, air                             |                 | deg C        |           |                        |
| BENC-01      | Cassel Cr.     | 17-Jul-06       | Temperature, sample                          |                 | deg C        |           |                        |
| BENC-01      | CASSEL CREEK   | 17-Jul-06       | Temperature, sample                          |                 | deg C        |           |                        |
| BENC-01      | CASSEL CREEK   | 17-Jul-06       | Temperature, sample                          |                 | deg C        |           |                        |
| BENC-01      |                | 17-Jul-06       | Temperature, water                           |                 | deg C        |           |                        |
| BENC-01      |                | 17-Jul-06       | Turbidity                                    |                 | NTU          |           |                        |
| BENC-01      | CASSEL CREEK   | 17-Jul-06       | Vanadium                                     | Dissolved       | ug/l         | ND        | 3                      |
| BENC-01      | CASSEL CREEK   | 17-Jul-06       | Vanadium                                     | Total           | ug/l         | ND        | 3                      |
| BENC-01      | CASSEL CREEK   | 17-Jul-06       | Zinc   | Dissolved       | ug/l         |           | 2                      |
| BENC-01      | CASSEL CREEK   | 17-Jul-06       | Zinc   | Total           | ug/l         |           | 2                      |
| BENA-02      | Riley Creek    | 18-Jul-06       | Alkalinity, total                            |                 | mg/l         |           | 0                      |
| BENA-02      | RILEY CREEK    | 18-Jul-06       | Aluminum                                     | Dissolved       | ug/l         | ND        | 20                     |
| BENA-02      | RILEY CREEK    | 18-Jul-06       | Aluminum                                     | Total           | ug/l         |           | 20                     |
| BENA-02      | RILEY CREEK    | 18-Jul-06       | Arsenic                                      | Total           | ug/l         |           | 0.06                   |
| BENA-02      | RILEY CREEK    | 18-Jul-06       | Barium                                       | Dissolved       | ug/l         |           | 1                      |
| BENA-02      | RILEY CREEK    | 18-Jul-06       | Barium                                       | Total           | ug/l         |           | 1                      |
| BENA-02      | RILEY CREEK    | 18-Jul-06       | Beryllium                                    | Dissolved       | ug/l         | ND        | 1                      |
| BENA-02      | RILEY CREEK    | 18-Jul-06       | Beryllium                                    | Total           | ug/l         | ND        | 1                      |
| BENA-02      | RILEY CREEK    | 18-Jul-06       | Boron  | Dissolved       | ug/l         |           | 4                      |
| BENA-02      | RILEY CREEK    | 18-Jul-06       | Boron  | Total           | ug/l         |           | 4                      |
| BENA-02      | RILEY CREEK    | 18-Jul-06       | Cadmium                                      | Dissolved       | ug/l         | ND        | 1                      |
| BENA-02      | RILEY CREEK    | 18-Jul-06       | Cadmium                                      | Total           | ug/l         | ND        | 1                      |
| BENA-02      | RILEY CREEK    | 18-Jul-06       | Calcium                                      | Dissolved       | ug/l         |           | 18                     |
| BENA-02      | RILEY CREEK    | 18-Jul-06       | Calcium                                      | Total           | ug/l         |           | 18                     |
| BENA-02      | Riley Creek    | 18-Jul-06       | Carbon, organic                              | Total           | mg/l         |           | 0.5                    |
| BENA-02      | Riley Creek    | 18-Jul-06       | Chloride                                     | Total           | mg/l         |           | 1                      |
| BENA-02      | RILEY CREEK    | 18-Jul-06       | Chlorophyll a, corrected for pheophytin      | Total           | ug/l         |           | 1                      |
| BENA-02      | RILEY CREEK    | 18-Jul-06       | Chlorophyll a, uncorrected for pheophytin    | Total           | ug/l         |           | 1                      |
| BENA-02      | RILEY CREEK    | 18-Jul-06       | Chlorophyll-b                                | Total           | ug/l         | ND        | 1                      |
| BENA-02      | RILEY CREEK    | 18-Jul-06       | Chlorophyll-c                                | Total           | ug/l         | ND        | 1                      |
| BENA-02      | RILEY CREEK    | 18-Jul-06       | Chromium                                     | Dissolved       | ug/l         | ND        | 2                      |
| BENA-02      | RILEY CREEK    | 18-Jul-06       | Chromium                                     | Total           | ug/l         | ND        | 2                      |
| BENA-02      | RILEY CREEK    | 18-Jul-06       | Cobalt                                       | Dissolved       | ug/l         | ND        | 3                      |
| BENA-02      | RILEY CREEK    | 18-Jul-06       | Cobalt                                       | Total           | ug/l         | ND        | 3                      |
| BENA-02      | RILEY CREEK    | 18-Jul-06       | Copper                                       | Dissolved       | ug/l         | ND        | 3                      |
| BENA-02      | RILEY CREEK    | 18-Jul-06       | Copper                                       | Total           | ug/l         | J         | 3                      |
| BENA-02      | Riley Creek    | 18-Jul-06       | Cyanide                                      | Total           | mg/l         | ND        | 0.003                  |
| BENA-02      |                | 18-Jul-06       | Dissolved oxygen (DO)                        |                 | mg/l         |           |                        |
| BENA-02      | Riley Creek    | 18-Jul-06       | Fluorides                                    | Total           | mg/l         |           | 0.05                   |
| BENA-02      | RILEY CREEK    | 18-Jul-06       | Hardness, Ca + Mg                            | Total           | ug/l         | C         |                        |
| BENA-02      | RILEY CREEK    | 18-Jul-06       | Iron   | Dissolved       | ug/l         | ND        | 33                     |
| BENA-02      | RILEY CREEK    | 18-Jul-06       | Iron   | Total           | ug/l         |           | 33                     |
| BENA-02      | RILEY CREEK    | 18-Jul-06       | Lead   | Dissolved       | ug/l         | ND        | 5                      |
| BENA-02      | RILEY CREEK    | 18-Jul-06       | Lead   | Total           | ug/l         |           | 5                      |
| BENA-02      | RILEY CREEK    | 18-Jul-06       | Magnesium                                    | Dissolved       | ug/l         |           | 9                      |
| BENA-02      | RILEY CREEK    | 18-Jul-06       | Magnesium                                    | Total           | ug/l         |           | 9                      |
| BENA-02      | RILEY CREEK    | 18-Jul-06       | Manganese                                    | Dissolved       | ug/l         |           | 1                      |
| BENA-02      | RILEY CREEK    | 18-Jul-06       | Manganese                                    | Total           | ug/l         |           | 1                      |
| BENA-02      | RILEY CREEK    | 18-Jul-06       | Nickel                                       | Dissolved       | ug/l         | ND        | 5                      |
| BENA-02      | RILEY CREEK    | 18-Jul-06       | Nickel                                       | Total           | ug/l         | ND        | 5                      |
| BENA-02      | Riley Creek    | 18-Jul-06       | Nitrogen, ammonia as N                       | Total           | mg/l         |           | 0.04                   |
| BENA-02      | Riley Creek    | 18-Jul-06       | Nitrogen, Kjeldahl                           | Total           | mg/l         | ND        | 0.75                   |
| BENA-02      | Riley Creek    | 18-Jul-06       | Nitrogen, Nitrite (NO2) + Nitrate (NO3) as N | Total           | mg/l         |           | 0.1                    |
| BENA-02      |                | 18-Jul-06       | pH   |                 |              |           |                        |
| BENA-02      | Riley Creek    | 18-Jul-06       | Phenols                                      | Total           | ug/l         | ND        | 4                      |
| BENA-02      | RILEY CREEK    | 18-Jul-06       | Pheophytin-a                                 | Total           | ug/l         |           | 1                      |
| BENA-02      | Riley Creek    | 18-Jul-06       | Phosphorus as P                              | Dissolved       | mg/l         |           | 0.01                   |
| BENA-02      | Riley Creek    | 18-Jul-06       | Phosphorus as P                              | Total           | mg/l         |           | 0.01                   |
| BENA-02      | RILEY CREEK    | 18-Jul-06       | Potassium                                    | Dissolved       | ug/l         | ND        | 2000                   |

| Station Code | Waterbody Name | Collection Date | Analyte                                      | Sample Fraction | Result Units | Qualifier | Method Detection Limit |
|--------------|----------------|-----------------|--|-----------------|--------------|-----------|------------------------|
| BENA-02      | RILEY CREEK    | 18-Jul-06       | Potassium                                    | Total           | ug/l         | ND        | 2000                   |
| BENA-02      | RILEY CREEK    | 18-Jul-06       | Silver                                       | Dissolved       | ug/l         | ND        | 3                      |
| BENA-02      | RILEY CREEK    | 18-Jul-06       | Silver                                       | Total           | ug/l         | ND        | 3                      |
| BENA-02      | RILEY CREEK    | 18-Jul-06       | Sodium                                       | Dissolved       | ug/l         |           | 370                    |
| BENA-02      | RILEY CREEK    | 18-Jul-06       | Sodium                                       | Total           | ug/l         |           | 370                    |
| BENA-02      | Riley Creek    | 18-Jul-06       | Solids, suspended, volatile                  |                 | mg/l         | ND        | 6                      |
| BENA-02      | Riley Creek    | 18-Jul-06       | Solids, Total Suspended (TSS)                |                 | mg/l         |           | 5                      |
| BENA-02      |                | 18-Jul-06       | Specific conductance                         |                 | umho/cm      |           |                        |
| BENA-02      | RILEY CREEK    | 18-Jul-06       | Strontium                                    | Dissolved       | ug/l         |           | 1                      |
| BENA-02      | RILEY CREEK    | 18-Jul-06       | Strontium                                    | Total           | ug/l         |           | 1                      |
| BENA-02      | Riley Creek    | 18-Jul-06       | Sulfate                                      | Total           | mg/l         |           | 2                      |
| BENA-02      |                | 18-Jul-06       | Temperature, air                             |                 | deg C        |           |                        |
| BENA-02      | Riley Creek    | 18-Jul-06       | Temperature, sample                          |                 | deg C        |           |                        |
| BENA-02      | RILEY CREEK    | 18-Jul-06       | Temperature, sample                          |                 | deg C        |           |                        |
| BENA-02      | RILEY CREEK    | 18-Jul-06       | Temperature, sample                          |                 | deg C        |           |                        |
| BENA-02      |                | 18-Jul-06       | Temperature, water                           |                 | deg C        |           |                        |
| BENA-02      |                | 18-Jul-06       | Turbidity                                    |                 | NTU          |           |                        |
| BENA-02      | RILEY CREEK    | 18-Jul-06       | Vanadium                                     | Dissolved       | ug/l         | ND        | 3                      |
| BENA-02      | RILEY CREEK    | 18-Jul-06       | Vanadium                                     | Total           | ug/l         | ND        | 3                      |
| BENA-02      | RILEY CREEK    | 18-Jul-06       | Zinc   | Dissolved       | ug/l         |           | 2                      |
| BENA-02      | RILEY CREEK    | 18-Jul-06       | Zinc   | Total           | ug/l         |           | 2                      |
| BEN-01       |                | 20-Jul-06       | Dissolved oxygen (DO)                        |                 | mg/l         |           |                        |
| BEN-01       |                | 20-Jul-06       | pH   |                 |              |           |                        |
| BEN-01       |                | 20-Jul-06       | Specific conductance                         |                 | umho/cm      |           |                        |
| BEN-01       |                | 20-Jul-06       | Temperature, air                             |                 | deg C        |           |                        |
| BEN-01       |                | 20-Jul-06       | Temperature, water                           |                 | deg C        |           |                        |
| BEN-01       | Kickapoo Creek | 27-Jul-06       | Alkalinity, total                            |                 | mg/l         |           | 0                      |
| BEN-01       | KICKAPOO CREEK | 27-Jul-06       | Aluminum                                     | Dissolved       | ug/l         | J         | 20                     |
| BEN-01       | KICKAPOO CREEK | 27-Jul-06       | Aluminum                                     | Total           | ug/l         |           | 20                     |
| BEN-01       | KICKAPOO CREEK | 27-Jul-06       | Arsenic                                      | Total           | ug/l         | J         | 0.06                   |
| BEN-01       | KICKAPOO CREEK | 27-Jul-06       | Barium                                       | Dissolved       | ug/l         |           | 1                      |
| BEN-01       | KICKAPOO CREEK | 27-Jul-06       | Barium                                       | Total           | ug/l         |           | 1                      |
| BEN-01       | KICKAPOO CREEK | 27-Jul-06       | Beryllium                                    | Dissolved       | ug/l         | ND        | 1                      |
| BEN-01       | KICKAPOO CREEK | 27-Jul-06       | Beryllium                                    | Total           | ug/l         | ND        | 1                      |
| BEN-01       | KICKAPOO CREEK | 27-Jul-06       | Boron  | Dissolved       | ug/l         |           | 4                      |
| BEN-01       | KICKAPOO CREEK | 27-Jul-06       | Boron  | Total           | ug/l         |           | 4                      |
| BEN-01       | KICKAPOO CREEK | 27-Jul-06       | Cadmium                                      | Dissolved       | ug/l         | ND        | 1                      |
| BEN-01       | KICKAPOO CREEK | 27-Jul-06       | Cadmium                                      | Total           | ug/l         | ND        | 1                      |
| BEN-01       | KICKAPOO CREEK | 27-Jul-06       | Calcium                                      | Dissolved       | ug/l         |           | 18                     |
| BEN-01       | KICKAPOO CREEK | 27-Jul-06       | Calcium                                      | Total           | ug/l         |           | 18                     |
| BEN-01       | Kickapoo Creek | 27-Jul-06       | Carbon, organic                              | Total           | mg/l         |           | 0.5                    |
| BEN-01       | Kickapoo Creek | 27-Jul-06       | Chloride                                     | Total           | mg/l         |           | 1                      |
| BEN-01       | KICKAPOO CREEK | 27-Jul-06       | Chlorophyll a, corrected for pheophytin      | Total           | ug/l         |           | 1                      |
| BEN-01       | KICKAPOO CREEK | 27-Jul-06       | Chlorophyll a, uncorrected for pheophytin    | Total           | ug/l         |           | 1                      |
| BEN-01       | KICKAPOO CREEK | 27-Jul-06       | Chlorophyll-b                                | Total           | ug/l         | ND        | 1                      |
| BEN-01       | KICKAPOO CREEK | 27-Jul-06       | Chlorophyll-c                                | Total           | ug/l         | ND        | 1                      |
| BEN-01       | KICKAPOO CREEK | 27-Jul-06       | Chromium                                     | Dissolved       | ug/l         | ND        | 2                      |
| BEN-01       | KICKAPOO CREEK | 27-Jul-06       | Chromium                                     | Total           | ug/l         | ND        | 2                      |
| BEN-01       | KICKAPOO CREEK | 27-Jul-06       | Cobalt                                       | Dissolved       | ug/l         | ND        | 3                      |
| BEN-01       | KICKAPOO CREEK | 27-Jul-06       | Cobalt                                       | Total           | ug/l         | ND        | 3                      |
| BEN-01       | KICKAPOO CREEK | 27-Jul-06       | Copper                                       | Dissolved       | ug/l         |           | 3                      |
| BEN-01       | KICKAPOO CREEK | 27-Jul-06       | Copper                                       | Total           | ug/l         | J         | 3                      |
| BEN-01       | Kickapoo Creek | 27-Jul-06       | Cyanide                                      | Total           | mg/l         | ND        | 0.003                  |
| BEN-01       |                | 27-Jul-06       | Dissolved oxygen (DO)                        |                 | mg/l         |           |                        |
| BEN-01       | Kickapoo Creek | 27-Jul-06       | Fluorides                                    | Total           | mg/l         |           | 0.05                   |
| BEN-01       | KICKAPOO CREEK | 27-Jul-06       | Hardness, Ca + Mg                            | Total           | ug/l         | C         |                        |
| BEN-01       | KICKAPOO CREEK | 27-Jul-06       | Iron   | Dissolved       | ug/l         | ND        | 33                     |
| BEN-01       | KICKAPOO CREEK | 27-Jul-06       | Iron   | Total           | ug/l         |           | 33                     |
| BEN-01       | KICKAPOO CREEK | 27-Jul-06       | Lead   | Dissolved       | ug/l         | ND        | 5                      |
| BEN-01       | KICKAPOO CREEK | 27-Jul-06       | Lead   | Total           | ug/l         | ND        | 5                      |
| BEN-01       | KICKAPOO CREEK | 27-Jul-06       | Magnesium                                    | Dissolved       | ug/l         |           | 9                      |
| BEN-01       | KICKAPOO CREEK | 27-Jul-06       | Magnesium                                    | Total           | ug/l         |           | 9                      |
| BEN-01       | KICKAPOO CREEK | 27-Jul-06       | Manganese                                    | Dissolved       | ug/l         |           | 1                      |
| BEN-01       | KICKAPOO CREEK | 27-Jul-06       | Manganese                                    | Total           | ug/l         |           | 1                      |
| BEN-01       | KICKAPOO CREEK | 27-Jul-06       | Nickel                                       | Dissolved       | ug/l         | ND,z      | 5                      |
| BEN-01       | KICKAPOO CREEK | 27-Jul-06       | Nickel                                       | Total           | ug/l         | ND        | 5                      |
| BEN-01       | Kickapoo Creek | 27-Jul-06       | Nitrogen, ammonia as N                       | Total           | mg/l         |           | 0.04                   |
| BEN-01       | Kickapoo Creek | 27-Jul-06       | Nitrogen, Kjeldahl                           | Total           | mg/l         |           | 0.75                   |
| BEN-01       | Kickapoo Creek | 27-Jul-06       | Nitrogen, Nitrite (NO2) + Nitrate (NO3) as N | Total           | mg/l         |           | 0.1                    |

| Station Code | Waterbody Name | Collection Date | Analyte                                      | Sample Fraction | Result Units | Qualifier | Method Detection Limit |
|--------------|----------------|-----------------|--|-----------------|--------------|-----------|------------------------|
| BEN-01       |                | 27-Jul-06       | pH   |                 |              |           |                        |
| BEN-01       | Kickapoo Creek | 27-Jul-06       | Phenols                                      | Total           | ug/l         | ND        | 4                      |
| BEN-01       | KICKAPOO CREEK | 27-Jul-06       | Pheophytin-a                                 | Total           | ug/l         | ND        | 1                      |
| BEN-01       | Kickapoo Creek | 27-Jul-06       | Phosphorus as P                              | Dissolved       | mg/l         |           | 0.01                   |
| BEN-01       | Kickapoo Creek | 27-Jul-06       | Phosphorus as P                              | Total           | mg/l         |           | 0.05                   |
| BEN-01       | KICKAPOO CREEK | 27-Jul-06       | Potassium                                    | Dissolved       | ug/l         |           | 2000                   |
| BEN-01       | KICKAPOO CREEK | 27-Jul-06       | Potassium                                    | Total           | ug/l         | z         | 2000                   |
| BEN-01       | KICKAPOO CREEK | 27-Jul-06       | Silver                                       | Dissolved       | ug/l         | ND        | 3                      |
| BEN-01       | KICKAPOO CREEK | 27-Jul-06       | Silver                                       | Total           | ug/l         | ND        | 3                      |
| BEN-01       | KICKAPOO CREEK | 27-Jul-06       | Sodium                                       | Dissolved       | ug/l         |           | 370                    |
| BEN-01       | KICKAPOO CREEK | 27-Jul-06       | Sodium                                       | Total           | ug/l         |           | 370                    |
| BEN-01       | Kickapoo Creek | 27-Jul-06       | Solids, suspended, volatile                  |                 | mg/l         | ND        | 6                      |
| BEN-01       | Kickapoo Creek | 27-Jul-06       | Solids, Total Suspended (TSS)                |                 | mg/l         |           | 5                      |
| BEN-01       |                | 27-Jul-06       | Specific conductance                         |                 | umho/cm      |           |                        |
| BEN-01       | KICKAPOO CREEK | 27-Jul-06       | Strontium                                    | Dissolved       | ug/l         |           | 1                      |
| BEN-01       | KICKAPOO CREEK | 27-Jul-06       | Strontium                                    | Total           | ug/l         |           | 1                      |
| BEN-01       | Kickapoo Creek | 27-Jul-06       | Sulfate                                      | Total           | mg/l         |           | 2                      |
| BEN-01       |                | 27-Jul-06       | Temperature, air                             |                 | deg C        |           |                        |
| BEN-01       | KICKAPOO CREEK | 27-Jul-06       | Temperature, sample                          |                 | deg C        |           |                        |
| BEN-01       | KICKAPOO CREEK | 27-Jul-06       | Temperature, sample                          |                 | deg C        |           |                        |
| BEN-01       |                | 27-Jul-06       | Temperature, water                           |                 | deg C        |           |                        |
| BEN-01       |                | 27-Jul-06       | Turbidity                                    |                 | NTU          |           |                        |
| BEN-01       | KICKAPOO CREEK | 27-Jul-06       | Vanadium                                     | Dissolved       | ug/l         | ND        | 3                      |
| BEN-01       | KICKAPOO CREEK | 27-Jul-06       | Vanadium                                     | Total           | ug/l         | ND        | 3                      |
| BEN-01       | KICKAPOO CREEK | 27-Jul-06       | Zinc   | Dissolved       | ug/l         |           | 2                      |
| BEN-01       | KICKAPOO CREEK | 27-Jul-06       | Zinc   | Total           | ug/l         |           | 2                      |
| BEN-01       | Kickapoo Creek | 13-Sep-06       | Alkalinity, total                            |                 | mg/l         |           | 0                      |
| BEN-01       | KICKAPOO CREEK | 13-Sep-06       | Aluminum                                     | Dissolved       | ug/l         | J         | 20                     |
| BEN-01       | KICKAPOO CREEK | 13-Sep-06       | Aluminum                                     | Total           | ug/l         |           | 20                     |
| BEN-01       | KICKAPOO CREEK | 13-Sep-06       | Arsenic                                      | Total           | ug/l         |           | 0.06                   |
| BEN-01       | KICKAPOO CREEK | 13-Sep-06       | Barium                                       | Dissolved       | ug/l         |           | 1                      |
| BEN-01       | KICKAPOO CREEK | 13-Sep-06       | Barium                                       | Total           | ug/l         |           | 1                      |
| BEN-01       | KICKAPOO CREEK | 13-Sep-06       | Beryllium                                    | Dissolved       | ug/l         | ND        | 1                      |
| BEN-01       | KICKAPOO CREEK | 13-Sep-06       | Beryllium                                    | Total           | ug/l         | ND        | 1                      |
| BEN-01       | KICKAPOO CREEK | 13-Sep-06       | Boron  | Dissolved       | ug/l         |           | 4                      |
| BEN-01       | KICKAPOO CREEK | 13-Sep-06       | Boron  | Total           | ug/l         |           | 4                      |
| BEN-01       | KICKAPOO CREEK | 13-Sep-06       | Cadmium                                      | Dissolved       | ug/l         | ND        | 1                      |
| BEN-01       | KICKAPOO CREEK | 13-Sep-06       | Cadmium                                      | Total           | ug/l         | ND        | 1                      |
| BEN-01       | KICKAPOO CREEK | 13-Sep-06       | Calcium                                      | Dissolved       | ug/l         |           | 18                     |
| BEN-01       | KICKAPOO CREEK | 13-Sep-06       | Calcium                                      | Total           | ug/l         |           | 18                     |
| BEN-01       | Kickapoo Creek | 13-Sep-06       | Carbon, organic                              | Total           | mg/l         |           | 0.5                    |
| BEN-01       | Kickapoo Creek | 13-Sep-06       | Chloride                                     | Total           | mg/l         |           | 1                      |
| BEN-01       | KICKAPOO CREEK | 13-Sep-06       | Chlorophyll a, corrected for pheophytin      | Total           | ug/l         |           | 1                      |
| BEN-01       | KICKAPOO CREEK | 13-Sep-06       | Chlorophyll a, uncorrected for pheophytin    | Total           | ug/l         |           | 1                      |
| BEN-01       | KICKAPOO CREEK | 13-Sep-06       | Chlorophyll-b                                | Total           | ug/l         | ND        | 1                      |
| BEN-01       | KICKAPOO CREEK | 13-Sep-06       | Chlorophyll-c                                | Total           | ug/l         | ND        | 1                      |
| BEN-01       | KICKAPOO CREEK | 13-Sep-06       | Chromium                                     | Dissolved       | ug/l         | ND        | 2                      |
| BEN-01       | KICKAPOO CREEK | 13-Sep-06       | Chromium                                     | Total           | ug/l         | ND        | 2                      |
| BEN-01       | KICKAPOO CREEK | 13-Sep-06       | Cobalt                                       | Dissolved       | ug/l         | ND        | 3                      |
| BEN-01       | KICKAPOO CREEK | 13-Sep-06       | Cobalt                                       | Total           | ug/l         | ND        | 3                      |
| BEN-01       | KICKAPOO CREEK | 13-Sep-06       | Copper                                       | Dissolved       | ug/l         | J         | 3                      |
| BEN-01       | KICKAPOO CREEK | 13-Sep-06       | Copper                                       | Total           | ug/l         | ND        | 3                      |
| BEN-01       | Kickapoo Creek | 13-Sep-06       | Cyanide                                      | Total           | mg/l         | ND        | 0.003                  |
| BEN-01       |                | 13-Sep-06       | Dissolved oxygen (DO)                        |                 | mg/l         |           |                        |
| BEN-01       | Kickapoo Creek | 13-Sep-06       | Fluorides                                    | Total           | mg/l         |           | 0.05                   |
| BEN-01       | KICKAPOO CREEK | 13-Sep-06       | Hardness, Ca + Mg                            | Total           | ug/l         | C         |                        |
| BEN-01       | KICKAPOO CREEK | 13-Sep-06       | Iron   | Dissolved       | ug/l         | ND,z      | 33                     |
| BEN-01       | KICKAPOO CREEK | 13-Sep-06       | Iron   | Total           | ug/l         |           | 33                     |
| BEN-01       | KICKAPOO CREEK | 13-Sep-06       | Lead   | Dissolved       | ug/l         | ND        | 5                      |
| BEN-01       | KICKAPOO CREEK | 13-Sep-06       | Lead   | Total           | ug/l         | ND        | 5                      |
| BEN-01       | KICKAPOO CREEK | 13-Sep-06       | Magnesium                                    | Dissolved       | ug/l         |           | 9                      |
| BEN-01       | KICKAPOO CREEK | 13-Sep-06       | Magnesium                                    | Total           | ug/l         |           | 9                      |
| BEN-01       | KICKAPOO CREEK | 13-Sep-06       | Manganese                                    | Dissolved       | ug/l         |           | 1                      |
| BEN-01       | KICKAPOO CREEK | 13-Sep-06       | Manganese                                    | Total           | ug/l         |           | 1                      |
| BEN-01       | KICKAPOO CREEK | 13-Sep-06       | Nickel                                       | Dissolved       | ug/l         | ND        | 5                      |
| BEN-01       | KICKAPOO CREEK | 13-Sep-06       | Nickel                                       | Total           | ug/l         |           | 5                      |
| BEN-01       | Kickapoo Creek | 13-Sep-06       | Nitrogen, ammonia as N                       | Total           | mg/l         |           | 0.04                   |
| BEN-01       | Kickapoo Creek | 13-Sep-06       | Nitrogen, Kjeldahl                           | Total           | mg/l         |           | 0.75                   |
| BEN-01       | Kickapoo Creek | 13-Sep-06       | Nitrogen, Nitrite (NO2) + Nitrate (NO3) as N | Total           | mg/l         |           | 0.2                    |

| Station Code | Waterbody Name | Collection Date | Analyte                                   | Sample Fraction | Result Units | Qualifier | Method Detection Limit |
|--------------|----------------|-----------------|---|-----------------|--------------|-----------|------------------------|
| BEN-01       |                | 13-Sep-06       | pH  |                 |              |           |                        |
| BEN-01       | Kickapoo Creek | 13-Sep-06       | Phenols                                   | Total           | ug/l         | ND        | 4                      |
| BEN-01       | KICKAPOO CREEK | 13-Sep-06       | Pheophytin-a                              | Total           | ug/l         | ND        | 1                      |
| BEN-01       | Kickapoo Creek | 13-Sep-06       | Phosphorus as P                           | Dissolved       | mg/l         |           | 0.05                   |
| BEN-01       | Kickapoo Creek | 13-Sep-06       | Phosphorus as P                           | Total           | mg/l         |           | 0.05                   |
| BEN-01       | KICKAPOO CREEK | 13-Sep-06       | Potassium                                 | Dissolved       | ug/l         |           | 2000                   |
| BEN-01       | KICKAPOO CREEK | 13-Sep-06       | Potassium                                 | Total           | ug/l         |           | 2000                   |
| BEN-01       | KICKAPOO CREEK | 13-Sep-06       | Silver                                    | Dissolved       | ug/l         | ND        | 3                      |
| BEN-01       | KICKAPOO CREEK | 13-Sep-06       | Silver                                    | Total           | ug/l         | ND        | 3                      |
| BEN-01       | KICKAPOO CREEK | 13-Sep-06       | Sodium                                    | Dissolved       | ug/l         |           | 370                    |
| BEN-01       | KICKAPOO CREEK | 13-Sep-06       | Sodium                                    | Total           | ug/l         |           | 370                    |
| BEN-01       | Kickapoo Creek | 13-Sep-06       | Solids, suspended, volatile               |                 | mg/l         | ND        | 6                      |
| BEN-01       | Kickapoo Creek | 13-Sep-06       | Solids, Total Suspended (TSS)             |                 | mg/l         |           | 5                      |
| BEN-01       |                | 13-Sep-06       | Specific conductance                      |                 | umho/cm      |           |                        |
| BEN-01       | KICKAPOO CREEK | 13-Sep-06       | Strontium                                 | Dissolved       | ug/l         |           | 1                      |
| BEN-01       | KICKAPOO CREEK | 13-Sep-06       | Strontium                                 | Total           | ug/l         |           | 1                      |
| BEN-01       | Kickapoo Creek | 13-Sep-06       | Sulfate                                   | Total           | mg/l         |           | 1                      |
| BEN-01       |                | 13-Sep-06       | Temperature, air                          |                 | deg C        |           |                        |
| BEN-01       | Kickapoo Creek | 13-Sep-06       | Temperature, sample                       |                 | deg C        |           |                        |
| BEN-01       | Kickapoo Creek | 13-Sep-06       | Temperature, sample                       |                 | deg C        |           |                        |
| BEN-01       | Kickapoo Creek | 13-Sep-06       | Temperature, sample                       |                 | deg C        |           |                        |
| BEN-01       | Kickapoo Creek | 13-Sep-06       | Temperature, sample                       |                 | deg C        |           |                        |
| BEN-01       | Kickapoo Creek | 13-Sep-06       | Temperature, sample                       |                 | deg C        |           |                        |
| BEN-01       | KICKAPOO CREEK | 13-Sep-06       | Temperature, sample                       |                 | deg C        |           |                        |
| BEN-01       | KICKAPOO CREEK | 13-Sep-06       | Temperature, sample                       |                 | deg C        |           |                        |
| BEN-01       |                | 13-Sep-06       | Temperature, water                        |                 | deg C        |           |                        |
| BEN-01       |                | 13-Sep-06       | Turbidity                                 |                 | NTU          |           |                        |
| BEN-01       | KICKAPOO CREEK | 13-Sep-06       | Vanadium                                  | Dissolved       | ug/l         | ND        | 3                      |
| BEN-01       | KICKAPOO CREEK | 13-Sep-06       | Vanadium                                  | Total           | ug/l         | ND        | 3                      |
| BEN-01       | KICKAPOO CREEK | 13-Sep-06       | Zinc                                      | Dissolved       | ug/l         |           | 2                      |
| BEN-01       | KICKAPOO CREEK | 13-Sep-06       | Zinc                                      | Total           | ug/l         |           | 2                      |
| BENA-01      | Riley Creek    | 13-Sep-06       | Alkalinity, total                         |                 | mg/l         |           | 0                      |
| BENA-01      | RILEY CREEK    | 13-Sep-06       | Aluminum                                  | Dissolved       | ug/l         | J         | 20                     |
| BENA-01      | RILEY CREEK    | 13-Sep-06       | Aluminum                                  | Total           | ug/l         |           | 20                     |
| BENA-01      | RILEY CREEK    | 13-Sep-06       | Arsenic                                   | Total           | ug/l         |           | 0.06                   |
| BENA-01      | RILEY CREEK    | 13-Sep-06       | Barium                                    | Dissolved       | ug/l         |           | 1                      |
| BENA-01      | RILEY CREEK    | 13-Sep-06       | Barium                                    | Total           | ug/l         |           | 1                      |
| BENA-01      | RILEY CREEK    | 13-Sep-06       | Beryllium                                 | Dissolved       | ug/l         | ND        | 1                      |
| BENA-01      | RILEY CREEK    | 13-Sep-06       | Beryllium                                 | Total           | ug/l         | ND        | 1                      |
| BENA-01      | RILEY CREEK    | 13-Sep-06       | Boron                                     | Dissolved       | ug/l         |           | 4                      |
| BENA-01      | RILEY CREEK    | 13-Sep-06       | Boron                                     | Total           | ug/l         |           | 4                      |
| BENA-01      | RILEY CREEK    | 13-Sep-06       | Cadmium                                   | Dissolved       | ug/l         | ND        | 1                      |
| BENA-01      | RILEY CREEK    | 13-Sep-06       | Cadmium                                   | Total           | ug/l         | ND        | 1                      |
| BENA-01      | RILEY CREEK    | 13-Sep-06       | Calcium                                   | Dissolved       | ug/l         |           | 18                     |
| BENA-01      | RILEY CREEK    | 13-Sep-06       | Calcium                                   | Total           | ug/l         |           | 18                     |
| BENA-01      | Riley Creek    | 13-Sep-06       | Carbon, organic                           | Total           | mg/l         |           | 0.5                    |
| BENA-01      | Riley Creek    | 13-Sep-06       | Chloride                                  | Total           | mg/l         |           | 1                      |
| BENA-01      | RILEY CREEK    | 13-Sep-06       | Chlorophyll a, corrected for pheophytin   | Total           | ug/l         |           | 1                      |
| BENA-01      | RILEY CREEK    | 13-Sep-06       | Chlorophyll a, uncorrected for pheophytin | Total           | ug/l         |           | 1                      |
| BENA-01      | RILEY CREEK    | 13-Sep-06       | Chlorophyll-b                             | Total           | ug/l         | ND        | 1                      |
| BENA-01      | RILEY CREEK    | 13-Sep-06       | Chlorophyll-c                             | Total           | ug/l         | ND        | 1                      |
| BENA-01      | RILEY CREEK    | 13-Sep-06       | Chromium                                  | Dissolved       | ug/l         | ND        | 2                      |
| BENA-01      | RILEY CREEK    | 13-Sep-06       | Chromium                                  | Total           | ug/l         | ND        | 2                      |
| BENA-01      | RILEY CREEK    | 13-Sep-06       | Cobalt                                    | Dissolved       | ug/l         | ND        | 3                      |
| BENA-01      | RILEY CREEK    | 13-Sep-06       | Cobalt                                    | Total           | ug/l         | ND        | 3                      |
| BENA-01      | RILEY CREEK    | 13-Sep-06       | Copper                                    | Dissolved       | ug/l         | ND        | 3                      |
| BENA-01      | RILEY CREEK    | 13-Sep-06       | Copper                                    | Total           | ug/l         | ND        | 3                      |
| BENA-01      | Riley Creek    | 13-Sep-06       | Cyanide                                   | Total           | mg/l         | ND        | 0.003                  |
| BENA-01      |                | 13-Sep-06       | Dissolved oxygen (DO)                     |                 | mg/l         |           |                        |
| BENA-01      | Riley Creek    | 13-Sep-06       | Fluorides                                 | Total           | mg/l         |           | 0.05                   |
| BENA-01      | RILEY CREEK    | 13-Sep-06       | Hardness, Ca + Mg                         | Total           | ug/l         | C         |                        |
| BENA-01      | RILEY CREEK    | 13-Sep-06       | Iron                                      | Dissolved       | ug/l         | ND,z      | 33                     |
| BENA-01      | RILEY CREEK    | 13-Sep-06       | Iron                                      | Total           | ug/l         |           | 33                     |
| BENA-01      | RILEY CREEK    | 13-Sep-06       | Lead                                      | Dissolved       | ug/l         | ND        | 5                      |
| BENA-01      | RILEY CREEK    | 13-Sep-06       | Lead                                      | Total           | ug/l         | ND        | 5                      |
| BENA-01      | RILEY CREEK    | 13-Sep-06       | Magnesium                                 | Dissolved       | ug/l         |           | 9                      |
| BENA-01      | RILEY CREEK    | 13-Sep-06       | Magnesium                                 | Total           | ug/l         |           | 9                      |
| BENA-01      | RILEY CREEK    | 13-Sep-06       | Manganese                                 | Dissolved       | ug/l         |           | 1                      |
| BENA-01      | RILEY CREEK    | 13-Sep-06       | Manganese                                 | Total           | ug/l         |           | 1                      |

| Station Code | Waterbody Name | Collection Date | Analyte                                      | Sample Fraction | Result Units | Qualifier | Method Detection Limit |
|--------------|----------------|-----------------|--|-----------------|--------------|-----------|------------------------|
| BENA-01      | RILEY CREEK    | 13-Sep-06       | Nickel                                       | Dissolved       | ug/l         | ND        | 5                      |
| BENA-01      | RILEY CREEK    | 13-Sep-06       | Nickel                                       | Total           | ug/l         | ND        | 5                      |
| BENA-01      | Riley Creek    | 13-Sep-06       | Nitrogen, ammonia as N                       | Total           | mg/l         |           | 0.04                   |
| BENA-01      | Riley Creek    | 13-Sep-06       | Nitrogen, Kjeldahl                           | Total           | mg/l         |           | 0.75                   |
| BENA-01      | Riley Creek    | 13-Sep-06       | Nitrogen, Nitrite (NO2) + Nitrate (NO3) as N | Total           | mg/l         |           | 0.1                    |
| BENA-01      |                | 13-Sep-06       | pH   |                 |              |           |                        |
| BENA-01      | Riley Creek    | 13-Sep-06       | Phenols                                      | Total           | ug/l         | ND        | 4                      |
| BENA-01      | RILEY CREEK    | 13-Sep-06       | Pheophytin-a                                 | Total           | ug/l         |           | 1                      |
| BENA-01      | Riley Creek    | 13-Sep-06       | Phosphorus as P                              | Dissolved       | mg/l         |           | 0.05                   |
| BENA-01      | Riley Creek    | 13-Sep-06       | Phosphorus as P                              | Total           | mg/l         |           | 0.05                   |
| BENA-01      | RILEY CREEK    | 13-Sep-06       | Potassium                                    | Dissolved       | ug/l         |           | 2000                   |
| BENA-01      | RILEY CREEK    | 13-Sep-06       | Potassium                                    | Total           | ug/l         |           | 2000                   |
| BENA-01      | RILEY CREEK    | 13-Sep-06       | Silver                                       | Dissolved       | ug/l         | ND        | 3                      |
| BENA-01      | RILEY CREEK    | 13-Sep-06       | Silver                                       | Total           | ug/l         | ND        | 3                      |
| BENA-01      | RILEY CREEK    | 13-Sep-06       | Sodium                                       | Dissolved       | ug/l         |           | 370                    |
| BENA-01      | RILEY CREEK    | 13-Sep-06       | Sodium                                       | Total           | ug/l         |           | 370                    |
| BENA-01      | Riley Creek    | 13-Sep-06       | Solids, suspended, volatile                  |                 | mg/l         | ND        | 6                      |
| BENA-01      | Riley Creek    | 13-Sep-06       | Solids, Total Suspended (TSS)                |                 | mg/l         |           | 5                      |
| BENA-01      |                | 13-Sep-06       | Specific conductance                         |                 | umho/cm      |           |                        |
| BENA-01      | RILEY CREEK    | 13-Sep-06       | Strontium                                    | Dissolved       | ug/l         |           | 1                      |
| BENA-01      | RILEY CREEK    | 13-Sep-06       | Strontium                                    | Total           | ug/l         |           | 1                      |
| BENA-01      | Riley Creek    | 13-Sep-06       | Sulfate                                      | Total           | mg/l         |           | 1                      |
| BENA-01      |                | 13-Sep-06       | Temperature, air                             |                 | deg C        |           |                        |
| BENA-01      | Riley Creek    | 13-Sep-06       | Temperature, sample                          |                 | deg C        |           |                        |
| BENA-01      | Riley Creek    | 13-Sep-06       | Temperature, sample                          |                 | deg C        |           |                        |
| BENA-01      | Riley Creek    | 13-Sep-06       | Temperature, sample                          |                 | deg C        |           |                        |
| BENA-01      | Riley Creek    | 13-Sep-06       | Temperature, sample                          |                 | deg C        |           |                        |
| BENA-01      | RILEY CREEK    | 13-Sep-06       | Temperature, sample                          |                 | deg C        |           |                        |
| BENA-01      | RILEY CREEK    | 13-Sep-06       | Temperature, sample                          |                 | deg C        |           |                        |
| BENA-01      |                | 13-Sep-06       | Temperature, water                           |                 | deg C        |           |                        |
| BENA-01      |                | 13-Sep-06       | Turbidity                                    |                 | NTU          |           |                        |
| BENA-01      | RILEY CREEK    | 13-Sep-06       | Vanadium                                     | Dissolved       | ug/l         | ND        | 3                      |
| BENA-01      | RILEY CREEK    | 13-Sep-06       | Vanadium                                     | Total           | ug/l         | ND        | 3                      |
| BENA-01      | RILEY CREEK    | 13-Sep-06       | Zinc   | Dissolved       | ug/l         |           | 2                      |
| BENA-01      | RILEY CREEK    | 13-Sep-06       | Zinc   | Total           | ug/l         |           | 2                      |
| BENA-02      | Riley Creek    | 13-Sep-06       | Alkalinity, total                            |                 | mg/l         |           | 0                      |
| BENA-02      | RILEY CREEK    | 13-Sep-06       | Aluminum                                     | Dissolved       | ug/l         | J         | 20                     |
| BENA-02      | RILEY CREEK    | 13-Sep-06       | Aluminum                                     | Total           | ug/l         |           | 20                     |
| BENA-02      | RILEY CREEK    | 13-Sep-06       | Arsenic                                      | Total           | ug/l         |           | 0.06                   |
| BENA-02      | RILEY CREEK    | 13-Sep-06       | Barium                                       | Dissolved       | ug/l         |           | 1                      |
| BENA-02      | RILEY CREEK    | 13-Sep-06       | Barium                                       | Total           | ug/l         |           | 1                      |
| BENA-02      | RILEY CREEK    | 13-Sep-06       | Beryllium                                    | Dissolved       | ug/l         | ND        | 1                      |
| BENA-02      | RILEY CREEK    | 13-Sep-06       | Beryllium                                    | Total           | ug/l         | ND        | 1                      |
| BENA-02      | RILEY CREEK    | 13-Sep-06       | Boron  | Dissolved       | ug/l         |           | 4                      |
| BENA-02      | RILEY CREEK    | 13-Sep-06       | Boron  | Total           | ug/l         |           | 4                      |
| BENA-02      | RILEY CREEK    | 13-Sep-06       | Cadmium                                      | Dissolved       | ug/l         | ND        | 1                      |
| BENA-02      | RILEY CREEK    | 13-Sep-06       | Cadmium                                      | Total           | ug/l         | ND        | 1                      |
| BENA-02      | RILEY CREEK    | 13-Sep-06       | Calcium                                      | Dissolved       | ug/l         |           | 18                     |
| BENA-02      | RILEY CREEK    | 13-Sep-06       | Calcium                                      | Total           | ug/l         |           | 18                     |
| BENA-02      | Riley Creek    | 13-Sep-06       | Carbon, organic                              | Total           | mg/l         |           | 0.5                    |
| BENA-02      | Riley Creek    | 13-Sep-06       | Chloride                                     | Total           | mg/l         |           | 1                      |
| BENA-02      | RILEY CREEK    | 13-Sep-06       | Chlorophyll a, corrected for pheophytin      | Total           | ug/l         |           | 1                      |
| BENA-02      | RILEY CREEK    | 13-Sep-06       | Chlorophyll a, uncorrected for pheophytin    | Total           | ug/l         |           | 1                      |
| BENA-02      | RILEY CREEK    | 13-Sep-06       | Chlorophyll-b                                | Total           | ug/l         | ND        | 1                      |
| BENA-02      | RILEY CREEK    | 13-Sep-06       | Chlorophyll-c                                | Total           | ug/l         | ND        | 1                      |
| BENA-02      | RILEY CREEK    | 13-Sep-06       | Chromium                                     | Dissolved       | ug/l         | ND        | 2                      |
| BENA-02      | RILEY CREEK    | 13-Sep-06       | Chromium                                     | Total           | ug/l         | ND        | 2                      |
| BENA-02      | RILEY CREEK    | 13-Sep-06       | Cobalt                                       | Dissolved       | ug/l         | ND        | 3                      |
| BENA-02      | RILEY CREEK    | 13-Sep-06       | Cobalt                                       | Total           | ug/l         | ND        | 3                      |
| BENA-02      | RILEY CREEK    | 13-Sep-06       | Copper                                       | Dissolved       | ug/l         | ND        | 3                      |
| BENA-02      | RILEY CREEK    | 13-Sep-06       | Copper                                       | Total           | ug/l         | ND        | 3                      |
| BENA-02      | Riley Creek    | 13-Sep-06       | Cyanide                                      | Total           | mg/l         | ND        | 0.003                  |
| BENA-02      |                | 13-Sep-06       | Dissolved oxygen (DO)                        |                 | mg/l         |           |                        |
| BENA-02      | Riley Creek    | 13-Sep-06       | Fluorides                                    | Total           | mg/l         |           | 0.05                   |
| BENA-02      | RILEY CREEK    | 13-Sep-06       | Hardness, Ca + Mg                            | Total           | ug/l         | C         |                        |
| BENA-02      | RILEY CREEK    | 13-Sep-06       | Iron   | Dissolved       | ug/l         | ND,z      | 33                     |
| BENA-02      | RILEY CREEK    | 13-Sep-06       | Iron   | Total           | ug/l         |           | 33                     |
| BENA-02      | RILEY CREEK    | 13-Sep-06       | Lead   | Dissolved       | ug/l         | ND        | 5                      |

| Station Code | Waterbody Name | Collection Date | Analyte                                      | Sample Fraction | Result Units | Qualifier | Method Detection Limit |
|--------------|----------------|-----------------|--|-----------------|--------------|-----------|------------------------|
| BENA-02      | RILEY CREEK    | 13-Sep-06       | Lead   | Total           | ug/l         | ND        | 5                      |
| BENA-02      | RILEY CREEK    | 13-Sep-06       | Magnesium                                    | Dissolved       | ug/l         |           | 9                      |
| BENA-02      | RILEY CREEK    | 13-Sep-06       | Magnesium                                    | Total           | ug/l         |           | 9                      |
| BENA-02      | RILEY CREEK    | 13-Sep-06       | Manganese                                    | Dissolved       | ug/l         |           | 1                      |
| BENA-02      | RILEY CREEK    | 13-Sep-06       | Manganese                                    | Total           | ug/l         |           | 1                      |
| BENA-02      | RILEY CREEK    | 13-Sep-06       | Nickel                                       | Dissolved       | ug/l         | ND        | 5                      |
| BENA-02      | RILEY CREEK    | 13-Sep-06       | Nickel                                       | Total           | ug/l         | ND        | 5                      |
| BENA-02      | Riley Creek    | 13-Sep-06       | Nitrogen, ammonia as N                       | Total           | mg/l         |           | 0.04                   |
| BENA-02      | Riley Creek    | 13-Sep-06       | Nitrogen, Kjeldahl                           | Total           | mg/l         |           | 0.75                   |
| BENA-02      | Riley Creek    | 13-Sep-06       | Nitrogen, Nitrite (NO2) + Nitrate (NO3) as N | Total           | mg/l         |           | 0.01                   |
| BENA-02      |                | 13-Sep-06       | pH   |                 |              |           |                        |
| BENA-02      | Riley Creek    | 13-Sep-06       | Phenols                                      | Total           | ug/l         | ND        | 4                      |
| BENA-02      | RILEY CREEK    | 13-Sep-06       | Pheophytin-a                                 | Total           | ug/l         |           | 1                      |
| BENA-02      | Riley Creek    | 13-Sep-06       | Phosphorus as P                              | Dissolved       | mg/l         |           | 0.01                   |
| BENA-02      | Riley Creek    | 13-Sep-06       | Phosphorus as P                              | Total           | mg/l         |           | 0.01                   |
| BENA-02      | RILEY CREEK    | 13-Sep-06       | Potassium                                    | Dissolved       | ug/l         |           | 2000                   |
| BENA-02      | RILEY CREEK    | 13-Sep-06       | Potassium                                    | Total           | ug/l         |           | 2000                   |
| BENA-02      | RILEY CREEK    | 13-Sep-06       | Silver                                       | Dissolved       | ug/l         | ND        | 3                      |
| BENA-02      | RILEY CREEK    | 13-Sep-06       | Silver                                       | Total           | ug/l         | ND        | 3                      |
| BENA-02      | RILEY CREEK    | 13-Sep-06       | Sodium                                       | Dissolved       | ug/l         |           | 370                    |
| BENA-02      | RILEY CREEK    | 13-Sep-06       | Sodium                                       | Total           | ug/l         |           | 370                    |
| BENA-02      | Riley Creek    | 13-Sep-06       | Solids, suspended, volatile                  |                 | mg/l         | ND        | 6                      |
| BENA-02      | Riley Creek    | 13-Sep-06       | Solids, Total Suspended (TSS)                |                 | mg/l         |           | 5                      |
| BENA-02      |                | 13-Sep-06       | Specific conductance                         |                 | umho/cm      |           |                        |
| BENA-02      | RILEY CREEK    | 13-Sep-06       | Strontium                                    | Dissolved       | ug/l         |           | 1                      |
| BENA-02      | RILEY CREEK    | 13-Sep-06       | Strontium                                    | Total           | ug/l         |           | 1                      |
| BENA-02      | Riley Creek    | 13-Sep-06       | Sulfate                                      | Total           | mg/l         |           | 1                      |
| BENA-02      |                | 13-Sep-06       | Temperature, air                             |                 | deg C        |           |                        |
| BENA-02      | Riley Creek    | 13-Sep-06       | Temperature, sample                          |                 | deg C        |           |                        |
| BENA-02      | Riley Creek    | 13-Sep-06       | Temperature, sample                          |                 | deg C        |           |                        |
| BENA-02      | Riley Creek    | 13-Sep-06       | Temperature, sample                          |                 | deg C        |           |                        |
| BENA-02      | Riley Creek    | 13-Sep-06       | Temperature, sample                          |                 | deg C        |           |                        |
| BENA-02      | Riley Creek    | 13-Sep-06       | Temperature, sample                          |                 | deg C        |           |                        |
| BENA-02      | RILEY CREEK    | 13-Sep-06       | Temperature, sample                          |                 | deg C        |           |                        |
| BENA-02      | RILEY CREEK    | 13-Sep-06       | Temperature, sample                          |                 | deg C        |           |                        |
| BENA-02      |                | 13-Sep-06       | Temperature, water                           |                 | deg C        |           |                        |
| BENA-02      |                | 13-Sep-06       | Turbidity                                    |                 | NTU          |           |                        |
| BENA-02      | RILEY CREEK    | 13-Sep-06       | Vanadium                                     | Dissolved       | ug/l         | ND        | 3                      |
| BENA-02      | RILEY CREEK    | 13-Sep-06       | Vanadium                                     | Total           | ug/l         | J         | 3                      |
| BENA-02      | RILEY CREEK    | 13-Sep-06       | Zinc   | Dissolved       | ug/l         | J         | 2                      |
| BENA-02      | RILEY CREEK    | 13-Sep-06       | Zinc   | Total           | ug/l         | J         | 2                      |
| BENA-03      | Riley Creek    | 13-Sep-06       | Alkalinity, total                            |                 | mg/l         |           | 0                      |
| BENA-03      | RILEY CREEK    | 13-Sep-06       | Aluminum                                     | Dissolved       | ug/l         | J         | 20                     |
| BENA-03      | RILEY CREEK    | 13-Sep-06       | Aluminum                                     | Total           | ug/l         |           | 20                     |
| BENA-03      | RILEY CREEK    | 13-Sep-06       | Arsenic                                      | Total           | ug/l         |           | 0.06                   |
| BENA-03      | RILEY CREEK    | 13-Sep-06       | Barium                                       | Dissolved       | ug/l         |           | 1                      |
| BENA-03      | RILEY CREEK    | 13-Sep-06       | Barium                                       | Total           | ug/l         |           | 1                      |
| BENA-03      | RILEY CREEK    | 13-Sep-06       | Beryllium                                    | Dissolved       | ug/l         | ND        | 1                      |
| BENA-03      | RILEY CREEK    | 13-Sep-06       | Beryllium                                    | Total           | ug/l         | ND        | 1                      |
| BENA-03      | RILEY CREEK    | 13-Sep-06       | Boron  | Dissolved       | ug/l         |           | 4                      |
| BENA-03      | RILEY CREEK    | 13-Sep-06       | Boron  | Total           | ug/l         |           | 4                      |
| BENA-03      | RILEY CREEK    | 13-Sep-06       | Cadmium                                      | Dissolved       | ug/l         | ND        | 1                      |
| BENA-03      | RILEY CREEK    | 13-Sep-06       | Cadmium                                      | Total           | ug/l         | ND        | 1                      |
| BENA-03      | RILEY CREEK    | 13-Sep-06       | Calcium                                      | Dissolved       | ug/l         |           | 18                     |
| BENA-03      | RILEY CREEK    | 13-Sep-06       | Calcium                                      | Total           | ug/l         |           | 18                     |
| BENA-03      | Riley Creek    | 13-Sep-06       | Carbon, organic                              | Total           | mg/l         |           | 0.5                    |
| BENA-03      | Riley Creek    | 13-Sep-06       | Chloride                                     | Total           | mg/l         |           | 1                      |
| BENA-03      | RILEY CREEK    | 13-Sep-06       | Chlorophyll a, corrected for pheophytin      | Total           | ug/l         |           | 1                      |
| BENA-03      | RILEY CREEK    | 13-Sep-06       | Chlorophyll a, uncorrected for pheophytin    | Total           | ug/l         |           | 1                      |
| BENA-03      | RILEY CREEK    | 13-Sep-06       | Chlorophyll-b                                | Total           | ug/l         | ND        | 1                      |
| BENA-03      | RILEY CREEK    | 13-Sep-06       | Chlorophyll-c                                | Total           | ug/l         | ND        | 1                      |
| BENA-03      | RILEY CREEK    | 13-Sep-06       | Chromium                                     | Dissolved       | ug/l         | ND        | 2                      |
| BENA-03      | RILEY CREEK    | 13-Sep-06       | Chromium                                     | Total           | ug/l         | ND        | 2                      |
| BENA-03      | RILEY CREEK    | 13-Sep-06       | Cobalt                                       | Dissolved       | ug/l         | ND        | 3                      |
| BENA-03      | RILEY CREEK    | 13-Sep-06       | Cobalt                                       | Total           | ug/l         | ND        | 3                      |
| BENA-03      | RILEY CREEK    | 13-Sep-06       | Copper                                       | Dissolved       | ug/l         | ND        | 3                      |
| BENA-03      | RILEY CREEK    | 13-Sep-06       | Copper                                       | Total           | ug/l         | ND        | 3                      |
| BENA-03      | Riley Creek    | 13-Sep-06       | Cyanide                                      | Total           | mg/l         | ND        | 0.003                  |
| BENA-03      |                | 13-Sep-06       | Dissolved oxygen (DO)                        |                 | mg/l         |           |                        |

| Station Code | Waterbody Name     | Collection Date | Analyte                                      | Sample Fraction | Result Units | Qualifier | Method Detection Limit |
|--------------|--------------------|-----------------|--|-----------------|--------------|-----------|------------------------|
| BENA-03      | Riley Creek        | 13-Sep-06       | Fluorides                                    | Total           | mg/l         |           | 0.05                   |
| BENA-03      | RILEY CREEK        | 13-Sep-06       | Hardness, Ca + Mg                            | Total           | ug/l         | C         |                        |
| BENA-03      | RILEY CREEK        | 13-Sep-06       | Iron   | Dissolved       | ug/l         | ND,z      | 33                     |
| BENA-03      | RILEY CREEK        | 13-Sep-06       | Iron   | Total           | ug/l         |           | 33                     |
| BENA-03      | RILEY CREEK        | 13-Sep-06       | Lead   | Dissolved       | ug/l         | ND        | 5                      |
| BENA-03      | RILEY CREEK        | 13-Sep-06       | Lead   | Total           | ug/l         | ND        | 5                      |
| BENA-03      | RILEY CREEK        | 13-Sep-06       | Magnesium                                    | Dissolved       | ug/l         |           | 9                      |
| BENA-03      | RILEY CREEK        | 13-Sep-06       | Magnesium                                    | Total           | ug/l         |           | 9                      |
| BENA-03      | RILEY CREEK        | 13-Sep-06       | Manganese                                    | Dissolved       | ug/l         |           | 1                      |
| BENA-03      | RILEY CREEK        | 13-Sep-06       | Manganese                                    | Total           | ug/l         |           | 1                      |
| BENA-03      | RILEY CREEK        | 13-Sep-06       | Nickel                                       | Dissolved       | ug/l         | ND        | 5                      |
| BENA-03      | RILEY CREEK        | 13-Sep-06       | Nickel                                       | Total           | ug/l         | ND        | 5                      |
| BENA-03      | Riley Creek        | 13-Sep-06       | Nitrogen, ammonia as N                       | Total           | mg/l         |           | 0.04                   |
| BENA-03      | Riley Creek        | 13-Sep-06       | Nitrogen, Kjeldahl                           | Total           | mg/l         | ND        | 0.75                   |
| BENA-03      | Riley Creek        | 13-Sep-06       | Nitrogen, Nitrite (NO2) + Nitrate (NO3) as N | Total           | mg/l         |           | 0.01                   |
| BENA-03      |                    | 13-Sep-06       | pH   |                 |              |           |                        |
| BENA-03      | Riley Creek        | 13-Sep-06       | Phenols                                      | Total           | ug/l         | ND        | 4                      |
| BENA-03      | RILEY CREEK        | 13-Sep-06       | Pheophytin-a                                 | Total           | ug/l         | ND        | 1                      |
| BENA-03      | Riley Creek        | 13-Sep-06       | Phosphorus as P                              | Dissolved       | mg/l         |           | 0.01                   |
| BENA-03      | Riley Creek        | 13-Sep-06       | Phosphorus as P                              | Total           | mg/l         |           | 0.01                   |
| BENA-03      | RILEY CREEK        | 13-Sep-06       | Potassium                                    | Dissolved       | ug/l         |           | 2000                   |
| BENA-03      | RILEY CREEK        | 13-Sep-06       | Potassium                                    | Total           | ug/l         |           | 2000                   |
| BENA-03      | RILEY CREEK        | 13-Sep-06       | Silver                                       | Dissolved       | ug/l         | ND        | 3                      |
| BENA-03      | RILEY CREEK        | 13-Sep-06       | Silver                                       | Total           | ug/l         | ND        | 3                      |
| BENA-03      | RILEY CREEK        | 13-Sep-06       | Sodium                                       | Dissolved       | ug/l         |           | 370                    |
| BENA-03      | RILEY CREEK        | 13-Sep-06       | Sodium                                       | Total           | ug/l         |           | 370                    |
| BENA-03      | Riley Creek        | 13-Sep-06       | Solids, suspended, volatile                  |                 | mg/l         |           | 6                      |
| BENA-03      | Riley Creek        | 13-Sep-06       | Solids, Total Suspended (TSS)                |                 | mg/l         |           | 5                      |
| BENA-03      |                    | 13-Sep-06       | Specific conductance                         |                 | umho/cm      |           |                        |
| BENA-03      | RILEY CREEK        | 13-Sep-06       | Strontium                                    | Dissolved       | ug/l         |           | 1                      |
| BENA-03      | RILEY CREEK        | 13-Sep-06       | Strontium                                    | Total           | ug/l         |           | 1                      |
| BENA-03      | Riley Creek        | 13-Sep-06       | Sulfate                                      | Total           | mg/l         |           | 1                      |
| BENA-03      |                    | 13-Sep-06       | Temperature, air                             |                 | deg C        |           |                        |
| BENA-03      | Riley Creek        | 13-Sep-06       | Temperature, sample                          |                 | deg C        |           |                        |
| BENA-03      | Riley Creek        | 13-Sep-06       | Temperature, sample                          |                 | deg C        |           |                        |
| BENA-03      | Riley Creek        | 13-Sep-06       | Temperature, sample                          |                 | deg C        |           |                        |
| BENA-03      | Riley Creek        | 13-Sep-06       | Temperature, sample                          |                 | deg C        |           |                        |
| BENA-03      | Riley Creek        | 13-Sep-06       | Temperature, sample                          |                 | deg C        |           |                        |
| BENA-03      | RILEY CREEK        | 13-Sep-06       | Temperature, sample                          |                 | deg C        |           |                        |
| BENA-03      |                    | 13-Sep-06       | Temperature, water                           |                 | deg C        |           |                        |
| BENA-03      |                    | 13-Sep-06       | Turbidity                                    |                 | NTU          |           |                        |
| BENA-03      | RILEY CREEK        | 13-Sep-06       | Vanadium                                     | Dissolved       | ug/l         | ND        | 3                      |
| BENA-03      | RILEY CREEK        | 13-Sep-06       | Vanadium                                     | Total           | ug/l         | ND        | 3                      |
| BENA-03      | RILEY CREEK        | 13-Sep-06       | Zinc   | Dissolved       | ug/l         | J         | 2                      |
| BENA-03      | RILEY CREEK        | 13-Sep-06       | Zinc   | Total           | ug/l         | J         | 2                      |
| BENC-01      | Riley-Cassel Creek | 13-Sep-06       | Alkalinity, total                            |                 | mg/l         |           | 0                      |
| BENC-01      | RILEY              | 13-Sep-06       | Aluminum                                     | Dissolved       | ug/l         | J         | 20                     |
| BENC-01      | RILEY              | 13-Sep-06       | Aluminum                                     | Total           | ug/l         |           | 20                     |
| BENC-01      | RILEY              | 13-Sep-06       | Arsenic                                      | Total           | ug/l         |           | 0.06                   |
| BENC-01      | RILEY              | 13-Sep-06       | Barium                                       | Dissolved       | ug/l         |           | 1                      |
| BENC-01      | RILEY              | 13-Sep-06       | Barium                                       | Total           | ug/l         |           | 1                      |
| BENC-01      | RILEY              | 13-Sep-06       | Beryllium                                    | Dissolved       | ug/l         | ND        | 1                      |
| BENC-01      | RILEY              | 13-Sep-06       | Beryllium                                    | Total           | ug/l         | ND        | 1                      |
| BENC-01      | RILEY              | 13-Sep-06       | Boron  | Dissolved       | ug/l         |           | 4                      |
| BENC-01      | RILEY              | 13-Sep-06       | Boron  | Total           | ug/l         |           | 4                      |
| BENC-01      | RILEY              | 13-Sep-06       | Cadmium                                      | Dissolved       | ug/l         | ND        | 1                      |
| BENC-01      | RILEY              | 13-Sep-06       | Cadmium                                      | Total           | ug/l         | ND        | 1                      |
| BENC-01      | RILEY              | 13-Sep-06       | Calcium                                      | Dissolved       | ug/l         |           | 18                     |
| BENC-01      | RILEY              | 13-Sep-06       | Calcium                                      | Total           | ug/l         |           | 18                     |
| BENC-01      | Riley-Cassel Creek | 13-Sep-06       | Carbon, organic                              | Total           | mg/l         |           | 0.5                    |
| BENC-01      | Riley-Cassel Creek | 13-Sep-06       | Chloride                                     | Total           | mg/l         |           | 1                      |
| BENC-01      | RILEY              | 13-Sep-06       | Chlorophyll a, corrected for pheophytin      | Total           | ug/l         |           | 1                      |
| BENC-01      | RILEY              | 13-Sep-06       | Chlorophyll a, uncorrected for pheophytin    | Total           | ug/l         |           | 1                      |
| BENC-01      | RILEY              | 13-Sep-06       | Chlorophyll-b                                | Total           | ug/l         | ND        | 1                      |
| BENC-01      | RILEY              | 13-Sep-06       | Chlorophyll-c                                | Total           | ug/l         | ND        | 1                      |
| BENC-01      | RILEY              | 13-Sep-06       | Chromium                                     | Dissolved       | ug/l         | ND        | 2                      |
| BENC-01      | RILEY              | 13-Sep-06       | Chromium                                     | Total           | ug/l         | ND        | 2                      |
| BENC-01      | RILEY              | 13-Sep-06       | Cobalt                                       | Dissolved       | ug/l         | ND        | 3                      |

| Station Code | Waterbody Name     | Collection Date | Analyte                                      | Sample Fraction | Result Units | Qualifier | Method Detection Limit |
|--------------|--------------------|-----------------|--|-----------------|--------------|-----------|------------------------|
| BENC-01      | RILEY              | 13-Sep-06       | Cobalt                                       | Total           | ug/l         | ND        | 3                      |
| BENC-01      | RILEY              | 13-Sep-06       | Copper                                       | Dissolved       | ug/l         | ND        | 3                      |
| BENC-01      | RILEY              | 13-Sep-06       | Copper                                       | Total           | ug/l         | ND        | 3                      |
| BENC-01      | Riley-Cassel Creek | 13-Sep-06       | Cyanide                                      | Total           | mg/l         | ND        | 0.003                  |
| BENC-01      |                    | 13-Sep-06       | Dissolved oxygen (DO)                        |                 | mg/l         |           |                        |
| BENC-01      | Riley-Cassel Creek | 13-Sep-06       | Fluorides                                    | Total           | mg/l         |           | 0.05                   |
| BENC-01      | RILEY              | 13-Sep-06       | Hardness, Ca + Mg                            | Total           | ug/l         | C         |                        |
| BENC-01      | RILEY              | 13-Sep-06       | Iron   | Dissolved       | ug/l         | ND,z      | 33                     |
| BENC-01      | RILEY              | 13-Sep-06       | Iron   | Total           | ug/l         |           | 33                     |
| BENC-01      | RILEY              | 13-Sep-06       | Lead   | Dissolved       | ug/l         | ND        | 5                      |
| BENC-01      | RILEY              | 13-Sep-06       | Lead   | Total           | ug/l         | ND        | 5                      |
| BENC-01      | RILEY              | 13-Sep-06       | Magnesium                                    | Dissolved       | ug/l         |           | 9                      |
| BENC-01      | RILEY              | 13-Sep-06       | Magnesium                                    | Total           | ug/l         |           | 9                      |
| BENC-01      | RILEY              | 13-Sep-06       | Manganese                                    | Dissolved       | ug/l         |           | 1                      |
| BENC-01      | RILEY              | 13-Sep-06       | Manganese                                    | Total           | ug/l         |           | 1                      |
| BENC-01      | RILEY              | 13-Sep-06       | Nickel                                       | Dissolved       | ug/l         | ND        | 5                      |
| BENC-01      | RILEY              | 13-Sep-06       | Nickel                                       | Total           | ug/l         | ND        | 5                      |
| BENC-01      | Riley-Cassel Creek | 13-Sep-06       | Nitrogen, ammonia as N                       | Total           | mg/l         |           | 0.04                   |
| BENC-01      | Riley-Cassel Creek | 13-Sep-06       | Nitrogen, Kjeldahl                           | Total           | mg/l         |           | 0.75                   |
| BENC-01      | Riley-Cassel Creek | 13-Sep-06       | Nitrogen, Nitrite (NO2) + Nitrate (NO3) as N | Total           | mg/l         |           | 0.2                    |
| BENC-01      |                    | 13-Sep-06       | pH   |                 |              |           |                        |
| BENC-01      | Riley-Cassel Creek | 13-Sep-06       | Phenols                                      | Total           | ug/l         | ND        | 4                      |
| BENC-01      | RILEY              | 13-Sep-06       | Pheophytin-a                                 | Total           | ug/l         | ND        | 1                      |
| BENC-01      | Riley-Cassel Creek | 13-Sep-06       | Phosphorus as P                              | Dissolved       | mg/l         |           | 0.05                   |
| BENC-01      | Riley-Cassel Creek | 13-Sep-06       | Phosphorus as P                              | Total           | mg/l         |           | 0.05                   |
| BENC-01      | RILEY              | 13-Sep-06       | Potassium                                    | Dissolved       | ug/l         |           | 2000                   |
| BENC-01      | RILEY              | 13-Sep-06       | Potassium                                    | Total           | ug/l         |           | 2000                   |
| BENC-01      | RILEY              | 13-Sep-06       | Selenium                                     | Total           | ug/l         | J         | 0.18                   |
| BENC-01      | RILEY              | 13-Sep-06       | Silver                                       | Dissolved       | ug/l         | ND        | 3                      |
| BENC-01      | RILEY              | 13-Sep-06       | Silver                                       | Total           | ug/l         | ND        | 3                      |
| BENC-01      | RILEY              | 13-Sep-06       | Sodium                                       | Dissolved       | ug/l         |           | 370                    |
| BENC-01      | RILEY              | 13-Sep-06       | Sodium                                       | Total           | ug/l         |           | 370                    |
| BENC-01      | Riley-Cassel Creek | 13-Sep-06       | Solids, suspended, volatile                  |                 | mg/l         |           | 6                      |
| BENC-01      | Riley-Cassel Creek | 13-Sep-06       | Solids, Total Suspended (TSS)                |                 | mg/l         |           | 5                      |
| BENC-01      |                    | 13-Sep-06       | Specific conductance                         |                 | umho/cm      |           |                        |
| BENC-01      | RILEY              | 13-Sep-06       | Strontium                                    | Dissolved       | ug/l         |           | 1                      |
| BENC-01      | RILEY              | 13-Sep-06       | Strontium                                    | Total           | ug/l         |           | 1                      |
| BENC-01      | Riley-Cassel Creek | 13-Sep-06       | Sulfate                                      | Total           | mg/l         |           | 1                      |
| BENC-01      |                    | 13-Sep-06       | Temperature, air                             |                 | deg C        |           |                        |
| BENC-01      | Riley-Cassel Creek | 13-Sep-06       | Temperature, sample                          |                 | deg C        |           |                        |
| BENC-01      | Riley-Cassel Creek | 13-Sep-06       | Temperature, sample                          |                 | deg C        |           |                        |
| BENC-01      | Riley-Cassel Creek | 13-Sep-06       | Temperature, sample                          |                 | deg C        |           |                        |
| BENC-01      | Riley-Cassel Creek | 13-Sep-06       | Temperature, sample                          |                 | deg C        |           |                        |
| BENC-01      | Riley-Cassel Creek | 13-Sep-06       | Temperature, sample                          |                 | deg C        |           |                        |
| BENC-01      | RILEY              | 13-Sep-06       | Temperature, sample                          |                 | deg C        |           |                        |
| BENC-01      | RILEY              | 13-Sep-06       | Temperature, sample                          |                 | deg C        |           |                        |
| BENC-01      |                    | 13-Sep-06       | Temperature, water                           |                 | deg C        |           |                        |
| BENC-01      |                    | 13-Sep-06       | Turbidity                                    |                 | NTU          |           |                        |
| BENC-01      | RILEY              | 13-Sep-06       | Vanadium                                     | Dissolved       | ug/l         | ND        | 3                      |
| BENC-01      | RILEY              | 13-Sep-06       | Vanadium                                     | Total           | ug/l         | ND        | 3                      |
| BENC-01      | RILEY              | 13-Sep-06       | Zinc   | Dissolved       | ug/l         |           | 2                      |
| BENC-01      | RILEY              | 13-Sep-06       | Zinc   | Total           | ug/l         |           | 2                      |
| BEN-01       | KICKAPOO CREEK     | 07-Jun-11       | Alkalinity, total                            |                 | mg/l         |           | 1.46                   |
| BEN-01       | KICKAPOO CREEK     | 07-Jun-11       | Aluminum                                     | Dissolved       | ug/l         | J         | 2.78                   |
| BEN-01       | KICKAPOO CREEK     | 07-Jun-11       | Aluminum                                     | Total           | ug/l         |           | 2.78                   |
| BEN-01       | KICKAPOO CREEK     | 07-Jun-11       | Ammonia-nitrogen                             | Total           | mg/l         | ND        | 0.02                   |
| BEN-01       | KICKAPOO CREEK     | 07-Jun-11       | Arsenic                                      | Dissolved       | ug/l         | V         | 0.94                   |
| BEN-01       | KICKAPOO CREEK     | 07-Jun-11       | Arsenic                                      | Total           | ug/l         | J         | 0.94                   |
| BEN-01       | KICKAPOO CREEK     | 07-Jun-11       | Barium                                       | Dissolved       | ug/l         |           | 0.13                   |
| BEN-01       | KICKAPOO CREEK     | 07-Jun-11       | Barium                                       | Total           | ug/l         |           | 0.13                   |
| BEN-01       | KICKAPOO CREEK     | 07-Jun-11       | Beryllium                                    | Dissolved       | ug/l         | ND        | 0.08                   |
| BEN-01       | KICKAPOO CREEK     | 07-Jun-11       | Beryllium                                    | Total           | ug/l         | ND        | 0.08                   |
| BEN-01       | KICKAPOO CREEK     | 07-Jun-11       | Boron  | Dissolved       | ug/l         |           | 2.73                   |
| BEN-01       | KICKAPOO CREEK     | 07-Jun-11       | Boron  | Total           | ug/l         |           | 2.73                   |
| BEN-01       | KICKAPOO CREEK     | 07-Jun-11       | Cadmium                                      | Dissolved       | ug/l         | ND        | 0.18                   |
| BEN-01       | KICKAPOO CREEK     | 07-Jun-11       | Cadmium                                      | Total           | ug/l         | ND        | 0.18                   |
| BEN-01       | KICKAPOO CREEK     | 07-Jun-11       | Calcium                                      | Dissolved       | ug/l         |           | 4.76                   |
| BEN-01       | KICKAPOO CREEK     | 07-Jun-11       | Calcium                                      | Total           | ug/l         |           | 4.76                   |
| BEN-01       | KICKAPOO CREEK     | 07-Jun-11       | Chloride                                     | Total           | mg/l         |           | 0.29                   |



| Station Code | Waterbody Name | Collection Date | Analyte                                   | Sample Fraction | Result Units | Qualifier | Method Detection Limit |
|--------------|----------------|-----------------|---|-----------------|--------------|-----------|------------------------|
| BEN-01       | KICKAPOO CREEK | 07-Jun-11       | Chlorophyll a, corrected for pheophytin   | Total           | ug/l         |           |                        |
| BEN-01       | KICKAPOO CREEK | 07-Jun-11       | Chlorophyll a, uncorrected for pheophytin | Total           | ug/l         |           |                        |
| BEN-01       | KICKAPOO CREEK | 07-Jun-11       | Chlorophyll b                             | Total           | ug/l         | J         |                        |
| BEN-01       | KICKAPOO CREEK | 07-Jun-11       | Chlorophyll c                             | Total           | ug/l         | J         |                        |
| BEN-01       | KICKAPOO CREEK | 07-Jun-11       | Chromium                                  | Dissolved       | ug/l         | J         | 0.24                   |
| BEN-01       | KICKAPOO CREEK | 07-Jun-11       | Chromium                                  | Total           | ug/l         | J         | 0.24                   |
| BEN-01       | KICKAPOO CREEK | 07-Jun-11       | Cobalt                                    | Dissolved       | ug/l         | J         | 0.22                   |
| BEN-01       | KICKAPOO CREEK | 07-Jun-11       | Cobalt                                    | Total           | ug/l         | J         | 0.22                   |
| BEN-01       | KICKAPOO CREEK | 07-Jun-11       | Copper                                    | Dissolved       | ug/l         |           | 0.79                   |
| BEN-01       | KICKAPOO CREEK | 07-Jun-11       | Copper                                    | Total           | ug/l         |           | 0.79                   |
| BEN-01       | KICKAPOO CREEK | 07-Jun-11       | Cyanide                                   | Total           | mg/l         | J         | 0.002                  |
| BEN-01       |                | 07-Jun-11       | Dissolved oxygen (DO)                     |                 | mg/l         |           |                        |
| BEN-01       |                | 07-Jun-11       | Dissolved oxygen saturation               |                 | %            |           |                        |
| BEN-01       | KICKAPOO CREEK | 07-Jun-11       | Fluoride                                  | Total           | mg/l         |           | 0.02                   |
| BEN-01       | KICKAPOO CREEK | 07-Jun-11       | Hardness, Ca, Mg                          |                 | ug/l         | C         |                        |
| BEN-01       | KICKAPOO CREEK | 07-Jun-11       | Inorganic nitrogen (nitrate and nitrite)  | Total           | mg/l         |           | 0.018                  |
| BEN-01       | KICKAPOO CREEK | 07-Jun-11       | Iron                                      | Dissolved       | ug/l         | J,J6      | 3.06                   |
| BEN-01       | KICKAPOO CREEK | 07-Jun-11       | Iron                                      | Total           | ug/l         | J6        | 3.06                   |
| BEN-01       | KICKAPOO CREEK | 07-Jun-11       | Kjeldahl nitrogen                         | Total           | mg/l         | J         | 0.098                  |
| BEN-01       | KICKAPOO CREEK | 07-Jun-11       | Lead                                      | Dissolved       | ug/l         |           | 0.67                   |
| BEN-01       | KICKAPOO CREEK | 07-Jun-11       | Lead                                      | Total           | ug/l         |           | 0.67                   |
| BEN-01       | KICKAPOO CREEK | 07-Jun-11       | Magnesium                                 | Dissolved       | ug/l         |           | 4.69                   |
| BEN-01       | KICKAPOO CREEK | 07-Jun-11       | Magnesium                                 | Total           | ug/l         |           | 4.69                   |
| BEN-01       | KICKAPOO CREEK | 07-Jun-11       | Manganese                                 | Dissolved       | ug/l         |           | 0.05                   |
| BEN-01       | KICKAPOO CREEK | 07-Jun-11       | Manganese                                 | Total           | ug/l         |           | 0.05                   |
| BEN-01       | KICKAPOO CREEK | 07-Jun-11       | Nickel                                    | Dissolved       | ug/l         | J         | 0.41                   |
| BEN-01       | KICKAPOO CREEK | 07-Jun-11       | Nickel                                    | Total           | ug/l         | J         | 0.41                   |
| BEN-01       | KICKAPOO CREEK | 07-Jun-11       | Organic carbon                            | Total           | mg/l         |           | 0.02                   |
| BEN-01       |                | 07-Jun-11       | pH  |                 | none         |           |                        |
| BEN-01       | KICKAPOO CREEK | 07-Jun-11       | Phenols                                   | Total           | ug/l         | J         | 1.53                   |
| BEN-01       | KICKAPOO CREEK | 07-Jun-11       | Pheophytin a                              | Total           | ug/l         | J         |                        |
| BEN-01       | KICKAPOO CREEK | 07-Jun-11       | Phosphorus                                | Dissolved       | mg/l         |           | 0.002                  |
| BEN-01       | KICKAPOO CREEK | 07-Jun-11       | Phosphorus                                | Total           | mg/l         |           | 0.002                  |
| BEN-01       | KICKAPOO CREEK | 07-Jun-11       | Potassium                                 | Dissolved       | ug/l         |           | 8.13                   |
| BEN-01       | KICKAPOO CREEK | 07-Jun-11       | Potassium                                 | Total           | ug/l         |           | 8.13                   |
| BEN-01       | KICKAPOO CREEK | 07-Jun-11       | Silver                                    | Dissolved       | ug/l         | J         | 0.38                   |
| BEN-01       | KICKAPOO CREEK | 07-Jun-11       | Silver                                    | Total           | ug/l         | J         | 0.38                   |
| BEN-01       | KICKAPOO CREEK | 07-Jun-11       | Sodium                                    | Dissolved       | ug/l         |           | 231                    |
| BEN-01       | KICKAPOO CREEK | 07-Jun-11       | Sodium                                    | Total           | ug/l         |           | 231                    |
| BEN-01       |                | 07-Jun-11       | Specific conductance                      |                 | umho/cm      |           |                        |
| BEN-01       | KICKAPOO CREEK | 07-Jun-11       | Strontium                                 | Dissolved       | ug/l         |           | 0.38                   |
| BEN-01       | KICKAPOO CREEK | 07-Jun-11       | Strontium                                 | Total           | ug/l         |           | 0.38                   |
| BEN-01       | KICKAPOO CREEK | 07-Jun-11       | Sulfate                                   | Total           | mg/l         |           | 1.63                   |
| BEN-01       |                | 07-Jun-11       | Temperature, air                          |                 | deg C        |           |                        |
| BEN-01       | KICKAPOO CREEK | 07-Jun-11       | Temperature, sample                       |                 | deg C        |           |                        |
| BEN-01       |                | 07-Jun-11       | Temperature, water                        |                 | deg C        |           |                        |
| BEN-01       | KICKAPOO CREEK | 07-Jun-11       | Total suspended solids                    |                 | mg/l         |           |                        |
| BEN-01       |                | 07-Jun-11       | Turbidity                                 |                 | NTU          |           |                        |
| BEN-01       | KICKAPOO CREEK | 07-Jun-11       | Vanadium                                  | Dissolved       | ug/l         | J         | 0.19                   |
| BEN-01       | KICKAPOO CREEK | 07-Jun-11       | Vanadium                                  | Total           | ug/l         | J         | 0.19                   |
| BEN-01       | KICKAPOO CREEK | 07-Jun-11       | Volatile suspended solids                 |                 | mg/l         | Q         |                        |
| BEN-01       | KICKAPOO CREEK | 07-Jun-11       | Zinc                                      | Dissolved       | ug/l         | J         | 0.35                   |
| BEN-01       | KICKAPOO CREEK | 07-Jun-11       | Zinc                                      | Total           | ug/l         |           | 0.35                   |
| BENA-01      | RILEY CREEK    | 07-Jun-11       | Alkalinity, total                         |                 | mg/l         |           | 1.46                   |
| BENA-01      | RILEY CREEK    | 07-Jun-11       | Aluminum                                  | Dissolved       | ug/l         |           | 2.78                   |
| BENA-01      | RILEY CREEK    | 07-Jun-11       | Aluminum                                  | Total           | ug/l         |           | 2.78                   |
| BENA-01      | RILEY CREEK    | 07-Jun-11       | Ammonia-nitrogen                          | Total           | mg/l         | ND        | 0.02                   |
| BENA-01      | RILEY CREEK    | 07-Jun-11       | Arsenic                                   | Dissolved       | ug/l         | V         | 0.94                   |
| BENA-01      | RILEY CREEK    | 07-Jun-11       | Arsenic                                   | Total           | ug/l         | V         | 0.94                   |
| BENA-01      | RILEY CREEK    | 07-Jun-11       | Barium                                    | Dissolved       | ug/l         |           | 0.13                   |
| BENA-01      | RILEY CREEK    | 07-Jun-11       | Barium                                    | Total           | ug/l         |           | 0.13                   |
| BENA-01      | RILEY CREEK    | 07-Jun-11       | Beryllium                                 | Dissolved       | ug/l         | ND        | 0.08                   |
| BENA-01      | RILEY CREEK    | 07-Jun-11       | Beryllium                                 | Total           | ug/l         | ND        | 0.08                   |
| BENA-01      | RILEY CREEK    | 07-Jun-11       | Boron                                     | Dissolved       | ug/l         |           | 2.73                   |
| BENA-01      | RILEY CREEK    | 07-Jun-11       | Boron                                     | Total           | ug/l         |           | 2.73                   |
| BENA-01      | RILEY CREEK    | 07-Jun-11       | Cadmium                                   | Dissolved       | ug/l         | ND        | 0.18                   |
| BENA-01      | RILEY CREEK    | 07-Jun-11       | Cadmium                                   | Total           | ug/l         | ND        | 0.18                   |
| BENA-01      | RILEY CREEK    | 07-Jun-11       | Calcium                                   | Dissolved       | ug/l         |           | 4.76                   |
| BENA-01      | RILEY CREEK    | 07-Jun-11       | Calcium                                   | Total           | ug/l         |           | 4.76                   |

| Station Code | Waterbody Name | Collection Date | Analyte                                   | Sample Fraction | Result Units | Qualifier | Method Detection Limit |
|--------------|----------------|-----------------|---|-----------------|--------------|-----------|------------------------|
| BENA-01      | RILEY CREEK    | 07-Jun-11       | Chloride                                  | Total           | mg/l         |           | 0.29                   |
| BENA-01      | RILEY CREEK    | 07-Jun-11       | Chlorophyll a, corrected for pheophytin   | Total           | ug/l         |           |                        |
| BENA-01      | RILEY CREEK    | 07-Jun-11       | Chlorophyll a, uncorrected for pheophytin | Total           | ug/l         |           |                        |
| BENA-01      | RILEY CREEK    | 07-Jun-11       | Chlorophyll b                             | Total           | ug/l         |           |                        |
| BENA-01      | RILEY CREEK    | 07-Jun-11       | Chlorophyll c                             | Total           | ug/l         | J         |                        |
| BENA-01      | RILEY CREEK    | 07-Jun-11       | Chromium                                  | Dissolved       | ug/l         | J         | 0.24                   |
| BENA-01      | RILEY CREEK    | 07-Jun-11       | Chromium                                  | Total           | ug/l         | J         | 0.24                   |
| BENA-01      | RILEY CREEK    | 07-Jun-11       | Cobalt                                    | Dissolved       | ug/l         | J         | 0.22                   |
| BENA-01      | RILEY CREEK    | 07-Jun-11       | Cobalt                                    | Total           | ug/l         | J         | 0.22                   |
| BENA-01      | RILEY CREEK    | 07-Jun-11       | Copper                                    | Dissolved       | ug/l         |           | 0.79                   |
| BENA-01      | RILEY CREEK    | 07-Jun-11       | Copper                                    | Total           | ug/l         |           | 0.79                   |
| BENA-01      | RILEY CREEK    | 07-Jun-11       | Cyanide                                   | Total           | mg/l         | J         | 0.002                  |
| BENA-01      |                | 07-Jun-11       | Dissolved oxygen (DO)                     |                 | mg/l         |           |                        |
| BENA-01      |                | 07-Jun-11       | Dissolved oxygen saturation               |                 | %            |           |                        |
| BENA-01      | RILEY CREEK    | 07-Jun-11       | Fluoride                                  | Total           | mg/l         |           | 0.02                   |
| BENA-01      | RILEY CREEK    | 07-Jun-11       | Hardness, Ca, Mg                          |                 | ug/l         | C         |                        |
| BENA-01      | RILEY CREEK    | 07-Jun-11       | Inorganic nitrogen (nitrate and nitrite)  | Total           | mg/l         |           | 0.018                  |
| BENA-01      | RILEY CREEK    | 07-Jun-11       | Iron                                      | Dissolved       | ug/l         | J,J6      | 3.06                   |
| BENA-01      | RILEY CREEK    | 07-Jun-11       | Iron                                      | Total           | ug/l         | J6        | 3.06                   |
| BENA-01      | RILEY CREEK    | 07-Jun-11       | Kjeldahl nitrogen                         | Total           | mg/l         | J         | 0.098                  |
| BENA-01      | RILEY CREEK    | 07-Jun-11       | Lead                                      | Dissolved       | ug/l         | J         | 0.67                   |
| BENA-01      | RILEY CREEK    | 07-Jun-11       | Lead                                      | Total           | ug/l         |           | 0.67                   |
| BENA-01      | RILEY CREEK    | 07-Jun-11       | Magnesium                                 | Dissolved       | ug/l         |           | 4.69                   |
| BENA-01      | RILEY CREEK    | 07-Jun-11       | Magnesium                                 | Total           | ug/l         |           | 4.69                   |
| BENA-01      | RILEY CREEK    | 07-Jun-11       | Manganese                                 | Dissolved       | ug/l         |           | 0.05                   |
| BENA-01      | RILEY CREEK    | 07-Jun-11       | Manganese                                 | Total           | ug/l         |           | 0.05                   |
| BENA-01      | RILEY CREEK    | 07-Jun-11       | Nickel                                    | Dissolved       | ug/l         | J         | 0.41                   |
| BENA-01      | RILEY CREEK    | 07-Jun-11       | Nickel                                    | Total           | ug/l         | ND        | 0.41                   |
| BENA-01      | RILEY CREEK    | 07-Jun-11       | Organic carbon                            | Total           | mg/l         |           | 0.02                   |
| BENA-01      |                | 07-Jun-11       | pH  |                 | none         |           |                        |
| BENA-01      | RILEY CREEK    | 07-Jun-11       | Phenols                                   | Total           | ug/l         | J         | 1.53                   |
| BENA-01      | RILEY CREEK    | 07-Jun-11       | Pheophytin a                              | Total           | ug/l         | J         |                        |
| BENA-01      | RILEY CREEK    | 07-Jun-11       | Phosphorus                                | Dissolved       | mg/l         |           | 0.002                  |
| BENA-01      | RILEY CREEK    | 07-Jun-11       | Phosphorus                                | Total           | mg/l         |           | 0.002                  |
| BENA-01      | RILEY CREEK    | 07-Jun-11       | Potassium                                 | Dissolved       | ug/l         |           | 8.13                   |
| BENA-01      | RILEY CREEK    | 07-Jun-11       | Potassium                                 | Total           | ug/l         |           | 8.13                   |
| BENA-01      | RILEY CREEK    | 07-Jun-11       | Silver                                    | Dissolved       | ug/l         | J         | 0.38                   |
| BENA-01      | RILEY CREEK    | 07-Jun-11       | Silver                                    | Total           | ug/l         | J         | 0.38                   |
| BENA-01      | RILEY CREEK    | 07-Jun-11       | Sodium                                    | Dissolved       | ug/l         |           | 231                    |
| BENA-01      | RILEY CREEK    | 07-Jun-11       | Sodium                                    | Total           | ug/l         |           | 231                    |
| BENA-01      |                | 07-Jun-11       | Specific conductance                      |                 | umho/cm      |           |                        |
| BENA-01      | RILEY CREEK    | 07-Jun-11       | Strontium                                 | Dissolved       | ug/l         |           | 0.38                   |
| BENA-01      | RILEY CREEK    | 07-Jun-11       | Strontium                                 | Total           | ug/l         |           | 0.38                   |
| BENA-01      | RILEY CREEK    | 07-Jun-11       | Sulfate                                   | Total           | mg/l         |           | 1.63                   |
| BENA-01      |                | 07-Jun-11       | Temperature, air                          |                 | deg C        |           |                        |
| BENA-01      | RILEY CREEK    | 07-Jun-11       | Temperature, sample                       |                 | deg C        |           |                        |
| BENA-01      |                | 07-Jun-11       | Temperature, water                        |                 | deg C        |           |                        |
| BENA-01      | RILEY CREEK    | 07-Jun-11       | Total suspended solids                    |                 | mg/l         |           |                        |
| BENA-01      |                | 07-Jun-11       | Turbidity                                 |                 | NTU          |           |                        |
| BENA-01      | RILEY CREEK    | 07-Jun-11       | Vanadium                                  | Dissolved       | ug/l         | J         | 0.19                   |
| BENA-01      | RILEY CREEK    | 07-Jun-11       | Vanadium                                  | Total           | ug/l         | J         | 0.19                   |
| BENA-01      | RILEY CREEK    | 07-Jun-11       | Volatile suspended solids                 |                 | mg/l         | Q         |                        |
| BENA-01      | RILEY CREEK    | 07-Jun-11       | Zinc                                      | Dissolved       | ug/l         | J         | 0.35                   |
| BENA-01      | RILEY CREEK    | 07-Jun-11       | Zinc                                      | Total           | ug/l         |           | 0.35                   |
| BENA-03      | RILEY CREEK    | 07-Jun-11       | Alkalinity, total                         |                 | mg/l         |           | 1.46                   |
| BENA-03      | RILEY CREEK    | 07-Jun-11       | Aluminum                                  | Dissolved       | ug/l         |           | 2.78                   |
| BENA-03      | RILEY CREEK    | 07-Jun-11       | Aluminum                                  | Total           | ug/l         |           | 2.78                   |
| BENA-03      | RILEY CREEK    | 07-Jun-11       | Ammonia-nitrogen                          | Total           | mg/l         | ND        | 0.02                   |
| BENA-03      | RILEY CREEK    | 07-Jun-11       | Arsenic                                   | Dissolved       | ug/l         | V         | 0.94                   |
| BENA-03      | RILEY CREEK    | 07-Jun-11       | Arsenic                                   | Total           | ug/l         | V         | 0.94                   |
| BENA-03      | RILEY CREEK    | 07-Jun-11       | Barium                                    | Dissolved       | ug/l         |           | 0.13                   |
| BENA-03      | RILEY CREEK    | 07-Jun-11       | Barium                                    | Total           | ug/l         |           | 0.13                   |
| BENA-03      | RILEY CREEK    | 07-Jun-11       | Beryllium                                 | Dissolved       | ug/l         | ND        | 0.08                   |
| BENA-03      | RILEY CREEK    | 07-Jun-11       | Beryllium                                 | Total           | ug/l         | ND        | 0.08                   |
| BENA-03      | RILEY CREEK    | 07-Jun-11       | Boron                                     | Dissolved       | ug/l         |           | 2.73                   |
| BENA-03      | RILEY CREEK    | 07-Jun-11       | Boron                                     | Total           | ug/l         |           | 2.73                   |
| BENA-03      | RILEY CREEK    | 07-Jun-11       | Cadmium                                   | Dissolved       | ug/l         | ND        | 0.18                   |
| BENA-03      | RILEY CREEK    | 07-Jun-11       | Cadmium                                   | Total           | ug/l         | ND        | 0.18                   |
| BENA-03      | RILEY CREEK    | 07-Jun-11       | Calcium                                   | Dissolved       | ug/l         |           | 4.76                   |

| Station Code | Waterbody Name      | Collection Date | Analyte                                   | Sample Fraction | Result Units | Qualifier | Method Detection Limit |
|--------------|---------------------|-----------------|---|-----------------|--------------|-----------|------------------------|
| BENA-03      | RILEY CREEK         | 07-Jun-11       | Calcium                                   | Total           | ug/l         |           | 4.76                   |
| BENA-03      | RILEY CREEK         | 07-Jun-11       | Chloride                                  | Total           | mg/l         |           | 0.29                   |
| BENA-03      | RILEY CREEK         | 07-Jun-11       | Chlorophyll a, corrected for pheophytin   | Total           | ug/l         |           |                        |
| BENA-03      | RILEY CREEK         | 07-Jun-11       | Chlorophyll a, uncorrected for pheophytin | Total           | ug/l         |           |                        |
| BENA-03      | RILEY CREEK         | 07-Jun-11       | Chlorophyll b                             | Total           | ug/l         | J         |                        |
| BENA-03      | RILEY CREEK         | 07-Jun-11       | Chlorophyll c                             | Total           | ug/l         |           |                        |
| BENA-03      | RILEY CREEK         | 07-Jun-11       | Chromium                                  | Dissolved       | ug/l         | J         | 0.24                   |
| BENA-03      | RILEY CREEK         | 07-Jun-11       | Chromium                                  | Total           | ug/l         | J         | 0.24                   |
| BENA-03      | RILEY CREEK         | 07-Jun-11       | Cobalt                                    | Dissolved       | ug/l         | J         | 0.22                   |
| BENA-03      | RILEY CREEK         | 07-Jun-11       | Cobalt                                    | Total           | ug/l         | ND        | 0.22                   |
| BENA-03      | RILEY CREEK         | 07-Jun-11       | Copper                                    | Dissolved       | ug/l         | J         | 0.79                   |
| BENA-03      | RILEY CREEK         | 07-Jun-11       | Copper                                    | Total           | ug/l         |           | 0.79                   |
| BENA-03      | RILEY CREEK         | 07-Jun-11       | Cyanide                                   | Total           | mg/l         | ND        | 0.002                  |
| BENA-03      |                     | 07-Jun-11       | Dissolved oxygen (DO)                     |                 | mg/l         |           |                        |
| BENA-03      |                     | 07-Jun-11       | Dissolved oxygen saturation               |                 | %            |           |                        |
| BENA-03      | RILEY CREEK         | 07-Jun-11       | Fluoride                                  | Total           | mg/l         |           | 0.02                   |
| BENA-03      | RILEY CREEK         | 07-Jun-11       | Hardness, Ca, Mg                          |                 | ug/l         | C         |                        |
| BENA-03      | RILEY CREEK         | 07-Jun-11       | Inorganic nitrogen (nitrate and nitrite)  | Total           | mg/l         | Q         | 0.018                  |
| BENA-03      | RILEY CREEK         | 07-Jun-11       | Iron                                      | Dissolved       | ug/l         | J,J6      | 3.06                   |
| BENA-03      | RILEY CREEK         | 07-Jun-11       | Iron                                      | Total           | ug/l         | J6        | 3.06                   |
| BENA-03      | RILEY CREEK         | 07-Jun-11       | Kjeldahl nitrogen                         | Total           | mg/l         | J         | 0.098                  |
| BENA-03      | RILEY CREEK         | 07-Jun-11       | Lead                                      | Dissolved       | ug/l         |           | 0.67                   |
| BENA-03      | RILEY CREEK         | 07-Jun-11       | Lead                                      | Total           | ug/l         | J         | 0.67                   |
| BENA-03      | RILEY CREEK         | 07-Jun-11       | Magnesium                                 | Dissolved       | ug/l         |           | 4.69                   |
| BENA-03      | RILEY CREEK         | 07-Jun-11       | Magnesium                                 | Total           | ug/l         |           | 4.69                   |
| BENA-03      | RILEY CREEK         | 07-Jun-11       | Manganese                                 | Dissolved       | ug/l         |           | 0.05                   |
| BENA-03      | RILEY CREEK         | 07-Jun-11       | Manganese                                 | Total           | ug/l         |           | 0.05                   |
| BENA-03      | RILEY CREEK         | 07-Jun-11       | Nickel                                    | Dissolved       | ug/l         | J         | 0.41                   |
| BENA-03      | RILEY CREEK         | 07-Jun-11       | Nickel                                    | Total           | ug/l         | ND        | 0.41                   |
| BENA-03      | RILEY CREEK         | 07-Jun-11       | Organic carbon                            | Total           | mg/l         |           | 0.02                   |
| BENA-03      |                     | 07-Jun-11       | pH  |                 | none         |           |                        |
| BENA-03      | RILEY CREEK         | 07-Jun-11       | Phenols                                   | Total           | ug/l         | ND        | 1.53                   |
| BENA-03      | RILEY CREEK         | 07-Jun-11       | Pheophytin a                              | Total           | ug/l         | ND        | 0.5                    |
| BENA-03      | RILEY CREEK         | 07-Jun-11       | Phosphorus                                | Dissolved       | mg/l         |           | 0.002                  |
| BENA-03      | RILEY CREEK         | 07-Jun-11       | Phosphorus                                | Total           | mg/l         |           | 0.002                  |
| BENA-03      | RILEY CREEK         | 07-Jun-11       | Potassium                                 | Dissolved       | ug/l         |           | 8.13                   |
| BENA-03      | RILEY CREEK         | 07-Jun-11       | Potassium                                 | Total           | ug/l         |           | 8.13                   |
| BENA-03      | RILEY CREEK         | 07-Jun-11       | Silver                                    | Dissolved       | ug/l         | J         | 0.38                   |
| BENA-03      | RILEY CREEK         | 07-Jun-11       | Silver                                    | Total           | ug/l         | J         | 0.38                   |
| BENA-03      | RILEY CREEK         | 07-Jun-11       | Sodium                                    | Dissolved       | ug/l         |           | 231                    |
| BENA-03      | RILEY CREEK         | 07-Jun-11       | Sodium                                    | Total           | ug/l         |           | 231                    |
| BENA-03      |                     | 07-Jun-11       | Specific conductance                      |                 | umho/cm      |           |                        |
| BENA-03      | RILEY CREEK         | 07-Jun-11       | Strontium                                 | Dissolved       | ug/l         |           | 0.38                   |
| BENA-03      | RILEY CREEK         | 07-Jun-11       | Strontium                                 | Total           | ug/l         |           | 0.38                   |
| BENA-03      | RILEY CREEK         | 07-Jun-11       | Sulfate                                   | Total           | mg/l         | J         | 1.63                   |
| BENA-03      |                     | 07-Jun-11       | Temperature, air                          |                 | deg C        |           |                        |
| BENA-03      | RILEY CREEK         | 07-Jun-11       | Temperature, sample                       |                 | deg C        |           |                        |
| BENA-03      |                     | 07-Jun-11       | Temperature, water                        |                 | deg C        |           |                        |
| BENA-03      | RILEY CREEK         | 07-Jun-11       | Total suspended solids                    |                 | mg/l         |           |                        |
| BENA-03      |                     | 07-Jun-11       | Turbidity                                 |                 | NTU          |           |                        |
| BENA-03      | RILEY CREEK         | 07-Jun-11       | Vanadium                                  | Dissolved       | ug/l         | J         | 0.19                   |
| BENA-03      | RILEY CREEK         | 07-Jun-11       | Vanadium                                  | Total           | ug/l         | J         | 0.19                   |
| BENA-03      | RILEY CREEK         | 07-Jun-11       | Volatile suspended solids                 |                 | mg/l         | Q         |                        |
| BENA-03      | RILEY CREEK         | 07-Jun-11       | Zinc                                      | Dissolved       | ug/l         |           | 0.35                   |
| BENA-03      | RILEY CREEK         | 07-Jun-11       | Zinc                                      | Total           | ug/l         |           | 0.35                   |
| BENC-01      | RILEY CASSELL CREEK | 07-Jun-11       | Alkalinity, total                         |                 | mg/l         |           | 1.46                   |
| BENC-01      | RILEY CASSELL CREEK | 07-Jun-11       | Aluminum                                  | Dissolved       | ug/l         | V         | 2.78                   |
| BENC-01      | RILEY CASSELL CREEK | 07-Jun-11       | Aluminum                                  | Total           | ug/l         | V         | 2.78                   |
| BENC-01      | RILEY CASSELL CREEK | 07-Jun-11       | Ammonia-nitrogen                          | Total           | mg/l         | ND        | 0.02                   |
| BENC-01      | RILEY CASSELL CREEK | 07-Jun-11       | Arsenic                                   | Dissolved       | ug/l         | J         | 0.94                   |
| BENC-01      | RILEY CASSELL CREEK | 07-Jun-11       | Arsenic                                   | Total           | ug/l         | J         | 0.94                   |
| BENC-01      | RILEY CASSELL CREEK | 07-Jun-11       | Barium                                    | Dissolved       | ug/l         |           | 0.13                   |
| BENC-01      | RILEY CASSELL CREEK | 07-Jun-11       | Barium                                    | Total           | ug/l         |           | 0.13                   |
| BENC-01      | RILEY CASSELL CREEK | 07-Jun-11       | Beryllium                                 | Dissolved       | ug/l         | ND        | 0.08                   |
| BENC-01      | RILEY CASSELL CREEK | 07-Jun-11       | Beryllium                                 | Total           | ug/l         | ND        | 0.08                   |
| BENC-01      | RILEY CASSELL CREEK | 07-Jun-11       | Boron                                     | Dissolved       | ug/l         |           | 2.73                   |
| BENC-01      | RILEY CASSELL CREEK | 07-Jun-11       | Boron                                     | Total           | ug/l         |           | 2.73                   |
| BENC-01      | RILEY CASSELL CREEK | 07-Jun-11       | Cadmium                                   | Dissolved       | ug/l         | ND        | 0.18                   |
| BENC-01      | RILEY CASSELL CREEK | 07-Jun-11       | Cadmium                                   | Total           | ug/l         | ND        | 0.18                   |

| Station Code | Waterbody Name      | Collection Date | Analyte                                   | Sample Fraction | Result Units | Qualifier | Method Detection Limit |
|--------------|---------------------|-----------------|---|-----------------|--------------|-----------|------------------------|
| BENC-01      | RILEY CASSELL CREEK | 07-Jun-11       | Calcium                                   | Dissolved       | ug/l         |           | 4.76                   |
| BENC-01      | RILEY CASSELL CREEK | 07-Jun-11       | Calcium                                   | Total           | ug/l         |           | 4.76                   |
| BENC-01      | RILEY CASSELL CREEK | 07-Jun-11       | Chloride                                  | Total           | mg/l         |           | 0.29                   |
| BENC-01      | RILEY CASSELL CREEK | 07-Jun-11       | Chlorophyll a, corrected for pheophytin   | Total           | ug/l         |           |                        |
| BENC-01      | RILEY CASSELL CREEK | 07-Jun-11       | Chlorophyll a, uncorrected for pheophytin | Total           | ug/l         |           |                        |
| BENC-01      | RILEY CASSELL CREEK | 07-Jun-11       | Chlorophyll b                             | Total           | ug/l         | J         |                        |
| BENC-01      | RILEY CASSELL CREEK | 07-Jun-11       | Chlorophyll c                             | Total           | ug/l         | J         |                        |
| BENC-01      | RILEY CASSELL CREEK | 07-Jun-11       | Chromium                                  | Dissolved       | ug/l         | J         | 0.24                   |
| BENC-01      | RILEY CASSELL CREEK | 07-Jun-11       | Chromium                                  | Total           | ug/l         | ND        | 0.24                   |
| BENC-01      | RILEY CASSELL CREEK | 07-Jun-11       | Cobalt                                    | Dissolved       | ug/l         | J         | 0.22                   |
| BENC-01      | RILEY CASSELL CREEK | 07-Jun-11       | Cobalt                                    | Total           | ug/l         | ND        | 0.22                   |
| BENC-01      | RILEY CASSELL CREEK | 07-Jun-11       | Copper                                    | Dissolved       | ug/l         | J         | 0.79                   |
| BENC-01      | RILEY CASSELL CREEK | 07-Jun-11       | Copper                                    | Total           | ug/l         | J         | 0.79                   |
| BENC-01      | RILEY CASSELL CREEK | 07-Jun-11       | Cyanide                                   | Total           | mg/l         | ND        | 0.002                  |
| BENC-01      |                     | 07-Jun-11       | Dissolved oxygen (DO)                     |                 | mg/l         |           |                        |
| BENC-01      |                     | 07-Jun-11       | Dissolved oxygen saturation               |                 | %            |           |                        |
| BENC-01      | RILEY CASSELL CREEK | 07-Jun-11       | Fluoride                                  | Total           | mg/l         |           | 0.02                   |
| BENC-01      | RILEY CASSELL CREEK | 07-Jun-11       | Hardness, Ca, Mg                          |                 | ug/l         | C         |                        |
| BENC-01      | RILEY CASSELL CREEK | 07-Jun-11       | Inorganic nitrogen (nitrate and nitrite)  | Total           | mg/l         |           | 0.018                  |
| BENC-01      | RILEY CASSELL CREEK | 07-Jun-11       | Iron                                      | Dissolved       | ug/l         | J6        | 3.06                   |
| BENC-01      | RILEY CASSELL CREEK | 07-Jun-11       | Iron                                      | Total           | ug/l         | J6        | 3.06                   |
| BENC-01      | RILEY CASSELL CREEK | 07-Jun-11       | Kjeldahl nitrogen                         | Total           | mg/l         | J         | 0.098                  |
| BENC-01      | RILEY CASSELL CREEK | 07-Jun-11       | Lead                                      | Dissolved       | ug/l         | ND,V      | 0.67                   |
| BENC-01      | RILEY CASSELL CREEK | 07-Jun-11       | Lead                                      | Total           | ug/l         | ND,V      | 0.67                   |
| BENC-01      | RILEY CASSELL CREEK | 07-Jun-11       | Magnesium                                 | Dissolved       | ug/l         |           | 4.69                   |
| BENC-01      | RILEY CASSELL CREEK | 07-Jun-11       | Magnesium                                 | Total           | ug/l         |           | 4.69                   |
| BENC-01      | RILEY CASSELL CREEK | 07-Jun-11       | Manganese                                 | Dissolved       | ug/l         |           | 0.05                   |
| BENC-01      | RILEY CASSELL CREEK | 07-Jun-11       | Manganese                                 | Total           | ug/l         |           | 0.05                   |
| BENC-01      | RILEY CASSELL CREEK | 07-Jun-11       | Nickel                                    | Dissolved       | ug/l         | ND        | 0.41                   |
| BENC-01      | RILEY CASSELL CREEK | 07-Jun-11       | Nickel                                    | Total           | ug/l         | J         | 0.41                   |
| BENC-01      | RILEY CASSELL CREEK | 07-Jun-11       | Organic carbon                            | Total           | mg/l         |           | 0.02                   |
| BENC-01      |                     | 07-Jun-11       | pH  |                 | none         |           |                        |
| BENC-01      | RILEY CASSELL CREEK | 07-Jun-11       | Phenols                                   | Total           | ug/l         | J         | 1.53                   |
| BENC-01      | RILEY CASSELL CREEK | 07-Jun-11       | Pheophytin a                              | Total           | ug/l         | J         |                        |
| BENC-01      | RILEY CASSELL CREEK | 07-Jun-11       | Phosphorus                                | Dissolved       | mg/l         |           | 0.002                  |
| BENC-01      | RILEY CASSELL CREEK | 07-Jun-11       | Phosphorus                                | Total           | mg/l         |           | 0.002                  |
| BENC-01      | RILEY CASSELL CREEK | 07-Jun-11       | Potassium                                 | Dissolved       | ug/l         |           | 8.13                   |
| BENC-01      | RILEY CASSELL CREEK | 07-Jun-11       | Potassium                                 | Total           | ug/l         |           | 8.13                   |
| BENC-01      | RILEY CASSELL CREEK | 07-Jun-11       | Silver                                    | Dissolved       | ug/l         | ND        | 0.38                   |
| BENC-01      | RILEY CASSELL CREEK | 07-Jun-11       | Silver                                    | Total           | ug/l         | ND        | 0.38                   |
| BENC-01      | RILEY CASSELL CREEK | 07-Jun-11       | Sodium                                    | Dissolved       | ug/l         |           | 231                    |
| BENC-01      | RILEY CASSELL CREEK | 07-Jun-11       | Sodium                                    | Total           | ug/l         |           | 231                    |
| BENC-01      |                     | 07-Jun-11       | Specific conductance                      |                 | umho/cm      |           |                        |
| BENC-01      | RILEY CASSELL CREEK | 07-Jun-11       | Strontium                                 | Dissolved       | ug/l         |           | 0.38                   |
| BENC-01      | RILEY CASSELL CREEK | 07-Jun-11       | Strontium                                 | Total           | ug/l         |           | 0.38                   |
| BENC-01      | RILEY CASSELL CREEK | 07-Jun-11       | Sulfate                                   | Total           | mg/l         |           | 1.63                   |
| BENC-01      |                     | 07-Jun-11       | Temperature, air                          |                 | deg C        |           |                        |
| BENC-01      | RILEY CASSELL CREEK | 07-Jun-11       | Temperature, sample                       |                 | deg C        |           |                        |
| BENC-01      |                     | 07-Jun-11       | Temperature, water                        |                 | deg C        |           |                        |
| BENC-01      | RILEY CASSELL CREEK | 07-Jun-11       | Total suspended solids                    |                 | mg/l         |           |                        |
| BENC-01      |                     | 07-Jun-11       | Turbidity                                 |                 | NTU          |           |                        |
| BENC-01      | RILEY CASSELL CREEK | 07-Jun-11       | Vanadium                                  | Dissolved       | ug/l         | ND        | 0.19                   |
| BENC-01      | RILEY CASSELL CREEK | 07-Jun-11       | Vanadium                                  | Total           | ug/l         | ND        | 0.19                   |
| BENC-01      | RILEY CASSELL CREEK | 07-Jun-11       | Volatile suspended solids                 |                 | mg/l         | Q         |                        |
| BENC-01      | RILEY CASSELL CREEK | 07-Jun-11       | Zinc                                      | Dissolved       | ug/l         | J,V       | 0.35                   |
| BENC-01      | RILEY CASSELL CREEK | 07-Jun-11       | Zinc                                      | Total           | ug/l         | J,V       | 0.35                   |
| BENA-01      | RILEY CREEK         | 14-Jun-11       | Ammonia-nitrogen                          | Total           | mg/l         | ND        | 0.02                   |
| BENA-01      | RILEY CREEK         | 14-Jun-11       | Inorganic nitrogen (nitrate and nitrite)  | Total           | mg/l         |           | 0.018                  |
| BENA-01      | RILEY CREEK         | 14-Jun-11       | Kjeldahl nitrogen                         | Total           | mg/l         | J         | 0.098                  |
| BENA-01      | RILEY CREEK         | 14-Jun-11       | Phosphorus                                | Total           | mg/l         |           | 0.002                  |
| BENA-01      | RILEY CREEK         | 14-Jun-11       | Temperature, sample                       |                 | deg C        |           |                        |
| BENA-01      | RILEY CREEK         | 14-Jun-11       | Total suspended solids                    |                 | mg/l         |           |                        |
| BENA-01      | RILEY CREEK         | 14-Jun-11       | Volatile suspended solids                 |                 | mg/l         | ND        | 4                      |
| BENA-03      | RILEY CREEK         | 14-Jun-11       | Ammonia-nitrogen                          | Total           | mg/l         | ND        | 0.02                   |
| BENA-03      | RILEY CREEK         | 14-Jun-11       | Inorganic nitrogen (nitrate and nitrite)  | Total           | mg/l         |           | 0.018                  |
| BENA-03      | RILEY CREEK         | 14-Jun-11       | Kjeldahl nitrogen                         | Total           | mg/l         | ND        | 0.098                  |
| BENA-03      | RILEY CREEK         | 14-Jun-11       | Phosphorus                                | Total           | mg/l         |           | 0.002                  |
| BENA-03      | RILEY CREEK         | 14-Jun-11       | Temperature, sample                       |                 | deg C        |           |                        |
| BENA-03      | RILEY CREEK         | 14-Jun-11       | Total suspended solids                    |                 | mg/l         | ND        | 4                      |

| Station Code | Waterbody Name      | Collection Date | Analyte                                   | Sample Fraction | Result Units | Qualifier | Method Detection Limit |
|--------------|---------------------|-----------------|---|-----------------|--------------|-----------|------------------------|
| BENA-03      | RILEY CREEK         | 14-Jun-11       | Volatile suspended solids                 |                 | mg/l         | ND        | 4                      |
| BENC-01      | RILEY CASSELL CREEK | 14-Jun-11       | Ammonia-nitrogen                          | Total           | mg/l         | ND        | 0.02                   |
| BENC-01      | RILEY CASSELL CREEK | 14-Jun-11       | Inorganic nitrogen (nitrate and nitrite)  | Total           | mg/l         |           | 0.018                  |
| BENC-01      | RILEY CASSELL CREEK | 14-Jun-11       | Kjeldahl nitrogen                         | Total           | mg/l         | J         | 0.098                  |
| BENC-01      | RILEY CASSELL CREEK | 14-Jun-11       | Phosphorus                                | Total           | mg/l         |           | 0.002                  |
| BENC-01      | RILEY CASSELL CREEK | 14-Jun-11       | Temperature, sample                       |                 | deg C        |           |                        |
| BENC-01      | RILEY CASSELL CREEK | 14-Jun-11       | Total suspended solids                    |                 | mg/l         | ND        | 4                      |
| BENC-01      | RILEY CASSELL CREEK | 14-Jun-11       | Volatile suspended solids                 |                 | mg/l         | ND        | 4                      |
| BEN-01       | KICKAPOO CREEK      | 15-Jun-11       | Ammonia-nitrogen                          | Total           | mg/l         | ND        | 0.02                   |
| BEN-01       | KICKAPOO CREEK      | 15-Jun-11       | Inorganic nitrogen (nitrate and nitrite)  | Total           | mg/l         | Q         | 0.018                  |
| BEN-01       | KICKAPOO CREEK      | 15-Jun-11       | Kjeldahl nitrogen                         | Total           | mg/l         | J         | 0.098                  |
| BEN-01       | KICKAPOO CREEK      | 15-Jun-11       | Phosphorus                                | Total           | mg/l         |           | 0.002                  |
| BEN-01       | KICKAPOO CREEK      | 15-Jun-11       | Temperature, sample                       |                 | deg C        |           |                        |
| BEN-01       | KICKAPOO CREEK      | 15-Jun-11       | Total suspended solids                    |                 | mg/l         |           |                        |
| BEN-01       | KICKAPOO CREEK      | 15-Jun-11       | Volatile suspended solids                 |                 | mg/l         |           |                        |
| BENC-01      | RILEY CASSELL CREEK | 22-Jun-11       | Alkalinity, total                         |                 | mg/l         |           | 1.46                   |
| BENC-01      | RILEY CASSELL CREEK | 22-Jun-11       | Aluminum                                  | Dissolved       | ug/l         | J,V       | 2.78                   |
| BENC-01      | RILEY CASSELL CREEK | 22-Jun-11       | Aluminum                                  | Total           | ug/l         | V         | 2.78                   |
| BENC-01      | RILEY CASSELL CREEK | 22-Jun-11       | Ammonia-nitrogen                          | Total           | mg/l         | J         | 0.02                   |
| BENC-01      | RILEY CASSELL CREEK | 22-Jun-11       | Arsenic                                   | Dissolved       | ug/l         | V         | 0.94                   |
| BENC-01      | RILEY CASSELL CREEK | 22-Jun-11       | Arsenic                                   | Total           | ug/l         | V         | 0.94                   |
| BENC-01      | RILEY CASSELL CREEK | 22-Jun-11       | Barium                                    | Dissolved       | ug/l         |           | 0.13                   |
| BENC-01      | RILEY CASSELL CREEK | 22-Jun-11       | Barium                                    | Total           | ug/l         |           | 0.13                   |
| BENC-01      | RILEY CASSELL CREEK | 22-Jun-11       | Beryllium                                 | Dissolved       | ug/l         | ND        | 0.08                   |
| BENC-01      | RILEY CASSELL CREEK | 22-Jun-11       | Beryllium                                 | Total           | ug/l         | ND        | 0.08                   |
| BENC-01      | RILEY CASSELL CREEK | 22-Jun-11       | Boron                                     | Dissolved       | ug/l         | V         | 2.73                   |
| BENC-01      | RILEY CASSELL CREEK | 22-Jun-11       | Boron                                     | Total           | ug/l         | V         | 2.73                   |
| BENC-01      | RILEY CASSELL CREEK | 22-Jun-11       | Cadmium                                   | Dissolved       | ug/l         | J         | 0.18                   |
| BENC-01      | RILEY CASSELL CREEK | 22-Jun-11       | Cadmium                                   | Total           | ug/l         | J         | 0.18                   |
| BENC-01      | RILEY CASSELL CREEK | 22-Jun-11       | Calcium                                   | Dissolved       | ug/l         |           | 4.76                   |
| BENC-01      | RILEY CASSELL CREEK | 22-Jun-11       | Calcium                                   | Total           | ug/l         |           | 4.76                   |
| BENC-01      | RILEY CASSELL CREEK | 22-Jun-11       | Chloride                                  | Total           | mg/l         |           | 0.29                   |
| BENC-01      | RILEY CASSELL CREEK | 22-Jun-11       | Chlorophyll a, corrected for pheophytin   | Total           | ug/l         |           |                        |
| BENC-01      | RILEY CASSELL CREEK | 22-Jun-11       | Chlorophyll a, uncorrected for pheophytin | Total           | ug/l         |           |                        |
| BENC-01      | RILEY CASSELL CREEK | 22-Jun-11       | Chlorophyll b                             | Total           | ug/l         | J         |                        |
| BENC-01      | RILEY CASSELL CREEK | 22-Jun-11       | Chlorophyll c                             | Total           | ug/l         | J         |                        |
| BENC-01      | RILEY CASSELL CREEK | 22-Jun-11       | Chromium                                  | Dissolved       | ug/l         | ND        | 0.24                   |
| BENC-01      | RILEY CASSELL CREEK | 22-Jun-11       | Chromium                                  | Total           | ug/l         | ND        | 0.24                   |
| BENC-01      | RILEY CASSELL CREEK | 22-Jun-11       | Cobalt                                    | Dissolved       | ug/l         | J         | 0.22                   |
| BENC-01      | RILEY CASSELL CREEK | 22-Jun-11       | Cobalt                                    | Total           | ug/l         | J         | 0.22                   |
| BENC-01      | RILEY CASSELL CREEK | 22-Jun-11       | Copper                                    | Dissolved       | ug/l         | V         | 0.79                   |
| BENC-01      | RILEY CASSELL CREEK | 22-Jun-11       | Copper                                    | Total           | ug/l         | V         | 0.79                   |
| BENC-01      | RILEY CASSELL CREEK | 22-Jun-11       | Cyanide                                   | Total           | mg/l         | ND        | 0.002                  |
| BENC-01      |                     | 22-Jun-11       | Dissolved oxygen (DO)                     |                 | mg/l         |           |                        |
| BENC-01      |                     | 22-Jun-11       | Dissolved oxygen saturation               |                 | %            |           |                        |
| BENC-01      | RILEY CASSELL CREEK | 22-Jun-11       | Fluoride                                  | Total           | mg/l         |           | 0.02                   |
| BENC-01      | RILEY CASSELL CREEK | 22-Jun-11       | Hardness, Ca, Mg                          |                 | ug/l         | C         |                        |
| BENC-01      | RILEY CASSELL CREEK | 22-Jun-11       | Inorganic nitrogen (nitrate and nitrite)  | Total           | mg/l         |           | 0.018                  |
| BENC-01      | RILEY CASSELL CREEK | 22-Jun-11       | Iron                                      | Dissolved       | ug/l         | J,16      | 3.06                   |
| BENC-01      | RILEY CASSELL CREEK | 22-Jun-11       | Iron                                      | Total           | ug/l         | 16        | 3.06                   |
| BENC-01      | RILEY CASSELL CREEK | 22-Jun-11       | Kjeldahl nitrogen                         | Total           | mg/l         | ND,S      | 0.5                    |
| BENC-01      | RILEY CASSELL CREEK | 22-Jun-11       | Lead                                      | Dissolved       | ug/l         | ND        | 0.67                   |
| BENC-01      | RILEY CASSELL CREEK | 22-Jun-11       | Lead                                      | Total           | ug/l         | ND        | 0.67                   |
| BENC-01      | RILEY CASSELL CREEK | 22-Jun-11       | Magnesium                                 | Dissolved       | ug/l         |           | 4.69                   |
| BENC-01      | RILEY CASSELL CREEK | 22-Jun-11       | Magnesium                                 | Total           | ug/l         |           | 4.69                   |
| BENC-01      | RILEY CASSELL CREEK | 22-Jun-11       | Manganese                                 | Dissolved       | ug/l         |           | 0.05                   |
| BENC-01      | RILEY CASSELL CREEK | 22-Jun-11       | Manganese                                 | Total           | ug/l         |           | 0.05                   |
| BENC-01      | RILEY CASSELL CREEK | 22-Jun-11       | Nickel                                    | Dissolved       | ug/l         | ND        | 0.41                   |
| BENC-01      | RILEY CASSELL CREEK | 22-Jun-11       | Nickel                                    | Total           | ug/l         | ND        | 0.41                   |
| BENC-01      | RILEY CASSELL CREEK | 22-Jun-11       | Organic carbon                            | Total           | mg/l         |           | 0.02                   |
| BENC-01      |                     | 22-Jun-11       | pH  |                 | none         |           |                        |
| BENC-01      | RILEY CASSELL CREEK | 22-Jun-11       | Phenols                                   | Total           | ug/l         | ND        | 1.53                   |
| BENC-01      | RILEY CASSELL CREEK | 22-Jun-11       | Pheophytin a                              | Total           | ug/l         | ND        | 0.5                    |
| BENC-01      | RILEY CASSELL CREEK | 22-Jun-11       | Phosphorus                                | Dissolved       | mg/l         |           | 0.002                  |
| BENC-01      | RILEY CASSELL CREEK | 22-Jun-11       | Phosphorus                                | Total           | mg/l         |           | 0.002                  |
| BENC-01      | RILEY CASSELL CREEK | 22-Jun-11       | Potassium                                 | Dissolved       | ug/l         |           | 8.13                   |
| BENC-01      | RILEY CASSELL CREEK | 22-Jun-11       | Potassium                                 | Total           | ug/l         |           | 8.13                   |
| BENC-01      | RILEY CASSELL CREEK | 22-Jun-11       | Silver                                    | Dissolved       | ug/l         | J         | 0.38                   |
| BENC-01      | RILEY CASSELL CREEK | 22-Jun-11       | Silver                                    | Total           | ug/l         | J         | 0.38                   |

| Station Code | Waterbody Name      | Collection Date | Analyte                                   | Sample Fraction | Result Units | Qualifier | Method Detection Limit |
|--------------|---------------------|-----------------|---|-----------------|--------------|-----------|------------------------|
| BENC-01      | RILEY CASSELL CREEK | 22-Jun-11       | Sodium                                    | Dissolved       | ug/l         |           | 231                    |
| BENC-01      | RILEY CASSELL CREEK | 22-Jun-11       | Sodium                                    | Total           | ug/l         |           | 231                    |
| BENC-01      |                     | 22-Jun-11       | Specific conductance                      |                 | umho/cm      |           |                        |
| BENC-01      | RILEY CASSELL CREEK | 22-Jun-11       | Strontium                                 | Dissolved       | ug/l         |           | 0.38                   |
| BENC-01      | RILEY CASSELL CREEK | 22-Jun-11       | Strontium                                 | Total           | ug/l         |           | 0.38                   |
| BENC-01      | RILEY CASSELL CREEK | 22-Jun-11       | Sulfate                                   | Total           | mg/l         |           | 1.63                   |
| BENC-01      |                     | 22-Jun-11       | Temperature, air                          |                 | deg C        |           |                        |
| BENC-01      | RILEY CASSELL CREEK | 22-Jun-11       | Temperature, sample                       |                 | deg C        |           |                        |
| BENC-01      |                     | 22-Jun-11       | Temperature, water                        |                 | deg C        |           |                        |
| BENC-01      | RILEY CASSELL CREEK | 22-Jun-11       | Total suspended solids                    |                 | mg/l         |           |                        |
| BENC-01      |                     | 22-Jun-11       | Turbidity                                 |                 | NTU          |           |                        |
| BENC-01      | RILEY CASSELL CREEK | 22-Jun-11       | Vanadium                                  | Dissolved       | ug/l         | ND        | 0.19                   |
| BENC-01      | RILEY CASSELL CREEK | 22-Jun-11       | Vanadium                                  | Total           | ug/l         | ND        | 0.19                   |
| BENC-01      | RILEY CASSELL CREEK | 22-Jun-11       | Volatile suspended solids                 |                 | mg/l         |           |                        |
| BENC-01      | RILEY CASSELL CREEK | 22-Jun-11       | Zinc                                      | Dissolved       | ug/l         | J,V       | 0.35                   |
| BENC-01      | RILEY CASSELL CREEK | 22-Jun-11       | Zinc                                      | Total           | ug/l         | ND,V      | 0.35                   |
| BENA-03      | RILEY CREEK         | 27-Jun-11       | Alkalinity, total                         |                 | mg/l         |           | 1.46                   |
| BENA-03      | RILEY CREEK         | 27-Jun-11       | Aluminum                                  | Dissolved       | ug/l         |           | 2.78                   |
| BENA-03      | RILEY CREEK         | 27-Jun-11       | Aluminum                                  | Total           | ug/l         |           | 2.78                   |
| BENA-03      | RILEY CREEK         | 27-Jun-11       | Ammonia-nitrogen                          | Total           | mg/l         | ND        | 0.02                   |
| BENA-03      | RILEY CREEK         | 27-Jun-11       | Arsenic                                   | Dissolved       | ug/l         | V         | 0.94                   |
| BENA-03      | RILEY CREEK         | 27-Jun-11       | Arsenic                                   | Total           | ug/l         | V         | 0.94                   |
| BENA-03      | RILEY CREEK         | 27-Jun-11       | Barium                                    | Dissolved       | ug/l         |           | 0.13                   |
| BENA-03      | RILEY CREEK         | 27-Jun-11       | Barium                                    | Total           | ug/l         |           | 0.13                   |
| BENA-03      | RILEY CREEK         | 27-Jun-11       | Beryllium                                 | Dissolved       | ug/l         | ND        | 0.08                   |
| BENA-03      | RILEY CREEK         | 27-Jun-11       | Beryllium                                 | Total           | ug/l         | ND        | 0.08                   |
| BENA-03      | RILEY CREEK         | 27-Jun-11       | Boron                                     | Dissolved       | ug/l         |           | 2.73                   |
| BENA-03      | RILEY CREEK         | 27-Jun-11       | Boron                                     | Total           | ug/l         |           | 2.73                   |
| BENA-03      | RILEY CREEK         | 27-Jun-11       | Cadmium                                   | Dissolved       | ug/l         | J         | 0.18                   |
| BENA-03      | RILEY CREEK         | 27-Jun-11       | Cadmium                                   | Total           | ug/l         | J         | 0.18                   |
| BENA-03      | RILEY CREEK         | 27-Jun-11       | Calcium                                   | Dissolved       | ug/l         |           | 4.76                   |
| BENA-03      | RILEY CREEK         | 27-Jun-11       | Calcium                                   | Total           | ug/l         |           | 4.76                   |
| BENA-03      | RILEY CREEK         | 27-Jun-11       | Chloride                                  | Total           | mg/l         |           | 0.29                   |
| BENA-03      | RILEY CREEK         | 27-Jun-11       | Chlorophyll a, corrected for pheophytin   | Total           | ug/l         | J3        |                        |
| BENA-03      | RILEY CREEK         | 27-Jun-11       | Chlorophyll a, uncorrected for pheophytin | Total           | ug/l         |           |                        |
| BENA-03      | RILEY CREEK         | 27-Jun-11       | Chlorophyll b                             | Total           | ug/l         |           |                        |
| BENA-03      | RILEY CREEK         | 27-Jun-11       | Chlorophyll c                             | Total           | ug/l         |           |                        |
| BENA-03      | RILEY CREEK         | 27-Jun-11       | Chromium                                  | Dissolved       | ug/l         | ND        | 0.24                   |
| BENA-03      | RILEY CREEK         | 27-Jun-11       | Chromium                                  | Total           | ug/l         | J         | 0.24                   |
| BENA-03      | RILEY CREEK         | 27-Jun-11       | Cobalt                                    | Dissolved       | ug/l         | J         | 0.22                   |
| BENA-03      | RILEY CREEK         | 27-Jun-11       | Cobalt                                    | Total           | ug/l         |           | 0.22                   |
| BENA-03      | RILEY CREEK         | 27-Jun-11       | Copper                                    | Dissolved       | ug/l         | V         | 0.79                   |
| BENA-03      | RILEY CREEK         | 27-Jun-11       | Copper                                    | Total           | ug/l         | V         | 0.79                   |
| BENA-03      | RILEY CREEK         | 27-Jun-11       | Cyanide                                   | Total           | mg/l         | J         | 0.002                  |
| BENA-03      |                     | 27-Jun-11       | Dissolved oxygen (DO)                     |                 | mg/l         |           |                        |
| BENA-03      |                     | 27-Jun-11       | Dissolved oxygen saturation               |                 | %            |           |                        |
| BENA-03      | RILEY CREEK         | 27-Jun-11       | Fluoride                                  | Total           | mg/l         |           | 0.02                   |
| BENA-03      | RILEY CREEK         | 27-Jun-11       | Hardness, Ca, Mg                          |                 | ug/l         | C         |                        |
| BENA-03      | RILEY CREEK         | 27-Jun-11       | Inorganic nitrogen (nitrate and nitrite)  | Total           | mg/l         |           | 0.018                  |
| BENA-03      | RILEY CREEK         | 27-Jun-11       | Iron                                      | Dissolved       | ug/l         |           | 3.06                   |
| BENA-03      | RILEY CREEK         | 27-Jun-11       | Iron                                      | Total           | ug/l         |           | 3.06                   |
| BENA-03      | RILEY CREEK         | 27-Jun-11       | Kjeldahl nitrogen                         | Total           | mg/l         | S         | 0.5                    |
| BENA-03      | RILEY CREEK         | 27-Jun-11       | Lead                                      | Dissolved       | ug/l         | V         | 0.67                   |
| BENA-03      | RILEY CREEK         | 27-Jun-11       | Lead                                      | Total           | ug/l         | V         | 0.67                   |
| BENA-03      | RILEY CREEK         | 27-Jun-11       | Magnesium                                 | Dissolved       | ug/l         | J6        | 4.69                   |
| BENA-03      | RILEY CREEK         | 27-Jun-11       | Magnesium                                 | Total           | ug/l         | J6        | 4.69                   |
| BENA-03      | RILEY CREEK         | 27-Jun-11       | Manganese                                 | Dissolved       | ug/l         |           | 0.05                   |
| BENA-03      | RILEY CREEK         | 27-Jun-11       | Manganese                                 | Total           | ug/l         |           | 0.05                   |
| BENA-03      | RILEY CREEK         | 27-Jun-11       | Nickel                                    | Dissolved       | ug/l         | ND        | 0.41                   |
| BENA-03      | RILEY CREEK         | 27-Jun-11       | Nickel                                    | Total           | ug/l         |           | 0.41                   |
| BENA-03      | RILEY CREEK         | 27-Jun-11       | Organic carbon                            | Total           | mg/l         |           | 0.02                   |
| BENA-03      |                     | 27-Jun-11       | pH  |                 | none         |           |                        |
| BENA-03      | RILEY CREEK         | 27-Jun-11       | Phenols                                   | Total           | ug/l         | ND        | 1.53                   |
| BENA-03      | RILEY CREEK         | 27-Jun-11       | Pheophytin a                              | Total           | ug/l         | J3        |                        |
| BENA-03      | RILEY CREEK         | 27-Jun-11       | Phosphorus                                | Dissolved       | mg/l         |           | 0.002                  |
| BENA-03      | RILEY CREEK         | 27-Jun-11       | Phosphorus                                | Total           | mg/l         |           | 0.002                  |
| BENA-03      | RILEY CREEK         | 27-Jun-11       | Potassium                                 | Dissolved       | ug/l         |           | 8.13                   |
| BENA-03      | RILEY CREEK         | 27-Jun-11       | Potassium                                 | Total           | ug/l         |           | 8.13                   |
| BENA-03      | RILEY CREEK         | 27-Jun-11       | Silver                                    | Dissolved       | ug/l         | J,V       | 0.38                   |

| Station Code | Waterbody Name | Collection Date | Analyte                                   | Sample Fraction | Result Units | Qualifier | Method Detection Limit |
|--------------|----------------|-----------------|---|-----------------|--------------|-----------|------------------------|
| BENA-03      | RILEY CREEK    | 27-Jun-11       | Silver                                    | Total           | ug/l         | ND,V      | 0.38                   |
| BENA-03      | RILEY CREEK    | 27-Jun-11       | Sodium                                    | Dissolved       | ug/l         |           | 231                    |
| BENA-03      | RILEY CREEK    | 27-Jun-11       | Sodium                                    | Total           | ug/l         |           | 231                    |
| BENA-03      |                | 27-Jun-11       | Specific conductance                      |                 | umho/cm      |           |                        |
| BENA-03      | RILEY CREEK    | 27-Jun-11       | Strontium                                 | Dissolved       | ug/l         |           | 0.38                   |
| BENA-03      | RILEY CREEK    | 27-Jun-11       | Strontium                                 | Total           | ug/l         |           | 0.38                   |
| BENA-03      | RILEY CREEK    | 27-Jun-11       | Sulfate                                   | Total           | mg/l         |           | 1.63                   |
| BENA-03      |                | 27-Jun-11       | Temperature, air                          |                 | deg C        |           |                        |
| BENA-03      | RILEY CREEK    | 27-Jun-11       | Temperature, sample                       |                 | deg C        |           |                        |
| BENA-03      |                | 27-Jun-11       | Temperature, water                        |                 | deg C        |           |                        |
| BENA-03      | RILEY CREEK    | 27-Jun-11       | Total suspended solids                    |                 | mg/l         |           |                        |
| BENA-03      |                | 27-Jun-11       | Turbidity                                 |                 | NTU          |           |                        |
| BENA-03      | RILEY CREEK    | 27-Jun-11       | Vanadium                                  | Dissolved       | ug/l         | ND        | 0.19                   |
| BENA-03      | RILEY CREEK    | 27-Jun-11       | Vanadium                                  | Total           | ug/l         |           | 0.19                   |
| BENA-03      | RILEY CREEK    | 27-Jun-11       | Volatile suspended solids                 |                 | mg/l         |           |                        |
| BENA-03      | RILEY CREEK    | 27-Jun-11       | Zinc                                      | Dissolved       | ug/l         | ND,V      | 0.35                   |
| BENA-03      | RILEY CREEK    | 27-Jun-11       | Zinc                                      | Total           | ug/l         | V         | 0.35                   |
| BEN-01       | KICKAPOO CREEK | 12-Jul-11       | Ammonia-nitrogen                          | Total           | mg/l         | ND        | 0.02                   |
| BEN-01       | KICKAPOO CREEK | 12-Jul-11       | Inorganic nitrogen (nitrate and nitrite)  | Total           | mg/l         |           | 0.018                  |
| BEN-01       | KICKAPOO CREEK | 12-Jul-11       | Kjeldahl nitrogen                         | Total           | mg/l         | J         | 0.098                  |
| BEN-01       | KICKAPOO CREEK | 12-Jul-11       | Phosphorus                                | Total           | mg/l         |           | 0.002                  |
| BEN-01       | KICKAPOO CREEK | 12-Jul-11       | Temperature, sample                       |                 | deg C        |           |                        |
| BEN-01       | KICKAPOO CREEK | 12-Jul-11       | Total suspended solids                    |                 | mg/l         |           |                        |
| BEN-01       | KICKAPOO CREEK | 12-Jul-11       | Volatile suspended solids                 |                 | mg/l         | ND        | 4                      |
| BENA-01      | RILEY CREEK    | 14-Jul-11       | Alkalinity, total                         |                 | mg/l         |           | 1.46                   |
| BENA-01      | RILEY CREEK    | 14-Jul-11       | Aluminum                                  | Dissolved       | ug/l         | J         | 2.78                   |
| BENA-01      | RILEY CREEK    | 14-Jul-11       | Aluminum                                  | Total           | ug/l         |           | 2.78                   |
| BENA-01      | RILEY CREEK    | 14-Jul-11       | Ammonia-nitrogen                          | Total           | mg/l         | J         | 0.02                   |
| BENA-01      | RILEY CREEK    | 14-Jul-11       | Arsenic                                   | Dissolved       | ug/l         |           | 0.94                   |
| BENA-01      | RILEY CREEK    | 14-Jul-11       | Arsenic                                   | Total           | ug/l         | J         | 0.94                   |
| BENA-01      | RILEY CREEK    | 14-Jul-11       | Barium                                    | Dissolved       | ug/l         |           | 0.13                   |
| BENA-01      | RILEY CREEK    | 14-Jul-11       | Barium                                    | Total           | ug/l         |           | 0.13                   |
| BENA-01      | RILEY CREEK    | 14-Jul-11       | Beryllium                                 | Dissolved       | ug/l         | ND        | 0.08                   |
| BENA-01      | RILEY CREEK    | 14-Jul-11       | Beryllium                                 | Total           | ug/l         | ND        | 0.08                   |
| BENA-01      | RILEY CREEK    | 14-Jul-11       | Boron                                     | Dissolved       | ug/l         |           | 2.73                   |
| BENA-01      | RILEY CREEK    | 14-Jul-11       | Boron                                     | Total           | ug/l         |           | 2.73                   |
| BENA-01      | RILEY CREEK    | 14-Jul-11       | Cadmium                                   | Dissolved       | ug/l         | ND        | 0.18                   |
| BENA-01      | RILEY CREEK    | 14-Jul-11       | Cadmium                                   | Total           | ug/l         | ND        | 0.18                   |
| BENA-01      | RILEY CREEK    | 14-Jul-11       | Calcium                                   | Dissolved       | ug/l         |           | 4.76                   |
| BENA-01      | RILEY CREEK    | 14-Jul-11       | Calcium                                   | Total           | ug/l         |           | 4.76                   |
| BENA-01      | RILEY CREEK    | 14-Jul-11       | Chloride                                  | Total           | mg/l         |           | 0.29                   |
| BENA-01      | RILEY CREEK    | 14-Jul-11       | Chlorophyll a, corrected for pheophytin   | Total           | ug/l         |           |                        |
| BENA-01      | RILEY CREEK    | 14-Jul-11       | Chlorophyll a, uncorrected for pheophytin | Total           | ug/l         |           |                        |
| BENA-01      | RILEY CREEK    | 14-Jul-11       | Chlorophyll b                             | Total           | ug/l         | J         |                        |
| BENA-01      | RILEY CREEK    | 14-Jul-11       | Chlorophyll c                             | Total           | ug/l         | J         |                        |
| BENA-01      | RILEY CREEK    | 14-Jul-11       | Chromium                                  | Dissolved       | ug/l         | J         | 0.24                   |
| BENA-01      | RILEY CREEK    | 14-Jul-11       | Chromium                                  | Total           | ug/l         | ND        | 0.24                   |
| BENA-01      | RILEY CREEK    | 14-Jul-11       | Cobalt                                    | Dissolved       | ug/l         | ND        | 0.22                   |
| BENA-01      | RILEY CREEK    | 14-Jul-11       | Cobalt                                    | Total           | ug/l         | ND        | 0.22                   |
| BENA-01      | RILEY CREEK    | 14-Jul-11       | Copper                                    | Dissolved       | ug/l         | J         | 0.79                   |
| BENA-01      | RILEY CREEK    | 14-Jul-11       | Copper                                    | Total           | ug/l         | J         | 0.79                   |
| BENA-01      | RILEY CREEK    | 14-Jul-11       | Cyanide                                   | Total           | mg/l         | ND        | 0.002                  |
| BENA-01      |                | 14-Jul-11       | Dissolved oxygen (DO)                     |                 | mg/l         |           |                        |
| BENA-01      |                | 14-Jul-11       | Dissolved oxygen saturation               |                 | %            |           |                        |
| BENA-01      | RILEY CREEK    | 14-Jul-11       | Fluoride                                  | Total           | mg/l         |           | 0.02                   |
| BENA-01      | RILEY CREEK    | 14-Jul-11       | Hardness, Ca, Mg                          |                 | ug/l         | C         |                        |
| BENA-01      | RILEY CREEK    | 14-Jul-11       | Inorganic nitrogen (nitrate and nitrite)  | Total           | mg/l         |           | 0.018                  |
| BENA-01      | RILEY CREEK    | 14-Jul-11       | Iron                                      | Dissolved       | ug/l         |           | 3.06                   |
| BENA-01      | RILEY CREEK    | 14-Jul-11       | Iron                                      | Total           | ug/l         |           | 3.06                   |
| BENA-01      | RILEY CREEK    | 14-Jul-11       | Kjeldahl nitrogen                         | Total           | mg/l         | J         | 0.098                  |
| BENA-01      | RILEY CREEK    | 14-Jul-11       | Lead                                      | Dissolved       | ug/l         |           | 0.67                   |
| BENA-01      | RILEY CREEK    | 14-Jul-11       | Lead                                      | Total           | ug/l         | ND        | 0.67                   |
| BENA-01      | RILEY CREEK    | 14-Jul-11       | Magnesium                                 | Dissolved       | ug/l         |           | 4.69                   |
| BENA-01      | RILEY CREEK    | 14-Jul-11       | Magnesium                                 | Total           | ug/l         |           | 4.69                   |
| BENA-01      | RILEY CREEK    | 14-Jul-11       | Manganese                                 | Dissolved       | ug/l         |           | 0.05                   |
| BENA-01      | RILEY CREEK    | 14-Jul-11       | Manganese                                 | Total           | ug/l         |           | 0.05                   |
| BENA-01      | RILEY CREEK    | 14-Jul-11       | Nickel                                    | Dissolved       | ug/l         | J         | 0.41                   |
| BENA-01      | RILEY CREEK    | 14-Jul-11       | Nickel                                    | Total           | ug/l         | J         | 0.41                   |
| BENA-01      | RILEY CREEK    | 14-Jul-11       | Organic carbon                            | Total           | mg/l         |           | 0.02                   |

| Station Code | Waterbody Name | Collection Date | Analyte                                   | Sample Fraction | Result Units | Qualifier | Method Detection Limit |
|--------------|----------------|-----------------|---|-----------------|--------------|-----------|------------------------|
| BENA-01      |                | 14-Jul-11       | pH  |                 | none         |           |                        |
| BENA-01      | RILEY CREEK    | 14-Jul-11       | Phenols                                   | Total           | ug/l         | J         | 1.53                   |
| BENA-01      | RILEY CREEK    | 14-Jul-11       | Pheophytin a                              | Total           | ug/l         |           |                        |
| BENA-01      | RILEY CREEK    | 14-Jul-11       | Phosphorus                                | Dissolved       | mg/l         |           | 0.002                  |
| BENA-01      | RILEY CREEK    | 14-Jul-11       | Phosphorus                                | Total           | mg/l         |           | 0.002                  |
| BENA-01      | RILEY CREEK    | 14-Jul-11       | Potassium                                 | Dissolved       | ug/l         |           | 8.13                   |
| BENA-01      | RILEY CREEK    | 14-Jul-11       | Potassium                                 | Total           | ug/l         |           | 8.13                   |
| BENA-01      | RILEY CREEK    | 14-Jul-11       | Silver                                    | Dissolved       | ug/l         | ND        | 0.38                   |
| BENA-01      | RILEY CREEK    | 14-Jul-11       | Silver                                    | Total           | ug/l         | ND        | 0.38                   |
| BENA-01      | RILEY CREEK    | 14-Jul-11       | Sodium                                    | Dissolved       | ug/l         |           | 231                    |
| BENA-01      | RILEY CREEK    | 14-Jul-11       | Sodium                                    | Total           | ug/l         |           | 231                    |
| BENA-01      |                | 14-Jul-11       | Specific conductance                      |                 | umho/cm      |           |                        |
| BENA-01      | RILEY CREEK    | 14-Jul-11       | Strontium                                 | Dissolved       | ug/l         |           | 0.38                   |
| BENA-01      | RILEY CREEK    | 14-Jul-11       | Strontium                                 | Total           | ug/l         |           | 0.38                   |
| BENA-01      | RILEY CREEK    | 14-Jul-11       | Sulfate                                   | Total           | mg/l         |           | 1.63                   |
| BENA-01      |                | 14-Jul-11       | Temperature, air                          |                 | deg C        |           |                        |
| BENA-01      | RILEY CREEK    | 14-Jul-11       | Temperature, sample                       |                 | deg C        |           |                        |
| BENA-01      |                | 14-Jul-11       | Temperature, water                        |                 | deg C        |           |                        |
| BENA-01      | RILEY CREEK    | 14-Jul-11       | Total suspended solids                    |                 | mg/l         |           |                        |
| BENA-01      |                | 14-Jul-11       | Turbidity                                 |                 | NTU          |           |                        |
| BENA-01      | RILEY CREEK    | 14-Jul-11       | Vanadium                                  | Dissolved       | ug/l         | ND        | 0.19                   |
| BENA-01      | RILEY CREEK    | 14-Jul-11       | Vanadium                                  | Total           | ug/l         | ND        | 0.19                   |
| BENA-01      | RILEY CREEK    | 14-Jul-11       | Volatile suspended solids                 |                 | mg/l         |           |                        |
| BENA-01      | RILEY CREEK    | 14-Jul-11       | Zinc                                      | Dissolved       | ug/l         |           | 0.35                   |
| BENA-01      | RILEY CREEK    | 14-Jul-11       | Zinc                                      | Total           | ug/l         | V         | 0.35                   |
| BENA-03      | RILEY CREEK    | 25-Jul-11       | Alkalinity, total                         |                 | mg/l         |           | 1.46                   |
| BENA-03      | RILEY CREEK    | 25-Jul-11       | Aluminum                                  | Dissolved       | ug/l         | ND,V      | 2.78                   |
| BENA-03      | RILEY CREEK    | 25-Jul-11       | Aluminum                                  | Total           | ug/l         | J,V       | 2.78                   |
| BENA-03      | RILEY CREEK    | 25-Jul-11       | Ammonia-nitrogen                          | Total           | mg/l         | J         | 0.02                   |
| BENA-03      | RILEY CREEK    | 25-Jul-11       | Arsenic                                   | Dissolved       | ug/l         | J         | 0.94                   |
| BENA-03      | RILEY CREEK    | 25-Jul-11       | Arsenic                                   | Total           | ug/l         | J         | 0.94                   |
| BENA-03      | RILEY CREEK    | 25-Jul-11       | Barium                                    | Dissolved       | ug/l         |           | 0.13                   |
| BENA-03      | RILEY CREEK    | 25-Jul-11       | Barium                                    | Total           | ug/l         |           | 0.13                   |
| BENA-03      | RILEY CREEK    | 25-Jul-11       | Beryllium                                 | Dissolved       | ug/l         | ND        | 0.08                   |
| BENA-03      | RILEY CREEK    | 25-Jul-11       | Beryllium                                 | Total           | ug/l         | ND        | 0.08                   |
| BENA-03      | RILEY CREEK    | 25-Jul-11       | Boron                                     | Dissolved       | ug/l         | V         | 2.73                   |
| BENA-03      | RILEY CREEK    | 25-Jul-11       | Boron                                     | Total           | ug/l         | V         | 2.73                   |
| BENA-03      | RILEY CREEK    | 25-Jul-11       | Cadmium                                   | Dissolved       | ug/l         | ND        | 0.18                   |
| BENA-03      | RILEY CREEK    | 25-Jul-11       | Cadmium                                   | Total           | ug/l         | ND        | 0.18                   |
| BENA-03      | RILEY CREEK    | 25-Jul-11       | Calcium                                   | Dissolved       | ug/l         |           | 4.76                   |
| BENA-03      | RILEY CREEK    | 25-Jul-11       | Calcium                                   | Total           | ug/l         |           | 4.76                   |
| BENA-03      | RILEY CREEK    | 25-Jul-11       | Chloride                                  | Total           | mg/l         |           | 0.29                   |
| BENA-03      | RILEY CREEK    | 25-Jul-11       | Chlorophyll a, corrected for pheophytin   | Total           | ug/l         |           |                        |
| BENA-03      | RILEY CREEK    | 25-Jul-11       | Chlorophyll a, uncorrected for pheophytin | Total           | ug/l         |           |                        |
| BENA-03      | RILEY CREEK    | 25-Jul-11       | Chlorophyll b                             | Total           | ug/l         | ND        | 0.5                    |
| BENA-03      | RILEY CREEK    | 25-Jul-11       | Chlorophyll c                             | Total           | ug/l         |           |                        |
| BENA-03      | RILEY CREEK    | 25-Jul-11       | Chromium                                  | Dissolved       | ug/l         | ND        | 0.24                   |
| BENA-03      | RILEY CREEK    | 25-Jul-11       | Chromium                                  | Total           | ug/l         | ND        | 0.24                   |
| BENA-03      | RILEY CREEK    | 25-Jul-11       | Cobalt                                    | Dissolved       | ug/l         | J         | 0.22                   |
| BENA-03      | RILEY CREEK    | 25-Jul-11       | Cobalt                                    | Total           | ug/l         | J         | 0.22                   |
| BENA-03      | RILEY CREEK    | 25-Jul-11       | Copper                                    | Dissolved       | ug/l         | ND        | 0.79                   |
| BENA-03      | RILEY CREEK    | 25-Jul-11       | Copper                                    | Total           | ug/l         | ND        | 0.79                   |
| BENA-03      | RILEY CREEK    | 25-Jul-11       | Cyanide                                   | Total           | mg/l         | J,J7      | 0.002                  |
| BENA-03      |                | 25-Jul-11       | Dissolved oxygen (DO)                     |                 | mg/l         |           |                        |
| BENA-03      |                | 25-Jul-11       | Dissolved oxygen saturation               |                 | %            |           |                        |
| BENA-03      | RILEY CREEK    | 25-Jul-11       | Fluoride                                  | Total           | mg/l         |           | 0.02                   |
| BENA-03      | RILEY CREEK    | 25-Jul-11       | Hardness, Ca, Mg                          |                 | ug/l         | C         |                        |
| BENA-03      | RILEY CREEK    | 25-Jul-11       | Inorganic nitrogen (nitrate and nitrite)  | Total           | mg/l         |           | 0.018                  |
| BENA-03      | RILEY CREEK    | 25-Jul-11       | Iron                                      | Dissolved       | ug/l         | J,V       | 3.06                   |
| BENA-03      | RILEY CREEK    | 25-Jul-11       | Iron                                      | Total           | ug/l         | V         | 3.06                   |
| BENA-03      | RILEY CREEK    | 25-Jul-11       | Kjeldahl nitrogen                         | Total           | mg/l         | J         | 0.098                  |
| BENA-03      | RILEY CREEK    | 25-Jul-11       | Lead                                      | Dissolved       | ug/l         | V         | 0.67                   |
| BENA-03      | RILEY CREEK    | 25-Jul-11       | Lead                                      | Total           | ug/l         | V         | 0.67                   |
| BENA-03      | RILEY CREEK    | 25-Jul-11       | Magnesium                                 | Dissolved       | ug/l         |           | 4.69                   |
| BENA-03      | RILEY CREEK    | 25-Jul-11       | Magnesium                                 | Total           | ug/l         |           | 4.69                   |
| BENA-03      | RILEY CREEK    | 25-Jul-11       | Manganese                                 | Dissolved       | ug/l         |           | 0.05                   |
| BENA-03      | RILEY CREEK    | 25-Jul-11       | Manganese                                 | Total           | ug/l         |           | 0.05                   |
| BENA-03      | RILEY CREEK    | 25-Jul-11       | Nickel                                    | Dissolved       | ug/l         | ND        | 0.41                   |
| BENA-03      | RILEY CREEK    | 25-Jul-11       | Nickel                                    | Total           | ug/l         | J         | 0.41                   |



| Station Code | Waterbody Name | Collection Date | Analyte                                   | Sample Fraction | Result Units | Qualifier | Method Detection Limit |
|--------------|----------------|-----------------|---|-----------------|--------------|-----------|------------------------|
| BENA-03      | RILEY CREEK    | 25-Jul-11       | Organic carbon                            | Total           | mg/l         |           | 0.02                   |
| BENA-03      |                | 25-Jul-11       | pH  |                 | none         |           |                        |
| BENA-03      | RILEY CREEK    | 25-Jul-11       | Phenols                                   | Total           | ug/l         | J         | 1.53                   |
| BENA-03      | RILEY CREEK    | 25-Jul-11       | Pheophytin a                              | Total           | ug/l         |           |                        |
| BENA-03      | RILEY CREEK    | 25-Jul-11       | Phosphorus                                | Dissolved       | mg/l         |           | 0.002                  |
| BENA-03      | RILEY CREEK    | 25-Jul-11       | Phosphorus                                | Total           | mg/l         |           | 0.002                  |
| BENA-03      | RILEY CREEK    | 25-Jul-11       | Potassium                                 | Dissolved       | ug/l         |           | 8.13                   |
| BENA-03      | RILEY CREEK    | 25-Jul-11       | Potassium                                 | Total           | ug/l         |           | 8.13                   |
| BENA-03      | RILEY CREEK    | 25-Jul-11       | Silver                                    | Dissolved       | ug/l         | ND        | 0.38                   |
| BENA-03      | RILEY CREEK    | 25-Jul-11       | Silver                                    | Total           | ug/l         | J         | 0.38                   |
| BENA-03      | RILEY CREEK    | 25-Jul-11       | Sodium                                    | Dissolved       | ug/l         |           | 231                    |
| BENA-03      | RILEY CREEK    | 25-Jul-11       | Sodium                                    | Total           | ug/l         |           | 231                    |
| BENA-03      |                | 25-Jul-11       | Specific conductance                      |                 | umho/cm      |           |                        |
| BENA-03      | RILEY CREEK    | 25-Jul-11       | Strontium                                 | Dissolved       | ug/l         |           | 0.38                   |
| BENA-03      | RILEY CREEK    | 25-Jul-11       | Strontium                                 | Total           | ug/l         |           | 0.38                   |
| BENA-03      | RILEY CREEK    | 25-Jul-11       | Sulfate                                   | Total           | mg/l         |           | 1.63                   |
| BENA-03      |                | 25-Jul-11       | Temperature, air                          |                 | deg C        |           |                        |
| BENA-03      | RILEY CREEK    | 25-Jul-11       | Temperature, sample                       |                 | deg C        |           |                        |
| BENA-03      |                | 25-Jul-11       | Temperature, water                        |                 | deg C        |           |                        |
| BENA-03      | RILEY CREEK    | 25-Jul-11       | Total suspended solids                    |                 | mg/l         |           |                        |
| BENA-03      |                | 25-Jul-11       | Turbidity                                 |                 | NTU          |           |                        |
| BENA-03      | RILEY CREEK    | 25-Jul-11       | Vanadium                                  | Dissolved       | ug/l         | ND        | 0.19                   |
| BENA-03      | RILEY CREEK    | 25-Jul-11       | Vanadium                                  | Total           | ug/l         | ND        | 0.19                   |
| BENA-03      | RILEY CREEK    | 25-Jul-11       | Volatile suspended solids                 |                 | mg/l         | ND        | 4                      |
| BENA-03      | RILEY CREEK    | 25-Jul-11       | Zinc                                      | Dissolved       | ug/l         | V         | 0.35                   |
| BENA-03      | RILEY CREEK    | 25-Jul-11       | Zinc                                      | Total           | ug/l         | ND,V      | 0.35                   |
| BEN-01       | KICKAPOO CREEK | 28-Jul-11       | Alkalinity, total                         |                 | mg/l         |           | 1.46                   |
| BEN-01       | KICKAPOO CREEK | 28-Jul-11       | Aluminum                                  | Dissolved       | ug/l         | ND        | 2.78                   |
| BEN-01       | KICKAPOO CREEK | 28-Jul-11       | Aluminum                                  | Total           | ug/l         |           | 2.78                   |
| BEN-01       | KICKAPOO CREEK | 28-Jul-11       | Ammonia-nitrogen                          | Total           | mg/l         |           | 0.02                   |
| BEN-01       | KICKAPOO CREEK | 28-Jul-11       | Arsenic                                   | Dissolved       | ug/l         |           | 0.94                   |
| BEN-01       | KICKAPOO CREEK | 28-Jul-11       | Arsenic                                   | Total           | ug/l         | J         | 0.94                   |
| BEN-01       | KICKAPOO CREEK | 28-Jul-11       | Barium                                    | Dissolved       | ug/l         |           | 0.13                   |
| BEN-01       | KICKAPOO CREEK | 28-Jul-11       | Barium                                    | Total           | ug/l         |           | 0.13                   |
| BEN-01       | KICKAPOO CREEK | 28-Jul-11       | Beryllium                                 | Dissolved       | ug/l         | ND        | 0.08                   |
| BEN-01       | KICKAPOO CREEK | 28-Jul-11       | Beryllium                                 | Total           | ug/l         | ND        | 0.08                   |
| BEN-01       | KICKAPOO CREEK | 28-Jul-11       | Boron                                     | Dissolved       | ug/l         |           | 2.73                   |
| BEN-01       | KICKAPOO CREEK | 28-Jul-11       | Boron                                     | Total           | ug/l         |           | 2.73                   |
| BEN-01       | KICKAPOO CREEK | 28-Jul-11       | Cadmium                                   | Dissolved       | ug/l         | ND        | 0.18                   |
| BEN-01       | KICKAPOO CREEK | 28-Jul-11       | Cadmium                                   | Total           | ug/l         | ND        | 0.18                   |
| BEN-01       | KICKAPOO CREEK | 28-Jul-11       | Calcium                                   | Dissolved       | ug/l         |           | 4.76                   |
| BEN-01       | KICKAPOO CREEK | 28-Jul-11       | Calcium                                   | Total           | ug/l         |           | 4.76                   |
| BEN-01       | KICKAPOO CREEK | 28-Jul-11       | Chloride                                  | Total           | mg/l         |           | 0.29                   |
| BEN-01       | KICKAPOO CREEK | 28-Jul-11       | Chlorophyll a, corrected for pheophytin   | Total           | ug/l         |           |                        |
| BEN-01       | KICKAPOO CREEK | 28-Jul-11       | Chlorophyll a, uncorrected for pheophytin | Total           | ug/l         |           |                        |
| BEN-01       | KICKAPOO CREEK | 28-Jul-11       | Chlorophyll b                             | Total           | ug/l         |           |                        |
| BEN-01       | KICKAPOO CREEK | 28-Jul-11       | Chlorophyll c                             | Total           | ug/l         |           |                        |
| BEN-01       | KICKAPOO CREEK | 28-Jul-11       | Chromium                                  | Dissolved       | ug/l         | ND        | 0.24                   |
| BEN-01       | KICKAPOO CREEK | 28-Jul-11       | Chromium                                  | Total           | ug/l         | ND        | 0.24                   |
| BEN-01       | KICKAPOO CREEK | 28-Jul-11       | Cobalt                                    | Dissolved       | ug/l         | J         | 0.22                   |
| BEN-01       | KICKAPOO CREEK | 28-Jul-11       | Cobalt                                    | Total           | ug/l         | J         | 0.22                   |
| BEN-01       | KICKAPOO CREEK | 28-Jul-11       | Copper                                    | Dissolved       | ug/l         | ND        | 0.79                   |
| BEN-01       | KICKAPOO CREEK | 28-Jul-11       | Copper                                    | Total           | ug/l         | ND        | 0.79                   |
| BEN-01       | KICKAPOO CREEK | 28-Jul-11       | Cyanide                                   | Total           | mg/l         | J         | 0.002                  |
| BEN-01       |                | 28-Jul-11       | Dissolved oxygen (DO)                     |                 | mg/l         |           |                        |
| BEN-01       |                | 28-Jul-11       | Dissolved oxygen saturation               |                 | %            |           |                        |
| BEN-01       | KICKAPOO CREEK | 28-Jul-11       | Fluoride                                  | Total           | mg/l         |           | 0.02                   |
| BEN-01       | KICKAPOO CREEK | 28-Jul-11       | Hardness, Ca, Mg                          |                 | ug/l         | C         |                        |
| BEN-01       | KICKAPOO CREEK | 28-Jul-11       | Inorganic nitrogen (nitrate and nitrite)  | Total           | mg/l         |           | 0.018                  |
| BEN-01       | KICKAPOO CREEK | 28-Jul-11       | Iron                                      | Dissolved       | ug/l         | J         | 3.06                   |
| BEN-01       | KICKAPOO CREEK | 28-Jul-11       | Iron                                      | Total           | ug/l         |           | 3.06                   |
| BEN-01       | KICKAPOO CREEK | 28-Jul-11       | Kjeldahl nitrogen                         | Total           | mg/l         | J6        | 0.098                  |
| BEN-01       | KICKAPOO CREEK | 28-Jul-11       | Lead                                      | Dissolved       | ug/l         | J,V       | 0.67                   |
| BEN-01       | KICKAPOO CREEK | 28-Jul-11       | Lead                                      | Total           | ug/l         | ND,V      | 0.67                   |
| BEN-01       | KICKAPOO CREEK | 28-Jul-11       | Magnesium                                 | Dissolved       | ug/l         | J6        | 4.69                   |
| BEN-01       | KICKAPOO CREEK | 28-Jul-11       | Magnesium                                 | Total           | ug/l         | J6        | 4.69                   |
| BEN-01       | KICKAPOO CREEK | 28-Jul-11       | Manganese                                 | Dissolved       | ug/l         |           | 0.05                   |
| BEN-01       | KICKAPOO CREEK | 28-Jul-11       | Manganese                                 | Total           | ug/l         |           | 0.05                   |
| BEN-01       | KICKAPOO CREEK | 28-Jul-11       | Nickel                                    | Dissolved       | ug/l         | J         | 0.41                   |

| Station Code | Waterbody Name      | Collection Date | Analyte                                  | Sample Fraction | Result Units | Qualifier | Method Detection Limit |
|--------------|---------------------|-----------------|--|-----------------|--------------|-----------|------------------------|
| BEN-01       | KICKAPOO CREEK      | 28-Jul-11       | Nickel                                   | Total           | ug/l         | J         | 0.41                   |
| BEN-01       |                     | 28-Jul-11       | pH                                       |                 | none         |           |                        |
| BEN-01       | KICKAPOO CREEK      | 28-Jul-11       | Phenols                                  | Total           | ug/l         | J         | 1.53                   |
| BEN-01       | KICKAPOO CREEK      | 28-Jul-11       | Pheophytin a                             | Total           | ug/l         |           |                        |
| BEN-01       | KICKAPOO CREEK      | 28-Jul-11       | Phosphorus                               | Dissolved       | mg/l         |           | 0.002                  |
| BEN-01       | KICKAPOO CREEK      | 28-Jul-11       | Phosphorus                               | Total           | mg/l         |           | 0.002                  |
| BEN-01       | KICKAPOO CREEK      | 28-Jul-11       | Potassium                                | Dissolved       | ug/l         |           | 8.13                   |
| BEN-01       | KICKAPOO CREEK      | 28-Jul-11       | Potassium                                | Total           | ug/l         |           | 8.13                   |
| BEN-01       | KICKAPOO CREEK      | 28-Jul-11       | Silver                                   | Dissolved       | ug/l         | J         | 0.38                   |
| BEN-01       | KICKAPOO CREEK      | 28-Jul-11       | Silver                                   | Total           | ug/l         | J         | 0.38                   |
| BEN-01       | KICKAPOO CREEK      | 28-Jul-11       | Sodium                                   | Dissolved       | ug/l         |           | 231                    |
| BEN-01       | KICKAPOO CREEK      | 28-Jul-11       | Sodium                                   | Total           | ug/l         |           | 231                    |
| BEN-01       |                     | 28-Jul-11       | Specific conductance                     |                 | umho/cm      |           |                        |
| BEN-01       | KICKAPOO CREEK      | 28-Jul-11       | Strontium                                | Dissolved       | ug/l         |           | 0.38                   |
| BEN-01       | KICKAPOO CREEK      | 28-Jul-11       | Strontium                                | Total           | ug/l         |           | 0.38                   |
| BEN-01       | KICKAPOO CREEK      | 28-Jul-11       | Sulfate                                  | Total           | mg/l         |           | 1.63                   |
| BEN-01       |                     | 28-Jul-11       | Temperature, air                         |                 | deg C        |           |                        |
| BEN-01       | KICKAPOO CREEK      | 28-Jul-11       | Temperature, sample                      |                 | deg C        |           |                        |
| BEN-01       |                     | 28-Jul-11       | Temperature, water                       |                 | deg C        |           |                        |
| BEN-01       | KICKAPOO CREEK      | 28-Jul-11       | Total suspended solids                   |                 | mg/l         | J3        |                        |
| BEN-01       |                     | 28-Jul-11       | Turbidity                                |                 | NTU          |           |                        |
| BEN-01       | KICKAPOO CREEK      | 28-Jul-11       | Vanadium                                 | Dissolved       | ug/l         | ND        | 0.19                   |
| BEN-01       | KICKAPOO CREEK      | 28-Jul-11       | Vanadium                                 | Total           | ug/l         | ND        | 0.19                   |
| BEN-01       | KICKAPOO CREEK      | 28-Jul-11       | Volatile suspended solids                |                 | mg/l         |           |                        |
| BEN-01       | KICKAPOO CREEK      | 28-Jul-11       | Zinc                                     | Dissolved       | ug/l         | J,V       | 0.35                   |
| BEN-01       | KICKAPOO CREEK      | 28-Jul-11       | Zinc                                     | Total           | ug/l         | J,V       | 0.35                   |
| BEN-01       | KICKAPOO CREEK      | 16-Aug-11       | Ammonia-nitrogen                         | Total           | mg/l         |           | 0.02                   |
| BEN-01       | KICKAPOO CREEK      | 16-Aug-11       | Inorganic nitrogen (nitrate and nitrite) | Total           | mg/l         |           | 0.018                  |
| BEN-01       | KICKAPOO CREEK      | 16-Aug-11       | Kjeldahl nitrogen                        | Total           | mg/l         | J,J7      | 0.098                  |
| BEN-01       | KICKAPOO CREEK      | 16-Aug-11       | Phosphorus                               | Total           | mg/l         |           | 0.002                  |
| BEN-01       | KICKAPOO CREEK      | 16-Aug-11       | Temperature, sample                      |                 | deg C        |           |                        |
| BEN-01       | KICKAPOO CREEK      | 16-Aug-11       | Total suspended solids                   |                 | mg/l         |           |                        |
| BEN-01       | KICKAPOO CREEK      | 16-Aug-11       | Volatile suspended solids                |                 | mg/l         |           |                        |
| BENA-01      | RILEY CREEK         | 16-Aug-11       | Ammonia-nitrogen                         | Total           | mg/l         |           | 0.02                   |
| BENA-01      | RILEY CREEK         | 16-Aug-11       | Inorganic nitrogen (nitrate and nitrite) | Total           | mg/l         |           | 0.018                  |
| BENA-01      | RILEY CREEK         | 16-Aug-11       | Kjeldahl nitrogen                        | Total           | mg/l         | J7        | 0.098                  |
| BENA-01      | RILEY CREEK         | 16-Aug-11       | Phosphorus                               | Total           | mg/l         |           | 0.002                  |
| BENA-01      | RILEY CREEK         | 16-Aug-11       | Temperature, sample                      |                 | deg C        |           |                        |
| BENA-01      | RILEY CREEK         | 16-Aug-11       | Total suspended solids                   |                 | mg/l         |           |                        |
| BENA-01      | RILEY CREEK         | 16-Aug-11       | Volatile suspended solids                |                 | mg/l         |           |                        |
| BENA-03      | RILEY CREEK         | 17-Aug-11       | Ammonia-nitrogen                         | Total           | mg/l         | ND        | 0.02                   |
| BENA-03      | RILEY CREEK         | 17-Aug-11       | Inorganic nitrogen (nitrate and nitrite) | Total           | mg/l         | J         | 0.018                  |
| BENA-03      | RILEY CREEK         | 17-Aug-11       | Kjeldahl nitrogen                        | Total           | mg/l         | J7,ND     | 0.098                  |
| BENA-03      | RILEY CREEK         | 17-Aug-11       | Phosphorus                               | Total           | mg/l         |           | 0.002                  |
| BENA-03      | RILEY CREEK         | 17-Aug-11       | Temperature, sample                      |                 | deg C        |           |                        |
| BENA-03      | RILEY CREEK         | 17-Aug-11       | Total suspended solids                   |                 | mg/l         | ND        | 4                      |
| BENA-03      | RILEY CREEK         | 17-Aug-11       | Volatile suspended solids                |                 | mg/l         | ND        | 4                      |
| BENC-01      | RILEY CASSELL CREEK | 17-Aug-11       | Ammonia-nitrogen                         | Total           | mg/l         | ND        | 0.02                   |
| BENC-01      | RILEY CASSELL CREEK | 17-Aug-11       | Inorganic nitrogen (nitrate and nitrite) | Total           | mg/l         |           | 0.018                  |
| BENC-01      | RILEY CASSELL CREEK | 17-Aug-11       | Kjeldahl nitrogen                        | Total           | mg/l         | J7        | 0.098                  |
| BENC-01      | RILEY CASSELL CREEK | 17-Aug-11       | Phosphorus                               | Total           | mg/l         |           | 0.002                  |
| BENC-01      | RILEY CASSELL CREEK | 17-Aug-11       | Temperature, sample                      |                 | deg C        |           |                        |
| BENC-01      | RILEY CASSELL CREEK | 17-Aug-11       | Total suspended solids                   |                 | mg/l         | ND        | 4                      |
| BENC-01      | RILEY CASSELL CREEK | 17-Aug-11       | Volatile suspended solids                |                 | mg/l         | ND        | 4                      |
| BEN-01       | KICKAPOO CREEK      | 20-Sep-11       | Alkalinity, total                        |                 | mg/l         |           | 1.46                   |
| BEN-01       | KICKAPOO CREEK      | 20-Sep-11       | Aluminum                                 | Dissolved       | ug/l         |           | 2.78                   |
| BEN-01       | KICKAPOO CREEK      | 20-Sep-11       | Aluminum                                 | Total           | ug/l         |           | 2.78                   |
| BEN-01       | KICKAPOO CREEK      | 20-Sep-11       | Ammonia-nitrogen                         | Total           | mg/l         |           | 0.02                   |
| BEN-01       | KICKAPOO CREEK      | 20-Sep-11       | Arsenic                                  | Dissolved       | ug/l         |           | 0.94                   |
| BEN-01       | KICKAPOO CREEK      | 20-Sep-11       | Arsenic                                  | Total           | ug/l         |           | 0.94                   |
| BEN-01       | KICKAPOO CREEK      | 20-Sep-11       | Barium                                   | Dissolved       | ug/l         |           | 0.13                   |
| BEN-01       | KICKAPOO CREEK      | 20-Sep-11       | Barium                                   | Total           | ug/l         |           | 0.13                   |
| BEN-01       | KICKAPOO CREEK      | 20-Sep-11       | Beryllium                                | Dissolved       | ug/l         | V         | 0.08                   |
| BEN-01       | KICKAPOO CREEK      | 20-Sep-11       | Beryllium                                | Total           | ug/l         | J,V       | 0.08                   |
| BEN-01       | KICKAPOO CREEK      | 20-Sep-11       | Boron                                    | Dissolved       | ug/l         | V         | 2.73                   |
| BEN-01       | KICKAPOO CREEK      | 20-Sep-11       | Boron                                    | Total           | ug/l         | V         | 2.73                   |
| BEN-01       | KICKAPOO CREEK      | 20-Sep-11       | Cadmium                                  | Dissolved       | ug/l         | ND        | 0.18                   |
| BEN-01       | KICKAPOO CREEK      | 20-Sep-11       | Cadmium                                  | Total           | ug/l         | ND        | 0.18                   |
| BEN-01       | KICKAPOO CREEK      | 20-Sep-11       | Calcium                                  | Dissolved       | ug/l         |           | 4.76                   |

| Station Code | Waterbody Name | Collection Date | Analyte                                   | Sample Fraction | Result Units | Qualifier | Method Detection Limit |
|--------------|----------------|-----------------|---|-----------------|--------------|-----------|------------------------|
| BEN-01       | KICKAPOO CREEK | 20-Sep-11       | Calcium                                   | Total           | ug/l         |           | 4.76                   |
| BEN-01       | KICKAPOO CREEK | 20-Sep-11       | Chloride                                  | Total           | mg/l         |           | 0.29                   |
| BEN-01       | KICKAPOO CREEK | 20-Sep-11       | Chlorophyll a, corrected for pheophytin   | Total           | ug/l         |           |                        |
| BEN-01       | KICKAPOO CREEK | 20-Sep-11       | Chlorophyll a, uncorrected for pheophytin | Total           | ug/l         |           |                        |
| BEN-01       | KICKAPOO CREEK | 20-Sep-11       | Chlorophyll b                             | Total           | ug/l         |           |                        |
| BEN-01       | KICKAPOO CREEK | 20-Sep-11       | Chlorophyll c                             | Total           | ug/l         | J         |                        |
| BEN-01       | KICKAPOO CREEK | 20-Sep-11       | Chromium                                  | Dissolved       | ug/l         | J         | 0.24                   |
| BEN-01       | KICKAPOO CREEK | 20-Sep-11       | Chromium                                  | Total           | ug/l         | ND        | 0.24                   |
| BEN-01       | KICKAPOO CREEK | 20-Sep-11       | Cobalt                                    | Dissolved       | ug/l         | J         | 0.22                   |
| BEN-01       | KICKAPOO CREEK | 20-Sep-11       | Cobalt                                    | Total           | ug/l         | J         | 0.22                   |
| BEN-01       | KICKAPOO CREEK | 20-Sep-11       | Copper                                    | Dissolved       | ug/l         | J         | 0.79                   |
| BEN-01       | KICKAPOO CREEK | 20-Sep-11       | Copper                                    | Total           | ug/l         | J         | 0.79                   |
| BEN-01       | KICKAPOO CREEK | 20-Sep-11       | Cyanide                                   | Total           | mg/l         | J         | 0.002                  |
| BEN-01       |                | 20-Sep-11       | Dissolved oxygen (DO)                     |                 | mg/l         |           |                        |
| BEN-01       |                | 20-Sep-11       | Dissolved oxygen saturation               |                 | %            |           |                        |
| BEN-01       | KICKAPOO CREEK | 20-Sep-11       | Fluoride                                  | Total           | mg/l         |           | 0.02                   |
| BEN-01       | KICKAPOO CREEK | 20-Sep-11       | Hardness, Ca, Mg                          |                 | ug/l         | C         |                        |
| BEN-01       | KICKAPOO CREEK | 20-Sep-11       | Inorganic nitrogen (nitrate and nitrite)  | Total           | mg/l         |           | 0.018                  |
| BEN-01       | KICKAPOO CREEK | 20-Sep-11       | Iron                                      | Dissolved       | ug/l         | V         | 3.06                   |
| BEN-01       | KICKAPOO CREEK | 20-Sep-11       | Iron                                      | Total           | ug/l         | V         | 3.06                   |
| BEN-01       | KICKAPOO CREEK | 20-Sep-11       | Kjeldahl nitrogen                         | Total           | mg/l         |           | 0.098                  |
| BEN-01       | KICKAPOO CREEK | 20-Sep-11       | Lead                                      | Dissolved       | ug/l         | J         | 0.67                   |
| BEN-01       | KICKAPOO CREEK | 20-Sep-11       | Lead                                      | Total           | ug/l         | J         | 0.67                   |
| BEN-01       | KICKAPOO CREEK | 20-Sep-11       | Magnesium                                 | Dissolved       | ug/l         |           | 4.69                   |
| BEN-01       | KICKAPOO CREEK | 20-Sep-11       | Magnesium                                 | Total           | ug/l         |           | 4.69                   |
| BEN-01       | KICKAPOO CREEK | 20-Sep-11       | Manganese                                 | Dissolved       | ug/l         |           | 0.05                   |
| BEN-01       | KICKAPOO CREEK | 20-Sep-11       | Manganese                                 | Total           | ug/l         |           | 0.05                   |
| BEN-01       | KICKAPOO CREEK | 20-Sep-11       | Nickel                                    | Dissolved       | ug/l         | J         | 0.41                   |
| BEN-01       | KICKAPOO CREEK | 20-Sep-11       | Nickel                                    | Total           | ug/l         | J         | 0.41                   |
| BEN-01       | KICKAPOO CREEK | 20-Sep-11       | Organic carbon                            | Total           | mg/l         |           | 0.02                   |
| BEN-01       |                | 20-Sep-11       | pH  |                 | none         |           |                        |
| BEN-01       | KICKAPOO CREEK | 20-Sep-11       | Phenols                                   | Total           | ug/l         | J         | 1.53                   |
| BEN-01       | KICKAPOO CREEK | 20-Sep-11       | Pheophytin a                              | Total           | ug/l         |           |                        |
| BEN-01       | KICKAPOO CREEK | 20-Sep-11       | Phosphorus                                | Dissolved       | mg/l         |           | 0.002                  |
| BEN-01       | KICKAPOO CREEK | 20-Sep-11       | Phosphorus                                | Total           | mg/l         |           | 0.002                  |
| BEN-01       | KICKAPOO CREEK | 20-Sep-11       | Potassium                                 | Dissolved       | ug/l         |           | 8.13                   |
| BEN-01       | KICKAPOO CREEK | 20-Sep-11       | Potassium                                 | Total           | ug/l         |           | 8.13                   |
| BEN-01       | KICKAPOO CREEK | 20-Sep-11       | Silver                                    | Dissolved       | ug/l         | ND        | 0.38                   |
| BEN-01       | KICKAPOO CREEK | 20-Sep-11       | Silver                                    | Total           | ug/l         | J         | 0.38                   |
| BEN-01       | KICKAPOO CREEK | 20-Sep-11       | Sodium                                    | Dissolved       | ug/l         |           | 231                    |
| BEN-01       | KICKAPOO CREEK | 20-Sep-11       | Sodium                                    | Total           | ug/l         |           | 231                    |
| BEN-01       |                | 20-Sep-11       | Specific conductance                      |                 | umho/cm      |           |                        |
| BEN-01       | KICKAPOO CREEK | 20-Sep-11       | Strontium                                 | Dissolved       | ug/l         |           | 0.38                   |
| BEN-01       | KICKAPOO CREEK | 20-Sep-11       | Strontium                                 | Total           | ug/l         |           | 0.38                   |
| BEN-01       | KICKAPOO CREEK | 20-Sep-11       | Sulfate                                   | Total           | mg/l         |           | 1.63                   |
| BEN-01       |                | 20-Sep-11       | Temperature, air                          |                 | deg C        |           |                        |
| BEN-01       | KICKAPOO CREEK | 20-Sep-11       | Temperature, sample                       |                 | deg C        |           |                        |
| BEN-01       |                | 20-Sep-11       | Temperature, water                        |                 | deg C        |           |                        |
| BEN-01       | KICKAPOO CREEK | 20-Sep-11       | Total suspended solids                    |                 | mg/l         |           |                        |
| BEN-01       |                | 20-Sep-11       | Turbidity                                 |                 | NTU          |           |                        |
| BEN-01       | KICKAPOO CREEK | 20-Sep-11       | Vanadium                                  | Dissolved       | ug/l         | J,V       | 0.19                   |
| BEN-01       | KICKAPOO CREEK | 20-Sep-11       | Vanadium                                  | Total           | ug/l         | J,V       | 0.19                   |
| BEN-01       | KICKAPOO CREEK | 20-Sep-11       | Volatile suspended solids                 |                 | mg/l         |           |                        |
| BEN-01       | KICKAPOO CREEK | 20-Sep-11       | Zinc                                      | Dissolved       | ug/l         | V         | 0.35                   |
| BEN-01       | KICKAPOO CREEK | 20-Sep-11       | Zinc                                      | Total           | ug/l         | V         | 0.35                   |
| BENA-01      | RILEY CREEK    | 20-Sep-11       | Alkalinity, total                         |                 | mg/l         |           | 1.46                   |
| BENA-01      | RILEY CREEK    | 20-Sep-11       | Aluminum                                  | Total           | ug/l         |           | 2.78                   |
| BENA-01      | RILEY CREEK    | 20-Sep-11       | Ammonia-nitrogen                          | Total           | mg/l         |           | 0.02                   |
| BENA-01      | RILEY CREEK    | 20-Sep-11       | Arsenic                                   | Total           | ug/l         | J         | 0.94                   |
| BENA-01      | RILEY CREEK    | 20-Sep-11       | Barium                                    | Total           | ug/l         |           | 0.13                   |
| BENA-01      | RILEY CREEK    | 20-Sep-11       | Beryllium                                 | Total           | ug/l         | J,V       | 0.08                   |
| BENA-01      | RILEY CREEK    | 20-Sep-11       | Boron                                     | Total           | ug/l         |           | 2.73                   |
| BENA-01      | RILEY CREEK    | 20-Sep-11       | Cadmium                                   | Total           | ug/l         | ND        | 0.18                   |
| BENA-01      | RILEY CREEK    | 20-Sep-11       | Calcium                                   | Total           | ug/l         |           | 4.76                   |
| BENA-01      | RILEY CREEK    | 20-Sep-11       | Chloride                                  | Total           | mg/l         |           | 0.29                   |
| BENA-01      | RILEY CREEK    | 20-Sep-11       | Chlorophyll a, corrected for pheophytin   | Total           | ug/l         |           |                        |
| BENA-01      | RILEY CREEK    | 20-Sep-11       | Chlorophyll a, uncorrected for pheophytin | Total           | ug/l         |           |                        |
| BENA-01      | RILEY CREEK    | 20-Sep-11       | Chlorophyll b                             | Total           | ug/l         | ND        | 0.5                    |
| BENA-01      | RILEY CREEK    | 20-Sep-11       | Chlorophyll c                             | Total           | ug/l         | J         |                        |

| Station Code | Waterbody Name | Collection Date | Analyte                                   | Sample Fraction | Result Units | Qualifier | Method Detection Limit |
|--------------|----------------|-----------------|---|-----------------|--------------|-----------|------------------------|
| BENA-01      | RILEY CREEK    | 20-Sep-11       | Chromium                                  | Total           | ug/l         | J         | 0.24                   |
| BENA-01      | RILEY CREEK    | 20-Sep-11       | Cobalt                                    | Total           | ug/l         | J         | 0.22                   |
| BENA-01      | RILEY CREEK    | 20-Sep-11       | Copper                                    | Total           | ug/l         |           | 0.79                   |
| BENA-01      | RILEY CREEK    | 20-Sep-11       | Cyanide                                   | Total           | mg/l         | ND        | 0.002                  |
| BENA-01      |                | 20-Sep-11       | Dissolved oxygen (DO)                     |                 | mg/l         |           |                        |
| BENA-01      |                | 20-Sep-11       | Dissolved oxygen saturation               |                 | %            |           |                        |
| BENA-01      | RILEY CREEK    | 20-Sep-11       | Fluoride                                  | Total           | mg/l         |           | 0.02                   |
| BENA-01      | RILEY CREEK    | 20-Sep-11       | Hardness, Ca, Mg                          |                 | ug/l         | C         |                        |
| BENA-01      | RILEY CREEK    | 20-Sep-11       | Inorganic nitrogen (nitrate and nitrite)  | Total           | mg/l         |           | 0.018                  |
| BENA-01      | RILEY CREEK    | 20-Sep-11       | Iron                                      | Total           | ug/l         | V         | 3.06                   |
| BENA-01      | RILEY CREEK    | 20-Sep-11       | Kjeldahl nitrogen                         | Total           | mg/l         |           | 0.098                  |
| BENA-01      | RILEY CREEK    | 20-Sep-11       | Lead                                      | Total           | ug/l         | ND        | 0.67                   |
| BENA-01      | RILEY CREEK    | 20-Sep-11       | Magnesium                                 | Total           | ug/l         |           | 4.69                   |
| BENA-01      | RILEY CREEK    | 20-Sep-11       | Manganese                                 | Total           | ug/l         |           | 0.05                   |
| BENA-01      | RILEY CREEK    | 20-Sep-11       | Nickel                                    | Total           | ug/l         | J         | 0.41                   |
| BENA-01      |                | 20-Sep-11       | pH  |                 | none         |           |                        |
| BENA-01      | RILEY CREEK    | 20-Sep-11       | Phenols                                   | Total           | ug/l         | ND        | 1.53                   |
| BENA-01      | RILEY CREEK    | 20-Sep-11       | Pheophytin a                              | Total           | ug/l         | J         |                        |
| BENA-01      | RILEY CREEK    | 20-Sep-11       | Phosphorus                                | Dissolved       | mg/l         |           | 0.002                  |
| BENA-01      | RILEY CREEK    | 20-Sep-11       | Phosphorus                                | Total           | mg/l         |           | 0.002                  |
| BENA-01      | RILEY CREEK    | 20-Sep-11       | Potassium                                 | Total           | ug/l         |           | 8.13                   |
| BENA-01      | RILEY CREEK    | 20-Sep-11       | Silver                                    | Total           | ug/l         | J         | 0.38                   |
| BENA-01      | RILEY CREEK    | 20-Sep-11       | Sodium                                    | Total           | ug/l         |           | 231                    |
| BENA-01      |                | 20-Sep-11       | Specific conductance                      |                 | umho/cm      |           |                        |
| BENA-01      | RILEY CREEK    | 20-Sep-11       | Strontium                                 | Total           | ug/l         |           | 0.38                   |
| BENA-01      | RILEY CREEK    | 20-Sep-11       | Sulfate                                   | Total           | mg/l         |           | 1.63                   |
| BENA-01      |                | 20-Sep-11       | Temperature, air                          |                 | deg C        |           |                        |
| BENA-01      | RILEY CREEK    | 20-Sep-11       | Temperature, sample                       |                 | deg C        |           |                        |
| BENA-01      |                | 20-Sep-11       | Temperature, water                        |                 | deg C        |           |                        |
| BENA-01      | RILEY CREEK    | 20-Sep-11       | Total suspended solids                    |                 | mg/l         | ND        | 4                      |
| BENA-01      |                | 20-Sep-11       | Turbidity                                 |                 | NTU          |           |                        |
| BENA-01      | RILEY CREEK    | 20-Sep-11       | Vanadium                                  | Total           | ug/l         | ND,V      | 0.19                   |
| BENA-01      | RILEY CREEK    | 20-Sep-11       | Volatile suspended solids                 |                 | mg/l         | ND        | 4                      |
| BENA-01      | RILEY CREEK    | 20-Sep-11       | Zinc                                      | Total           | ug/l         | V         | 0.35                   |
| BENA-03      | RILEY CREEK    | 20-Sep-11       | Alkalinity, total                         |                 | mg/l         |           | 1.46                   |
| BENA-03      | RILEY CREEK    | 20-Sep-11       | Aluminum                                  | Dissolved       | ug/l         | ND        | 2.78                   |
| BENA-03      | RILEY CREEK    | 20-Sep-11       | Aluminum                                  | Total           | ug/l         | ND        | 2.78                   |
| BENA-03      | RILEY CREEK    | 20-Sep-11       | Ammonia-nitrogen                          | Total           | mg/l         |           | 0.02                   |
| BENA-03      | RILEY CREEK    | 20-Sep-11       | Arsenic                                   | Dissolved       | ug/l         |           | 0.94                   |
| BENA-03      | RILEY CREEK    | 20-Sep-11       | Arsenic                                   | Total           | ug/l         | J         | 0.94                   |
| BENA-03      | RILEY CREEK    | 20-Sep-11       | Barium                                    | Dissolved       | ug/l         |           | 0.13                   |
| BENA-03      | RILEY CREEK    | 20-Sep-11       | Barium                                    | Total           | ug/l         |           | 0.13                   |
| BENA-03      | RILEY CREEK    | 20-Sep-11       | Beryllium                                 | Dissolved       | ug/l         | V         | 0.08                   |
| BENA-03      | RILEY CREEK    | 20-Sep-11       | Beryllium                                 | Total           | ug/l         | J,V       | 0.08                   |
| BENA-03      | RILEY CREEK    | 20-Sep-11       | Boron                                     | Dissolved       | ug/l         | V         | 2.73                   |
| BENA-03      | RILEY CREEK    | 20-Sep-11       | Boron                                     | Total           | ug/l         | V         | 2.73                   |
| BENA-03      | RILEY CREEK    | 20-Sep-11       | Cadmium                                   | Dissolved       | ug/l         | ND        | 0.18                   |
| BENA-03      | RILEY CREEK    | 20-Sep-11       | Cadmium                                   | Total           | ug/l         | ND        | 0.18                   |
| BENA-03      | RILEY CREEK    | 20-Sep-11       | Calcium                                   | Dissolved       | ug/l         |           | 4.76                   |
| BENA-03      | RILEY CREEK    | 20-Sep-11       | Calcium                                   | Total           | ug/l         |           | 4.76                   |
| BENA-03      | RILEY CREEK    | 20-Sep-11       | Chloride                                  | Total           | mg/l         |           | 0.29                   |
| BENA-03      | RILEY CREEK    | 20-Sep-11       | Chlorophyll a, corrected for pheophytin   | Total           | ug/l         |           |                        |
| BENA-03      | RILEY CREEK    | 20-Sep-11       | Chlorophyll a, uncorrected for pheophytin | Total           | ug/l         |           |                        |
| BENA-03      | RILEY CREEK    | 20-Sep-11       | Chlorophyll b                             | Total           | ug/l         | ND        | 0.5                    |
| BENA-03      | RILEY CREEK    | 20-Sep-11       | Chlorophyll c                             | Total           | ug/l         | ND        | 0.5                    |
| BENA-03      | RILEY CREEK    | 20-Sep-11       | Chromium                                  | Dissolved       | ug/l         | ND        | 0.24                   |
| BENA-03      | RILEY CREEK    | 20-Sep-11       | Chromium                                  | Total           | ug/l         | J         | 0.24                   |
| BENA-03      | RILEY CREEK    | 20-Sep-11       | Cobalt                                    | Dissolved       | ug/l         | J         | 0.22                   |
| BENA-03      | RILEY CREEK    | 20-Sep-11       | Cobalt                                    | Total           | ug/l         | J         | 0.22                   |
| BENA-03      | RILEY CREEK    | 20-Sep-11       | Copper                                    | Dissolved       | ug/l         | ND        | 0.79                   |
| BENA-03      | RILEY CREEK    | 20-Sep-11       | Copper                                    | Total           | ug/l         | ND        | 0.79                   |
| BENA-03      |                | 20-Sep-11       | Dissolved oxygen (DO)                     |                 | mg/l         |           |                        |
| BENA-03      |                | 20-Sep-11       | Dissolved oxygen saturation               |                 | %            |           |                        |
| BENA-03      | RILEY CREEK    | 20-Sep-11       | Fluoride                                  | Total           | mg/l         |           | 0.02                   |
| BENA-03      | RILEY CREEK    | 20-Sep-11       | Hardness, Ca, Mg                          |                 | ug/l         | C         |                        |
| BENA-03      | RILEY CREEK    | 20-Sep-11       | Inorganic nitrogen (nitrate and nitrite)  | Total           | mg/l         |           | 0.018                  |
| BENA-03      | RILEY CREEK    | 20-Sep-11       | Iron                                      | Dissolved       | ug/l         | J,V       | 3.06                   |
| BENA-03      | RILEY CREEK    | 20-Sep-11       | Iron                                      | Total           | ug/l         | V         | 3.06                   |
| BENA-03      | RILEY CREEK    | 20-Sep-11       | Kjeldahl nitrogen                         | Total           | mg/l         | J         | 0.098                  |

| Station Code | Waterbody Name      | Collection Date | Analyte                                   | Sample Fraction | Result Units | Qualifier | Method Detection Limit |
|--------------|---------------------|-----------------|---|-----------------|--------------|-----------|------------------------|
| BENA-03      | RILEY CREEK         | 20-Sep-11       | Lead                                      | Dissolved       | ug/l         | ND        | 0.67                   |
| BENA-03      | RILEY CREEK         | 20-Sep-11       | Lead                                      | Total           | ug/l         | ND        | 0.67                   |
| BENA-03      | RILEY CREEK         | 20-Sep-11       | Magnesium                                 | Dissolved       | ug/l         |           | 4.69                   |
| BENA-03      | RILEY CREEK         | 20-Sep-11       | Magnesium                                 | Total           | ug/l         |           | 4.69                   |
| BENA-03      | RILEY CREEK         | 20-Sep-11       | Manganese                                 | Dissolved       | ug/l         |           | 0.05                   |
| BENA-03      | RILEY CREEK         | 20-Sep-11       | Manganese                                 | Total           | ug/l         |           | 0.05                   |
| BENA-03      | RILEY CREEK         | 20-Sep-11       | Nickel                                    | Dissolved       | ug/l         | ND        | 0.41                   |
| BENA-03      | RILEY CREEK         | 20-Sep-11       | Nickel                                    | Total           | ug/l         | J         | 0.41                   |
| BENA-03      | RILEY CREEK         | 20-Sep-11       | Organic carbon                            | Total           | mg/l         |           | 0.02                   |
| BENA-03      |                     | 20-Sep-11       | pH  |                 | none         |           |                        |
| BENA-03      | RILEY CREEK         | 20-Sep-11       | Phenols                                   | Total           | ug/l         | J         | 1.53                   |
| BENA-03      | RILEY CREEK         | 20-Sep-11       | Pheophytin a                              | Total           | ug/l         | J         |                        |
| BENA-03      | RILEY CREEK         | 20-Sep-11       | Phosphorus                                | Dissolved       | mg/l         |           | 0.002                  |
| BENA-03      | RILEY CREEK         | 20-Sep-11       | Phosphorus                                | Total           | mg/l         |           | 0.002                  |
| BENA-03      | RILEY CREEK         | 20-Sep-11       | Potassium                                 | Dissolved       | ug/l         |           | 8.13                   |
| BENA-03      | RILEY CREEK         | 20-Sep-11       | Potassium                                 | Total           | ug/l         |           | 8.13                   |
| BENA-03      | RILEY CREEK         | 20-Sep-11       | Silver                                    | Dissolved       | ug/l         | J         | 0.38                   |
| BENA-03      | RILEY CREEK         | 20-Sep-11       | Silver                                    | Total           | ug/l         | J         | 0.38                   |
| BENA-03      | RILEY CREEK         | 20-Sep-11       | Sodium                                    | Dissolved       | ug/l         |           | 231                    |
| BENA-03      | RILEY CREEK         | 20-Sep-11       | Sodium                                    | Total           | ug/l         |           | 231                    |
| BENA-03      |                     | 20-Sep-11       | Specific conductance                      |                 | umho/cm      |           |                        |
| BENA-03      | RILEY CREEK         | 20-Sep-11       | Strontium                                 | Dissolved       | ug/l         |           | 0.38                   |
| BENA-03      | RILEY CREEK         | 20-Sep-11       | Strontium                                 | Total           | ug/l         |           | 0.38                   |
| BENA-03      | RILEY CREEK         | 20-Sep-11       | Sulfate                                   | Total           | mg/l         |           | 1.63                   |
| BENA-03      |                     | 20-Sep-11       | Temperature, air                          |                 | deg C        |           |                        |
| BENA-03      | RILEY CREEK         | 20-Sep-11       | Temperature, sample                       |                 | deg C        |           |                        |
| BENA-03      |                     | 20-Sep-11       | Temperature, water                        |                 | deg C        |           |                        |
| BENA-03      | RILEY CREEK         | 20-Sep-11       | Total suspended solids                    |                 | mg/l         |           |                        |
| BENA-03      |                     | 20-Sep-11       | Turbidity                                 |                 | NTU          |           |                        |
| BENA-03      | RILEY CREEK         | 20-Sep-11       | Vanadium                                  | Dissolved       | ug/l         | J,V       | 0.19                   |
| BENA-03      | RILEY CREEK         | 20-Sep-11       | Vanadium                                  | Total           | ug/l         | J,V       | 0.19                   |
| BENA-03      | RILEY CREEK         | 20-Sep-11       | Volatile suspended solids                 |                 | mg/l         |           |                        |
| BENA-03      | RILEY CREEK         | 20-Sep-11       | Zinc                                      | Dissolved       | ug/l         | ND,V      | 0.35                   |
| BENA-03      | RILEY CREEK         | 20-Sep-11       | Zinc                                      | Total           | ug/l         | ND,V      | 0.35                   |
| BENC-01      | RILEY CASSELL CREEK | 20-Sep-11       | Alkalinity, total                         |                 | mg/l         |           | 1.46                   |
| BENC-01      | RILEY CASSELL CREEK | 20-Sep-11       | Aluminum                                  | Dissolved       | ug/l         | ND        | 2.78                   |
| BENC-01      | RILEY CASSELL CREEK | 20-Sep-11       | Aluminum                                  | Total           | ug/l         | J         | 2.78                   |
| BENC-01      | RILEY CASSELL CREEK | 20-Sep-11       | Ammonia-nitrogen                          | Total           | mg/l         |           | 0.02                   |
| BENC-01      | RILEY CASSELL CREEK | 20-Sep-11       | Arsenic                                   | Dissolved       | ug/l         | J         | 0.94                   |
| BENC-01      | RILEY CASSELL CREEK | 20-Sep-11       | Arsenic                                   | Total           | ug/l         | J         | 0.94                   |
| BENC-01      | RILEY CASSELL CREEK | 20-Sep-11       | Barium                                    | Dissolved       | ug/l         |           | 0.13                   |
| BENC-01      | RILEY CASSELL CREEK | 20-Sep-11       | Barium                                    | Total           | ug/l         |           | 0.13                   |
| BENC-01      | RILEY CASSELL CREEK | 20-Sep-11       | Beryllium                                 | Dissolved       | ug/l         | J,V       | 0.08                   |
| BENC-01      | RILEY CASSELL CREEK | 20-Sep-11       | Beryllium                                 | Total           | ug/l         | J,V       | 0.08                   |
| BENC-01      | RILEY CASSELL CREEK | 20-Sep-11       | Boron                                     | Dissolved       | ug/l         |           | 2.73                   |
| BENC-01      | RILEY CASSELL CREEK | 20-Sep-11       | Boron                                     | Total           | ug/l         |           | 2.73                   |
| BENC-01      | RILEY CASSELL CREEK | 20-Sep-11       | Cadmium                                   | Dissolved       | ug/l         | ND        | 0.18                   |
| BENC-01      | RILEY CASSELL CREEK | 20-Sep-11       | Cadmium                                   | Total           | ug/l         | ND        | 0.18                   |
| BENC-01      | RILEY CASSELL CREEK | 20-Sep-11       | Calcium                                   | Dissolved       | ug/l         |           | 4.76                   |
| BENC-01      | RILEY CASSELL CREEK | 20-Sep-11       | Calcium                                   | Total           | ug/l         |           | 4.76                   |
| BENC-01      | RILEY CASSELL CREEK | 20-Sep-11       | Chloride                                  | Total           | mg/l         |           | 0.29                   |
| BENC-01      | RILEY CASSELL CREEK | 20-Sep-11       | Chlorophyll a, corrected for pheophytin   | Total           | ug/l         | J         |                        |
| BENC-01      | RILEY CASSELL CREEK | 20-Sep-11       | Chlorophyll a, uncorrected for pheophytin | Total           | ug/l         | J         |                        |
| BENC-01      | RILEY CASSELL CREEK | 20-Sep-11       | Chlorophyll b                             | Total           | ug/l         | J         |                        |
| BENC-01      | RILEY CASSELL CREEK | 20-Sep-11       | Chlorophyll c                             | Total           | ug/l         | J         |                        |
| BENC-01      | RILEY CASSELL CREEK | 20-Sep-11       | Chromium                                  | Dissolved       | ug/l         | J         | 0.24                   |
| BENC-01      | RILEY CASSELL CREEK | 20-Sep-11       | Chromium                                  | Total           | ug/l         | J         | 0.24                   |
| BENC-01      | RILEY CASSELL CREEK | 20-Sep-11       | Cobalt                                    | Dissolved       | ug/l         | J         | 0.22                   |
| BENC-01      | RILEY CASSELL CREEK | 20-Sep-11       | Cobalt                                    | Total           | ug/l         | J         | 0.22                   |
| BENC-01      | RILEY CASSELL CREEK | 20-Sep-11       | Copper                                    | Dissolved       | ug/l         |           | 0.79                   |
| BENC-01      | RILEY CASSELL CREEK | 20-Sep-11       | Copper                                    | Total           | ug/l         |           | 0.79                   |
| BENC-01      | RILEY CASSELL CREEK | 20-Sep-11       | Cyanide                                   | Total           | mg/l         | ND        | 0.002                  |
| BENC-01      |                     | 20-Sep-11       | Dissolved oxygen (DO)                     |                 | mg/l         |           |                        |
| BENC-01      |                     | 20-Sep-11       | Dissolved oxygen saturation               |                 | %            |           |                        |
| BENC-01      | RILEY CASSELL CREEK | 20-Sep-11       | Fluoride                                  | Total           | mg/l         |           | 0.02                   |
| BENC-01      | RILEY CASSELL CREEK | 20-Sep-11       | Hardness, Ca, Mg                          |                 | ug/l         | C         |                        |
| BENC-01      | RILEY CASSELL CREEK | 20-Sep-11       | Inorganic nitrogen (nitrate and nitrite)  | Total           | mg/l         |           | 0.018                  |
| BENC-01      | RILEY CASSELL CREEK | 20-Sep-11       | Iron                                      | Dissolved       | ug/l         | V         | 3.06                   |
| BENC-01      | RILEY CASSELL CREEK | 20-Sep-11       | Iron                                      | Total           | ug/l         | V         | 3.06                   |

| Station Code | Waterbody Name      | Collection Date | Analyte                                   | Sample Fraction | Result Units | Qualifier | Method Detection Limit |
|--------------|---------------------|-----------------|---|-----------------|--------------|-----------|------------------------|
| BENC-01      | RILEY CASSELL CREEK | 20-Sep-11       | Kjeldahl nitrogen                         | Total           | mg/l         |           | 0.098                  |
| BENC-01      | RILEY CASSELL CREEK | 20-Sep-11       | Lead                                      | Dissolved       | ug/l         | J         | 0.67                   |
| BENC-01      | RILEY CASSELL CREEK | 20-Sep-11       | Lead                                      | Total           | ug/l         | ND        | 0.67                   |
| BENC-01      | RILEY CASSELL CREEK | 20-Sep-11       | Magnesium                                 | Dissolved       | ug/l         |           | 4.69                   |
| BENC-01      | RILEY CASSELL CREEK | 20-Sep-11       | Magnesium                                 | Total           | ug/l         |           | 4.69                   |
| BENC-01      | RILEY CASSELL CREEK | 20-Sep-11       | Manganese                                 | Dissolved       | ug/l         |           | 0.05                   |
| BENC-01      | RILEY CASSELL CREEK | 20-Sep-11       | Manganese                                 | Total           | ug/l         |           | 0.05                   |
| BENC-01      | RILEY CASSELL CREEK | 20-Sep-11       | Nickel                                    | Dissolved       | ug/l         | J         | 0.41                   |
| BENC-01      | RILEY CASSELL CREEK | 20-Sep-11       | Nickel                                    | Total           | ug/l         | J         | 0.41                   |
| BENC-01      |                     | 20-Sep-11       | pH  |                 | none         |           |                        |
| BENC-01      | RILEY CASSELL CREEK | 20-Sep-11       | Phenols                                   | Total           | ug/l         | ND        | 1.53                   |
| BENC-01      | RILEY CASSELL CREEK | 20-Sep-11       | Pheophytin a                              | Total           | ug/l         | J         |                        |
| BENC-01      | RILEY CASSELL CREEK | 20-Sep-11       | Phosphorus                                | Dissolved       | mg/l         |           | 0.002                  |
| BENC-01      | RILEY CASSELL CREEK | 20-Sep-11       | Phosphorus                                | Total           | mg/l         |           | 0.002                  |
| BENC-01      | RILEY CASSELL CREEK | 20-Sep-11       | Potassium                                 | Dissolved       | ug/l         |           | 8.13                   |
| BENC-01      | RILEY CASSELL CREEK | 20-Sep-11       | Potassium                                 | Total           | ug/l         |           | 8.13                   |
| BENC-01      | RILEY CASSELL CREEK | 20-Sep-11       | Silver                                    | Dissolved       | ug/l         | J         | 0.38                   |
| BENC-01      | RILEY CASSELL CREEK | 20-Sep-11       | Silver                                    | Total           | ug/l         | J         | 0.38                   |
| BENC-01      | RILEY CASSELL CREEK | 20-Sep-11       | Sodium                                    | Dissolved       | ug/l         |           | 231                    |
| BENC-01      | RILEY CASSELL CREEK | 20-Sep-11       | Sodium                                    | Total           | ug/l         |           | 231                    |
| BENC-01      |                     | 20-Sep-11       | Specific conductance                      |                 | umho/cm      |           |                        |
| BENC-01      | RILEY CASSELL CREEK | 20-Sep-11       | Strontium                                 | Dissolved       | ug/l         |           | 0.38                   |
| BENC-01      | RILEY CASSELL CREEK | 20-Sep-11       | Strontium                                 | Total           | ug/l         |           | 0.38                   |
| BENC-01      | RILEY CASSELL CREEK | 20-Sep-11       | Sulfate                                   | Total           | mg/l         |           | 1.63                   |
| BENC-01      |                     | 20-Sep-11       | Temperature, air                          |                 | deg C        |           |                        |
| BENC-01      | RILEY CASSELL CREEK | 20-Sep-11       | Temperature, sample                       |                 | deg C        |           |                        |
| BENC-01      |                     | 20-Sep-11       | Temperature, water                        |                 | deg C        |           |                        |
| BENC-01      | RILEY CASSELL CREEK | 20-Sep-11       | Total suspended solids                    |                 | mg/l         |           |                        |
| BENC-01      |                     | 20-Sep-11       | Turbidity                                 |                 | NTU          |           |                        |
| BENC-01      | RILEY CASSELL CREEK | 20-Sep-11       | Vanadium                                  | Dissolved       | ug/l         | J,V       | 0.19                   |
| BENC-01      | RILEY CASSELL CREEK | 20-Sep-11       | Vanadium                                  | Total           | ug/l         | ND,V      | 0.19                   |
| BENC-01      | RILEY CASSELL CREEK | 20-Sep-11       | Volatile suspended solids                 |                 | mg/l         |           |                        |
| BENC-01      | RILEY CASSELL CREEK | 20-Sep-11       | Zinc                                      | Dissolved       | ug/l         | V         | 0.35                   |
| BENC-01      | RILEY CASSELL CREEK | 20-Sep-11       | Zinc                                      | Total           | ug/l         | V         | 0.35                   |
| BEN-01       | KICKAPOO CREEK      | 5/31/2016       | Alkalinity, total                         |                 | 242          | mg/l      |                        |
| BEN-01       | KICKAPOO CREEK      | 5/31/2016       | Aluminum                                  | Dissolved       |              | ug/l      | ND                     |
| BEN-01       | KICKAPOO CREEK      | 5/31/2016       | Aluminum                                  | Total           | 84.6         | ug/l      |                        |
| BEN-01       | KICKAPOO CREEK      | 5/31/2016       | Ammonia-nitrogen                          | Total           |              | mg/l      | ND                     |
| BEN-01       | KICKAPOO CREEK      | 5/31/2016       | Arsenic                                   | Dissolved       |              | ug/l      | ND                     |
| BEN-01       | KICKAPOO CREEK      | 5/31/2016       | Arsenic                                   | Total           |              | ug/l      | ND                     |
| BEN-01       | KICKAPOO CREEK      | 5/31/2016       | Barium                                    | Dissolved       | 58.8         | ug/l      |                        |
| BEN-01       | KICKAPOO CREEK      | 5/31/2016       | Barium                                    | Total           | 58.1         | ug/l      |                        |
| BEN-01       | KICKAPOO CREEK      | 5/31/2016       | Beryllium                                 | Dissolved       |              | ug/l      | ND                     |
| BEN-01       | KICKAPOO CREEK      | 5/31/2016       | Beryllium                                 | Total           | 0.33         | ug/l      | J                      |
| BEN-01       | KICKAPOO CREEK      | 5/31/2016       | Boron                                     | Dissolved       | 79.8         | ug/l      |                        |
| BEN-01       | KICKAPOO CREEK      | 5/31/2016       | Boron                                     | Total           | 77.8         | ug/l      |                        |
| BEN-01       | KICKAPOO CREEK      | 5/31/2016       | Cadmium                                   | Dissolved       |              | ug/l      | ND                     |
| BEN-01       | KICKAPOO CREEK      | 5/31/2016       | Cadmium                                   | Total           |              | ug/l      | ND                     |
| BEN-01       | KICKAPOO CREEK      | 5/31/2016       | Calcium                                   | Dissolved       | 74000        | ug/l      |                        |
| BEN-01       | KICKAPOO CREEK      | 5/31/2016       | Calcium                                   | Total           | 67800        | ug/l      |                        |
| BEN-01       | KICKAPOO CREEK      | 5/31/2016       | Chloride                                  | Total           | 34.9         | mg/l      |                        |
| BEN-01       | KICKAPOO CREEK      | 5/31/2016       | Chlorophyll a, corrected for pheophytin   | Total           | 2.14         | ug/l      |                        |
| BEN-01       | KICKAPOO CREEK      | 5/31/2016       | Chlorophyll a, uncorrected for pheophytin | Total           | 3.31         | ug/l      |                        |
| BEN-01       | KICKAPOO CREEK      | 5/31/2016       | Chlorophyll b                             | Total           |              | ug/l      | ND                     |
| BEN-01       | KICKAPOO CREEK      | 5/31/2016       | Chlorophyll c                             | Total           |              | ug/l      | ND                     |
| BEN-01       | KICKAPOO CREEK      | 5/31/2016       | Chromium                                  | Total           |              | ug/l      | ND                     |
| BEN-01       | KICKAPOO CREEK      | 5/31/2016       | Chromium                                  | Dissolved       | 4.69         | ug/l      | J                      |
| BEN-01       | KICKAPOO CREEK      | 5/31/2016       | Cobalt                                    | Dissolved       |              | ug/l      | ND                     |
| BEN-01       | KICKAPOO CREEK      | 5/31/2016       | Cobalt                                    | Total           | 1.47         | ug/l      | J                      |
| BEN-01       | KICKAPOO CREEK      | 5/31/2016       | Copper                                    | Dissolved       |              | ug/l      | ND                     |
| BEN-01       | KICKAPOO CREEK      | 5/31/2016       | Copper                                    | Total           | 1.8          | ug/l      | J                      |
| BEN-01       | KICKAPOO CREEK      | 5/31/2016       | Dissolved oxygen (DO)                     |                 | 8.5          | mg/l      |                        |
| BEN-01       | KICKAPOO CREEK      | 5/31/2016       | Dissolved oxygen saturation               |                 | 95           | %         |                        |
| BEN-01       | KICKAPOO CREEK      | 5/31/2016       | Fluoride                                  | Total           | 0.2          | mg/l      |                        |
| BEN-01       | KICKAPOO CREEK      | 5/31/2016       | Hardness, Ca, Mg                          |                 | 285000       | ug/l      | C                      |
| BEN-01       | KICKAPOO CREEK      | 5/31/2016       | Inorganic nitrogen (nitrate and nitrite)  | Total           | 8.43         | mg/l      |                        |
| BEN-01       | KICKAPOO CREEK      | 5/31/2016       | Iron                                      | Dissolved       | 10.4         | ug/l      | J                      |
| BEN-01       | KICKAPOO CREEK      | 5/31/2016       | Iron                                      | Total           | 147          | ug/l      |                        |
| BEN-01       | KICKAPOO CREEK      | 5/31/2016       | Kjeldahl nitrogen                         | Total           | 0.4          | mg/l      | J                      |

| Station Code | Waterbody Name | Collection Date | Analyte                                   | Sample Fraction | Result Units | Qualifier | Method Detection Limit |
|--------------|----------------|-----------------|---|-----------------|--------------|-----------|------------------------|
| BEN-01       | KICKAPOO CREEK | 5/31/2016       | Lead                                      | Dissolved       |              | ug/l      | ND                     |
| BEN-01       | KICKAPOO CREEK | 5/31/2016       | Lead                                      | Total           |              | ug/l      | ND                     |
| BEN-01       | KICKAPOO CREEK | 5/31/2016       | Magnesium                                 | Dissolved       | 30000        | ug/l      |                        |
| BEN-01       | KICKAPOO CREEK | 5/31/2016       | Magnesium                                 | Total           | 28200        | ug/l      |                        |
| BEN-01       | KICKAPOO CREEK | 5/31/2016       | Manganese                                 | Dissolved       | 15.2         | ug/l      |                        |
| BEN-01       | KICKAPOO CREEK | 5/31/2016       | Manganese                                 | Total           | 26.4         | ug/l      |                        |
| BEN-01       | KICKAPOO CREEK | 5/31/2016       | Nickel                                    | Dissolved       |              | ug/l      | ND                     |
| BEN-01       | KICKAPOO CREEK | 5/31/2016       | Nickel                                    | Total           | 1.31         | ug/l      | J                      |
| BEN-01       | KICKAPOO CREEK | 5/31/2016       | Organic carbon                            | Total           | 2.57         | mg/l      |                        |
| BEN-01       | KICKAPOO CREEK | 5/31/2016       | pH  |                 | 8            | None      |                        |
| BEN-01       | KICKAPOO CREEK | 5/31/2016       | Phenols                                   | Total           | 3.8          | ug/l      | J                      |
| BEN-01       | KICKAPOO CREEK | 5/31/2016       | Pheophytin a                              | Total           | 1.79         | ug/l      |                        |
| BEN-01       | KICKAPOO CREEK | 5/31/2016       | Phosphorus                                | Dissolved       | 0.37         | mg/l      |                        |
| BEN-01       | KICKAPOO CREEK | 5/31/2016       | Phosphorus                                | Total           | 0.406        | mg/l      |                        |
| BEN-01       | KICKAPOO CREEK | 5/31/2016       | Potassium                                 | Dissolved       | 2190         | ug/l      |                        |
| BEN-01       | KICKAPOO CREEK | 5/31/2016       | Potassium                                 | Total           | 2170         | ug/l      |                        |
| BEN-01       | KICKAPOO CREEK | 5/31/2016       | Selenium                                  | Dissolved       |              | ug/l      | ND                     |
| BEN-01       | KICKAPOO CREEK | 5/31/2016       | Selenium                                  | Total           |              | ug/l      | ND                     |
| BEN-01       | KICKAPOO CREEK | 5/31/2016       | Silver                                    | Dissolved       |              | ug/l      | ND                     |
| BEN-01       | KICKAPOO CREEK | 5/31/2016       | Silver                                    | Total           | 0.56         | ug/l      | J                      |
| BEN-01       | KICKAPOO CREEK | 5/31/2016       | Sodium                                    | Dissolved       | 15400        | ug/l      |                        |
| BEN-01       | KICKAPOO CREEK | 5/31/2016       | Sodium                                    | Total           | 16000        | ug/l      |                        |
| BEN-01       | KICKAPOO CREEK | 5/31/2016       | Specific conductance                      |                 | 618          | umho/cm   |                        |
| BEN-01       | KICKAPOO CREEK | 5/31/2016       | Strontium                                 | Dissolved       | 135          | ug/l      |                        |
| BEN-01       | KICKAPOO CREEK | 5/31/2016       | Strontium                                 | Total           | 135          | ug/l      |                        |
| BEN-01       | KICKAPOO CREEK | 5/31/2016       | Sulfate                                   | Total           | 21.4         | mg/l      |                        |
| BEN-01       | KICKAPOO CREEK | 5/31/2016       | Temperature, air                          |                 | 26           | deg C     |                        |
| BEN-01       | KICKAPOO CREEK | 5/31/2016       | Temperature, sample                       |                 | 4            | deg C     |                        |
| BEN-01       | KICKAPOO CREEK | 5/31/2016       | Temperature, water                        |                 | 20.3         | deg C     |                        |
| BEN-01       | KICKAPOO CREEK | 5/31/2016       | Total suspended solids                    |                 | 7            | mg/l      |                        |
| BEN-01       | KICKAPOO CREEK | 5/31/2016       | Turbidity                                 |                 | 5.07         | NTU       |                        |
| BEN-01       | KICKAPOO CREEK | 5/31/2016       | Vanadium                                  | Dissolved       |              | ug/l      | ND                     |
| BEN-01       | KICKAPOO CREEK | 5/31/2016       | Vanadium                                  | Total           |              | ug/l      | ND                     |
| BEN-01       | KICKAPOO CREEK | 5/31/2016       | Volatile suspended solids                 |                 |              | mg/l      | ND                     |
| BEN-01       | KICKAPOO CREEK | 5/31/2016       | Zinc                                      | Dissolved       |              | ug/l      | ND                     |
| BEN-01       | KICKAPOO CREEK | 5/31/2016       | Zinc                                      | Total           | 20.7         | ug/l      |                        |
| BENA-01      | RILEY CREEK    | 5/31/2016       | Alkalinity, total                         |                 | 253          | mg/l      |                        |
| BENA-01      | RILEY CREEK    | 5/31/2016       | Aluminum                                  | Dissolved       |              | ug/l      | ND                     |
| BENA-01      | RILEY CREEK    | 5/31/2016       | Aluminum                                  | Total           | 137          | ug/l      |                        |
| BENA-01      | RILEY CREEK    | 5/31/2016       | Ammonia-nitrogen                          | Total           |              | mg/l      | ND                     |
| BENA-01      | RILEY CREEK    | 5/31/2016       | Arsenic                                   | Dissolved       |              | ug/l      | ND                     |
| BENA-01      | RILEY CREEK    | 5/31/2016       | Arsenic                                   | Total           |              | ug/l      | ND                     |
| BENA-01      | RILEY CREEK    | 5/31/2016       | Barium                                    | Dissolved       | 59.9         | ug/l      |                        |
| BENA-01      | RILEY CREEK    | 5/31/2016       | Barium                                    | Total           | 62.2         | ug/l      |                        |
| BENA-01      | RILEY CREEK    | 5/31/2016       | Beryllium                                 | Dissolved       |              | ug/l      | ND                     |
| BENA-01      | RILEY CREEK    | 5/31/2016       | Beryllium                                 | Total           | 0.36         | ug/l      | J                      |
| BENA-01      | RILEY CREEK    | 5/31/2016       | Boron                                     | Dissolved       | 62.9         | ug/l      |                        |
| BENA-01      | RILEY CREEK    | 5/31/2016       | Boron                                     | Total           | 53.7         | ug/l      |                        |
| BENA-01      | RILEY CREEK    | 5/31/2016       | Cadmium                                   | Dissolved       |              | ug/l      | ND                     |
| BENA-01      | RILEY CREEK    | 5/31/2016       | Cadmium                                   | Total           |              | ug/l      | ND                     |
| BENA-01      | RILEY CREEK    | 5/31/2016       | Calcium                                   | Dissolved       | 76600        | ug/l      |                        |
| BENA-01      | RILEY CREEK    | 5/31/2016       | Calcium                                   | Total           | 73800        | ug/l      |                        |
| BENA-01      | RILEY CREEK    | 5/31/2016       | Chloride                                  | Total           | 31.6         | mg/l      |                        |
| BENA-01      | RILEY CREEK    | 5/31/2016       | Chlorophyll a, corrected for pheophytin   | Total           | 2.4          | ug/l      |                        |
| BENA-01      | RILEY CREEK    | 5/31/2016       | Chlorophyll a, uncorrected for pheophytin | Total           | 3.99         | ug/l      |                        |
| BENA-01      | RILEY CREEK    | 5/31/2016       | Chlorophyll b                             | Total           |              | ug/l      | ND                     |
| BENA-01      | RILEY CREEK    | 5/31/2016       | Chlorophyll c                             | Total           |              | ug/l      | ND                     |
| BENA-01      | RILEY CREEK    | 5/31/2016       | Chromium                                  | Dissolved       |              | ug/l      | ND                     |
| BENA-01      | RILEY CREEK    | 5/31/2016       | Chromium                                  | Total           |              | ug/l      | ND                     |
| BENA-01      | RILEY CREEK    | 5/31/2016       | Cobalt                                    | Dissolved       |              | ug/l      | ND                     |
| BENA-01      | RILEY CREEK    | 5/31/2016       | Cobalt                                    | Total           | 0.91         | ug/l      | J                      |
| BENA-01      | RILEY CREEK    | 5/31/2016       | Copper                                    | Dissolved       |              | ug/l      | ND                     |
| BENA-01      | RILEY CREEK    | 5/31/2016       | Copper                                    | Total           | 1.41         | ug/l      | J                      |
| BENA-01      | RILEY CREEK    | 5/31/2016       | Dissolved oxygen (DO)                     |                 | 7.9          | mg/l      |                        |
| BENA-01      | RILEY CREEK    | 5/31/2016       | Dissolved oxygen saturation               |                 | 87           | %         |                        |
| BENA-01      | RILEY CREEK    | 5/31/2016       | Fluoride                                  | Total           | 0.19         | mg/l      |                        |
| BENA-01      | RILEY CREEK    | 5/31/2016       | Hardness, Ca, Mg                          |                 | 306000       | ug/l      | C                      |
| BENA-01      | RILEY CREEK    | 5/31/2016       | Inorganic nitrogen (nitrate and nitrite)  | Total           | 10           | mg/l      |                        |
| BENA-01      | RILEY CREEK    | 5/31/2016       | Iron                                      | Dissolved       | 9.83         | ug/l      | J                      |

| Station Code | Waterbody Name | Collection Date | Analyte                                   | Sample Fraction | Result Units | Qualifier | Method Detection Limit |
|--------------|----------------|-----------------|---|-----------------|--------------|-----------|------------------------|
| BENA-01      | RILEY CREEK    | 5/31/2016       | Iron                                      | Total           | 212          | ug/l      |                        |
| BENA-01      | RILEY CREEK    | 5/31/2016       | Kjeldahl nitrogen                         | Total           | 0.29         | mg/l      | J                      |
| BENA-01      | RILEY CREEK    | 5/31/2016       | Lead                                      | Dissolved       |              | ug/l      | ND                     |
| BENA-01      | RILEY CREEK    | 5/31/2016       | Lead                                      | Total           |              | ug/l      | ND                     |
| BENA-01      | RILEY CREEK    | 5/31/2016       | Magnesium                                 | Dissolved       | 29700        | ug/l      |                        |
| BENA-01      | RILEY CREEK    | 5/31/2016       | Magnesium                                 | Total           | 29500        | ug/l      |                        |
| BENA-01      | RILEY CREEK    | 5/31/2016       | Manganese                                 | Dissolved       | 14.2         | ug/l      |                        |
| BENA-01      | RILEY CREEK    | 5/31/2016       | Manganese                                 | Total           | 30.5         | ug/l      |                        |
| BENA-01      | RILEY CREEK    | 5/31/2016       | Nickel                                    | Dissolved       |              | ug/l      | ND                     |
| BENA-01      | RILEY CREEK    | 5/31/2016       | Nickel                                    | Total           |              | ug/l      | ND                     |
| BENA-01      | RILEY CREEK    | 5/31/2016       | Organic carbon                            | Total           | 2.23         | mg/l      |                        |
| BENA-01      | RILEY CREEK    | 5/31/2016       | pH  |                 | 8            | None      |                        |
| BENA-01      | RILEY CREEK    | 5/31/2016       | Phenols                                   | Total           | 4.04         | ug/l      | J                      |
| BENA-01      | RILEY CREEK    | 5/31/2016       | Pheophytin a                              | Total           | 2.46         | ug/l      |                        |
| BENA-01      | RILEY CREEK    | 5/31/2016       | Phosphorus                                | Dissolved       | 0.231        | mg/l      |                        |
| BENA-01      | RILEY CREEK    | 5/31/2016       | Phosphorus                                | Total           | 0.252        | mg/l      |                        |
| BENA-01      | RILEY CREEK    | 5/31/2016       | Potassium                                 | Dissolved       | 1440         | ug/l      |                        |
| BENA-01      | RILEY CREEK    | 5/31/2016       | Potassium                                 | Total           | 1500         | ug/l      |                        |
| BENA-01      | RILEY CREEK    | 5/31/2016       | Selenium                                  | Dissolved       |              | ug/l      | ND                     |
| BENA-01      | RILEY CREEK    | 5/31/2016       | Selenium                                  | Total           |              | ug/l      | ND                     |
| BENA-01      | RILEY CREEK    | 5/31/2016       | Silver                                    | Dissolved       |              | ug/l      | ND                     |
| BENA-01      | RILEY CREEK    | 5/31/2016       | Silver                                    | Total           | 1.09         | ug/l      | J                      |
| BENA-01      | RILEY CREEK    | 5/31/2016       | Sodium                                    | Dissolved       | 11900        | ug/l      |                        |
| BENA-01      | RILEY CREEK    | 5/31/2016       | Sodium                                    | Total           | 12400        | ug/l      |                        |
| BENA-01      | RILEY CREEK    | 5/31/2016       | Specific conductance                      |                 | 627          | umho/cm   |                        |
| BENA-01      | RILEY CREEK    | 5/31/2016       | Strontium                                 | Dissolved       | 137          | ug/l      |                        |
| BENA-01      | RILEY CREEK    | 5/31/2016       | Strontium                                 | Total           | 140          | ug/l      |                        |
| BENA-01      | RILEY CREEK    | 5/31/2016       | Sulfate                                   | Total           | 18.9         | mg/l      |                        |
| BENA-01      | RILEY CREEK    | 5/31/2016       | Temperature, air                          |                 | 24           | deg C     |                        |
| BENA-01      | RILEY CREEK    | 5/31/2016       | Temperature, sample                       |                 | 3            | deg C     |                        |
| BENA-01      | RILEY CREEK    | 5/31/2016       | Temperature, water                        |                 | 20           | deg C     |                        |
| BENA-01      | RILEY CREEK    | 5/31/2016       | Total suspended solids                    |                 | 12           | mg/l      |                        |
| BENA-01      | RILEY CREEK    | 5/31/2016       | Turbidity                                 |                 | 7.4          | NTU       |                        |
| BENA-01      | RILEY CREEK    | 5/31/2016       | Vanadium                                  | Total           |              | ug/l      | ND                     |
| BENA-01      | RILEY CREEK    | 5/31/2016       | Vanadium                                  | Dissolved       |              | ug/l      | ND                     |
| BENA-01      | RILEY CREEK    | 5/31/2016       | Volatile suspended solids                 |                 |              | mg/l      | ND                     |
| BENA-01      | RILEY CREEK    | 5/31/2016       | Zinc                                      | Dissolved       |              | ug/l      | ND                     |
| BENA-01      | RILEY CREEK    | 5/31/2016       | Zinc                                      | Total           | 18.5         | ug/l      |                        |
| BENA-03      | RILEY CREEK    | 5/31/2016       | Alkalinity, total                         |                 | 251          | mg/l      | J3                     |
| BENA-03      | RILEY CREEK    | 5/31/2016       | Aluminum                                  | Total           | 94.3         | ug/l      |                        |
| BENA-03      | RILEY CREEK    | 5/31/2016       | Aluminum                                  | Dissolved       |              | ug/l      | ND                     |
| BENA-03      | RILEY CREEK    | 5/31/2016       | Ammonia-nitrogen                          | Total           |              | mg/l      | ND                     |
| BENA-03      | RILEY CREEK    | 5/31/2016       | Arsenic                                   | Total           |              | ug/l      | ND                     |
| BENA-03      | RILEY CREEK    | 5/31/2016       | Arsenic                                   | Dissolved       |              | ug/l      | ND                     |
| BENA-03      | RILEY CREEK    | 5/31/2016       | Barium                                    | Dissolved       | 60.5         | ug/l      |                        |
| BENA-03      | RILEY CREEK    | 5/31/2016       | Barium                                    | Total           | 61.8         | ug/l      |                        |
| BENA-03      | RILEY CREEK    | 5/31/2016       | Beryllium                                 | Total           | 0.34         | ug/l      | J                      |
| BENA-03      | RILEY CREEK    | 5/31/2016       | Beryllium                                 | Dissolved       |              | ug/l      | ND                     |
| BENA-03      | RILEY CREEK    | 5/31/2016       | Boron                                     | Total           | 39.2         | ug/l      |                        |
| BENA-03      | RILEY CREEK    | 5/31/2016       | Boron                                     | Dissolved       | 50.2         | ug/l      |                        |
| BENA-03      | RILEY CREEK    | 5/31/2016       | Cadmium                                   | Total           |              | ug/l      | ND                     |
| BENA-03      | RILEY CREEK    | 5/31/2016       | Cadmium                                   | Dissolved       |              | ug/l      | ND                     |
| BENA-03      | RILEY CREEK    | 5/31/2016       | Calcium                                   | Total           | 72900        | ug/l      |                        |
| BENA-03      | RILEY CREEK    | 5/31/2016       | Calcium                                   | Dissolved       | 75500        | ug/l      |                        |
| BENA-03      | RILEY CREEK    | 5/31/2016       | Chloride                                  | Total           | 29.2         | mg/l      |                        |
| BENA-03      | RILEY CREEK    | 5/31/2016       | Chlorophyll a, corrected for pheophytin   | Total           | 1.6          | ug/l      |                        |
| BENA-03      | RILEY CREEK    | 5/31/2016       | Chlorophyll a, uncorrected for pheophytin | Total           | 3.09         | ug/l      |                        |
| BENA-03      | RILEY CREEK    | 5/31/2016       | Chlorophyll b                             | Total           |              | ug/l      | ND                     |
| BENA-03      | RILEY CREEK    | 5/31/2016       | Chlorophyll c                             | Total           |              | ug/l      | ND                     |
| BENA-03      | RILEY CREEK    | 5/31/2016       | Chromium                                  | Total           |              | ug/l      | ND                     |
| BENA-03      | RILEY CREEK    | 5/31/2016       | Chromium                                  | Dissolved       |              | ug/l      | ND                     |
| BENA-03      | RILEY CREEK    | 5/31/2016       | Cobalt                                    | Total           | 0.81         | ug/l      | J                      |
| BENA-03      | RILEY CREEK    | 5/31/2016       | Cobalt                                    | Dissolved       |              | ug/l      | ND                     |
| BENA-03      | RILEY CREEK    | 5/31/2016       | Copper                                    | Total           | 1.34         | ug/l      | J                      |
| BENA-03      | RILEY CREEK    | 5/31/2016       | Copper                                    | Dissolved       |              | ug/l      | ND                     |
| BENA-03      | RILEY CREEK    | 5/31/2016       | Dissolved oxygen (DO)                     |                 | 7.3          | mg/l      |                        |
| BENA-03      | RILEY CREEK    | 5/31/2016       | Dissolved oxygen saturation               |                 | 80           | %         |                        |
| BENA-03      | RILEY CREEK    | 5/31/2016       | Fluoride                                  | Total           | 0.17         | mg/l      |                        |
| BENA-03      | RILEY CREEK    | 5/31/2016       | Hardness, Ca, Mg                          |                 | 305000       | ug/l      | C                      |



| Station Code | Waterbody Name | Collection Date | Analyte                                  | Sample Fraction | Result Units | Qualifier | Method Detection Limit |
|--------------|----------------|-----------------|--|-----------------|--------------|-----------|------------------------|
| BENA-03      | RILEY CREEK    | 5/31/2016       | Inorganic nitrogen (nitrate and nitrite) | Total           | 9.68         | mg/l      |                        |
| BENA-03      | RILEY CREEK    | 5/31/2016       | Iron                                     | Total           | 153          | ug/l      |                        |
| BENA-03      | RILEY CREEK    | 5/31/2016       | Iron                                     | Dissolved       | 8.58         | ug/l      | J                      |
| BENA-03      | RILEY CREEK    | 5/31/2016       | Kjeldahl nitrogen                        | Total           | 0.32         | mg/l      | J                      |
| BENA-03      | RILEY CREEK    | 5/31/2016       | Lead                                     | Total           |              | ug/l      | ND                     |
| BENA-03      | RILEY CREEK    | 5/31/2016       | Lead                                     | Dissolved       |              | ug/l      | ND                     |
| BENA-03      | RILEY CREEK    | 5/31/2016       | Magnesium                                | Total           | 29900        | ug/l      |                        |
| BENA-03      | RILEY CREEK    | 5/31/2016       | Magnesium                                | Dissolved       | 30600        | ug/l      |                        |
| BENA-03      | RILEY CREEK    | 5/31/2016       | Manganese                                | Total           | 23.3         | ug/l      |                        |
| BENA-03      | RILEY CREEK    | 5/31/2016       | Manganese                                | Dissolved       | 11.1         | ug/l      |                        |
| BENA-03      | RILEY CREEK    | 5/31/2016       | Nickel                                   | Total           |              | ug/l      | ND                     |
| BENA-03      | RILEY CREEK    | 5/31/2016       | Nickel                                   | Dissolved       |              | ug/l      | ND                     |
| BENA-03      | RILEY CREEK    | 5/31/2016       | Organic carbon                           | Total           | 2.16         | mg/l      |                        |
| BENA-03      | RILEY CREEK    | 5/31/2016       | pH                                       |                 | 8            | None      |                        |
| BENA-03      | RILEY CREEK    | 5/31/2016       | Phenols                                  | Total           | 4.53         | ug/l      | J                      |
| BENA-03      | RILEY CREEK    | 5/31/2016       | Pheophytin a                             | Total           | 2.32         | ug/l      |                        |
| BENA-03      | RILEY CREEK    | 5/31/2016       | Phosphorus                               | Dissolved       | 0.054        | mg/l      |                        |
| BENA-03      | RILEY CREEK    | 5/31/2016       | Phosphorus                               | Total           | 0.068        | mg/l      |                        |
| BENA-03      | RILEY CREEK    | 5/31/2016       | Potassium                                | Total           | 978          | ug/l      | J                      |
| BENA-03      | RILEY CREEK    | 5/31/2016       | Potassium                                | Dissolved       | 903          | ug/l      | J                      |
| BENA-03      | RILEY CREEK    | 5/31/2016       | Selenium                                 | Total           |              | ug/l      | ND                     |
| BENA-03      | RILEY CREEK    | 5/31/2016       | Selenium                                 | Dissolved       |              | ug/l      | ND                     |
| BENA-03      | RILEY CREEK    | 5/31/2016       | Silver                                   | Total           |              | ug/l      | ND                     |
| BENA-03      | RILEY CREEK    | 5/31/2016       | Silver                                   | Dissolved       |              | ug/l      | ND                     |
| BENA-03      | RILEY CREEK    | 5/31/2016       | Sodium                                   | Total           | 8920         | ug/l      |                        |
| BENA-03      | RILEY CREEK    | 5/31/2016       | Sodium                                   | Dissolved       | 8650         | ug/l      |                        |
| BENA-03      | RILEY CREEK    | 5/31/2016       | Specific conductance                     |                 | 610          | umho/cm   |                        |
| BENA-03      | RILEY CREEK    | 5/31/2016       | Strontium                                | Total           | 141          | ug/l      |                        |
| BENA-03      | RILEY CREEK    | 5/31/2016       | Strontium                                | Dissolved       | 138          | ug/l      |                        |
| BENA-03      | RILEY CREEK    | 5/31/2016       | Sulfate                                  | Total           | 15.8         | mg/l      |                        |
| BENA-03      | RILEY CREEK    | 5/31/2016       | Temperature, air                         |                 | 25           | deg C     |                        |
| BENA-03      | RILEY CREEK    | 5/31/2016       | Temperature, sample                      |                 | 3            | deg C     |                        |
| BENA-03      | RILEY CREEK    | 5/31/2016       | Temperature, water                       |                 | 20.2         | deg C     |                        |
| BENA-03      | RILEY CREEK    | 5/31/2016       | Total suspended solids                   |                 | 6            | mg/l      |                        |
| BENA-03      | RILEY CREEK    | 5/31/2016       | Turbidity                                |                 | 6.27         | NTU       |                        |
| BENA-03      | RILEY CREEK    | 5/31/2016       | Vanadium                                 | Total           |              | ug/l      | ND                     |
| BENA-03      | RILEY CREEK    | 5/31/2016       | Vanadium                                 | Dissolved       |              | ug/l      | ND                     |
| BENA-03      | RILEY CREEK    | 5/31/2016       | Volatile suspended solids                |                 |              | mg/l      | ND                     |
| BENA-03      | RILEY CREEK    | 5/31/2016       | Zinc                                     | Total           | 17.6         | ug/l      |                        |
| BENA-03      | RILEY CREEK    | 5/31/2016       | Zinc                                     | Dissolved       |              | ug/l      | ND                     |
| BEN-01       | KICKAPOO CREEK | 6/6/2016        | Ammonia-nitrogen                         | Total           |              | mg/l      | ND                     |
| BEN-01       | KICKAPOO CREEK | 6/6/2016        | Inorganic nitrogen (nitrate and nitrite) | Total           | 10.2         | mg/l      |                        |
| BEN-01       | KICKAPOO CREEK | 6/6/2016        | Kjeldahl nitrogen                        | Total           | 0.54         | mg/l      |                        |
| BEN-01       | KICKAPOO CREEK | 6/6/2016        | Phosphorus                               | Total           | 0.26         | mg/l      |                        |
| BEN-01       | KICKAPOO CREEK | 6/6/2016        | Temperature, sample                      |                 | 5            | deg C     |                        |
| BEN-01       | KICKAPOO CREEK | 6/6/2016        | Total suspended solids                   |                 | 24           | mg/l      |                        |
| BEN-01       | KICKAPOO CREEK | 6/6/2016        | Volatile suspended solids                |                 | 4            | mg/l      |                        |
| BENA-01      | RILEY CREEK    | 6/6/2016        | Ammonia-nitrogen                         | Total           |              | mg/l      | ND                     |
| BENA-01      | RILEY CREEK    | 6/6/2016        | Inorganic nitrogen (nitrate and nitrite) | Total           | 11.8         | mg/l      | J3                     |
| BENA-01      | RILEY CREEK    | 6/6/2016        | Kjeldahl nitrogen                        | Total           | 0.6          | mg/l      |                        |
| BENA-01      | RILEY CREEK    | 6/6/2016        | Phosphorus                               | Total           | 0.178        | mg/l      |                        |
| BENA-01      | RILEY CREEK    | 6/6/2016        | Temperature, sample                      |                 | 5            | deg C     |                        |
| BENA-01      | RILEY CREEK    | 6/6/2016        | Total suspended solids                   |                 | 23           | mg/l      |                        |
| BENA-01      | RILEY CREEK    | 6/6/2016        | Volatile suspended solids                |                 | 6            | mg/l      |                        |
| BENA-01      | RILEY CREEK    | 7/12/2016       | Alkalinity, total                        |                 | 195          | mg/l      |                        |
| BENA-01      | RILEY CREEK    | 7/12/2016       | Aluminum                                 | Dissolved       |              | ug/l      | ND                     |
| BENA-01      | RILEY CREEK    | 7/12/2016       | Aluminum                                 | Total           | 68           | ug/l      |                        |
| BENA-01      | RILEY CREEK    | 7/12/2016       | Ammonia-nitrogen                         | Total           |              | mg/l      | ND                     |
| BENA-01      | RILEY CREEK    | 7/12/2016       | Arsenic                                  | Total           | 1.84         | ug/l      | J                      |
| BENA-01      | RILEY CREEK    | 7/12/2016       | Arsenic                                  | Dissolved       | 1.79         | ug/l      | J                      |
| BENA-01      | RILEY CREEK    | 7/12/2016       | Barium                                   | Dissolved       | 53.6         | ug/l      |                        |
| BENA-01      | RILEY CREEK    | 7/12/2016       | Barium                                   | Total           | 54.8         | ug/l      |                        |
| BENA-01      | RILEY CREEK    | 7/12/2016       | Beryllium                                | Dissolved       |              | ug/l      | ND                     |
| BENA-01      | RILEY CREEK    | 7/12/2016       | Beryllium                                | Total           |              | ug/l      | ND                     |
| BENA-01      | RILEY CREEK    | 7/12/2016       | Boron                                    | Dissolved       | 147          | ug/l      |                        |
| BENA-01      | RILEY CREEK    | 7/12/2016       | Boron                                    | Total           | 148          | ug/l      |                        |
| BENA-01      | RILEY CREEK    | 7/12/2016       | Cadmium                                  | Dissolved       |              | ug/l      | ND                     |
| BENA-01      | RILEY CREEK    | 7/12/2016       | Cadmium                                  | Total           |              | ug/l      | ND                     |
| BENA-01      | RILEY CREEK    | 7/12/2016       | Calcium                                  | Dissolved       | 63300        | ug/l      |                        |

| Station Code | Waterbody Name | Collection Date | Analyte                                   | Sample Fraction | Result Units | Qualifier | Method Detection Limit |
|--------------|----------------|-----------------|---|-----------------|--------------|-----------|------------------------|
| BENA-01      | RILEY CREEK    | 7/12/2016       | Calcium                                   | Total           | 60400        | ug/l      |                        |
| BENA-01      | RILEY CREEK    | 7/12/2016       | Chloride                                  | Total           | 50.4         | mg/l      |                        |
| BENA-01      | RILEY CREEK    | 7/12/2016       | Chlorophyll a, corrected for pheophytin   | Total           | 1.34         | ug/l      |                        |
| BENA-01      | RILEY CREEK    | 7/12/2016       | Chlorophyll a, uncorrected for pheophytin | Total           | 1.71         | ug/l      |                        |
| BENA-01      | RILEY CREEK    | 7/12/2016       | Chlorophyll b                             | Total           |              | ug/l      | ND                     |
| BENA-01      | RILEY CREEK    | 7/12/2016       | Chlorophyll c                             | Total           |              | ug/l      | ND                     |
| BENA-01      | RILEY CREEK    | 7/12/2016       | Chromium                                  | Dissolved       |              | ug/l      | ND                     |
| BENA-01      | RILEY CREEK    | 7/12/2016       | Chromium                                  | Total           |              | ug/l      | ND                     |
| BENA-01      | RILEY CREEK    | 7/12/2016       | Cobalt                                    | Dissolved       |              | ug/l      | ND                     |
| BENA-01      | RILEY CREEK    | 7/12/2016       | Cobalt                                    | Total           | 0.79         | ug/l      | J                      |
| BENA-01      | RILEY CREEK    | 7/12/2016       | Copper                                    | Dissolved       | 2.42         | ug/l      | J                      |
| BENA-01      | RILEY CREEK    | 7/12/2016       | Copper                                    | Total           | 2.3          | ug/l      | J                      |
| BENA-01      | RILEY CREEK    | 7/12/2016       | Dissolved oxygen (DO)                     |                 | 6.7          | mg/l      |                        |
| BENA-01      | RILEY CREEK    | 7/12/2016       | Dissolved oxygen saturation               |                 | 81           | %         |                        |
| BENA-01      | RILEY CREEK    | 7/12/2016       | Fluoride                                  | Total           | 0.26         | mg/l      |                        |
| BENA-01      | RILEY CREEK    | 7/12/2016       | Hardness, Ca, Mg                          |                 | 253000       | ug/l      | C                      |
| BENA-01      | RILEY CREEK    | 7/12/2016       | Inorganic nitrogen (nitrate and nitrite)  | Total           | 10.7         | mg/l      |                        |
| BENA-01      | RILEY CREEK    | 7/12/2016       | Iron                                      | Dissolved       | 14.4         | ug/l      | J                      |
| BENA-01      | RILEY CREEK    | 7/12/2016       | Iron                                      | Total           | 121          | ug/l      |                        |
| BENA-01      | RILEY CREEK    | 7/12/2016       | Kjeldahl nitrogen                         | Total           | 0.49         | mg/l      | J                      |
| BENA-01      | RILEY CREEK    | 7/12/2016       | Lead                                      | Dissolved       |              | ug/l      | ND                     |
| BENA-01      | RILEY CREEK    | 7/12/2016       | Lead                                      | Total           |              | ug/l      | ND                     |
| BENA-01      | RILEY CREEK    | 7/12/2016       | Magnesium                                 | Dissolved       | 26400        | ug/l      |                        |
| BENA-01      | RILEY CREEK    | 7/12/2016       | Magnesium                                 | Total           | 24900        | ug/l      |                        |
| BENA-01      | RILEY CREEK    | 7/12/2016       | Manganese                                 | Dissolved       | 32.3         | ug/l      |                        |
| BENA-01      | RILEY CREEK    | 7/12/2016       | Manganese                                 | Total           | 45.5         | ug/l      |                        |
| BENA-01      | RILEY CREEK    | 7/12/2016       | Nickel                                    | Dissolved       | 1.13         | ug/l      | J                      |
| BENA-01      | RILEY CREEK    | 7/12/2016       | Nickel                                    | Total           |              | ug/l      | ND                     |
| BENA-01      | RILEY CREEK    | 7/12/2016       | Organic carbon                            | Total           | 3.66         | mg/l      |                        |
| BENA-01      | RILEY CREEK    | 7/12/2016       | pH  |                 | 7.9          | None      |                        |
| BENA-01      | RILEY CREEK    | 7/12/2016       | Phenols                                   | Total           | 2.33         | ug/l      | J                      |
| BENA-01      | RILEY CREEK    | 7/12/2016       | Pheophytin a                              | Total           | 0.53         | ug/l      |                        |
| BENA-01      | RILEY CREEK    | 7/12/2016       | Phosphorus                                | Dissolved       | 1.17         | mg/l      |                        |
| BENA-01      | RILEY CREEK    | 7/12/2016       | Phosphorus                                | Total           | 1.23         | mg/l      |                        |
| BENA-01      | RILEY CREEK    | 7/12/2016       | Potassium                                 | Dissolved       | 4940         | ug/l      |                        |
| BENA-01      | RILEY CREEK    | 7/12/2016       | Potassium                                 | Total           | 4700         | ug/l      |                        |
| BENA-01      | RILEY CREEK    | 7/12/2016       | Selenium                                  | Total           |              | ug/l      | ND                     |
| BENA-01      | RILEY CREEK    | 7/12/2016       | Selenium                                  | Dissolved       |              | ug/l      | ND                     |
| BENA-01      | RILEY CREEK    | 7/12/2016       | Silver                                    | Dissolved       |              | ug/l      | ND                     |
| BENA-01      | RILEY CREEK    | 7/12/2016       | Silver                                    | Total           | 1.82         | ug/l      | J                      |
| BENA-01      | RILEY CREEK    | 7/12/2016       | Sodium                                    | Dissolved       | 31300        | ug/l      |                        |
| BENA-01      | RILEY CREEK    | 7/12/2016       | Sodium                                    | Total           | 30900        | ug/l      |                        |
| BENA-01      | RILEY CREEK    | 7/12/2016       | Specific conductance                      |                 | 624          | umho/cm   |                        |
| BENA-01      | RILEY CREEK    | 7/12/2016       | Strontium                                 | Dissolved       | 131          | ug/l      |                        |
| BENA-01      | RILEY CREEK    | 7/12/2016       | Strontium                                 | Total           | 131          | ug/l      |                        |
| BENA-01      | RILEY CREEK    | 7/12/2016       | Sulfate                                   | Total           | 25.5         | mg/l      |                        |
| BENA-01      | RILEY CREEK    | 7/12/2016       | Temperature, air                          |                 | 29           | deg C     |                        |
| BENA-01      | RILEY CREEK    | 7/12/2016       | Temperature, sample                       |                 | 4            | deg C     |                        |
| BENA-01      | RILEY CREEK    | 7/12/2016       | Temperature, water                        |                 | 25.2         | deg C     |                        |
| BENA-01      | RILEY CREEK    | 7/12/2016       | Total suspended solids                    |                 | 7            | mg/l      |                        |
| BENA-01      | RILEY CREEK    | 7/12/2016       | Turbidity                                 |                 | 5.52         | NTU       |                        |
| BENA-01      | RILEY CREEK    | 7/12/2016       | Vanadium                                  | Total           |              | ug/l      | ND                     |
| BENA-01      | RILEY CREEK    | 7/12/2016       | Vanadium                                  | Dissolved       | 8.4          | ug/l      |                        |
| BENA-01      | RILEY CREEK    | 7/12/2016       | Volatile suspended solids                 |                 |              | mg/l      | ND                     |
| BENA-01      | RILEY CREEK    | 7/12/2016       | Zinc                                      | Dissolved       | 4.05         | ug/l      | J                      |
| BENA-01      | RILEY CREEK    | 7/12/2016       | Zinc                                      | Total           | 9.67         | ug/l      |                        |
| BEN-01       | KICKAPOO CREEK | 7/13/2016       | Alkalinity, total                         |                 | 208          | mg/l      |                        |
| BEN-01       | KICKAPOO CREEK | 7/13/2016       | Aluminum                                  | Total           | 56.2         | ug/l      |                        |
| BEN-01       | KICKAPOO CREEK | 7/13/2016       | Aluminum                                  | Dissolved       |              | ug/l      | ND                     |
| BEN-01       | KICKAPOO CREEK | 7/13/2016       | Ammonia-nitrogen                          | Total           | 0.07         | mg/l      | J                      |
| BEN-01       | KICKAPOO CREEK | 7/13/2016       | Arsenic                                   | Total           | 2.47         | ug/l      |                        |
| BEN-01       | KICKAPOO CREEK | 7/13/2016       | Arsenic                                   | Dissolved       | 2.6          | ug/l      |                        |
| BEN-01       | KICKAPOO CREEK | 7/13/2016       | Barium                                    | Total           | 55.5         | ug/l      |                        |
| BEN-01       | KICKAPOO CREEK | 7/13/2016       | Barium                                    | Dissolved       | 54.4         | ug/l      |                        |
| BEN-01       | KICKAPOO CREEK | 7/13/2016       | Beryllium                                 | Total           |              | ug/l      | ND                     |
| BEN-01       | KICKAPOO CREEK | 7/13/2016       | Beryllium                                 | Dissolved       |              | ug/l      | ND                     |
| BEN-01       | KICKAPOO CREEK | 7/13/2016       | Boron                                     | Total           | 153          | ug/l      |                        |
| BEN-01       | KICKAPOO CREEK | 7/13/2016       | Boron                                     | Dissolved       | 146          | ug/l      |                        |
| BEN-01       | KICKAPOO CREEK | 7/13/2016       | Cadmium                                   | Total           |              | ug/l      | ND                     |

| Station Code | Waterbody Name | Collection Date | Analyte                                   | Sample Fraction | Result Units | Qualifier | Method Detection Limit |
|--------------|----------------|-----------------|---|-----------------|--------------|-----------|------------------------|
| BEN-01       | KICKAPOO CREEK | 7/13/2016       | Cadmium                                   | Dissolved       |              | ug/l      | ND                     |
| BEN-01       | KICKAPOO CREEK | 7/13/2016       | Calcium                                   | Total           | 64200        | ug/l      |                        |
| BEN-01       | KICKAPOO CREEK | 7/13/2016       | Calcium                                   | Dissolved       | 63300        | ug/l      |                        |
| BEN-01       | KICKAPOO CREEK | 7/13/2016       | Chloride                                  | Total           | 47.2         | mg/l      |                        |
| BEN-01       | KICKAPOO CREEK | 7/13/2016       | Chlorophyll a, corrected for pheophytin   | Total           | 0.8          | ug/l      |                        |
| BEN-01       | KICKAPOO CREEK | 7/13/2016       | Chlorophyll a, uncorrected for pheophytin | Total           | 1.48         | ug/l      |                        |
| BEN-01       | KICKAPOO CREEK | 7/13/2016       | Chlorophyll b                             | Total           |              | ug/l      | ND                     |
| BEN-01       | KICKAPOO CREEK | 7/13/2016       | Chlorophyll c                             | Total           |              | ug/l      | ND                     |
| BEN-01       | KICKAPOO CREEK | 7/13/2016       | Chromium                                  | Total           |              | ug/l      | ND                     |
| BEN-01       | KICKAPOO CREEK | 7/13/2016       | Chromium                                  | Dissolved       |              | ug/l      | ND                     |
| BEN-01       | KICKAPOO CREEK | 7/13/2016       | Cobalt                                    | Total           | 0.8          | ug/l      | J                      |
| BEN-01       | KICKAPOO CREEK | 7/13/2016       | Cobalt                                    | Dissolved       |              | ug/l      | ND                     |
| BEN-01       | KICKAPOO CREEK | 7/13/2016       | Copper                                    | Total           | 1.71         | ug/l      | J                      |
| BEN-01       | KICKAPOO CREEK | 7/13/2016       | Copper                                    | Dissolved       | 2.45         | ug/l      | J                      |
| BEN-01       | KICKAPOO CREEK | 7/13/2016       | Dissolved oxygen (DO)                     |                 | 6.1          | mg/l      |                        |
| BEN-01       | KICKAPOO CREEK | 7/13/2016       | Dissolved oxygen saturation               |                 | 74           | %         |                        |
| BEN-01       | KICKAPOO CREEK | 7/13/2016       | Fluoride                                  | Total           | 0.25         | mg/l      |                        |
| BEN-01       | KICKAPOO CREEK | 7/13/2016       | Hardness, Ca, Mg                          |                 | 263000       | ug/l      | C                      |
| BEN-01       | KICKAPOO CREEK | 7/13/2016       | Inorganic nitrogen (nitrate and nitrite)  | Total           | 7.63         | mg/l      |                        |
| BEN-01       | KICKAPOO CREEK | 7/13/2016       | Iron                                      | Total           | 102          | ug/l      |                        |
| BEN-01       | KICKAPOO CREEK | 7/13/2016       | Iron                                      | Dissolved       | 12.9         | ug/l      | J                      |
| BEN-01       | KICKAPOO CREEK | 7/13/2016       | Kjeldahl nitrogen                         | Total           | 0.45         | mg/l      | J                      |
| BEN-01       | KICKAPOO CREEK | 7/13/2016       | Lead                                      | Total           |              | ug/l      | ND                     |
| BEN-01       | KICKAPOO CREEK | 7/13/2016       | Lead                                      | Dissolved       |              | ug/l      | ND                     |
| BEN-01       | KICKAPOO CREEK | 7/13/2016       | Magnesium                                 | Total           | 24900        | ug/l      |                        |
| BEN-01       | KICKAPOO CREEK | 7/13/2016       | Magnesium                                 | Dissolved       | 26300        | ug/l      |                        |
| BEN-01       | KICKAPOO CREEK | 7/13/2016       | Manganese                                 | Dissolved       | 41.4         | ug/l      |                        |
| BEN-01       | KICKAPOO CREEK | 7/13/2016       | Manganese                                 | Total           | 51.3         | ug/l      |                        |
| BEN-01       | KICKAPOO CREEK | 7/13/2016       | Nickel                                    | Dissolved       | 1.26         | ug/l      | J                      |
| BEN-01       | KICKAPOO CREEK | 7/13/2016       | Nickel                                    | Total           | 0.71         | ug/l      | J                      |
| BEN-01       | KICKAPOO CREEK | 7/13/2016       | Organic carbon                            | Total           | 3.79         | mg/l      |                        |
| BEN-01       | KICKAPOO CREEK | 7/13/2016       | pH  |                 | 7.8          | None      |                        |
| BEN-01       | KICKAPOO CREEK | 7/13/2016       | Phenols                                   | Total           | 2.54         | ug/l      | J                      |
| BEN-01       | KICKAPOO CREEK | 7/13/2016       | Pheophytin a                              | Total           | 1.07         | ug/l      |                        |
| BEN-01       | KICKAPOO CREEK | 7/13/2016       | Phosphorus                                | Dissolved       | 1.07         | mg/l      |                        |
| BEN-01       | KICKAPOO CREEK | 7/13/2016       | Phosphorus                                | Total           | 1.09         | mg/l      |                        |
| BEN-01       | KICKAPOO CREEK | 7/13/2016       | Potassium                                 | Total           | 4600         | ug/l      |                        |
| BEN-01       | KICKAPOO CREEK | 7/13/2016       | Potassium                                 | Dissolved       | 4600         | ug/l      |                        |
| BEN-01       | KICKAPOO CREEK | 7/13/2016       | Selenium                                  | Total           |              | ug/l      | ND                     |
| BEN-01       | KICKAPOO CREEK | 7/13/2016       | Selenium                                  | Dissolved       |              | ug/l      | ND                     |
| BEN-01       | KICKAPOO CREEK | 7/13/2016       | Silver                                    | Dissolved       |              | ug/l      | ND                     |
| BEN-01       | KICKAPOO CREEK | 7/13/2016       | Silver                                    | Total           |              | ug/l      | ND                     |
| BEN-01       | KICKAPOO CREEK | 7/13/2016       | Sodium                                    | Dissolved       | 28600        | ug/l      |                        |
| BEN-01       | KICKAPOO CREEK | 7/13/2016       | Sodium                                    | Total           | 28900        | ug/l      |                        |
| BEN-01       | KICKAPOO CREEK | 7/13/2016       | Specific conductance                      |                 | 611          | umho/cm   |                        |
| BEN-01       | KICKAPOO CREEK | 7/13/2016       | Strontium                                 | Dissolved       | 132          | ug/l      |                        |
| BEN-01       | KICKAPOO CREEK | 7/13/2016       | Strontium                                 | Total           | 141          | ug/l      |                        |
| BEN-01       | KICKAPOO CREEK | 7/13/2016       | Sulfate                                   | Total           | 24.8         | mg/l      |                        |
| BEN-01       | KICKAPOO CREEK | 7/13/2016       | Temperature, air                          |                 | 28           | deg C     |                        |
| BEN-01       | KICKAPOO CREEK | 7/13/2016       | Temperature, sample                       |                 | 1            | deg C     |                        |
| BEN-01       | KICKAPOO CREEK | 7/13/2016       | Temperature, water                        |                 | 25           | deg C     |                        |
| BEN-01       | KICKAPOO CREEK | 7/13/2016       | Total suspended solids                    |                 | 6            | mg/l      |                        |
| BEN-01       | KICKAPOO CREEK | 7/13/2016       | Turbidity                                 |                 | 5.01         | NTU       |                        |
| BEN-01       | KICKAPOO CREEK | 7/13/2016       | Vanadium                                  | Total           | 1.32         | ug/l      | J                      |
| BEN-01       | KICKAPOO CREEK | 7/13/2016       | Vanadium                                  | Dissolved       | 9.54         | ug/l      |                        |
| BEN-01       | KICKAPOO CREEK | 7/13/2016       | Volatile suspended solids                 |                 |              | mg/l      | ND                     |
| BEN-01       | KICKAPOO CREEK | 7/13/2016       | Zinc                                      | Dissolved       |              | ug/l      | ND                     |
| BEN-01       | KICKAPOO CREEK | 7/13/2016       | Zinc                                      | Total           | 6.93         | ug/l      |                        |
| BENA-03      | RILEY CREEK    | 7/13/2016       | Alkalinity, total                         |                 | 260          | mg/l      | J3                     |
| BENA-03      | RILEY CREEK    | 7/13/2016       | Aluminum                                  | Total           | 238          | ug/l      |                        |
| BENA-03      | RILEY CREEK    | 7/13/2016       | Aluminum                                  | Dissolved       |              | ug/l      | ND                     |
| BENA-03      | RILEY CREEK    | 7/13/2016       | Ammonia-nitrogen                          | Total           |              | mg/l      | ND                     |
| BENA-03      | RILEY CREEK    | 7/13/2016       | Arsenic                                   | Dissolved       | 2.29         | ug/l      |                        |
| BENA-03      | RILEY CREEK    | 7/13/2016       | Arsenic                                   | Total           | 2.64         | ug/l      |                        |
| BENA-03      | RILEY CREEK    | 7/13/2016       | Barium                                    | Total           | 81.2         | ug/l      |                        |
| BENA-03      | RILEY CREEK    | 7/13/2016       | Barium                                    | Dissolved       | 66.8         | ug/l      |                        |
| BENA-03      | RILEY CREEK    | 7/13/2016       | Beryllium                                 | Total           |              | ug/l      | ND                     |
| BENA-03      | RILEY CREEK    | 7/13/2016       | Beryllium                                 | Dissolved       |              | ug/l      | ND                     |
| BENA-03      | RILEY CREEK    | 7/13/2016       | Boron                                     | Total           | 70.4         | ug/l      |                        |

| Station Code | Waterbody Name | Collection Date | Analyte                                   | Sample Fraction | Result Units | Qualifier | Method Detection Limit |
|--------------|----------------|-----------------|---|-----------------|--------------|-----------|------------------------|
| BENA-03      | RILEY CREEK    | 7/13/2016       | Boron                                     | Dissolved       | 63.9         | ug/l      |                        |
| BENA-03      | RILEY CREEK    | 7/13/2016       | Cadmium                                   | Total           |              | ug/l      | ND                     |
| BENA-03      | RILEY CREEK    | 7/13/2016       | Cadmium                                   | Dissolved       |              | ug/l      | ND                     |
| BENA-03      | RILEY CREEK    | 7/13/2016       | Calcium                                   | Total           | 72200        | ug/l      |                        |
| BENA-03      | RILEY CREEK    | 7/13/2016       | Calcium                                   | Dissolved       | 68000        | ug/l      |                        |
| BENA-03      | RILEY CREEK    | 7/13/2016       | Chloride                                  | Total           | 27.6         | mg/l      |                        |
| BENA-03      | RILEY CREEK    | 7/13/2016       | Chlorophyll a, corrected for pheophytin   | Total           | 12           | ug/l      |                        |
| BENA-03      | RILEY CREEK    | 7/13/2016       | Chlorophyll a, uncorrected for pheophytin | Total           | 14.3         | ug/l      |                        |
| BENA-03      | RILEY CREEK    | 7/13/2016       | Chlorophyll b                             | Total           |              | ug/l      | ND                     |
| BENA-03      | RILEY CREEK    | 7/13/2016       | Chlorophyll c                             | Total           | 1.12         | ug/l      |                        |
| BENA-03      | RILEY CREEK    | 7/13/2016       | Chromium                                  | Total           |              | ug/l      | ND                     |
| BENA-03      | RILEY CREEK    | 7/13/2016       | Chromium                                  | Dissolved       |              | ug/l      | ND                     |
| BENA-03      | RILEY CREEK    | 7/13/2016       | Cobalt                                    | Total           | 0.8          | ug/l      | J                      |
| BENA-03      | RILEY CREEK    | 7/13/2016       | Cobalt                                    | Dissolved       |              | ug/l      | ND                     |
| BENA-03      | RILEY CREEK    | 7/13/2016       | Copper                                    | Total           |              | ug/l      | ND                     |
| BENA-03      | RILEY CREEK    | 7/13/2016       | Copper                                    | Dissolved       |              | ug/l      | ND                     |
| BENA-03      | RILEY CREEK    | 7/13/2016       | Dissolved oxygen (DO)                     |                 | 8.4          | mg/l      |                        |
| BENA-03      | RILEY CREEK    | 7/13/2016       | Dissolved oxygen saturation               |                 | 103          | %         |                        |
| BENA-03      | RILEY CREEK    | 7/13/2016       | Fluoride                                  | Total           | 0.18         | mg/l      |                        |
| BENA-03      | RILEY CREEK    | 7/13/2016       | Hardness, Ca, Mg                          |                 | 306000       | ug/l      | C                      |
| BENA-03      | RILEY CREEK    | 7/13/2016       | Inorganic nitrogen (nitrate and nitrite)  | Total           | 0.516        | mg/l      |                        |
| BENA-03      | RILEY CREEK    | 7/13/2016       | Iron                                      | Total           | 672          | ug/l      |                        |
| BENA-03      | RILEY CREEK    | 7/13/2016       | Iron                                      | Dissolved       | 16.8         | ug/l      | J                      |
| BENA-03      | RILEY CREEK    | 7/13/2016       | Kjeldahl nitrogen                         | Total           | 0.52         | mg/l      |                        |
| BENA-03      | RILEY CREEK    | 7/13/2016       | Lead                                      | Total           |              | ug/l      | ND                     |
| BENA-03      | RILEY CREEK    | 7/13/2016       | Lead                                      | Dissolved       |              | ug/l      | ND                     |
| BENA-03      | RILEY CREEK    | 7/13/2016       | Magnesium                                 | Total           | 30500        | ug/l      |                        |
| BENA-03      | RILEY CREEK    | 7/13/2016       | Magnesium                                 | Dissolved       | 30900        | ug/l      |                        |
| BENA-03      | RILEY CREEK    | 7/13/2016       | Manganese                                 | Total           | 295          | ug/l      |                        |
| BENA-03      | RILEY CREEK    | 7/13/2016       | Manganese                                 | Dissolved       | 100          | ug/l      |                        |
| BENA-03      | RILEY CREEK    | 7/13/2016       | Nickel                                    | Total           | 0.86         | ug/l      | J                      |
| BENA-03      | RILEY CREEK    | 7/13/2016       | Nickel                                    | Dissolved       |              | ug/l      | ND                     |
| BENA-03      | RILEY CREEK    | 7/13/2016       | Organic carbon                            | Total           | 3.51         | mg/l      |                        |
| BENA-03      | RILEY CREEK    | 7/13/2016       | pH  |                 | 8            | None      |                        |
| BENA-03      | RILEY CREEK    | 7/13/2016       | Phenols                                   | Total           | 3.51         | ug/l      | J                      |
| BENA-03      | RILEY CREEK    | 7/13/2016       | Pheophytin a                              | Total           | 2.94         | ug/l      |                        |
| BENA-03      | RILEY CREEK    | 7/13/2016       | Phosphorus                                | Total           | 0.188        | mg/l      |                        |
| BENA-03      | RILEY CREEK    | 7/13/2016       | Phosphorus                                | Dissolved       | 0.097        | mg/l      |                        |
| BENA-03      | RILEY CREEK    | 7/13/2016       | Potassium                                 | Total           | 1800         | ug/l      |                        |
| BENA-03      | RILEY CREEK    | 7/13/2016       | Potassium                                 | Dissolved       | 1700         | ug/l      |                        |
| BENA-03      | RILEY CREEK    | 7/13/2016       | Selenium                                  | Total           |              | ug/l      | ND                     |
| BENA-03      | RILEY CREEK    | 7/13/2016       | Selenium                                  | Dissolved       |              | ug/l      | ND                     |
| BENA-03      | RILEY CREEK    | 7/13/2016       | Silver                                    | Total           | 0.99         | ug/l      | J                      |
| BENA-03      | RILEY CREEK    | 7/13/2016       | Silver                                    | Dissolved       |              | ug/l      | ND                     |
| BENA-03      | RILEY CREEK    | 7/13/2016       | Sodium                                    | Total           | 15000        | ug/l      |                        |
| BENA-03      | RILEY CREEK    | 7/13/2016       | Sodium                                    | Dissolved       | 14800        | ug/l      |                        |
| BENA-03      | RILEY CREEK    | 7/13/2016       | Specific conductance                      |                 | 555          | umho/cm   |                        |
| BENA-03      | RILEY CREEK    | 7/13/2016       | Strontium                                 | Total           | 178          | ug/l      |                        |
| BENA-03      | RILEY CREEK    | 7/13/2016       | Strontium                                 | Dissolved       | 164          | ug/l      |                        |
| BENA-03      | RILEY CREEK    | 7/13/2016       | Sulfate                                   | Total           | 13.1         | mg/l      |                        |
| BENA-03      | RILEY CREEK    | 7/13/2016       | Temperature, air                          |                 | 32           | deg C     |                        |
| BENA-03      | RILEY CREEK    | 7/13/2016       | Temperature, sample                       |                 | 1            | deg C     |                        |
| BENA-03      | RILEY CREEK    | 7/13/2016       | Temperature, water                        |                 | 26.7         | deg C     |                        |
| BENA-03      | RILEY CREEK    | 7/13/2016       | Total suspended solids                    |                 | 55           | mg/l      |                        |
| BENA-03      | RILEY CREEK    | 7/13/2016       | Turbidity                                 |                 | 7.02         | NTU       |                        |
| BENA-03      | RILEY CREEK    | 7/13/2016       | Vanadium                                  | Total           |              | ug/l      | ND                     |
| BENA-03      | RILEY CREEK    | 7/13/2016       | Vanadium                                  | Dissolved       | 9.65         | ug/l      |                        |
| BENA-03      | RILEY CREEK    | 7/13/2016       | Volatile suspended solids                 |                 | 10           | mg/l      |                        |
| BENA-03      | RILEY CREEK    | 7/13/2016       | Zinc                                      | Total           | 5.71         | ug/l      |                        |
| BENA-03      | RILEY CREEK    | 7/13/2016       | Zinc                                      | Dissolved       |              | ug/l      | ND                     |
| BEN-01       | KICKAPOO CREEK | 8/1/2016        | Ammonia-nitrogen                          | Total           |              | mg/l      | ND                     |
| BEN-01       | KICKAPOO CREEK | 8/1/2016        | Inorganic nitrogen (nitrate and nitrite)  | Total           | 7.55         | mg/l      |                        |
| BEN-01       | KICKAPOO CREEK | 8/1/2016        | Kjeldahl nitrogen                         | Total           | 0.71         | mg/l      |                        |
| BEN-01       | KICKAPOO CREEK | 8/1/2016        | Phosphorus                                | Total           | 1.1          | mg/l      |                        |
| BEN-01       | KICKAPOO CREEK | 8/1/2016        | Temperature, sample                       |                 | 3            | deg C     |                        |
| BEN-01       | KICKAPOO CREEK | 8/1/2016        | Total suspended solids                    |                 | 6            | mg/l      |                        |
| BEN-01       | KICKAPOO CREEK | 8/1/2016        | Volatile suspended solids                 |                 |              | mg/l      | ND                     |
| BENA-01      | RILEY CREEK    | 8/1/2016        | Ammonia-nitrogen                          | Total           |              | mg/l      | ND                     |
| BENA-01      | RILEY CREEK    | 8/1/2016        | Inorganic nitrogen (nitrate and nitrite)  | Total           | 11.1         | mg/l      |                        |

| Station Code | Waterbody Name | Collection Date | Analyte                                   | Sample Fraction | Result Units | Qualifier | Method Detection Limit |
|--------------|----------------|-----------------|---|-----------------|--------------|-----------|------------------------|
| BENA-01      | RILEY CREEK    | 8/1/2016        | Kjeldahl nitrogen                         | Total           | 0.76         | mg/l      |                        |
| BENA-01      | RILEY CREEK    | 8/1/2016        | Phosphorus                                | Total           | 1.51         | mg/l      |                        |
| BENA-01      | RILEY CREEK    | 8/1/2016        | Temperature, sample                       |                 | 3            | deg C     |                        |
| BENA-01      | RILEY CREEK    | 8/1/2016        | Total suspended solids                    |                 | 6            | mg/l      |                        |
| BENA-01      | RILEY CREEK    | 8/1/2016        | Volatile suspended solids                 |                 |              | mg/l      | ND                     |
| BEN-01       | KICKAPOO CREEK | 8/29/2016       | Alkalinity, total                         |                 | 195          | mg/l      |                        |
| BEN-01       | KICKAPOO CREEK | 8/29/2016       | Aluminum                                  | Dissolved       |              | ug/l      | ND                     |
| BEN-01       | KICKAPOO CREEK | 8/29/2016       | Aluminum                                  | Total           | 166          | ug/l      |                        |
| BEN-01       | KICKAPOO CREEK | 8/29/2016       | Ammonia-nitrogen                          | Total           |              | mg/l      | ND                     |
| BEN-01       | KICKAPOO CREEK | 8/29/2016       | Arsenic                                   | Total           | 1.77         | ug/l      | J                      |
| BEN-01       | KICKAPOO CREEK | 8/29/2016       | Arsenic                                   | Dissolved       | 1.88         | ug/l      | J                      |
| BEN-01       | KICKAPOO CREEK | 8/29/2016       | Barium                                    | Total           | 52.3         | ug/l      |                        |
| BEN-01       | KICKAPOO CREEK | 8/29/2016       | Barium                                    | Dissolved       | 49.1         | ug/l      |                        |
| BEN-01       | KICKAPOO CREEK | 8/29/2016       | Beryllium                                 | Dissolved       |              | ug/l      | ND                     |
| BEN-01       | KICKAPOO CREEK | 8/29/2016       | Beryllium                                 | Total           |              | ug/l      | ND                     |
| BEN-01       | KICKAPOO CREEK | 8/29/2016       | Boron                                     | Dissolved       | 106          | ug/l      |                        |
| BEN-01       | KICKAPOO CREEK | 8/29/2016       | Boron                                     | Total           | 109          | ug/l      |                        |
| BEN-01       | KICKAPOO CREEK | 8/29/2016       | Cadmium                                   | Dissolved       |              | ug/l      | ND                     |
| BEN-01       | KICKAPOO CREEK | 8/29/2016       | Cadmium                                   | Total           |              | ug/l      | ND                     |
| BEN-01       | KICKAPOO CREEK | 8/29/2016       | Calcium                                   | Dissolved       | 55700        | ug/l      |                        |
| BEN-01       | KICKAPOO CREEK | 8/29/2016       | Calcium                                   | Total           | 56800        | ug/l      |                        |
| BEN-01       | KICKAPOO CREEK | 8/29/2016       | Chloride                                  | Total           | 29.6         | mg/l      |                        |
| BEN-01       | KICKAPOO CREEK | 8/29/2016       | Chlorophyll a, corrected for pheophytin   | Total           | 3.2          | ug/l      |                        |
| BEN-01       | KICKAPOO CREEK | 8/29/2016       | Chlorophyll a, uncorrected for pheophytin | Total           | 3.65         | ug/l      |                        |
| BEN-01       | KICKAPOO CREEK | 8/29/2016       | Chlorophyll b                             | Total           |              | ug/l      | ND                     |
| BEN-01       | KICKAPOO CREEK | 8/29/2016       | Chlorophyll c                             | Total           |              | ug/l      | ND                     |
| BEN-01       | KICKAPOO CREEK | 8/29/2016       | Chromium                                  | Dissolved       |              | ug/l      | ND                     |
| BEN-01       | KICKAPOO CREEK | 8/29/2016       | Chromium                                  | Total           |              | ug/l      | ND                     |
| BEN-01       | KICKAPOO CREEK | 8/29/2016       | Cobalt                                    | Dissolved       | 1.15         | ug/l      | J                      |
| BEN-01       | KICKAPOO CREEK | 8/29/2016       | Cobalt                                    | Total           | 0.88         | ug/l      | J                      |
| BEN-01       | KICKAPOO CREEK | 8/29/2016       | Copper                                    | Dissolved       | 2.17         | ug/l      | J                      |
| BEN-01       | KICKAPOO CREEK | 8/29/2016       | Copper                                    | Total           |              | ug/l      | ND                     |
| BEN-01       | KICKAPOO CREEK | 8/29/2016       | Dissolved oxygen (DO)                     |                 | 7.6          | mg/l      |                        |
| BEN-01       | KICKAPOO CREEK | 8/29/2016       | Dissolved oxygen saturation               |                 | 92           | %         |                        |
| BEN-01       | KICKAPOO CREEK | 8/29/2016       | Fluoride                                  | Total           | 0.18         | mg/l      |                        |
| BEN-01       | KICKAPOO CREEK | 8/29/2016       | Hardness, Ca, Mg                          |                 | 225000       | ug/l      | C                      |
| BEN-01       | KICKAPOO CREEK | 8/29/2016       | Inorganic nitrogen (nitrate and nitrite)  | Total           | 4.11         | mg/l      |                        |
| BEN-01       | KICKAPOO CREEK | 8/29/2016       | Iron                                      | Dissolved       | 13.9         | ug/l      | J                      |
| BEN-01       | KICKAPOO CREEK | 8/29/2016       | Iron                                      | Total           | 318          | ug/l      |                        |
| BEN-01       | KICKAPOO CREEK | 8/29/2016       | Kjeldahl nitrogen                         | Total           | 0.63         | mg/l      |                        |
| BEN-01       | KICKAPOO CREEK | 8/29/2016       | Lead                                      | Dissolved       | 4.61         | ug/l      | J                      |
| BEN-01       | KICKAPOO CREEK | 8/29/2016       | Lead                                      | Total           |              | ug/l      | ND                     |
| BEN-01       | KICKAPOO CREEK | 8/29/2016       | Magnesium                                 | Dissolved       | 19700        | ug/l      |                        |
| BEN-01       | KICKAPOO CREEK | 8/29/2016       | Magnesium                                 | Total           | 20100        | ug/l      |                        |
| BEN-01       | KICKAPOO CREEK | 8/29/2016       | Manganese                                 | Dissolved       | 25.1         | ug/l      |                        |
| BEN-01       | KICKAPOO CREEK | 8/29/2016       | Manganese                                 | Total           | 45           | ug/l      |                        |
| BEN-01       | KICKAPOO CREEK | 8/29/2016       | Nickel                                    | Dissolved       | 0.71         | ug/l      | J                      |
| BEN-01       | KICKAPOO CREEK | 8/29/2016       | Nickel                                    | Total           | 0.73         | ug/l      | J                      |
| BEN-01       | KICKAPOO CREEK | 8/29/2016       | Organic carbon                            | Total           | 4.11         | mg/l      |                        |
| BEN-01       | KICKAPOO CREEK | 8/29/2016       | pH  |                 | 8            | None      |                        |
| BEN-01       | KICKAPOO CREEK | 8/29/2016       | Phenols                                   | Total           | 3            | ug/l      | J                      |
| BEN-01       | KICKAPOO CREEK | 8/29/2016       | Pheophytin a                              | Total           | 0.53         | ug/l      |                        |
| BEN-01       | KICKAPOO CREEK | 8/29/2016       | Phosphorus                                | Dissolved       | 0.549        | mg/l      |                        |
| BEN-01       | KICKAPOO CREEK | 8/29/2016       | Phosphorus                                | Total           | 0.602        | mg/l      |                        |
| BEN-01       | KICKAPOO CREEK | 8/29/2016       | Potassium                                 | Dissolved       | 3540         | ug/l      |                        |
| BEN-01       | KICKAPOO CREEK | 8/29/2016       | Potassium                                 | Total           | 3540         | ug/l      |                        |
| BEN-01       | KICKAPOO CREEK | 8/29/2016       | Selenium                                  | Total           |              | ug/l      | ND                     |
| BEN-01       | KICKAPOO CREEK | 8/29/2016       | Selenium                                  | Dissolved       |              | ug/l      | ND                     |
| BEN-01       | KICKAPOO CREEK | 8/29/2016       | Silver                                    | Dissolved       |              | ug/l      | ND                     |
| BEN-01       | KICKAPOO CREEK | 8/29/2016       | Silver                                    | Total           |              | ug/l      | ND                     |
| BEN-01       | KICKAPOO CREEK | 8/29/2016       | Sodium                                    | Total           | 18900        | ug/l      |                        |
| BEN-01       | KICKAPOO CREEK | 8/29/2016       | Sodium                                    | Dissolved       | 18800        | ug/l      |                        |
| BEN-01       | KICKAPOO CREEK | 8/29/2016       | Specific conductance                      |                 | 500          | umho/cm   |                        |
| BEN-01       | KICKAPOO CREEK | 8/29/2016       | Strontium                                 | Dissolved       | 111          | ug/l      |                        |
| BEN-01       | KICKAPOO CREEK | 8/29/2016       | Strontium                                 | Total           | 120          | ug/l      |                        |
| BEN-01       | KICKAPOO CREEK | 8/29/2016       | Sulfate                                   | Total           | 17.7         | mg/l      |                        |
| BEN-01       | KICKAPOO CREEK | 8/29/2016       | Temperature, air                          |                 | 28           | deg C     |                        |
| BEN-01       | KICKAPOO CREEK | 8/29/2016       | Temperature, sample                       |                 | 5            | deg C     |                        |
| BEN-01       | KICKAPOO CREEK | 8/29/2016       | Temperature, water                        |                 | 25.2         | deg C     |                        |

| Station Code | Waterbody Name | Collection Date | Analyte                                   | Sample Fraction | Result Units | Qualifier | Method Detection Limit |
|--------------|----------------|-----------------|---|-----------------|--------------|-----------|------------------------|
| BEN-01       | KICKAPOO CREEK | 8/29/2016       | Total suspended solids                    |                 | 14           | mg/l      |                        |
| BEN-01       | KICKAPOO CREEK | 8/29/2016       | Turbidity                                 |                 | 12.5         | NTU       |                        |
| BEN-01       | KICKAPOO CREEK | 8/29/2016       | Vanadium                                  | Dissolved       |              | ug/l      | ND                     |
| BEN-01       | KICKAPOO CREEK | 8/29/2016       | Vanadium                                  | Total           |              | ug/l      | ND                     |
| BEN-01       | KICKAPOO CREEK | 8/29/2016       | Volatile suspended solids                 |                 |              | mg/l      | ND                     |
| BEN-01       | KICKAPOO CREEK | 8/29/2016       | Zinc                                      | Total           | 7.63         | ug/l      |                        |
| BEN-01       | KICKAPOO CREEK | 8/29/2016       | Zinc                                      | Dissolved       | 5.3          | ug/l      |                        |
| BENA-01      | RILEY CREEK    | 8/29/2016       | Alkalinity, total                         |                 | 211          | mg/l      |                        |
| BENA-01      | RILEY CREEK    | 8/29/2016       | Aluminum                                  | Total           | 190          | ug/l      |                        |
| BENA-01      | RILEY CREEK    | 8/29/2016       | Aluminum                                  | Dissolved       |              | ug/l      | ND                     |
| BENA-01      | RILEY CREEK    | 8/29/2016       | Ammonia-nitrogen                          | Total           |              | mg/l      | ND                     |
| BENA-01      | RILEY CREEK    | 8/29/2016       | Arsenic                                   | Total           | 1.65         | ug/l      | J                      |
| BENA-01      | RILEY CREEK    | 8/29/2016       | Arsenic                                   | Dissolved       |              | ug/l      | ND                     |
| BENA-01      | RILEY CREEK    | 8/29/2016       | Barium                                    | Dissolved       | 52           | ug/l      |                        |
| BENA-01      | RILEY CREEK    | 8/29/2016       | Barium                                    | Total           | 58.5         | ug/l      |                        |
| BENA-01      | RILEY CREEK    | 8/29/2016       | Beryllium                                 | Total           |              | ug/l      | ND                     |
| BENA-01      | RILEY CREEK    | 8/29/2016       | Beryllium                                 | Dissolved       |              | ug/l      | ND                     |
| BENA-01      | RILEY CREEK    | 8/29/2016       | Boron                                     | Dissolved       | 92.4         | ug/l      |                        |
| BENA-01      | RILEY CREEK    | 8/29/2016       | Boron                                     | Total           | 101          | ug/l      |                        |
| BENA-01      | RILEY CREEK    | 8/29/2016       | Cadmium                                   | Dissolved       |              | ug/l      | ND                     |
| BENA-01      | RILEY CREEK    | 8/29/2016       | Cadmium                                   | Total           |              | ug/l      | ND                     |
| BENA-01      | RILEY CREEK    | 8/29/2016       | Calcium                                   | Dissolved       | 58700        | ug/l      |                        |
| BENA-01      | RILEY CREEK    | 8/29/2016       | Calcium                                   | Total           | 61100        | ug/l      |                        |
| BENA-01      | RILEY CREEK    | 8/29/2016       | Chloride                                  | Total           | 30           | mg/l      |                        |
| BENA-01      | RILEY CREEK    | 8/29/2016       | Chlorophyll a, corrected for pheophytin   | Total           | 4.67         | ug/l      |                        |
| BENA-01      | RILEY CREEK    | 8/29/2016       | Chlorophyll a, uncorrected for pheophytin | Total           | 5.36         | ug/l      |                        |
| BENA-01      | RILEY CREEK    | 8/29/2016       | Chlorophyll b                             | Total           |              | ug/l      | ND                     |
| BENA-01      | RILEY CREEK    | 8/29/2016       | Chlorophyll c                             | Total           |              | ug/l      | ND                     |
| BENA-01      | RILEY CREEK    | 8/29/2016       | Chromium                                  | Dissolved       |              | ug/l      | ND                     |
| BENA-01      | RILEY CREEK    | 8/29/2016       | Chromium                                  | Total           |              | ug/l      | ND                     |
| BENA-01      | RILEY CREEK    | 8/29/2016       | Cobalt                                    | Dissolved       |              | ug/l      | ND                     |
| BENA-01      | RILEY CREEK    | 8/29/2016       | Cobalt                                    | Total           | 0.82         | ug/l      | J                      |
| BENA-01      | RILEY CREEK    | 8/29/2016       | Copper                                    | Dissolved       | 1.87         | ug/l      | J                      |
| BENA-01      | RILEY CREEK    | 8/29/2016       | Copper                                    | Total           | 1.55         | ug/l      | J                      |
| BENA-01      | RILEY CREEK    | 8/29/2016       | Dissolved oxygen (DO)                     |                 | 7.6          | mg/l      |                        |
| BENA-01      | RILEY CREEK    | 8/29/2016       | Dissolved oxygen saturation               |                 | 91           | %         |                        |
| BENA-01      | RILEY CREEK    | 8/29/2016       | Fluoride                                  | Total           | 0.2          | mg/l      |                        |
| BENA-01      | RILEY CREEK    | 8/29/2016       | Hardness, Ca, Mg                          |                 | 245000       | ug/l      | C                      |
| BENA-01      | RILEY CREEK    | 8/29/2016       | Inorganic nitrogen (nitrate and nitrite)  | Total           | 4.12         | mg/l      |                        |
| BENA-01      | RILEY CREEK    | 8/29/2016       | Iron                                      | Dissolved       | 16.2         | ug/l      | J                      |
| BENA-01      | RILEY CREEK    | 8/29/2016       | Iron                                      | Total           | 362          | ug/l      |                        |
| BENA-01      | RILEY CREEK    | 8/29/2016       | Kjeldahl nitrogen                         | Total           | 0.64         | mg/l      |                        |
| BENA-01      | RILEY CREEK    | 8/29/2016       | Lead                                      | Dissolved       |              | ug/l      | ND                     |
| BENA-01      | RILEY CREEK    | 8/29/2016       | Lead                                      | Total           |              | ug/l      | ND                     |
| BENA-01      | RILEY CREEK    | 8/29/2016       | Magnesium                                 | Dissolved       | 21300        | ug/l      |                        |
| BENA-01      | RILEY CREEK    | 8/29/2016       | Magnesium                                 | Total           | 22500        | ug/l      |                        |
| BENA-01      | RILEY CREEK    | 8/29/2016       | Manganese                                 | Dissolved       | 27.5         | ug/l      |                        |
| BENA-01      | RILEY CREEK    | 8/29/2016       | Manganese                                 | Total           | 54.2         | ug/l      |                        |
| BENA-01      | RILEY CREEK    | 8/29/2016       | Nickel                                    | Dissolved       |              | ug/l      | ND                     |
| BENA-01      | RILEY CREEK    | 8/29/2016       | Nickel                                    | Total           |              | ug/l      | ND                     |
| BENA-01      | RILEY CREEK    | 8/29/2016       | Organic carbon                            | Total           | 4.4          | mg/l      |                        |
| BENA-01      | RILEY CREEK    | 8/29/2016       | pH  |                 | 8            | None      |                        |
| BENA-01      | RILEY CREEK    | 8/29/2016       | Phenols                                   | Total           | 3.27         | ug/l      | J                      |
| BENA-01      | RILEY CREEK    | 8/29/2016       | Pheophytin a                              | Total           | 0.85         | ug/l      |                        |
| BENA-01      | RILEY CREEK    | 8/29/2016       | Phosphorus                                | Dissolved       | 0.529        | mg/l      |                        |
| BENA-01      | RILEY CREEK    | 8/29/2016       | Phosphorus                                | Total           | 0.571        | mg/l      |                        |
| BENA-01      | RILEY CREEK    | 8/29/2016       | Potassium                                 | Dissolved       | 3360         | ug/l      |                        |
| BENA-01      | RILEY CREEK    | 8/29/2016       | Potassium                                 | Total           | 3590         | ug/l      |                        |
| BENA-01      | RILEY CREEK    | 8/29/2016       | Selenium                                  | Total           |              | ug/l      | ND                     |
| BENA-01      | RILEY CREEK    | 8/29/2016       | Selenium                                  | Dissolved       |              | ug/l      | ND                     |
| BENA-01      | RILEY CREEK    | 8/29/2016       | Silver                                    | Dissolved       |              | ug/l      | ND                     |
| BENA-01      | RILEY CREEK    | 8/29/2016       | Silver                                    | Total           |              | ug/l      | ND                     |
| BENA-01      | RILEY CREEK    | 8/29/2016       | Sodium                                    | Dissolved       | 17900        | ug/l      |                        |
| BENA-01      | RILEY CREEK    | 8/29/2016       | Sodium                                    | Total           | 18800        | ug/l      |                        |
| BENA-01      | RILEY CREEK    | 8/29/2016       | Specific conductance                      |                 | 524          | umho/cm   |                        |
| BENA-01      | RILEY CREEK    | 8/29/2016       | Strontium                                 | Dissolved       | 115          | ug/l      |                        |
| BENA-01      | RILEY CREEK    | 8/29/2016       | Strontium                                 | Total           | 128          | ug/l      |                        |
| BENA-01      | RILEY CREEK    | 8/29/2016       | Sulfate                                   | Total           | 16.8         | mg/l      |                        |
| BENA-01      | RILEY CREEK    | 8/29/2016       | Temperature, air                          |                 | 28           | deg C     |                        |

| Station Code | Waterbody Name | Collection Date | Analyte                                   | Sample Fraction | Result Units | Qualifier | Method Detection Limit |
|--------------|----------------|-----------------|---|-----------------|--------------|-----------|------------------------|
| BENA-01      | RILEY CREEK    | 8/29/2016       | Temperature, sample                       |                 | 5            | deg C     |                        |
| BENA-01      | RILEY CREEK    | 8/29/2016       | Temperature, water                        |                 | 24           | deg C     |                        |
| BENA-01      | RILEY CREEK    | 8/29/2016       | Total suspended solids                    |                 | 15           | mg/l      |                        |
| BENA-01      | RILEY CREEK    | 8/29/2016       | Turbidity                                 |                 | 14.7         | NTU       |                        |
| BENA-01      | RILEY CREEK    | 8/29/2016       | Vanadium                                  | Total           |              | ug/l      | ND                     |
| BENA-01      | RILEY CREEK    | 8/29/2016       | Vanadium                                  | Dissolved       |              | ug/l      | ND                     |
| BENA-01      | RILEY CREEK    | 8/29/2016       | Volatile suspended solids                 |                 |              | mg/l      | ND                     |
| BENA-01      | RILEY CREEK    | 8/29/2016       | Zinc                                      | Total           | 8.4          | ug/l      |                        |
| BENA-01      | RILEY CREEK    | 8/29/2016       | Zinc                                      | Dissolved       | 4.49         | ug/l      | J                      |
| BENA-03      | RILEY CREEK    | 8/29/2016       | Alkalinity, total                         |                 | 237          | mg/l      |                        |
| BENA-03      | RILEY CREEK    | 8/29/2016       | Aluminum                                  | Dissolved       |              | ug/l      | ND                     |
| BENA-03      | RILEY CREEK    | 8/29/2016       | Aluminum                                  | Total           | 197          | ug/l      |                        |
| BENA-03      | RILEY CREEK    | 8/29/2016       | Ammonia-nitrogen                          | Total           |              | mg/l      | ND                     |
| BENA-03      | RILEY CREEK    | 8/29/2016       | Arsenic                                   | Dissolved       |              | ug/l      | ND                     |
| BENA-03      | RILEY CREEK    | 8/29/2016       | Arsenic                                   | Total           | 1.78         | ug/l      | J                      |
| BENA-03      | RILEY CREEK    | 8/29/2016       | Barium                                    | Dissolved       | 64.3         | ug/l      |                        |
| BENA-03      | RILEY CREEK    | 8/29/2016       | Barium                                    | Total           | 72           | ug/l      |                        |
| BENA-03      | RILEY CREEK    | 8/29/2016       | Beryllium                                 | Dissolved       |              | ug/l      | ND                     |
| BENA-03      | RILEY CREEK    | 8/29/2016       | Beryllium                                 | Total           |              | ug/l      | ND                     |
| BENA-03      | RILEY CREEK    | 8/29/2016       | Boron                                     | Dissolved       | 54.8         | ug/l      |                        |
| BENA-03      | RILEY CREEK    | 8/29/2016       | Boron                                     | Total           | 59.9         | ug/l      |                        |
| BENA-03      | RILEY CREEK    | 8/29/2016       | Cadmium                                   | Dissolved       |              | ug/l      | ND                     |
| BENA-03      | RILEY CREEK    | 8/29/2016       | Cadmium                                   | Total           |              | ug/l      | ND                     |
| BENA-03      | RILEY CREEK    | 8/29/2016       | Calcium                                   | Dissolved       | 64700        | ug/l      |                        |
| BENA-03      | RILEY CREEK    | 8/29/2016       | Calcium                                   | Total           | 67100        | ug/l      |                        |
| BENA-03      | RILEY CREEK    | 8/29/2016       | Chloride                                  | Total           | 20.3         | mg/l      |                        |
| BENA-03      | RILEY CREEK    | 8/29/2016       | Chlorophyll a, corrected for pheophytin   | Total           | 2.1          | ug/l      |                        |
| BENA-03      | RILEY CREEK    | 8/29/2016       | Chlorophyll a, uncorrected for pheophytin | Total           | 3.2          | ug/l      |                        |
| BENA-03      | RILEY CREEK    | 8/29/2016       | Chlorophyll b                             | Total           |              | ug/l      | ND                     |
| BENA-03      | RILEY CREEK    | 8/29/2016       | Chlorophyll c                             | Total           |              | ug/l      | ND                     |
| BENA-03      | RILEY CREEK    | 8/29/2016       | Chromium                                  | Dissolved       |              | ug/l      | ND                     |
| BENA-03      | RILEY CREEK    | 8/29/2016       | Chromium                                  | Total           |              | ug/l      | ND                     |
| BENA-03      | RILEY CREEK    | 8/29/2016       | Cobalt                                    | Dissolved       |              | ug/l      | ND                     |
| BENA-03      | RILEY CREEK    | 8/29/2016       | Cobalt                                    | Total           | 0.88         | ug/l      | J                      |
| BENA-03      | RILEY CREEK    | 8/29/2016       | Copper                                    | Dissolved       |              | ug/l      | ND                     |
| BENA-03      | RILEY CREEK    | 8/29/2016       | Copper                                    | Total           |              | ug/l      | ND                     |
| BENA-03      | RILEY CREEK    | 8/29/2016       | Dissolved oxygen (DO)                     |                 | 7.5          | mg/l      |                        |
| BENA-03      | RILEY CREEK    | 8/29/2016       | Dissolved oxygen saturation               |                 | 89           | %         |                        |
| BENA-03      | RILEY CREEK    | 8/29/2016       | Fluoride                                  | Total           | 0.17         | mg/l      |                        |
| BENA-03      | RILEY CREEK    | 8/29/2016       | Hardness, Ca, Mg                          |                 | 270000       | ug/l      | C                      |
| BENA-03      | RILEY CREEK    | 8/29/2016       | Inorganic nitrogen (nitrate and nitrite)  | Total           | 2.9          | mg/l      |                        |
| BENA-03      | RILEY CREEK    | 8/29/2016       | Iron                                      | Dissolved       | 15.6         | ug/l      | J                      |
| BENA-03      | RILEY CREEK    | 8/29/2016       | Iron                                      | Total           | 376          | ug/l      |                        |
| BENA-03      | RILEY CREEK    | 8/29/2016       | Kjeldahl nitrogen                         | Total           | 0.5          | mg/l      |                        |
| BENA-03      | RILEY CREEK    | 8/29/2016       | Lead                                      | Dissolved       |              | ug/l      | ND                     |
| BENA-03      | RILEY CREEK    | 8/29/2016       | Lead                                      | Total           |              | ug/l      | ND                     |
| BENA-03      | RILEY CREEK    | 8/29/2016       | Magnesium                                 | Dissolved       | 23600        | ug/l      |                        |
| BENA-03      | RILEY CREEK    | 8/29/2016       | Magnesium                                 | Total           | 24900        | ug/l      |                        |
| BENA-03      | RILEY CREEK    | 8/29/2016       | Manganese                                 | Dissolved       | 32.3         | ug/l      |                        |
| BENA-03      | RILEY CREEK    | 8/29/2016       | Manganese                                 | Total           | 63.1         | ug/l      |                        |
| BENA-03      | RILEY CREEK    | 8/29/2016       | Nickel                                    | Dissolved       |              | ug/l      | ND                     |
| BENA-03      | RILEY CREEK    | 8/29/2016       | Nickel                                    | Total           |              | ug/l      | ND                     |
| BENA-03      | RILEY CREEK    | 8/29/2016       | Organic carbon                            | Total           | 4.26         | mg/l      |                        |
| BENA-03      | RILEY CREEK    | 8/29/2016       | pH  |                 | 8            | None      |                        |
| BENA-03      | RILEY CREEK    | 8/29/2016       | Phenols                                   | Total           | 3.19         | ug/l      | J                      |
| BENA-03      | RILEY CREEK    | 8/29/2016       | Pheophytin a                              | Total           | 1.68         | ug/l      |                        |
| BENA-03      | RILEY CREEK    | 8/29/2016       | Phosphorus                                | Dissolved       | 0.137        | mg/l      |                        |
| BENA-03      | RILEY CREEK    | 8/29/2016       | Phosphorus                                | Total           | 0.168        | mg/l      |                        |
| BENA-03      | RILEY CREEK    | 8/29/2016       | Potassium                                 | Dissolved       | 2280         | ug/l      |                        |
| BENA-03      | RILEY CREEK    | 8/29/2016       | Potassium                                 | Total           | 2390         | ug/l      |                        |
| BENA-03      | RILEY CREEK    | 8/29/2016       | Selenium                                  | Dissolved       |              | ug/l      | ND                     |
| BENA-03      | RILEY CREEK    | 8/29/2016       | Selenium                                  | Total           |              | ug/l      | ND                     |
| BENA-03      | RILEY CREEK    | 8/29/2016       | Silver                                    | Dissolved       |              | ug/l      | ND                     |
| BENA-03      | RILEY CREEK    | 8/29/2016       | Silver                                    | Total           | 0.75         | ug/l      | J                      |
| BENA-03      | RILEY CREEK    | 8/29/2016       | Sodium                                    | Total           | 10200        | ug/l      |                        |
| BENA-03      | RILEY CREEK    | 8/29/2016       | Sodium                                    | Dissolved       | 9540         | ug/l      |                        |
| BENA-03      | RILEY CREEK    | 8/29/2016       | Specific conductance                      |                 | 507          | umho/cm   |                        |
| BENA-03      | RILEY CREEK    | 8/29/2016       | Strontium                                 | Total           | 139          | ug/l      |                        |
| BENA-03      | RILEY CREEK    | 8/29/2016       | Strontium                                 | Dissolved       | 126          | ug/l      |                        |

| Station Code | Waterbody Name | Collection Date | Analyte                   | Sample Fraction | Result Units | Qualifier | Method Detection Limit |
|--------------|----------------|-----------------|---------------------------|-----------------|--------------|-----------|------------------------|
| BENA-03      | RILEY CREEK    | 8/29/2016       | Sulfate                   | Total           | 12.8         | mg/l      |                        |
| BENA-03      | RILEY CREEK    | 8/29/2016       | Temperature, air          |                 | 27           | deg C     |                        |
| BENA-03      | RILEY CREEK    | 8/29/2016       | Temperature, sample       |                 | 5            | deg C     |                        |
| BENA-03      | RILEY CREEK    | 8/29/2016       | Temperature, water        |                 | 23.7         | deg C     |                        |
| BENA-03      | RILEY CREEK    | 8/29/2016       | Total suspended solids    |                 | 15           | mg/l      |                        |
| BENA-03      | RILEY CREEK    | 8/29/2016       | Turbidity                 |                 | 13.1         | NTU       |                        |
| BENA-03      | RILEY CREEK    | 8/29/2016       | Vanadium                  | Total           |              | ug/l      | ND                     |
| BENA-03      | RILEY CREEK    | 8/29/2016       | Vanadium                  | Dissolved       |              | ug/l      | ND                     |
| BENA-03      | RILEY CREEK    | 8/29/2016       | Volatile suspended solids |                 |              | mg/l      | ND                     |
| BENA-03      | RILEY CREEK    | 8/29/2016       | Zinc                      | Total           |              | ug/l      | ND                     |
| BENA-03      | RILEY CREEK    | 8/29/2016       | Zinc                      | Dissolved       |              | ug/l      | ND                     |



# Appendix D

## Public Comments

This page intentionally left blank.

## Appendix D

---

### Public Comments

Relevant information will be included in the Final TMDL Report:

- No comments were received following the Stage 1 Public Meeting

This page intentionally left blank.